

RESULT
OF
ASTRONOMICAL OBSERVATIONS

MADE AT
THE HONORABLE
THE EAST INDIA COMPANY'S OBSERVATORY
AT MADRAS

BY
THOMAS GLANVILLE TAYLOR, Esq.
ASTRONOMER TO THE HONORABLE COMPANY.

VOL. II.
FOR THE YEARS 1832 AND 1833.



PRINTED
BY ORDER OF THE
MADRAS GOVERNMENT.

MADRAS:
PRINTED AT THE HALE ATULUM, AND FORT SAINT GEORGE GAZETTE PRESSES.

M.DCCC.XXXV.

P R E F A C E.

MORE convinced than ever of the propriety of giving the *result* of Astronomical Observations, in preference to publishing the observations in an un-reduced state, I have (with the permission of the Right Honorable the Governor in Council of this Presidency) given in the following pages the result of all the Astronomical Observations which have been made in this Observatory in the years 1832 and 1833, and have forwarded to King-land manuscript copies of the rough observations to be deposited in the Honorable Company's Library. The plan adopted upon the present occasion is as nearly as possible the same as that followed in Volume I. for 1831; since the publication of the latter work I have been favored with part 5 of the Greenwich Observations for 1831, containing the result of the observations given in parts 1—4 of that year; in one respect (that of giving the result of *each* observation instead of the *mean* result) I should much prefer to have followed the Greenwich plan, but the inconvenient delay I have experienced in printing (arising partly from want of type) would have rendered it impossible to print the additional number of pages which would be necessary without getting very considerably in arrears; to accomplish even the present work in ten months, I have been compelled to employ two separate printing establishments, and from this cause have been obliged to introduce a different size type and a second system of pageing, but the ill appearance thus introduced, will I hope be considered sufficiently atoned for, by my being enabled to publish the work 4 or 5 months earlier than I otherwise should have been able to do. The observations with the Transit Instrument have been somewhat interfered with by the unequal wear of the pivots (which has rendered it necessary to have them returned and Steel Collars applied over the present ones of Bell Metal), and by the unstability of the Meridian Marks: the result of these casualties is, that the accuracy of half a tenth of a second of time, which at commencing the Superintendence of this Observatory, I had vainly promised myself to attain, is forfeited in *some cases* to double and treble this amount; notwithstanding this, the observations will I imagine be found to possess a very useful, if not a valuable degree of accuracy:

A tolerable opinion of their relative accuracy with regard to that attained at other Observatories can be formed by the following table; exhibiting a *Comparison of the Right Ascension of several Stars which have been frequently observed at Madras with their places observed at the Observatories of Greenwich, Cambridge, and Königsberg.*

NAMES.		Right Ascension, January 1, 1832. Madras.			Difference from Madras.			REMARKS.
					Greenwich.	Cambridge.	Königsberg.	
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	
16 Ceti	<i>a</i>	0	35	9,29	— 0,02	— 0,02	
13 Arietis	<i>a</i>	1	57	43,22	— 0,05	— 0,02	— 0,03	
92 Ceti	<i>a</i>	2	53	30,36	— 0,04	+ 0,03	— 0,01	
33 Persei	<i>a</i>	3	12	22,05	+ 0,09	+ 0,09	+ 0,25	
87 Tauri	<i>a</i>	4	26	17,31	+ 0,05	+ 0,04	+ 0,04	
13 Aurigæ	<i>a</i>	5	4	17,36	+ 0,07	+ 0,09	+ 0,14	
58 Orionis	<i>a</i>	5	46	4,74	+ 0,05	+ 0,07	+ 0,01	
9 Can. Maj.	<i>a</i>	6	37	44,63	— 0,08	+ 0,03	0,00	
66 Geminorum	<i>a</i>	7	23	52,10	+ 0,08	+ 0,08	
10 Can. Min.	<i>a</i>	7	30	30,29	+ 0,06	— 0,05	— 0,02	
78 Geminorum	<i>β</i>	7	35	1,56	+ 0,04	— 0,07	— 0,01	
30 Hydæ	<i>a</i>	9	19	20,01	— 0,04	— 0,02	— 0,15	
32 Leonis	<i>a</i>	9	59	25,11	+ 0,03	— 0,05	— 0,06	
50 Urs. Maj.	<i>a</i>	10	53	17,37	+ 0,09	+ 0,06	+ 0,06	
94 Leonis	<i>β</i>	11	40	29,21	— 0,03	— 0,08	— 0,10	
67 Virginis	<i>a</i>	13	16	21,25	— 0,11	+ 0,01	— 0,04	
16 Bootis	<i>a</i>	14	8	0,04	+ 0,06	+ 0,08	+ 0,07	
36 Bootis	<i>a</i>	14	37	39,00	— 0,03	+ 0,05	
9 Libræ	<i>a</i> ²	14	41	35,97	— 0,05	— 0,01	— 0,04	
5 Cor. Bor.	<i>a</i>	15	27	04,65	0,00	+ 0,01	0,00	
24 Serpentis	<i>a</i>	15	35	59,95	— 0,02	+ 0,02	+ 0,01	
1 Ophiuchi	<i>δ</i>	16	4	33,03	— 0,08	— 0,15	
21 Scorpii	<i>a</i>	16	19	7,26	— 0,17	— 0,07	— 0,04	
55 Ophiuchi	<i>a</i>	17	27	8,42	— 0,03	— 0,02	— 0,09	
3 Lyræ	<i>a</i>	18	37	15,13	+ 0,01	— 0,08	— 0,02	
10 Lyræ	<i>β</i>	18	43	52,78	+ 0,01	— 0,10	
53 Aquilæ	<i>a</i>	19	42	35,23	— 0,01	— 0,03	— 0,02	
60 Aquilæ	<i>β</i>	19	47	3,72	+ 0,02	— 0,07	+ 0,03	
6 Capricorni	<i>a</i> ²	20	8	43,71	— 0,03	— 0,05	+ 0,04	
50 Cygni	<i>a</i>	20	35	42,48	— 0,02	+ 0,06	— 0,03	
22 Aquarii	<i>β</i>	21	22	42,68	— 0,14	— 0,01	
34 Aquarii	<i>a</i>	21	56	9,24	+ 0,03	— 0,01	0,00	
54 Pegasi	<i>a</i>	22	56	23,93	+ 0,01	— 0,08	— 0,02	
21 Andromedæ	<i>a</i>	23	59	43,19	+ 0,01	— 0,05	— 0,06	

The observations with the Mural Circle have proceeded without any interruption, and the results *inter se*, are as accordant as any observations

N. B.—The Catalogues of Cambridge and Königsberg are derived from Vol. V. Page 17 of the Cambridge Observations, save that the former has been *diminished* 0,10s. and the latter *increased* 0,07s. to reduce them to the Equinoctial Point assumed in the Madras and Greenwich Catalogues.

of this nature will permit; in computing the Parallax of the Planet Mars where a comparison between the Madras, Cape of Good Hope, and St. Helena observations has been instituted; two singular cases of discordance had led me to suspect an error of large amount in one set of divisions of the Madras Mural Circle; but on examining the divisions by means of two Collimators, I am enabled to state, *that the error of division is confined to very allowable limits, and may possibly extend to a very great degree of accuracy.* The observations made out of the meridian are not so numerous as I could wish, this has mostly arisen from the want of a building to shelter the observing Telescope from the wind; on this account the transit of Mercury over the Sun's disc in May 1832, was but imperfectly observed, and several occultations have been lost; in short I cannot but consider the Observatory incomplete from the want of a fixed Instrument for observing objects out of the meridian; hitherto for this purpose I have employed the 5 feet Achromatic by Dollond, mounted upon Sineaton's plan; but the utmost accuracy attainable with this sort of Instrument falls far short of that accuracy which the present state of practical Astronomy demands. The observations on the meridian have with but few exceptions been made as heretofore by the Assistants, who are natives of high *caste*; and those out of the meridian for the most part by myself: of the abilities of the Native Assistants as observers I entertain the highest possible opinion, and as computers, they possess a very serviceable degree of accuracy and despatch, notwithstanding which the reduction of the observations has for the most part been performed by myself, having trusted nothing of importance to the native computers without a strict examination or a recomputation.

With regard to the methods of reduction and finding the Index Error, &c. the plans I have adopted differ in no respect from those employed at the Greenwich Royal Observatory, which were I believe devised by Mr. Pond the present Astronomer Royal, to whom at least I am indebted for them: In employing the Greenwich Catalogue as my Zero point, it may not be amiss for me here to record my opinion, that the Greenwich Transit Observations are at present excelled by none, and the observations derived from the two Mural Circles (due as much to the judicious way in which their results are combined, as to the superior excellence of the Instruments) are very superior to any yet published observations.

It now remains for me to say a word or two with regard to the arrangement of the work. Having experienced considerable delay on the part of the printer in the execution of Volume I. I commenced printing the present work on the 20th December 1833, ten days before the observations constituting the results were completed ; and about as many months before the completion of the computation ; from this cause, circumstances (which have arisen in the course of computation and printing) have compelled me to deviate from the straight forward course of arrangement I otherwise could wish to have followed ; my object however has been to render the work complete in itself, and forward in a degree however small the cause of Astronomy.

T. G. TAYLOR,
H. C. ASTRONOMER.

OBSERVATIONS MADE WITH THE TRANSIT INSTRUMENT.

THE Intervals between the wires at the beginning of the year 1832, is assumed to be the same as that determined at Page 6, Vol. I for 1831 ; there hold good up to 18th January when the whole set were broken, and a new set put in by my Assistant Anuntacharyer; (being absent myself at the time on other duty in Calcutta); from 50 Observations between the 18th and the 23d the Equatoreal Intervals were found to be :

from 1st wire to centre.....	54°,462
2d	27,294
4th.....	27,438
5th.....	54,985

these wires were I imagine put in with bad varnish, for on the 23d January they were again found broken; on this occasion Mr. Law (of whose skill and abilities to perform this or any other job which he may undertake I have the highest possible opinion) applied a new set ; from the mean of 70 Observations the Equatoreal Intervals were found to be :

from 1st wire to centre.....	54°,400
2d	27,280
4th.....	27,302
5th.....	54,750

On the 8th August, I found the 1st and second wires bent in consequence of which I put in a new set of silk lines; when from 70 Observations of Stars situated near the Pole, the Equatoreal Intervals were found to be :

from 1st wire to centre.....	54°,988
2d	27,566
4th.....	27,352
5th.....	55,021

On the 9th November the following note appears in the Transit book.
 " Found the moveable wire had been caught by the varnish which secured the fixed wires, to remedy this I filed a groove to contain the varnish and put

in a new set of wires" from 70 Observations the Equatoreal Intervals were now found to be :

from 1st wire to centre.....	54,643
2d	27,323
4th.....	28,128
5th.....	55,281

In the month of May 1833, being desirous of ascertaining if the wires remained stable; from 72 Observations of Stars situated near to the Pole I found the Equatoreal Intervals to be :

from 1st wire to centre.....	54,619
2d	27,357
4th.....	28,071
5th.....	55,121

On the 12th May A. M. the following note appears in the Transit book. " The centre wire appears to have shifted its position since the observations of last night" and on the 13th " fearing that by reason of the hot land wind the centre wire might have become loosed, which however was not apparent I applied fresh varnish (tincture of opium) to the ends of all the five wires," from the observations of several Stars situated near to the Pole the Equatoreal Intervals were found to be :

from 1st wire to centre.....	54,961
2d	27,618
4th.....	27,878
5th.....	54,924

On the 23d of August by reason of very heavy rain a few drops of water had leaked through the roof and falling upon the eye end of the Telescope, had bent two of the wires, in consequence of which I put in a new set; from 36 Observations of Stars situated near to the Pole the Equatoreal Intervals were found to be :

from 1st wire to centre.....	55,420
2d	27,896
4th.....	27,374
5th.....	54,594

Hence to reduce observations made at the five wires to the centre wire, it becomes necessary to apply the following corrections :

1832—From January 1st to	January 28th....	+	$\frac{s.}{sin. N.P.D.}$,061
January 18th —	January 23d	—	$\frac{s.}{sin. N.P.D.}$,133
January 23d —	August 8th....	—	$\frac{s.}{sin. N.P.D.}$,074
August 8th —	November 9th....	+	$\frac{s.}{sin. N.P.D.}$,036
November 9th —	End of the year....	—	$\frac{s.}{sin. N.P.D.}$,288
1832— „ November 9th — 1833 May 12th....		—	$\frac{s.}{sin. N.P.D.}$,243
1833— „ May 12th —	August 23d	—	$\frac{s.}{sin. N.P.D.}$,045
August 23d —	End of the year... +		$\frac{s.}{sin. N.P.D.}$,270

In the absence of any cause which can explain why the Equatoreal Intervals in November 1832 differ from those in May 1833, I have employed between the

9th of November and 31st December 1832..	—	$\frac{s.}{sin. N.P.D.}$,288
1st of January — 1st March 1833..	—	$\frac{s.}{sin. N.P.D.}$,266
1st of March — 12th May 1833..	—	$\frac{s.}{sin. N.P.D.}$,243

We will now examine the observations for the determination of the value of the Micrometer screw which it will be recollected was found but approximately in the year 1831; for this purpose the following are the *Intervals of time which the Pole Star took to pass over 2 R. 0 D. 1 R. 50 D. &c. to the East and West of the centre wire.*

East of the Centre Wire.					West of the Centre Wire.			
	R. D. 2 0	R. D. 1 50	R. D. 1 0	R. D. 0 50	R. D. 0 50	R. D. 1 0	R. D. 1 50	R. D. 2 0
1832	m. s.	m. s.	m. s.	m. s.	m. s.	m. s.	m. s.	m. s.
May 16	2 5,5	1 23,5	0 44,5	0 39,5
17	2 45,0	2 4,0	1 22,5	0 42,0	0 41,5	1 23,0	2 5,0	2 46,0
26	0 41,5	1 22,5	2 5,0	2 46,0
29	2 47,0	2 4,0	1 22,0	0 41,5	0 40,0	1 21,0	2 1,0	2 45,0
June 9	2 46,0	2 4,5	1 23,0	0 41,5	0 41,5	1 23,5	2 4,5	2 46,0
November 16	2 46,0	2 4,5	1 22,0	0 40,0	0 41,5	1 23,0	2 5,5	2 48,5
17	2 45,5	2 4,5	1 22,0	0 42,0	0 40,5	1 23,5	2 6,0	2 47,0
22	2 49,5	2 5,5	1 23,5	0 42,5	0 42,5	1 24,5	2 5,0	2 46,5

MADRAS OBSERVATIONS.

1832		m. s.	m. s.	m. s.	m. s.	m. s.	m. s.	m. s.	m. s.
November	23	2 46,5	2 4,5	1 23,5	0 41,5	0 42,0	1 23,5	2 5,5	2 46,0
	25	2 46,0	2 4,5	1 23,0	0 42,0	0 41,5	1 23,0	2 6,0	2 46,5
	29	2 44,5	2 3,5	1 22,0	0 41,0	0 42,0	1 25,0	2 6,5	2 48,5
December	4	2 47,0	2 5,0	1 23,5	0 42,0	0 41,0	1 23,0	2 4,5	2 46,5
	5	1 21,5	1 23,5
	7	1 25,5	1 23,0
	9	1 24,5	1 20,5
	12	2 45,0	1 22,5	1 24,5	2 47,0
	13	2 44,0	1 22,0	1 22,5	2 46,5
	14	2 49,5	1 24,5	1 23,0	2 47,5
	15	2 45,5	1 25,5	1 23,5	2 45,5
	16	2 46,0	1 23,0	1 24,5	2 46,5
	16	2 45,0	1 23,0	1 23,5	2 46,0
	17	2 45,0	1 21,5	1 23,0	2 45,5
	18	2 45,0	1 21,0	1 22,0	2 46,0
	19	2 48,0	1 25,5	1 22,0	2 44,0
	20	2 46,0	1 22,0	1 25,0	2 48,0
	21	2 46,5	1 23,0	1 22,5	2 46,5
	22	2 49,5	1 25,0	1 24,0	2 46,5
	23	2 47,0	1 23,0	1 23,5	2 47,0
	24	2 45,5	1 22,5	1 24,0	2 44,5
	24	2 48,0	1 23,5	1 24,0	2 48,0
	25	2 46,5	1 22,5	1 21,5	2 43,5
	26	2 48,0	1 25,0	1 22,0	2 46,0
	26	2 48,0	1 24,0	1 23,0	2 45,5
Mean..		2 46,46	2 4,55	1 23,25	0 41,87	0 41,25	1 23,14	2 4 95	2 46,29

Taking the differences we find that the Pole Star passed from

R. D.	R. D.	s.
2 0 East to 1 50 East.....		41,89 of time.
1 50 ——— 1 00 —		41,30 ———
1 00 ——— 0 50 —		41,38 ———
0 50 ——— 0 00 —		41,87 ———
0 00 ——— 0 50 West.....		41,25 ———
0 50 ——— 1 00 —		41,89 ———
1 00 ——— 1 50 —		41,81 ———
1 50 ——— 2 00 —		41,34 ———

Hence we may safely assume the threads of the screw to be equidistant, and assuming the N.P.D. of the Pole Star to be $1^{\circ} 34' 46''$, the value of each revolution from the Mean of 32 Observations..... = $34', 394$
 In 1831.....10 ——— = $34', 277$
 hence we may safely assume the value of each revolution of the screw at $34', 366$.

ERROR OF LEVEL OF THE TRANSIT AXIS.

IN the Results of Observations Vol. I for 1831, it is stated that from 80 times inverting the Transit Axis, the diameter of the illuminating pivot apparently exceeded that of the other pivot $0^{\circ},58$: producing an error of level to the amount $0^{\circ},29$. In the reduction of the Observations in 1831, the correction due to this was included with the correction due to the error registered by the spirit level in the column for that purpose; following this plan the observations of 1832, were reduced, and those for 1833 far advanced, when, with a view to determine if this result remained constant (of which I had some doubt by reason of disagreement in the places of Polaris and δ Ursæ Minoris,) I made the following Observations.

Cross Level East and Illuminating Pivot.

				East.		West.		Illuminating Pivot.	
1833	Inversions.			"		"		"	
November 12	Mean of 10	Obj. Glass	N.	6,51	W. Obj. Glass	S.	26,37	W. +	9,93
13	—	6	—	S. 2,30	"	—	N. 20,55	— +	9,13
14	—	4	—	S. 2,64	"	—	N. 24,21	— +	10,78
December 20	—	10	—	N. 11,07	E.	—	S. 13,31	— +	12,19
20	—	10	—	N. 11,97	"	—	S. 13,94	— +	12,95
25	—	8	—	S. 10,07	"	—	N. 14,60	— +	12,33
25	—	4	—	N. 5,46	"	—	S. 16,53	— +	11,00

Taking the Mean, it appears that in the year 1833 or at 1833, 93 the illuminating pivot exceeded the other pivot to the amount $11^{\circ},37$, whereas at 1831, 27 it exceeded it only $0^{\circ},58$.

This enormous and extraordinary wear of the one pivot above the other, is, as far as concerns the construction of the pivots and Y's, altogether unaccountable; on inspecting the former which are of Bell Metal, it is quite evident that the unilluminating pivot has worn more than the other pivot, the appearance of either being such as would result from their having been turned in a lathe; the latter which are of brass, are not more worn than might be reasonably expected; in lieu of a line of contact on each face as exhibited on the erection of this Instrument in 1831; a groove of about, 14 Inches broad has been worn by the action of the pivots; to account for this change, no circumstances offer beyond the Instrument having been kept hard at work, and that too during three years of unusual heat and dust, in which, notwith-

standing the pivots were constantly kept covered by the slips of Brass* for the purpose; it was found necessary to wipe them and apply fresh oil on every second day at farthest but more frequently every day.

With a view to discover if the pivots continued of a circular figure: I attached to the Stone Pier a microscope (into the focus of which I had fitted a pair of lines at right angles to each other) and watched the motion of an exceedingly small point which I had made in a slip of ivory and cemented to the end of the pivot; when placed on the eastern or illuminating pivot and adjusted to its axis, the centre of the dot in every position of the Instrument remained perfectly bisected by the cross wires; when placed upon the Western pivot however the bisection was not so satisfactory; having failed after much loss of time to attach the dot opposite to the center of the axis of this pivot I allowed it to remain at a distance of about ,001 + from the centre and estimated the value of the rectangular co-ordinates of the centre of the dot from the intersection of the cross lines in tenths of the diameter of the dot as follows:

N.P.D.		The dot was situated.		Direction of the Telescope.	
No.	1 at 347	to the North	,00	and 0,05 too high	North Horizon.
2	— 0	—	,10	— ,10	Pole.
3	— 13	—	,15	— ,25	"
4	— 30	—	,25	— ,30	"
5	— 50	—	,30	— ,35	"
6	— 76	—	,30	— ,45	Zenith.
7	— 95	—	,28	— ,52	"
8	— 120	—	,20	— ,55	"
9	— 140	—	,09	— ,58	"
10	— 160	—	,01	— ,65	South Horizon.
11	— 180	South	,03	— ,66	South Pole.
12	— 200	—	,15	— ,65	"
13	— 220	—	,20	— ,55	"
14	— 240	—	,25	— ,50	"
15	— 257	—	,30	— ,50	Nadir.
16	— 280	—	,33	— ,45	"
17	— 300	—	,30	— ,35	"
18	— 320	—	,16	— ,23	"
19	— 347	—	,00	— ,05	North Horizon.

* It is much to be regretted that no better means has yet offered for protecting this part of the Instrument from dust; in this climate, where for several days together occasionally, the air is saturated with sand, the want of a better cover is much felt.

the above which are the mean of several readings or rather estimations, can safely be depended upon to ,03 or ,04; the diameter of the dot was determined from a very neatly engraved scale of converging lines to be ,0025 Inches; assuming the above numbers and a large scale, we may now trace the curve described by any point on the axis of the pivot see fig. 1; and comparing the above numbers with the natural sines of the angles, we can determine the circle A. B. C. which agrees best with all the measures, from whence it appears that *the deviation of the pivot from a circular figure does not entail an error in any direction to the amount of one second of space* beyond which limits the means at my command do not enable me to offer an opinion or proof.

We will now enquire to what amount the Right Ascensions of the Planets and fixed Stars for the years 1831, 1832 and 1833, are effected by this unforeseen change in the pivots; In the first place we must recollect that the above excess of the illuminating pivot over the other is only an *apparent* one, for we have $2,82 (r - r') = 11'',37$ or the true difference of the radii of the pivots $r - r' = 4',03 = ,00058$ Inches; and the error of level thus produced $= (r - r') \operatorname{cosec} \frac{90^\circ}{2} = 5'',68$. Now if we diminish this amount by $0',29$ (the error already allowed for) we obtain the error which remains to be allowed $= 5'',39$ which produces corrections to be applied to the reduced Right Ascensions as follows:

For	1 35	N.P.D.	above the Pole	+ 3,30	in Time.
	1 35	—	below the Pole	— 2,60	—
	3 25	—	above the Pole	+ 1,71	—
	3 25	—	below the Pole	— 1,05	—
	10 0	—	above the Pole	+ 0,81	—
	20 0	—	—	+ 0,57	—
	30 0	—	—	+ 0,49	—
	40 0	—	—	+ 0,45	—
	50 0	—	—	+ 0,42	—
	60 0	—	—	+ 0,39	—
	70 0	—	—	+ 0,37	—
	80 0	—	—	+ 0,36	—
	90 0	—	—	+ 0,34	+ 0,34
	100 0	—	—	+ 0,33	—
	110 0	—	—	+ 0,31	—
	120 0	—	—	+ 0,29	—
	130 0	—	—	+ 0,27	—
	140 0	—	—	+ 0,25	—
	150 0	—	—	+ 0,21	—
	160 0	—	—	+ 0,12	—
	165 0	—	—	—	—

On consulting the method employed in reducing the observations of transits at Pages 31 et seq. of Vol. I, it will readily appear, that for Stars situated above 30° or 40° from the Pole, the greater part of the above corrections will be lost sight of in the determination of the Error of the Clock; thus, suppose (as actually has been the case in the reduction of the Observations for 1832 and 1833) that the Stars selected for the determination of the clock's error be situated between the limits of 65° and 115° of North Polar Distance; in this case the error of the Clock will be, instead of e , some number between $e + ,30$ and $e + ,38$; by assuming $e + ,34$ we are liable to an error $0^s,04$, i. e. this is the largest error we can possibly commit by such an assumption; but in 9 cases out of 10, I find the error does not exceed the half of this amount. Subtracting then $0^s,34$ from the above numbers we obtain the corrections proper to be applied to the reduced Right Ascensions made towards the end of the year 1833; thus in the case of α Lyræ; N.P.D. $51^\circ 22'$; whose A.R. we will suppose to have been determined towards the end of the year 1833; (the Clock error having been determined from a comparison of the observed places of Equatoreal Stars with the Greenwich Catalogue) we have to apply the correction $,42 - ,34 = ,08$; and for the Star α Cephei N.P.D. $28^\circ 7'$ we have to apply $,50 - ,34 = ,16$ &c. These corrections it must be recollected apply only to observations made towards the end of 1833, for dates antecedent to this (on the supposition that the wear of the one pivot above the other has been uniformly accelerated with the time) it will be proper to apply corresponding smaller corrections as follows:

Corrections to be applied to the Reduced A.R.							
	1831,5	1832,0	1832,5	1833,0	1833,5	1833,93	
"	"	"	"	"	"	"	"
1 35 A. P.	+ 0,15	+ 0,73	+ 1,30	+ 1,87	+ 2,45	+ 2,96	
1 35 B. P.	— 0,12	— 0,56	— 1,00	— 1,44	— 1,87	— 2,26	
3 25 A. P.	+ 0,07	+ 0,34	+ 0,60	+ 0,87	+ 1,13	+ 1,37	
3 25 B. P.	— 0,04	— 0,18	— 0,32	— 0,46	— 0,59	— 0,71	
10 0 A. P.	+ 0,03	+ 0,12	+ 0,21	+ 0,30	+ 0,39	+ 0,47	
20 0 —	+ 0,01	+ 0,06	+ 0,10	+ 0,14	+ 0,19	+ 0,23	
30 0 —	+ 0,01	+ 0,04	+ 0,07	+ 0,10	+ 0,13	+ 0,15	
40 0 —	+ 0,01	+ 0,03	+ 0,05	+ 0,07	+ 0,09	+ 0,11	
50 0 —	0,00	+ 0,02	+ 0,03	+ 0,05	+ 0,07	+ 0,08	
60 0 —	0,00	+ 0,01	+ 0,02	+ 0,03	+ 0,04	+ 0,05	
70 0 —	0,00	+ 0,01	+ 0,01	+ 0,02	+ 0,03	+ 0,03	
80 0 —	0,00	0,00	+ 0,01	+ 0,01	+ 0,02	+ 0,02	
90 0 —	0,00	0,00	0,00	0,00	0,00	0,00	
100 0 —	0,00	0,00	0,00	0,00	0,00	— 0,01	
110 0 —	0,00	0,00	— 0,01	— 0,02	— 0,02	— 0,03	
120 0 —	0,00	— 0,01	— 0,02	— 0,03	— 0,04	— 0,05	
130 0 —	0,00	— 0,01	— 0,03	— 0,04	— 0,06	— 0,07	
140 0 —	0,00	— 0,02	— 0,04	— 0,06	— 0,08	— 0,09	
150 0 —	— 0,01	— 0,04	— 0,06	— 0,09	— 0,11	— 0,13	
160 0 —	— 0,01	— 0,05	— 0,10	— 0,14	— 0,18	— 0,22	

If the computation of the observations for 1832 and 1833 had not been so nearly completed, the above corrections would as heretofore have been included with the ordinary correction for Level, but the case being otherwise, it will be found as I have already shewn, that an error of comparatively little importance is committed in employing the above table, where we find, that for observations in 1831 for Stars situated between 40° and 140° of N.P.D. no correction need be applied, and that for observations in 1832 and 1833 situated between these limits by employing the columns 1832,5 and 1833,5 respectively we are liable to errors which in no case exceed .02". And further that up to the limits of 10° of N.P.D. it will be found sufficient to suppose the observations to have been made at that time of the year when the Star whose place we desire to correct passes the meridian at 9 o'clock at night; for Stars situated within this limit, (of which there are very few cases) the month and day must be taken into the account. In the reductions of the observations of the Sun, Moon and Planets for 1832 and 1833, I had employed the Errors of Level which now follow together with $0''.29$ for inequality of the pivots, these have consequently been since corrected by the above table, whereas the places of the fixed Stars are set down under the respective years in which they were observed *uncorrected*; the correction being taken account of in obtaining the column *mean* as will be further explained in the proper place.

ERROR OF COLLIMATION.

From inverting the Transit Instrument 23 times in the month of April 1831, it appeared that the South meridian mark was distant from the meridian mark to the North, reckoning towards the West; $180^\circ + 26''.97$; this number was accordingly employed in computing the error of Collimation for this year: towards the latter end of 1832, being about to compute the Errors of Collimation for the observations of that year, I set to work to verify the angle above measured as follows:

		Illuminating Pivot.				Collimation of	
		East.		West.			
	No. of	North	South	North	South	North	South
	Invers.	mark.	mark.	mark.	mark.	mark.	mark.
1832	"	"	"	"	"	"	"
Oct. 18..	10	..39,04 W.	.. 71,97 E.	.. 47,58 W.	.. 63,65 E.	.. 4,27 W.	.. 4,16

	1832	"	"	"	"	"	"
Jan.	5.. 10	..38,94 W.	.. 64,10 — E.	39,39 W.	.. 63,50 E.	.. 0,22 W.	.. 0,30
	16.. 10	..37,12 —	.. 65,75 —	.. 40,28 —	.. 62,87 —	.. 1,58 —	.. 1,44
	18.. 10	..35,91 —	.. 67,11 —	.. 42,17 —	.. 62,07 —	.. 3,13 —	.. 2,52

And to see if this continued unaltered.

	"	"	"	"	"	"	"
Dec.	25.. 10	..32,92 W.	.. 61,40 E.	.. 36,59 W.	.. 56,94 E.	.. 1,83 W.	.. 2,23
	26.. 10	..33,83 —	.. 62,78 —	.. 36,22 —	.. 59,90 —	.. 1,20 —	.. 4,44
	28.. 10	..33,71 —	.. 61,93 —	.. 37,26 —	.. 57,77 —	.. 1,78 —	.. 2,08

If the Instrument were free from Error of Collimation the readings of Illuminating end East would be identical with those of Illuminating end West and would be as follows:

		Illuminating Pivot E. or W.		
		North mark.	South mark.	Angular Distance. = 180° +
1832		"	"	"
October	18	43,31 W.	67,81 E.	24,50
1833				
January	5	39,16 —	63,80 —	24,64
	16	38,70 —	64,31 —	25,61
	18	39,04 —	64,59 —	25,55

And for the second series.

	"	"	"
December	25	34,75 W.	59,17 E. 24,42
	26	35,02 —	61,34 — 26,32
	28	35,48 —	59,85 — 24,37

Taking the mean it appears the South meridian mark was distant from the North meridian mark, reckoning to the *West about* ;

at the End of the year 1832 = 180° + 25',07

— — — — — 1833 = 25',04

For the present I will postpone the discussion as to *when* the alteration of the angular distance between the two marks from 26',97 to 25',07 took place, and proceed to state, that the numbers which now follow in computing the corrections for Collimation for the years 1832 and 1833, have been employed, using 25',07 for the angular distance together with 0',29 for diurnal aberration.

1832	Azimuth of		N. + S.	N + S + 25",07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
January	1 + 19,46	- 28,68	- 9 22	+ 7,92		
	2 18,87	32,82	13,95	5,56		
	3 18,53	34,44	15,91	4,58		
	4	32,92				
	5 19,66	32,75	13,09	5,99		
	6 18,87	32 96	14,09	5,49		
	7 21,36	33,44	12,08	6 49		
	8 20,42	30,93	10 51	7,28		
	9 20,96	30,98	10,02	7,52		
	10 21,13	33,27	12,14	6,47	Mean of 10 + 6",53	
	11 21,65	30,83	9,18	7,94		
	12 21,31	31,24	9,93	7,57		
	13 21,72	30,76	9,04	8,01		
	14 21,13	29 99	8 86	8,10		
	15 21,60	29 24	7,64	8 71		
	16 21,45	30,25	8 80	8,14		
	17 21,48	29,41	7,93	8,57		
	18 21,96	30,35	8,39	8,34		
	19 21,48	29,38	7,90	8,58		
					Mean of 8 + 8",25	Found the fourth wire broken, a new set were put in by Mr. Law.
	24 31,86		
	25 31,41	17,18				
February	3 30,42	22,78	+ 7,64	16,35	One of the moveable wires found broken, which not being re- quired was consequently not replaced.
	4 29,58	19 24	10,34	17,70		
	5 29,34	21,52	7,82	16 44		
	6 29,75	20,72	9,03	17,05		
	7 30,18	18,39	11,79	18,43		
	8 31,52	18,43	13,09	19,08		
	9 32,21	17,70	14 51	19,79		
	10 31,30	17,56	13,74	19,40		
	11 32,65	16,63	16,02	20,54		
	12 29,58	21,72	7,86	16,46		
	13 29,92	20,96	8 96	17,01		
	14 29,72	21,10	8,62	16,84		
	15 29,89	21,48	8,41	16 74		
	16 29,61	21,65	7,96	16,51		
	17 28,44	22,89	5,55	15,31		
	18 29,71	22,58	7,13	16,10	I returned to Madras from Cal- cutta, where I had been as- sisting in the measurement of a base line.
	19 27,98	22 41	5,57	15,32		
	20 29,48	21,65	7,83	16,45		
	21 30,93	20,72	10,21	17,64		
	22 31,89	21,03	10,86	17,96		
	23 28,92	22,65	6,27	15,67		
	24 29,65	21,92	7,73	16,40		
	25 31,10	20 59	10 51	17,79		
	26 30,96	21,21	9,75	17,41	Mean of 25 + 17",26	
	27 30,73	21,41	9,32	17,20		
	28 32,13	21,55	10,58	17,82		
	29 31,96	21,48	10,48	17,78		

ERROR OF COLLIMATION.

1832	Azimuth of		N. + S.	N + S + 25".07 2	Mean.	REMARKS.
	North mark.	South mark.				
March	"	"	"	"		
1	+ 32,20	- 21,03	+ 11,17	+ 18,12		
2	32,27	20,69	11,58	18,32		
3	32,17	21,03	11,14	18,11		
4	31,83	20,65	11,18	18,13		
5	31,10	21,65	9,45	17,26		
6	31,30	21,20	10,10	17,58		
7	31,44	20,90	10,54	17,81		
8	30,96	21,24	9,72	17,39		
9	32,03	20,83	11,20	18,13		
10	33,16	21,48	11,68	18,36		
11	32,38	21,93	10,45	17,77		
12	31,58	21,65	9,93	17,50		
13	31,51	21,65	9,86	17,47		
14	31,30	21,55	9,75	17,41		
15	31,03	21,45	9,58	17,33		
16	30,80	21,93	9,87	17,47		
17	31,44	20,83	10,61	17,84		
18	31,86	20,76	11,10	18,08		
19	31,76	21,03	10,73	17,90		
20	31,17	21,31	9,86	17,46	Mean of 23	
21	30,76	21,45	9,31	17,19	+ 17",75	
22	30,59	23,10	7,49	16,28		
23	30,08	23,69	6,39	15,73		
24	30,49	23,59	6,90	15,99		
25	30,59	23,38	7,21	16,14		
26	30,46	22,41	8,05	16,56		
27	30,62	23,72	6,90	15,99		
28	30,62	22,41	8,21	16,64		
29	30,25	22,55	7,70	16,33		
30	30,93	23,03	7,90	16,48		
31	29,99	22,20	7,79	16,43	Mean of 11	
April 1	30,42	22,34	8,08	16,58	+ 16",29	
2	28,43	24,43	4,00	14,53		
3	27,02	26,56	0,46	12,77		
4	26,77	27,05	0,28	12,39		
5	28,01	25,16	2,85	13,96		
6	29,82	23,66	6,16	15,61		
7	29,82	23,93	5,89	15,48		
8	30,16	23,38	6,78	15,92		
9	30,49	23,03	7,46	16,26		
10	30,66	24,64	6,02	15,54		
11	30,28	24,13	6,15	15,61		
12	29,58	23,96	5,62	15,34		
13	29,20	24,71	4,49	14,78		
14	29,34	24,09	5,25	15,16		
15	29,68	23,69	5,99	15,53		
16	29,68	24,09	5,59	15,33		
18	30,49	24,85	5,64	15,35		
19	30,53	25,06	5,47	15,27		
20	30,07	25,12	4,95	15,01		
21	30,53	24,64	5,89	15,48		
22	30,16	24,92	5,24	15,15		
23	30,23	24,82	5,41	15,24		
					Re-examined and found correct.

OBSERVATIONS FOR LEVEL.

1832	Illuminating Pivot.	Error from Level.	REMARKS.	1832	Illuminating Pivot.	Error from Level.	REMARKS.
	D. H.	s.			D. H.	s.	
Jan.	2 1 East	5,24 E.		April	3 1 East	4,47 E.	
	4 1	5,26 ..			5 1	4,45 ..	
	6 1	5,50 ..			7 1	4,86 ..	
	8 1	5,18 ..			9 1	4,60 ..	
	10 1	4,86 ..			11 1	4,50 ..	
	12 1	5,05 ..			13 1	5,04 ..	
	14 1	5,14 ..			15 1	5,12 ..	
	16 1	5,43 ..			17 1	4,46 ..	
	18 1	5,43 ..			19 1	4,55 ..	
	20 1	5,50 ..			23 1	4,14 ..	
	24 1	5,71 ..			25 1	3,59 ..	
	26 1	5,97 ..			27 1	4,33 ..	
	28 1	6,17 ..			30 1	4,11 ..	
	30 1	6,31 ..		May	2 1	5,26 ..	
Feb.	1 1	5,52 ..			4 1	4,80 ..	
	3 1	6,06 ..			7 1	5,25 ..	
	5 1	5,58 ..			9 1	4,58 ..	
	7 1	6,20 ..			11 1	3,85 ..	
	9 1	5,61 ..			13 1	4,80 ..	
	11 1	5,63 ..			15 1	4,43 ..	
	13 1	5,67 ..			17 1	3,92 ..	
	16 1	4,89 ..			19 1	4,27 ..	
	18 1	4,47 ..			21 1	4,62 ..	
	20 1	4,81 ..			23 1	3,36 ..	
	22 1	4,78 ..			25 1	4,94 ..	
	24 1	4,48 ..			27 1	4,73 ..	
	27 1	5,10 ..			29 1	4,20 ..	
	29 1	5,06 ..			31 1	4,21 ..	
March	2 1	5,69 ..		June	2 1	3,42 ..	
	4 1	5,02 ..			4 1	2,92 ..	
	6 1	5,24 ..			6 1	2,28 ..	
	8 1	3,97 ..			8 1	2,24 ..	
	10 1	3,41 ..			10 1	2,40 ..	
	12 1	4,56 ..			12 1	1,92 ..	
	14 1	4,35 ..			14 1	2,11 ..	
	16 1	5,25 ..			16 1	3,35 ..	
	18 1	4,69 ..			18 1	2,58 ..	After this observation I adjusted the level.
	20 1	4,88 ..			22 1	3,10 ..	
	22 1	4,92 ..			24 1	3,13 ..	
	24 1	5,56 ..			28 1	2,57 ..	
	26 1	6,78 ..			30 1	2,75 ..	
	28 1	4,07 ..		July	2 1	1,82 ..	
	30 1	4,23 ..			5 1	2,36 ..	Continued cloudy weather.
April	1 1	4,60 ..					

N. B.—The Pages 9, 10, 11, and 12 should have followed after line 20 of Page 53.

1832	Illuminating Pivot.	Error from Level.	REMARKS.	1832	Illuminating Pivot.	Error from Level.	REMARKS.
	D. H.	s.			D. H.	s.	
July	8 1 East	5,37 E.	I adjusted the level before the above reading.	Nov.	27 1 East	1,36 E.	
	16 1	7,65 ..		Dec.	1 1	1,19 ..	
	20 1	7,67 ..			3 1	1,05 ..	
	24 1	6,51 ..			6 1	1,68 ..	
	26 1	5,26 ..			8 1	0,50 ..	
	28 1	4,30 ..			10 1	0,72 ..	
	30 1	4,76 ..			13 1	0,34 ..	
Aug.	1 1	5,49 ..	I re-examined this at 2 P. M. and found it correct.		16 1	0,89 ..	
	3 1	5,71 ..			18 1	0,71 ..	
	5 1	5,77 ..			21 1	1,23 ..	
	11 1	6,07 ..			24 1	0,97 ..	
	13 1	5,81 ..			27 1	1,31 ..	
	17 1	6,53 ..			30 1	0,72 ..	
	19 1	6,60 ..					
	21 1	6,21 ..		1833			
	23 1	6,47 ..		Jan.	2 1 East	0,35 E.	
	25 1	10,61 ..			4 1	0,30 ..	
	27 1	11,75 ..			7 1	1,09 ..	
	29 1	11,72 ..			9 1	1,06 ..	
	31 1	10,93 ..			11 1	0,66 ..	
Sept.	2 1	11,02 ..			14 1	1,45 ..	
	4 1	10,43 ..			17 1	3,48 W.	
	6 1	11,95 ..			19 1	3,38 ..	
	8 1	11,08 ..			21 1	3,23 ..	
	10 1	11,55 ..			23 1	3,87 ..	
	12 1	11,24 ..			25 1	4,12 ..	
	15 1	11,50 ..			27 1	4,14 ..	
	20 1	11,48 ..			29 1	4,61 ..	
	22 1	11,97 ..			31 1	5,27 ..	
	24 1	11,43 ..		Feb.	2 1	4,68 ..	
	26 1	11,55 ..			4 1	4,99 ..	
	28 1	11,85 ..			6 1	4,97 ..	
	30 1	12,06 ..			8 1	5,60 ..	
Oct.	2 1	12,32 ..			10 1	5,58 ..	
	4 1	12,14 ..			13 1	5,70 ..	
	6 1	11,88 ..			15 1	5,59 ..	
	9 1	12,05 ..			18 1	5,79 ..	
	12 1	12,46 ..			20 1	5,38 ..	
	14 1	12,18 ..	After the above was registered I lowered the East end 16s.		25 1	5,32 ..	
	19 1	17,48 ..			27 1	5,13 ..	
	19 2	1,12 ..		March	1 1	6,50 ..	
	23 1	1,63 ..			4 1	6,17 ..	
	26 1	1,54 ..			6 1	6,28 ..	
	28 1	1,50 ..			8 1	5,81 ..	
	30 1	1,57 ..			10 1	5,12 ..	
Nov.	1 1	0,60 ..			12 1	4,74 ..	
	3 1	1,18 ..			15 1	5,29 ..	
	5 1	0,86 ..			18 1	5,63 ..	
	8 1	0,41 ..			20 1	5,19 ..	
	10 1	0,32 ..			23 1	6,48 ..	
	12 1	0,81 ..			25 1	6,55 ..	
	14 1	1,02 ..			27 1	7,16 ..	
	16 1	1,06 ..			29 1	6,84 ..	
	21 1	1,77 ..		April	1 1	7,50 ..	
	23 1	1,35 ..			3 1	8,37 ..	

1833	Illuminating Pivot.	Error from Level.	REMARKS.	1833	Illuminating Pivot.	Error from Level.	REMARKS.
	D. H.	s.			D. H.	s.	
April	5 1	East 8,19 W.		Sept.	3 1	East 3,97 E.	
	7 1 7,67 ..			6 1 4,36 ..	
	9 1 8,93 ..			9 1 4,56 ..	
	15 1 8,35 ..			11 1 5,81 ..	
	17 1 8,68 ..			14 1 7,30 ..	
	19 1 8,33 ..			16 1 7,84 ..	
	21 1 8,19 ..			18 1 7,18 ..	
	23 1 8,17 ..			21 1 8,31 ..	
	26 1 8,33 ..			25 1 8,64 ..	
	29 1 8,02 ..			27 1 8,95 ..	I raised the West end 10s.
May	2 1 7,45 ..			28 1 2,96 W.	
	4 1 7,66 ..			30 1 4,06 ..	
	6 1 8,46 ..		Oct.	3 1 4,29 ..	
	8 1 7,22 ..			5 1 3,50 ..	
	11 1 7,57 ..			7 1 4,63 ..	
	13 1 6,38 ..			9 1 4,25 ..	
	18 1 6,57 ..			11 1 3,50 ..	
	23 1 7,29 ..			14 1 3,65 ..	
	25 1 7,59 ..			16 1 3,45 ..	
June	4 1 7,95 ..			19 1 4,07 ..	
	8 1 6,96 ..			21 1 3,91 ..	
	10 1 6,76 ..			23 1 3,64 ..	Rainy weather no observations.
	12 1 6,10 ..			31 1 2,71 ..	
	14 1 5,74 ..		Nov.	7 1 0,20 E.	
	20 1 4,61 ..			9 1 0,09 ..	
	22 1 6,39 ..			13 7	Inverted the axis 6 times.
	24 1 4,65 ..			14 1	Do. 4 times.
	28 1 4,05 ..			14 2 0,25 E.	
	30 1 4,55 ..			18 1 0,85 W.	
July	4 1 3,37 ..			20 1 0,70 ..	
	8 1 3,01 ..			22 1 0,28 ..	
	14 1 2,79 ..			24 1 1,15 ..	
	17 1 1,96 ..			29 1 1,71 ..	
	20 1 1,10 ..		Dec.	2 1 1,89 ..	
	24 1 1,11 ..			4 1 1,98 ..	
	26 1 1,76 ..			7 1 1,84 ..	
	28 1 1,60 ..			9 1 0,67 ..	
Aug.	1 1 1,23 ..			11 1 2,22 ..	
	3 1 1,31 ..			13 1 1,70 ..	
	5 1 1,06 ..			15 1 1,96 ..	
	7 1 0,12 ..			19 1 1,78 ..	
	10 1 0,32 E.			20 1	Inverted the axis 20 times.
	13 1 0,94 ..			21 1 1,08 ..	
	15 1 0,88 ..			23 1 1,34 ..	
	19 1 1,78 ..			25 0	Inverted the axis several times.
	21 1 2,97 ..	Heavy rain with thunder and lightning.				
	24 1 3,86 ..					
	30 1 4,55 ..					

Since the above was put to Press it has occurred to me that some notion may be formed of the figure of the Pivots by noting the indications of the spirit level when applied to the axis under the various directions which the Telescope is capable of assuming when supporting the spirit level; from the

mean of four very careful readings agreeing very well *inter se*, the following were obtained.

Position of the Telescope. •	Error of Level. "		Position of the Telescope. •	Error of Level. "
290 N.P.D.	1,95 W.	110 N.P.D.	2,70 W.
300 —	2,00 —	120 —	2,75 —
310 —	1,80 —	130 —	2,20 —
320 —	1,45 —	140 —	1,75 —
330 —	1,00 —	150 —	1,50 —
340 —	1,05 —	160 —	1,80 —
350 —	2,55 —	170 —	2,05 —
360 —	2,60 —	180 —	2,45 —
10 —	2,50 —	190 —	2,70 —
20 —	2,50 —	200 —	2,35 —
30 —	2,35 —	210 —	2,20 —
40 —	2,10 —			

It will readily be understood that for the degrees of North Polar Distance intermediate between 40° and 110° , and between 210° and 290° , the spirit level cannot be applied; the results we have obtained, on the whole, are as accordant as might be expected; for assuming the mean of the above ($2^{\circ},10$) as the true Error of Level, the greatest error amounts to $1',1$.

1832	Azimuth of		N. + S.	N + S + 25",07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
April	24 + 30,20	— 24,78	+ 5,42	+ 15,25		
	25 30,25	24,71	5,54	15,30		
	26 30,49	24,61	5,88	15,47		
	27 30,35	24,99	5,36	15,21		
	28 30,32	24,99	5,33	15,20		
	29 30,53	25,12	5,41	15,24		
May	30 30,16	25,09	5,07	15,07		
	1 30,35	25,19	5,16	15,11		
	2 30,28	25,41	4,87	14,97		
	3 30,52	24,92	5,60	15,33		
	4 30,32	25,12	5,20	15,13		
	5 30,42	25,26	5,16	15,11		
	6 30,45	25,34	5,11	15,09		
	7 29,98	25,26	4,72	14,89		
	8 30,15	25,37	4,78	14,92		
	9 29,65	25,44	4,21	14,64		
	10 30,13	25,44	4,69	14,88	Mean of 39	
	11 30,22	25,51	4,71	14,89	+ 15",06	
	12 31,10	23,65	7,45	16,26		
	13 32,10	21,82	10,28	17,67		
	14 32,17	21,89	10,28	17,67		
	15 31,86	22,40	9,42	17,25		
	16 31,79	22,09	9,70	17,38		
	17 32,21	22,01	10,20	17,63		
	18 33,48	22,41	11,07	18,07	The Micrometer was taken out and cleaned, but no derangement appears to have thence resulted.
	19 33,13	22,02	11,11	18,09		
	20 33,16	21,96	11,20	18,13		
	21 32,82	22,34	10,48	17,78		
	22 32,34	22,48	9,86	17,47		
	23 31,62	23,03	8,59	16,83		
	24 31,69	22,68	9,01	17,04		
	25 31,44	22,85	8,59	16,83		
	26 31,76	22,71	9,05	17,06		
	27 31,69	22,51	9,18	17,12		
	28 31,93	22,68	9,25	17,16		
	29 31,90	22,55	9,35	17,21		
June	30 31,90	22,48	9,42	17,24		
	31 32,13	22,02	10,11	17,59	Mean of 21	
	1 32,52	21,72	10,80	17,93	+ 17",40	
	2 32,52	21,59	10,93	18,00		
	3 32,62	21,45	11,17	18,12		
	4 32,65	21,38	11,27	18,17		
	5 32,72	21,45	11,27	18,17		
	6 32,86	21,72	11,14	18,10		
	7 33,03	21,13	11,90	18,48		
	9 33,20	21,13	12,07	18,57		
	10 33,02	21,52	11,50	18,28		
	11 33,06	21,45	11,61	18,34		
	12 33,06	21,20	11,86	18,47		
	13 32,75	20,96	11,79	18,43		
	14 32,41	21,03	11,38	18,22		
	15 32,72	21,20	11,52	18,29		

1832	Azimuth of		N. + S.	N + S + 25",07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
June	16 + 33,16	- 21,13	+ 12,03	+ 18,55		
	17 33,06	21,20	11,86	18,47		
	18 32,52	20,96	11,56	18,31		
	19 32,79	21,41	11,38	18,22		
	20 32,65	20,45	12,20	18,63		
	21 32,82	21,13	11,69	18,38		
	22 32,86	21,31	11,55	18,31		
	24 32,72	20,99	11,73	18,40		
	25 32,68	20,56	12,12	18,59		
	27 32,72	20,96	11,76	18,41		
	28 32,62	20,69	11,93	18,50		
	29 32,62	20,69	11,93	18,50	Mean of 26	
	30 32,62	20,59	12,03	18,55	+ 18",37	
July	1 32,79	20,65	12,14	18,60		
	2 33,55	19,76	13,79	19,43		
	3 33,23	19,83	13,40	19,23		
	4 32,99	20,56	12,43	18,75		
	5 33,34	20,28	13,06	19,07		
	6 33,37	20,00	13,37	19,22		
	7 32,79	19,76	13,03	19,05		
	8 33,23	19,96	13,27	19,17	Mean of 8	
	14 33,06	+ 19",07	
	15	I adjusted the Instrument more nearly to the Meridian.
	16 67,59	32,67	34,92	30,00		
	17 67,04	33,36	33,68	29,37		
	24 67,56	32,70	34,86	29,97		
	25 67,56	33,01	34,55	29,81		
	27 67,21	33,36	33,85	29,46		
	29 67,28	32,88	34,40	29,73		
	30 67,90	32,67	35,23	30,15		
	31 67,56	33,84	33,72	29,39		
	August 1 67,38	33,01	34,37	29,72	Mean of 10	
August	7 66,59	32,39	34,20	29,63	+ 29",72	
	9	Found the first wire bent I put in a new set.
	13 36,09	- 67,73	- 31,64	- 3,28		
	14 36,26	66,00	29,74	2,33		
	15 36,61	66,35	29,74	2,33		
	17 36,44	65,72	29,28	2,11		
	18 36,47	66,07	29,60	2,26		
	19 35,54	66,17	30,63	2,78		
	20 35,91	66,35	30,44	2,68		
	21 35,77	66,03	30,26	2,59		
	22 35,96	65,72	29,76	2,35		
	23 35,91	65,33	29,42	2,17	Mean of 10	
	24 36,16	64,86	28,70	1,82	- 2",34	
	25 39,49	68,40	28,91	1,92		
	26 39,76	69,05	29,29	2,11		
	27 39,73	69,64	29,91	2,42		
	28 39,89	69,11	29,22	2,08		

ERROR OF COLLIMATION.

19

1832	Azimuth of		N. + S.	N + S + 25",07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
August	29 + 39,69	— 68,91	— 29,22	— 2,08		
	30 39,96	68,77	28,81	1,87		
	31 40,21	67,49	27,28	1,11		
Sept.	1 40,21	67,50	27,29	1,11	Mean of 11	
	2 40,07	67,15	27,08	1,01	— 1",93	
	3 40,00	70,43	30,43	2,68		
	4 39,59	70,29	30,70	2,81		
	5 38,70	70,46	31,76	3,35		
	6 38,52	70,94	32,42	3,67		
	7 38,70	70,87	32,17	3,55		
	8 38,81	71,11	32,30	3,61	Mean of 5	
	9 38,87	71,18	32,31	3,62	— 3",56	
	13 39,42	70,46	31,04	2,98		
	14 40,38	Some trees obscured the South
	15 39,15					Mark.
	16 39,69					
	18 39,32					
	19 39,28					
	20 39,42	70,77	31,35	3,14		
	21 39,76	70,16	30,70	2,81		
	22 39,83	70,67	30,84	2,88		
	23 39,49	70,46	30,97	2,95		
	24 39,15	70,29	31,14	3,03		
	25 39,08	70,36	31,28	3,11		
	26 39,35	70,53	31,18	3,05		
	27 39,52	70,77	31,25	3,09		
	28 39,87	70,63	30,76	2,85		
	29 39,84	70,60	30,76	2,85		
	30 39,35	70,19	30,84	2,89		
October	1 39,76	70,46	30,70	2,81		
	3 39,89	70,87	30,98	2,95		
	4 40,03					
	5 39,76					
	6 39,55	70,15	30,60	2,76		
	7 39,93	70,49	30,56	2,75		
	8 39,79	70,46	30,67	2,80		
	9 39,76	70,63	30,87	2,90		
	10 40,18	70,12	29,94	2,43		
	11 40,18	69,66	29,48	2,21		
	12 39,93	70,15	30,22	2,57		
	13 39,59	70,35	30,76	2,85		
	14 39,69	70,19	30,50	2,71	Mean of 24	
	17 39,69	70,19	30,50	2,71	12",79	
	19 39,15	72,80	33,65	4,29	Inverted the Axis several times.
	20 39,21	72,94	33,73	4,33		
	21 39,23	72,87	33,64	4,28		
	22 39,45	72,90	33,45	4,19		
	23 39,18	72,53	33,35	4,14		
	24 38,39	72,08	33,69	4,31		
	25 38,56	72,01	33,45	4,19		
	26 38,52	71,86	33,34	4,13		

1832	Azimuth of		N. + S.	N + S + 25",07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
October	27 + 38,15	- 71,97	- 33,82	- 4,38		
	28 37,98	71,83	33,85	4,39		
	29 38,22	71,48	33,26	4,10		
	30 38,66	72,00	33,34	4,13		
	31 38,49	72,00	33,51	4,22		
Nov.	1 38,39	71,86	33,47	4,20		
	2 38,25	71,14	32,89	3,91		
	3 38,56	71,48	32,92	3,92		
	4 38,12	71,65	33,53	4,23		
	5 37,97	71,38	33,41	4,17		
	6 38,32	71,48	33,16	4,04		
	7 38,12	71,14	33,02	3,98	Mean of 21	
	8 38,32	71,48	33,16	4,04	- 4",13	
	9 41,08	67,48	26,40	0,66	Found the moveable wire loose, which appeared to arise from the gum securing it, having swelled so much from the moist state of the air as to bring it in contact with the plate securing the fixed wires; to remedy this, I removed all the wires, and filed grooves at either end to contain the varnish necessary to secure their ends.
	10 41,21	67,32	26,11	0,52		
	11 41,58	67,66	26,08	0,51		
	12 41,04	67,56	26,52	0,72		
	13 40,77	67,18	26,41	0,67		
	14 41,01	67,25	26,24	0,58		
	15 40,60	67,18	26,58	0,75	Mean of 8	
	16 40,52	67,04	26,52	0,72	- 0",64	
	17 39,69	64,89	25,20	0,06		
	18 39,52	64,78	25,26	0,10		
	19 39,80	65,65	25,85	0,39		
	20 40,04	65,82	25,78	0,36		
	21 40,42	66,04	25,62	0,28		
	22 40,04	64,96	24,92	+ 0,07		
	23 40,21	64,86	24,65	+ 0,21		
	24 40,04	64,78	24,74	+ 0,16		
	25 39,69	64,96	25,27	- 0,10		
	26 39,97	65,33	25,36	0,14		
	27 39,73	65,48	25,75	0,34		
	28 39,86	65,62	25,76	0,35		
	29 39,73	65,47	25,74	0,34		
	30 40,00	64,89	24,89	+ 0,09		
Dec.	1 39,86	64,82	24,96	+ 0,05		
	2 40,53	64,75	24,22	+ 0,43		
	3 40,84	65,30	24,46	+ 0,31		
	4 40,49	64,96	24,47	0,30		
	5 40,21	64,61	24,40	0,33		
	6 40,04	64,55	24,51	0,28		
	7 40,17	64,48	24,31	0,38		
	8 39,73	64,04	24,31	0,38		
	9 39,70	64,21	24,51	0,28		
	10 39,76	64,41	24,65	0,21		
	11 40,04	64,59	24,55	0,26		
	12 40,31	64,61	24,30	0,38		
	13 40,21	64,71	24,50	+ 0,28		
	14 39,86	64,96	25,10	- 0,01		
	15 38,40	63,66	25,26	- 0,09		
	16 38,06	63,38	25,32	- 0,12		
	17 39,49	63,87	24,38	+ 0,35		

1832	Azimuth of		N. + S.	N + S + 25",07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
Dec.	18 + 39,36	- 64,07	- 24,71	+ 0,18		
	19 39,18	63,76	24,58	+ 0,25		
	20 39,06	63,93	24,87	+ 0,10		
	21 38,84	64,21	25,37	- 0,15		
	22 38,49	63,83	25,34	0,13		
	23 38,56	63,93	25,37	0,15		
	24 38,25	63,59	25,34	0,13		
	25 38,36	63,88	25,52	0,22		
	26 38,40	63,11	24,71	+ 0,18		
	27 38,56	63,07	24,51	+ 0,28		
	28 38,33	63,93	25,60	- 0,26		
	29 38,15	64,78	26,63	0,78		
	30 38,84	64,14	25,30	0,11		
	31 39,22	64,34	25,12	0,02		
1833						
January	1 + 38,84	- 64,61	- 25,77	0,35		
	2 38,73	64,00	25,27	0,10		
	3 38,40	63,90	25,50	0,21		
	4 38,84	63,59	24,75	+ 0,16		
	5 38,88	63,96	25,08	- 0,00 Inverted the Axis several times.	
	6 38,70	64,00	25,30	0,11		
	7 38,49	64,24	25,75	0,34	Mean of 53	
	8 38,56	64,18	25,62	0,27	- 0",01	
	9 39,63	62,93	23,30	+ 0,88		
	10 40,63	62,42	21,79	+ 1,64		
	11 40,46	62,21	21,75	1,66		
	12 40,56	62,55	21,99	1,54		
	13 39,52	61,86	22,34	1,36		
	14 39,52	61,86	22,34	1,36	Mean of 6	
	15 39,86	62,38	22,52	1,27	+ 1",47	Inverted the Axis several times.
	17 40,97	60,21	19,24	+ 2,91		
	18 42,52	61,34	18,82	3,12 Inverted the Axis several times.	
	19 42,62	61,01	18,39	3,34		
	20 42,45	61,59	19,14	2,96		
	21 42,27	61,89	19,62	2,72		
	22 42,62	61,17	18,55	3,26		
	23 42,85	61,41	18,56	3,25		
	24 42,34	60,86	18,52	3,27		
	25 42,07	60,62	18,55	3,26		
	26 41,58	60,21	18,63	3,22		
	27 41,76	60,17	18,41	3,33	Mean of 12	
	28 41,65	60,65	19,00	3,03	+ 3",14	
	29 42,80	59,10	16,30	+ 4,38		
	30 44,24	58,07	13,83	5,62		
	31 44,34	58,42	14,08	5,49		
February	1 44,51	58,07	13,56	5,75		
	2 43,82	57,73	13,91	5,58		
	3 44,00	57,94	13,94	5,56		
	4 44,00	58,07	14,07	5,50		

ERROR OF COLLIMATION.

1833	Azimuth of		N. + S.	N + S + 25",07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
February	5 + 44 21	- 58,42	- 14,21	+ 5,43		
	6 44,41	58,93	14,52	5,27		
	7 44,03	58,63	14,60	5,23		
	8 44,75	58,76	14,01	5,53		
	9 44,58	58,52	13,94	5,56		
	10 44,62	58,76	14,14	5,46		
	11 44,48	59,45	14 97	5,05		
	12 43,93	58,45	14,52	5,27		
	13 44,34	58,66	14,32	5,37		
	14 44,10	59,00	14,90	5,08		
	15 44,34	59,34	15,00	5,03		
	16 44,28	58,93	14,65	5,21		
	17 44,07	59,31	15,24	4,91		
	18 44,34	59,17	14,83	5,12		
	19 44,28	58,59	14,31	5,38		
	20 43,76	58,93	15,17	4,95		
	21 44,24	59,17	14,93	5,07		
	22 44,51	59,59	15,08	4,99		
	23 44,75	58,90	14,15	5,46		
	24 44,51	59,10	14,59	5,24		
	25 45,19	59,00	13,81	5,63		
	26 44,92	58,83	13,91	5,58		
	27 44,75	58,66	13,91	5,58		
	28 44,92	58,83	13,91	5,58		
March	1 44,51	58,59	14,08	5,49		
	2 44,68	58,73	14,05	5,51		
	3 44,92	58,86	13,94	5,56		
	4 45,19	59,10	13,91	5,58		
	5 44,89	58,59	13,70	5,68		
	6 44,68	58,70	14,02	5,52		
	7 45,05	58,91	13,86	5,60		
	8 45,58	59,17	13,59	5,74		
	9 44,03	58,59	14,56	5,25	Mean of 41	
	10 44,65	58,59	13,94	5,46	+ 5",87	
	11 42,44	61,00	18,56	3,25		
	12 42,30	60,97	18,67	3,20		
	13 42,73	60,60	17,87	3,60		
	14 42,90	60,55	17,65	3,71		
	15 42,35	60,48	18,13	3,47		
	16 43,03	61,04	18,01	3,53		
	17 43,27	61,62	18,35	3,36		
	18 42,51	60,86	18,35	3,36		
	19 42,51	61,00	18,49	3,29		
	20 42,48	60,48	18,00	3,53		
	21 42,96	60,51	17,55	3,76		
	22 43,34	60,48	17,14	3,96		
	23 42,99	60,55	17,56	3,75		
	24 42,44	60,14	17,70	3,68		
	25 42,62	60,17	17,55	3,76		
	26 42,27	60,14	17,87	3,60		
	27 42,17	61,17	19,00	3,03		
	28 42,30	60,83	18,53	3,27		
	29 42,27	60,93	18,66	3,20		

1833	Azimuth of		N. + S.	N + S + 25".07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
March	30 + 42,30	- 61,04	- 18,74	+ 3,16		
	31 42,62	61,31	18,69	3,19		
April	1 42,48	60,69	18,21	3,43		
	2 42,58	60,83	18,25	3,41		
	3 42,51	60,83	18,32	3,37		
	4 43,06	60,86	17,80	3,63		
	5 42,79	60,83	18,04	3,51		
	6 42,83	60,93	18,10	3,48		
	7 42,83	61,14	18,31	3,38		
	8 42,27	60,90	18,63	3,22		
	9 42,44	61,04	18,60	3,23		
	10 42,37	61,14	18,77	3,15		
	11 42,96	61,38	18,42	3,32		
	12 42,58	60,83	18,25	3,41		
	13 42,30	60,62	18,32	3,37		
	14 42,34	60,83	18,49	3,29		
	15 42,62	60,69	18,07	3,50		
	16 42,37	60,97	18,60	3,23		
	17 42,34	60,90	18,56	3,25		
	18 42,41	60,58	18,17	3,45		
	19 42,41	60,61	18,20	3,43		
	20 42,55	60,48	17,93	3,57		
	21 42,55	60,31	17,76	3,65		
	22 42,72	60,83	18,11	3,48		
	23 42,30	60,86	18,56	3,25		
	24 42,41	60,86	18,45	3,31		
	25 42,58	61,11	18 53	3,27		
	26 42,21	60,93	18,72	3,17		
	27 42,72	60,90	18,18	3,44		
	28 42,55	60,79	18,24	3,41		
	29 42,48	60,83	18,35	3,36		
	30 42,48	61,14	18,66	3,20		
May	1 41,62	60,48	18,86	3,10		
	2 42,10	60,83	18,73	3,17		
	3 42,10	60,65	18,55	3,26		
	4 42,48	60,55	18,07	3,50		
	5 42,48	61,04	18,56	3,25		
	6 42,10	61,00	18,90	3,08		
	7 42,13	60,62	18,49	3,29		
	8 42,17	61,04	18,87	3,10		
	9 42,44	60,72	18,28	3,39		
	10 42,14	60,69	18,55	3,26	Mean of 62	
	11 42,14	60,83	18,69	3,19	+ 3".38	The centre wire appears to have shifted its position no doubt from the action of the hot land wind; fearing it might have become loose I applied fresh varnish (tincture of Opium) without disturbing the Plate.
	12 40,56	63,45	22,89	1,09		
	13 40,56	63,41	22,85	1,11		
	14 39,80	63,90	24,10	0,48		
	15 39,66	63,83	24,17	0,45		
	16 39,86	64,58	24,72	0,18		
	17 39,73	64,37	24,64	0,21	Mean of 7	
	18 40,00	64,64	24,64	+ 0,21	+ 0".53	
	19 40,49	65,58	25,09	- 0,01		
	20 39,69	65,47	25,78	0,35		

1833	Azimuth of		N. + S.	N + S + 25", 07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
May	21 + 38,56	64,85	26,29	0,61		
	22 38,49	64,44	25,95	0,44		
	23 38,18	64,75	26,57	0,75		
	24 38,59	64,68	26,09	0,51		
	25 38,49	64,78	26,29	0,61		
	26 38,39	64,58	26,19	0,56		
	27 38,32	64,61	26,29	0,61		
	28 38,25	64,89	26,64	0,78		
	29 38,46	64,99	26,53	0,73		
	30 38,56	64,61	26,05	0,49		
June	31 38,15	65,30	27,15	1,04		
	1 38,84	64,34	25,50	0,21		
	2 38,43	64,61	26,18	0,56		
	3 38,70	64,27	25,57	0,25		
	4 38,67	64,34	25,67	0,30		
	5 38,73	64,34	25,61	0,27		
	6 38,52	64,55	26,03	0,48		
	7 38,18	64,14	25,96	0,44		
	8 38,56	64,61	26,05	0,49		
	9 38,70	63,96	25,26	0,09		
	10 38,81	64,14	25,33	0,13		
	11 38,98	64,00	25,02	+ 0,02		
	12 38,91	64,03	25,12	- 0,02		
	13 38,87	64,03	25,16	0,05		
	14 38,73	64,48	25,75	0,34		
	19 39,89	65,30	25,41	0,17		
	20 39,66	65,37	25,71	0,32		
	21	65,37				
	22 39,49	65,37	25,88	0,40		
	23 39,01	64,83	25,82	0,38		
	24 38,77					
July	25 39,08	65,13	26,05	0,49		
	26 38,77	64,99	26,22	0,57		
	27 38,56	64,78	26,22	0,57		
	28 38,43	64,78	26,35	0,64		
	29 38,39					
	30 38,49					
	1 38,59	64,51	25,92	0,42		
	2 39,09	64,41	25,32	0,12		
	3 39,21	64,10	24,89	+ 0,09		
	4 38,87	64,48	25,61	0,27		
	5 39,09	64,24	25,15	0,04		
	6 38,15	64,14	25,99	0,46		
	7 38,87	64,27	25,40	0,16		
	8 38,73	64,51	25,78	0,36		
	9 38,70	64,45	25,75	0,34		
	10 38,22	64,99	26,77	0,85		
	11 38,56	64,51	25,95	0,44		
	12 38,80	65,03	26,23	0,58		
	13 38,56	64,71	26,15	0,54		
	14 38,52	64,68	26,16	0,54		
	15 38,36	64,68	26,32	0,62		
	16 38,12	63,93	25,81	0,37		
	17 38,29	64,37	26,08	0,50		

1833	Azimuth of		N. + S.	N + S + 25",07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
July	18 + 37,91	— 64,21	— 26,30	— 0,62		
	19 38,22	64,00	25,78	0,35		
	20 38,32	64,58	26,26	0,59		
	21 38,22					
	22 38,18	64,75	26,57	0,75		
	23 38,09	64,27	26,18	0,56		
	24 38,25	64,71	26,46	0,69		
	25 38,32	64,45	26,13	0,53	Mean of 60	
	26 38,25	64,58	26,33	0,63	— 0",44	
	27 38,15					
August	28 37,98	64,68	26,70	0,81		
	29 37,98					
	30 37,67	64,58	26,91	0,92		
	31 37,40	64,55	27,15	1,04		
	1 37,02	65,03	28,01	1,47		
	2 37,56	64,21	26,65	0,79		
	3 37,49	63,77	26,28	0,60		
	4 37,60	64,51	26,91	0,92		
	5 37,98	64,68	26,70	0,81		
	6 37,63	64,44	26,81	0,87		
	7 37,84	64,71	26,87	0,90		
	8 37,29	64,27	26,98	0,95		
	9 37,12	64,21	27,09	1,01		
	10 37,49	64,27	26,78	0,85		
	11 37,56	64,52	26,96	0,94		
	12 37,49	64,34	26,85	0,89		
	13 37,81	64,45	26,64	0,78		
	14 37,33	64,21	26,88	0,90		
	15 37,12	64,52	27,40	1,16		
	16 37,06	64,27	27,21	1,07		
	17 37,03	64,11	27,08	1,01		
	18 37,43					
	19 37,49	64,27	26,78	0,85		
	20 37,46	64,27	26,81	0,87		
	21 37,81	64,89	27,08	1,01		
	22 37,37	64,61	27,24	1,08	Mean of 25	
	23 37,12	64,61	27,49	1,21	— 0",95	
Sept.	24 36,85	65,72	28,87	1,90		In consequence of heavy rain last night having leaked through the roof, a few drops had fallen upon the eye piece and bent one of the wires ; I put in a new set.
	25 36,78	65,72	28,94	1,93		
	26 37,46	67,04	29,58	2,25		
	27 37,46	66,42	28,96	1,94		
	28 38,32	67,80	29,48	2,20		
	30 38,66	66,79	28,13	1,53		
	31 38,43	66,66	28,23	1,58		
	1 38,52	66,86	28,34	1,63		
	2 38,73	67,04	28,31	1,62	Mean of 9	
	3 38,73	— 1",84	
	4 38,84					
	8 39,52	65,79	26,27	0,60		
	9 39,69	66,24	26,55	0,74		
	10 39,28	66,24	26,96	0,94		

ERROR OF COLLIMATION.

1833	Azimuth of		N. + S.	N + S + 25",07	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
Sept.	11 + 39,52	— 66,69	— 27,17	— 1,04	Mean of 5 — 0",82	
	12 39,08	65,82	26,74	0,83		
	13 37,02	67,38	30,36	2,64		
	14 36,95	67,87	30,92	2,92		
	15 36,95	67,59	30,64	2,78		
	16 37,03	67,69	30,66	2,79		
	17 37,36	67,59	30,23	2,58		
	18 36,95	67,76	30,81	2,87		
	19 36,72	67,97	31,25	3,09		
	20 37,12	68,14	31,02	2,97		
	21 37,19	67,90	30,71	2,82		
	22 36,44					
	23 36,85	68,07	31,22	3,07		
	24 36,78	68,14	31,36	3,14		
	25 36,72	68,01	31,29	3,11		
	26 36,69	68,01	31,32	3,12		
	27 37,81	68,43	30,62	2,78		
	28 38,49	68,68	30,19	2,56		
	29 38,56	69,02	30,46	2,69		
	30 38,94	67,76	28,82	1,87		
October	1 38,94	68,47	29,53	2,23	Mean of 20 — 2",75	
	2 39,42	69,60	30,18	2,56		
	3 38,84	68,95	30,11	2,52		
	4 38,59	68,64	30,05	2,49		
	5 38,56	68,68	30,12	2,52		
	6 38,43	68,74	30,31	2,62		
	7 38,53	68,64	30,11	2,52		
	8 38,49	68,74	30,25	2,59		
	9 39,01	68,24	29,23	2,08		
	10 38,91					
	11 38,87	68,40	29,53	2,23		
	12 38,91					
	13 38,66	68,31	29,65	2,29		
	14 38,05	68,14	30,09	2,51	Mean of 10 — 2",43	
	15 38,32	67,97	29,65	2,29		
	16 38,39	67,73	29,34	2,13		
	17 39,08	67,38	28,30	1,61		
	18 38,91	67,18	28,27	1,60		
	19 38,77					
	20 38,87					
	21 38,46	68,31	29,85	1,39		
	22 38,63	68,01	29,38	2,15		
	23 38,91	68,01	29,10	2,01		
	24 38,91	68,07	29,16	2,04		
	25 39,18	67,35	28,17	1,55		
	26 39,18		Trees obscured the South Mark.
	27 39,25					
Nov.	1 37,81	67,38	29,57	2,25		
	2 38,15					
	3 38,77	67,11	28,34	1,63		
	4 38,84					

1833	Azimuth of		N. + S.	N + S + 25",07 2	Mean.	REMARKS.
	North mark.	South mark.				
	"	"	"	"		
Nov.	5 + 38,77	— 67,04	— 28,27	— 1,60		
	6 39,42					
	7 39,39	67,38	27,99	1,46		
	8 38,87					
	9 38,46	67,11	28,65	1,79		
	11 37,81					
	12 36,09					
	13 36,72					
	15 35,57	64,96	29,39	2,16	Inverted the Axis several times.
	16 36,09	64,68	28,59	1,76		
	17 35,84	64,71	28,87	1,90		
	18 35,30	63,96	28,66	1,79		
	19 35,30	63,90	28,60	1,76		
	20 35,20	64,27	29,07	2,00		
	21 34,71	64,00	29,29	2,11		
	22 35,06	64,27	29,21	2,07		
	23 35,27	63,27	28,00	1,47		
	24 35,23	63,59	28,36	1,64		
	25 35,23	63,24	28,01	1,47	Mean of 25	
	26 35,13	63,07	27,94	1,43	— 1",83	
	27 35,09	62,86	27,77	1,35		
	28 34,74	62,21	27,47	1,20		
	29 34,58	62,10	27,52	1,22		
	30 34,74	62,14	27,40	1,16		
Dec.	1 34,99	62,28	27,29	1,11		
	2 34,71	62,00	27,29	1,11		
	3 34,78	62,17	27,39	1,16		
	4 34,58	61,93	27,35	1,14		
	5 34,71	62,03	27,32	1,12		
	6 34,78	62,14	27,36	1,14		
	7 35,13	62,21	27,08	1,01		
	8 35,06	62,28	27,22	1,07		
	9 34,92	62,35	27,43	1,18		
	10 34,37	61,73	27,36	1,14		
	11 34,03	61,86	27,83	1,38		
	12 34,10	61,93	27,83	1,38		
	13 34,69	62,14	27,45	1,19		
	14 34,44	61,89	27,45	1,19		
	15 34,54	62,03	27,49	1,21		
	16 34,68	62,21	27,53	1,23		
	17 35,27	62,58	27,31	1,12		
	18 34,40	61,93	27,53	1,23		
	19 34,58	62,10	27,52	1,22	Mean of 24	
	20 33,90	62,03	28,13	1,53	— 1",21	Inverted the Axis several times.
	23 32,31					
	24 31,86	62,83	30,97	2,95	Inverted the Axis several times.
	25 33,24	61,52	28,28	1,60		
	26 34,03	62,55	28,52	1,72		
	27 33,66	61,55	27,89	1,41		
	28 33,59	61,86	28,27	1,60	Mean of 7	
	29 33,59	61,86	28,27	1,60	— 1",62	
	30 33,16	61,86	28,70	1,81		
	31 33,37	61,53	28,16	1,54		

ERROR OF AZIMUTH.

From the foregoing pages, it appears that the Angular distance between the North and South marks has varied from $26^{\circ}.97$, to $25^{\circ}.07$, in the interval between April 1831, and October 1832, it will consequently be our first step to enquire which of the Marks, or if both of them have moved? for this purpose we will now consult the observations of the Pole Star : correcting the observed transit for Error of the Clock, Error of Collimation, and the Error for Level as modified by the wear of the pivots (already explained at Pages 7 and 8) ; we obtain the apparent place *affected by the Azimuthal Error* ; applying to this the Equations for aberration, nutation, and precession ; we obtain the Mean place at the beginning of the year as *affected by the Azimuthal Error* ; selecting now the consecutive observations *above and below* the pole, we can determine the values of a^I a^{II} &c. the errors in Azimuth of the center wire as follows :

1832	Observed Transit.	Error of Clock.	Correction for		Aberration, &c.	Mean Right Ascension January 1, 1832.			Resulting values of a^I , a^{II} , &c.
			Level.	Collimation.					
	<i>h. m. s.</i>	<i>m. s.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>h. m. s.</i>		<i>s.</i>	
Dec. 7	0 59 46,17	+ 0 50,04	+ 1,20	- 0,68	- 43,28	0 59 53,45	+ 2,316 a^I	} $a^I = 4,70$	
7 S.P.	13 0 7,00	+ 0 52,06	- 1,40	+ 0,68	- 42,96	13 0 15,38	- 2,351 a^I		
8 S.P.	12 59 59,67	+ 0 56,56	- 1,50	+ 0,68	- 42,32	13 0 13,09	- 2,351 a^{II}	} $a^{II} = 4,55$	
9	0 59 34,17	+ 0 58,70	+ 1,74	- 0,68	- 42,00	0 59 51,93	+ 2,316 a^{II}		
9 S.P.	12 59 52,00	+ 1 0,79	- 1,49	+ 0,68	- 41,69	13 0 13,29	- 2,351 a^{II}	} $a^{III} = 4,08$	
10	0 59 31,50	+ 1 2,95	+ 1,91	- 0,68	- 41,37	0 59 54,31	+ 2,316 a^{III}		
12	0 59 18,20	+ 1 11,71	+ 1,99	- 0,68	- 40,06	0 59 51,16	+ 2,316 a^{IV}	} $a^{IV} = 3,97$	
12 S.P.	12 59 36,00	+ 1 14,27	- 1,56	+ 0,68	- 41,44	13 0 9,67	- 2,351 a^{IV}		
13	0 59 12,40	+ 1 16,79	+ 2,06	- 0,68	- 39,38	0 59 51,19	+ 2,316 a^{V}	} $a^{V} = 3,98$	
13 S.P.	12 59 30,00	+ 1 19,08	- 1,60	+ 0,68	- 39,02	13 0 9,88	- 2,351 a^{V}		
15	0 59 2,30	+ 1 26,47	+ 1,85	- 0,68	- 37,98	0 59 51,86	+ 2,316 a^{VI}	} $a^{VI} = 4,08$	
15 S.P.	12 59 20,67	+ 1 28,57	- 1,45	+ 0,68	- 37,63	13 0 10,84	- 2,351 a^{VI}		
16	0 59 0,60	+ 1 30,67	+ 1,73	- 0,68	- 37,28	0 59 55,04	+ 2,316 a^{VII}	} $a^{VII} = 3,47$	
16 S.P.	12 59 16,30	+ 1 32,93	- 1,36	+ 0,68	- 36,93	13 0 11,62	- 2,351 a^{VII}		
17	0 58 54,14	+ 1 34,59	+ 1,78	- 0,68	- 36,58	0 59 53,25	+ 2,316 a^{VIII}	} $a^{VIII} = 3,92$	
18 S.P.	12 59 5,40	+ 1 42,06	- 1,45	+ 0,68	- 35,50	13 0 11,19	- 2,351 a^{IX}		
19	0 58 44,50	+ 1 44,45	+ 1,73	- 0,68	- 35,14	0 59 54,86	+ 2,316 a^{IX}	} $a^{IX} = 3,50$	
20	0 58 36,00	+ 1 49,12	+ 1,89	- 0,68	- 34,42	0 59 51,91	+ 2,316 a^{X}		
20 S.P.	12 58 53,00	+ 1 51,20	- 1,28	+ 0,68	- 34,06	13 0 9,54	- 2,351 a^{X}	} $a^{X} = 3,77$	
21	0 58 32,60	+ 1 53,98	+ 1,52	- 0,68	- 33,71	0 59 53,71	+ 2,316 a^{XI}		
23 S.P.	12 58 41,10	+ 2 5,99	- 1,40	+ 0,68	- 31,86	13 0 14,51	- 2,351 a^{XI}	} $a^{XI} = 4,39$	
24	0 58 13,70	+ 2 8,65	+ 1,67	- 0,68	- 31,46	0 59 51,88	+ 2,316 a^{XII}		
24 S.P.	12 58 31,10	+ 2 10,90	- 1,36	+ 0,68	- 31,11	13 0 10,21	- 2,351 a^{XII}	} $a^{XII} = 3,28$	
25	0 58 11,10	+ 2 13,55	+ 1,65	- 0,68	- 30,71	0 59 54,91	+ 2,316 a^{XIII}		
26	0 58 7,00	+ 2 18,08	+ 1,59	- 0,68	- 29,19	0 59 56,03	+ 2,316 a^{XIV}	} $a^{XIV} = 3,28$	
26 S.P.	12 58 21,30	+ 2 20,19	- 1,30	+ 0,68	- 20,60	13 0 11,27	- 2,351 a^{XIV}		

1833	Observed Transitt.	Error of Clock.	Correction for		Aberration, &c.	Mean Right Ascension January 1, 1832.			Resulting values of $a^I, a^{II}, \&c.$
			Level.	Collimation.					
Jan. 2 S.P.	<i>h. m. s.</i> 12 57 45,00	<i>m. s.</i> + 2 50,39	<i>s.</i> - 1,66	<i>s.</i> + 1,23	<i>s.</i> - 24,12	<i>h. m. s.</i> 13 0 10,84	- 2,351	a^{xv}	$a^{xv} = 3,84$
3	0 57 24,00	+ 2 52,56	+ 2,12	- 1,23	- 23,72	0 59 53,73	+ 2,316	a^{xv}	
3 S.P.	12 57 42,00	+ 2 54,22	- 1,67	+ 1,23	- 23,32	13 0 12,46	- 2,351	a^{xv}	$a^{xvi} = 4,36$
4	0 57 17,80	+ 2 55,92	+ 2,14	- 1,23	- 22,92	0 59 51,71	+ 2,316	a^{xvi}	
4 S.P.	12 57 37,00	+ 2 57,57	- 1,69	+ 1,23	- 22,52	13 0 11,59	- 2,351	a^{xvi}	$a^{xvii} = 3,84$
5	0 57 12,40	+ 2 59,23	+ 1,98	- 1,23	- 22,12	0 59 52,26	+ 2,316	a^{xvii}	
5 S.P.	12 57 30,00	+ 3 0 76	- 1,55	+ 1,23	- 21,73	13 0 8,71	- 2,351	a^{xvii}	$a^{xviii} = 3,96$
6	0 57 11,30	+ 3 2,28	+ 1,83	- 1,23	- 21,33	0 59 52,85	+ 2,316	a^{xviii}	
6 S.P.	12 57 31,00	+ 3 4,02	- 1,37	+ 1,23	- 20,93	13 0 13,95	- 2,351	a^{xviii}	$a^{xix} = 4,56$
7	0 57 7,00	+ 3 5,76	+ 1,66	- 1,23	- 20,53	0 59 52,66	+ 2,316	a^{xix}	
8	0 57 4 30	+ 3 9,37	+ 1,67	- 1,23	- 19,74	0 59 54,37	+ 2,316	a^{xix}	$a^{xx} = 3,51$
8 S.P.	12 57 19,10	+ 3 11,11	- 1,31	+ 1,23	- 19,35	13 0 10,78	- 2,351	a^{xx}	
10	0 56 46,20	+ 3 17,11	+ 1,92	+ 2,88	- 18,16	0 59 49,95	+ 2,316	a^{xxi}	$a^{xxi} = 5,02$
10 S.P.	12 57 16 60	+ 3 18 87	- 1,45	- 2,88	- 17,77	13 0 13,37	- 2,351	a^{xxi}	
11	0 56 43,70	+ 3 20,64	+ 2,04	+ 2,88	- 17,37	0 59 51,89	+ 2,316	a^{xxii}	$a^{xxii} = 4,61$
11 S.P.	12 57 12,50	+ 3 22,27	- 1,55	- 2,88	- 16,97	13 0 13,37	- 2,351	a^{xxii}	
14 S.P.	12 56 56,40	+ 3 30,85	- 1,17	- 2,88	- 14,58	13 0 8,62	- 2,351	a^{xxiii}	$a^{xxiii} = 3,44$
15	1 0 32,60	- 0 28,88	+ 2,44	+ 2,88	- 14,18	0 59 54,86	+ 2,316	a^{xxiii}	
15 S.P.	13 1 4,90	- 0 28,98	- 1,96	- 6,90	- 13,79	13 0 13,27	- 2,351	a^{xxiii}	$a^{xxiv} = 2,11$
16	1 0 33,00	- 0 29,35	+ 3,44	+ 6,90	- 13,40	1 0 0 59	+ 2,316	a^{xxiv}	
16 S.P.	13 0 59,50	- 0 29,24	- 2,75	- 6,90	- 13,00	13 0 7,61	- 2,351	a^{xxiv}	$a^{xxv} = 3,40$
17	1 0 24,60	- 0 30,01	+ 4,42	+ 6,90	- 12,61	0 59 53,30	+ 2,316	a^{xxv}	
17 S.P.	13 1 3,80	- 0 30,38	- 3,54	- 6,90	- 12,21	13 0 10,77	- 2,351	a^{xxv}	

If we now correct the *observed* Azimuth of the North and South Marks for the Error of Collimation, with the assistance of the above values of a we can determine their *true* Azimuth from the meridian; thus:

1832	Azimuth of the centre wire from Meridian.	Azimuth from centre wire of		Azimuth from the Meridian of		REMARKS.
		North mark.	South mark.	North mark.	South mark.	
December 7	$a^I = N. 4,70 E.$	<i>s.</i> N. 39,79 W.	<i>s.</i> S. 64,86 E.	<i>s.</i> N. 35,09 E.	<i>s.</i> S. 60,16 E.	
9	$a^{II} = - 4,55$.. 39,42 64,49 35,37 60,44 ..	
10	$a^{III} = - 4,08$.. 39,55 64,62 35,47 60,54 ..	
12	$a^{IV} = - 3,97$.. 39,93 65,00 35,96 61,03 ..	
13	$a^V = - 3,98$.. 39,93 65 00 35,95 61,02 ..	
15	$a^{VI} = - 4,08$.. 38,50 63,57 34,42 59,49 ..	
16	$a^{VII} = - 3,47$.. 38,18 63,25 34 71 59,78 ..	
17	$a^{VIII} = - 3,92$.. 39,15 64,22 35,23 60 30 ..	
19	$a^{IX} = - 3,50$.. 38,94 64,01 35,44 60,51 ..	
20	$a^X = - 3,77$.. 38,96 64,03 35,09 60,16 ..	
21	$a^{XI} = - 3,40$.. 38,99 64 06 35,69 60,66 ..	
24	$a^{XII} = - 4,39$.. 38,38 63 45 35,99 59,06 ..	
25	$a^{XIII} = - 3,28$.. 38,58 63,65 35,30 60,37 ..	
26	$a^{XIV} = - 3,28$.. 38,22 63,29 34,94 60,01 ..	
1833 January 3	$a^{xv} = - 3,84$.. 38,61 63,68 34,77 59,84 ..	
4	$a^{xvi} = - 4,36$.. 38,68 63,75 34,32 59,39 ..	

1833	Azimuth of the centre wire from Meridian.		Azimuth from centre wire of		Azimuth from the Meridian of		REMARKS.
			North mark.	South mark.	North mark.	South mark.	
January	5	$a^{xvi} = N. 3,84 E.$	$s. N. 38,88 W.$	$s. S. 63,96 E.$	$s. N. 35,04 E.$	$s. S. 60,12 E.$	
	6	$a^{xvii} = - 3,96 \dots$	$38,81 \dots$	$63,88 \dots$	$34,85 \dots$	$59,92 \dots$	
	7	$a^{xix} = - 4,56 \dots$	$38,83 \dots$	$63,90 \dots$	$34,27 \dots$	$59,34 \dots$	
	8	$a^{xx} = - 3,51 \dots$	$38,85 \dots$	$63,92 \dots$	$35,34 \dots$	$60,41 \dots$	
	10	$a^{xxi} = - 5,02 \dots$	$39,00 \dots$	$64,07 \dots$	$33,98 \dots$	$59,05 \dots$	
	11	$a^{xxii} = - 4,61 \dots$	$38,80 \dots$	$63,87 \dots$	$34,19 \dots$	$59,26 \dots$	
	15	$a^{xxiii} = - 3,44 \dots$	$38,59 \dots$	$63,66 \dots$	$35,15 \dots$	$60,22 \dots$	
	16	$a^{xxiv} = - 2,11 \dots$	$38,59 \dots$	$63,66 \dots$	$36,48 \dots$	$41,55 \dots$	
	17	$a^{xxv} = - 3,40 \dots$	$38,06 \dots$	$63,13 \dots$	$34,66 \dots$	$59,73 \dots$	

Taking the mean of 25 we have $35^{\circ}.02$ and $60^{\circ}.09$ for the true Azimuths. If N and S represent the *observed* Azimuth of the Centre wire from the North and South Marks and, C the Error of Collimation.

The Azimuth of the Centre wire from the Meridian $= 35^{\circ}.02 \pm C - N$.

$= 60^{\circ}.09 \mp C - S$.

Taking half the sum..... $= 95^{\circ}.11 - N - S$.

2

Similarly we have for the Year 1833.

1833	Observed Transit.	Error of Clock.	Correction for		Aberra- tion, &c.	Mean Right Ascen- sion, Jan. 1, 1832.	Resulting values of $a^1, a^2, \&c.$
			Level.	Colli- mation.			
Nov. 19	<i>h. m. s.</i> 1 1 27,75	<i>m. s.</i> — 0 29,87	<i>s.</i> + 3,89	<i>s.</i> — 5,13	<i>s.</i> — 46,03	<i>h. m. s.</i> 0 59 54,83	<i>s.</i> + a^1
19 S.P.	13 1 35,75	— 0 28,76	— 3,05	+ 5,13	— 45,79	13 0 7,50	$a^1 = 2,63$
20	1 1 25,70	— 0 27,78	+ 3,85	— 5,13	— 45,55	0 59 55,31	+ a^1
20 S.P.	13 1 36,43	— 0 27,06	— 3,01	+ 5,13	— 45,31	13 0 10,40	— a^2
23	1 1 17,25	— 0 23,03	+ 3,85	— 5,13	— 44,11	0 59 53,05	+ a^3
23 S.P.	13 1 30,14	— 0 22,32	— 3,02	+ 5,13	— 43,86	13 0 10,29	— a^3
Dec. 5	1 0 56,80	— 0 7,70	+ 4,63	— 3,63	— 37,47	0 59 56,85	+ a^4
5 S.P.	13 1 10,90	— 0 7,64	— 3,70	+ 3,63	— 37,17	13 0 10,24	— a^4
6	1 0 57,25	— 0 6,88	+ 4,59	— 3,63	— 36,85	0 59 58,70	+ a^4
6 S.P.	13 1 5,27	— 0 6,74	— 3,62	+ 3,63	— 36,54	13 0 6,22	— a^5
7	1 0 54,00	— 0 6,06	+ 4,58	— 3,63	— 36,21	0 59 56,90	+ a^5
8	1 0 54,25	— 0 5,76	+ 4,18	— 3,63	— 35,58	0 59 57,68	+ a^6
8 S.P.	13 1 4,50	— 0 4,94	— 3,30	+ 3,63	— 35,27	13 0 8,84	— a^6
9	1 0 54,50	— 0 4,68	+ 3,86	— 3,63	— 34,95	0 59 59,32	+ a^6
9 S.P.	13 1 2,64	— 0 4,23	— 3,05	+ 3,63	— 34,64	13 0 8,57	— a^7
10	1 0 51,75	— 0 3,60	+ 4,34	— 3,63	— 34,31	0 59 58,77	+ a^7
10 S.P.	13 0 59,17	— 0 3,09	— 3,45	+ 3,63	— 33,97	13 0 6,51	— a^8
11	1 0 50,25	— 0 2,48	+ 4,87	— 3,63	— 33,64	0 59 59,59	+ a^8
11 S.P.	13 0 59,57	— 0 2,16	— 3,82	+ 3,63	— 33,30	13 0 8,14	— a^9
12	1 0 51,00	— 0 1,60	+ 4,71	— 3,63	— 32,97	1 0 1,73	+ a^9
12 S.P.	13 0 56,50	— 0 1,03	— 3,69	+ 3,63	— 32,63	13 0 7,00	— a^{10}
18	1 0 29,50	+ 0 10,04	+ 4,63	— 3,63	— 28,76	0 59 56,00	+ a^{11}
18 S.P.	13 0 38,00	+ 0 11,06	— 3,63	+ 3,63	— 28,43	13 0 4,85	— a^{11}
19	1 0 29,62	+ 0 12,70	+ 4,60	— 3,63	— 28,04	0 59 59,47	+ a^{11}

1833	Observed Transit.	Error of Clock.	Correction for		Aberration, &c.	Mean Right Ascension, Jan. 1, 1832.	Resulting values of $a^1, a^2, \&c.$
			Level.	Collimation.			
Dec. 24 S.P.	h. m. s. 13 0 18,00	m. s. + 0 26,41	s. — 4,35	s. + 7,43	s. — 24,00	h. m. s. 13 0 7,71	$a^{12} = 1,32$
25	1 0 11,00	+ 0 27,77	+ 6,70	— 4,62	— 23,62	1 0 1,45	$a^{13} = 1,55$
25 S.P.	13 0 17,80	+ 0 28,77	— 5,27	+ 4,62	— 23,24	13 0 6,90	$a^{14} = 2,07$
26	1 0 3,25	+ 0 30,28	+ 6,41	— 4,62	— 22,85	0 59 57,69	$a^{15} = 1,58$
26 S.P.	13 0 16,00	+ 0 31,25	— 5,08	+ 4,62	— 22,49	13 0 8,52	$a^{16} = 1,68$
27	1 0 3,89	+ 0 32,24	+ 6,11	— 4,62	— 22,09	0 59 59,75	$a^{17} = 0,82$
27 S.P.	13 0 12,00	+ 0 32,91	— 4,84	+ 4,62	— 21,70	13 0 7,21	
28 S.P.	13 0 7,50	+ 0 35,15	— 4,74	+ 4,62	— 20,92	13 0 5,83	
29	0 59 56,37	+ 0 36,66	+ 5,81	— 4,62	— 20,52	0 59 57,92	
30	0 59 57,12	+ 0 38,30	+ 5,67	— 4,62	— 19,74	1 0 0,95	
30 S.P.	12 59 59,93	+ 0 39,65	— 4,49	+ 4,62	— 19,35	13 0 4,58	
31	0 59 53,00	+ 0 41,22	+ 5,52	— 4,62	— 18,95	1 0 0,39	

Comparing these values of $a, a^1, \&c.$ as before, with the Azimuthal readings corrected for Error of Collimation, we obtain as follows :

1833	Azimuth of the centre wire from Meridian.	Azimuth from centre wire of		Azimuth from the Meridian of		REMARKS.
		North mark.	South mark.	North mark.	South mark.	
November 19	$a^1 = N. 2,63 E.$	$s. N. 37,06 W.$	$s. S. 62,13 E.$	$s. N. 34,43 W.$	$s. S. 59,50 E.$	
20	$a^2 = — 3,19$	$.. 37,20$	$.. 62,07$	$.. 34,01$	$.. 59,08$	
23	$a^3 = — 3,64$	$.. 36,73$	$.. 61,80$	$.. 33,09$	$.. 58,16$	
December 5	$a^4 = — 2,63$	$.. 35,82$	$.. 60,89$	$.. 33,19$	$.. 58,26$	
6	$a^5 = — 1,77$	$.. 35,92$	$.. 60,99$	$.. 34,15$	$.. 59,22$	
8	$a^6 = — 2,19$	$.. 36,13$	$.. 61,20$	$.. 33,94$	$.. 59,01$	
9	$a^7 = — 2,02$	$.. 36,10$	$.. 61,17$	$.. 34,08$	$.. 59,15$	
10	$a^8 = — 1,76$	$.. 35,52$	$.. 60,59$	$.. 33,76$	$.. 58,83$	
11	$a^9 = — 1,78$	$.. 35,41$	$.. 60,48$	$.. 33,63$	$.. 58,70$	
12	$a^{10} = — 1,11$	$.. 35,41$	$.. 60,48$	$.. 34,30$	$.. 59,37$	
18	$a^{11} = — 1,50$	$.. 35,63$	$.. 60,70$	$.. 34,13$	$.. 59,20$	
24	$a^{12} = — 1,32$	$.. 34,81$	$.. 59,88$	$.. 33,49$	$.. 58,56$	
25	$a^{13} = — 1,55$	$.. 34,84$	$.. 59,91$	$.. 33,29$	$.. 58,36$	
26	$a^{14} = — 2,07$	$.. 35,75$	$.. 60,82$	$.. 33,68$	$.. 58,75$	
27	$a^{15} = — 1,58$	$.. 35,07$	$.. 60,14$	$.. 33,49$	$.. 58,56$	
28	$a^{16} = — 1,68$	$.. 35,19$	$.. 60,26$	$.. 33,51$	$.. 58,58$	
30	$a^{17} = — 0,82$	$.. 35,19$	$.. 60,26$	$.. 34,37$	$.. 59,44$	
Mean of 17 = N. $33''$,79 W. S. $58''$,86 E.						

Whence it appears that the North and South Marks have each deviated $1''23$, following the same direction in which they had first moved ; for the observations of 1832, we have already found (Page 30.)

The Error in Azimuth..... = $95^{\circ}11' - N - S.$

Whereas for the observations towards the end of 1833, we now find it..... = $92^{\circ}65' - N - S.$

As no circumstances offer to shew, if the present alteration took place gradually, or on a sudden; we will for the present suppose the latter number to take effect from the first of July 1833; and for the previous 6 months, employ the mean of the determinations for 1832 and 1833 or $93^{\circ} 87' - N - S$

2

with these we will now compute the observations of the Pole Star, δ Ursæ Minoris, and 76 Draconis, which have been observed both above and below the Pole in 1832 and 1833.

POLARIS AT SUPERIOR CULMINATION..								
1832		Observed A.R. correct- ed for Error of Clock.		Correction for			Aberration, &c.	Mean A.R. 1832.
				Level.	Azimuth.	Collimation.		
		1h.						1h.
		m.	s.		s.	s.	s.	m.
October	19	0	53,17	+	1,38	+ 18,91	- 10,76	0
	21	0	54,20	+	1,22	0
	22	0	55,00	+	1,16	0
	23	0	53,56	+	1,06	0
	24	0	53,74	+	1,08	0
	25	0	54,49	+	1,10	0
	26	0	55,57	+	1,12	0
	27	0	55,17	+	1,15	0
	28	0	55,81	+	1,16	+ 17,22	0
	29	0	54,76	+	0,61	0
	30	0	56,73	+	0,00	0
November	31	0	55,31	+	1,46	0
	1	0	55,15	+	1,75	0
	2	0	53,47	+	1,57	0
	3	0	53,43	+	1,41	0
	4	0	51,32	+	1,49	0
	5	0	53,04	+	1,59	0
	12	0	45,42	+	1,62	+ 15,34	- 2,21	0
	13	0	44,80	+	1,56	0
	15	0	45,71	+	1,48	0
	16	0	44,76	+	1,46	0
	17	0	42,52	+	1,43	+ 11,48	- 0,68	0
December	18	0	42,99	+	1,34	0
	19	0	41,42	+	1,26	0
	21	0	42,96	+	1,08	0
	22	0	41,97	+	1,21	0
	23	0	42,49	+	1,41	0
	25	0	41,51	+	1,41	0
	29	0	38,84	+	1,43	0
	30	0	38,50	+	1,46	0
	3	0	36,88	+	1,57	0
	4	0	35,79	+	1,45	0
	6	0	35,91	+	1,33	0
	7	0	36,21	+	1,20	0
	9	0	32,87	+	1,74	0
	10	0	34,45	+	1,91	0
	11	0	32,15	+	1,84	0
	12	0	29,91	+	1,99	0
	13	0	29,19	+	2,06	0
	15	0	28,77	+	1,85	+ 8,67	0
	16	0	31,27	+	1,73	0

POLARIS AT SUPERIOR CULMINATION.

1832	Observed A.R. correct- ed for Error of Clock.	Correction for			Aberration, &c.	Mean A.R. 1832.
		Level.	Azimuth.	Collimation.		
	1h.					1h.
	m. s.	s.	s.	s.	s.	m. s.
December 17	0 28,73	+ 1,78	+ 8,67	- 0,68	- 36,59	0 1,92
19	0 28,95	+ 1,73	- 35,14	0 3,53
20	0 25,12	+ 1,89	- 34,42	0 0,58
21	0 26,58	+ 1,52	- 33,71	0 2,38
22	0 24,66	+ 1,58	- 32,96	0 1,27
24	0 22,35	+ 1,67	- 31,46	0 0,55
25	0 24,45	+ 1,65	- 30,71	0 3,38
26	0 25,08	+ 1,59	- 29,96	0 4,70
27	0 24,97	+ 1,52	- 29,19	0 5,29
1833						
January 2	0 17,00	+ 2,11	+ 10,28	- 1,23	- 8,74	0 19,42
3	0 16,56	+ 2,12	- 7,94	0 19,79
4	0 13,72	+ 2,14	- 7,14	0 17,67
5	0 11,63	+ 1,98	- 6,34	0 16,32
6	0 13,58	+ 1,83	- 5,55	0 18,91
7	0 12,76	+ 1,66	- 4,75	0 18,72
8	0 13,67	+ 1,67	- 3,96	0 20,43
10	0 3,31	+ 1,92	+ 2,88	- 2,38	0 16,01
11	0 4,34	+ 2,04	- 1,59	0 17,95
15	0 3,72	+ 2,44	+ 1,60	0 20,92
16	0 3,65	+ 3,44	+ 2,38	0 22,63
17	59. 54,59	+ 4,42	+ 6,90	+ 3,17	0 19,36
June 27	0 10,11	+ 5,55	+ 11,19	- 1,76	- 1,20	0 23,89
28	0 8,16	+ 5,48	- 1,97	0 21,10
July 7	0 19,17	+ 4,86	+ 12,07	- 8,90	0 25,44
12	0 17,92	+ 4,77	- 12,73	0 20,27
14	0 19,37	+ 4,73	- 14,23	0 20,18
November 19	0 57,88	+ 3,89	+ 7,32	- 5,13	- 46,03	0 17,93
20	0 57,92	+ 3,85	- 45,55	0 18,41
23	0 54,22	+ 3,85	- 44,01	0 16,25
27	0 54,33	+ 4,34	+ 4,86	- 3,63	- 42,35	0 17,55
December 2	0 50,50	+ 4,64	- 39,28	0 17,09
3	0 50,84	+ 4,63	- 38,68	0 18,02
4	0 51,06	+ 4,66	- 38,08	0 18,87
5	0 49,10	+ 4,63	- 37,47	0 17,49
6	0 50,37	+ 4,59	- 36,85	0 19,34
7	0 47,94	+ 4,58	- 36,21	0 17,54
8	0 48,49	+ 4,18	- 35,58	0 18,32
9	0 49,82	+ 3,86	- 34,95	0 19,96
10	0 48,15	+ 4,34	- 34,31	0 19,41
11	0 47,77	+ 4,87	- 33,64	0 20,23
12	0 49,40	+ 4,71	- 32,97	0 22,37
14	0 44,95	+ 4,79	- 31,63	0 19,35
18	0 39,54	+ 4,63	- 28,76	0 16,64
19	0 42,32	+ 4,60	- 28,04	0 20,11
22	0 37,87	+ 4,25	- 25,86	0 17,44
23	0 38,94	+ 4,34	- 25,13	0 19,24
24	0 47,22	+ 5,52	+ 2,38	- 7,99	- 24,38	0 22,75
25	0 38,77	+ 6,70	+ 3,32	- 4,62	- 23,62	0 20,55
26	0 34,53	+ 6,41	- 22,85	0 16,79
27	0 36,13	+ 6,11	- 22,19	0 18,75
29	0 33,03	+ 5,81	- 20,82	0 17,02
30	0 35,42	+ 5,67	- 19,74	0 20,05
31	0 34,22	+ 5,52	- 18,95	0 19,49

POLARIS AT INFERIOR CULMINATION.							
1832	Observed A.R. correct- ed for Error of Clock.	Correction for			Aberration, &c.	Mean A.R. 1832.	
		Level.	Azimuth.	Collimation.			
	12h.					12h.	
	m. s.	s.	s.	s.	s.	m. s.	
February	13	59 31 02	+ 1,75	+ 51,62	- 41,30	+ 15,74	59 58,83
	22	59 31,04	+ 1,33	+ 21,20	0 3,89
March	11	59 21,78	+ 0,86	+ 48,95	+ 29,30	59 59,09
	14	59 20,84	+ 1,04	+ 30,24	59 59,77
	20	59 21,17	+ 1 30	+ 31,74	0 1,86
	28	59 18,08	+ 0,86	- 38,50	+ 32,90	0 2 29
	29	59 17,85	+ 0,90	+ 32,96	0 2,16
	30	59 17 36	+ 0,94	+ 33,03	0 1,78
	31	59 16 49	+ 1,03	+ 33,09	0 1,06
	1	59 11,55	+ 1,12	- 34,30	+ 33,14	0 0,46
April	2	59 6,99	+ 1,08	- 31,06	+ 33,13	59 59,09
	4	59 5,76	+ 1,05	- 30,33	+ 33,12	59 58,55
	5	59 7,39	+ 1,05	- 32 90	+ 33,11	59 57,60
	6	59 9,38	+ 1,15	- 35,51	+ 33,08	59 57,05
	7	59 10 72	+ 1,25	+ 33,04	59 58,45
	10	59 18,07	+ 0,99	- 36,72	+ 32,89	0 4,18
	11	59 18,05	+ 1,03	- 36 87	+ 32,76	0 3,92
	12	59 17,22	+ 1,16	- 36,21	+ 32,62	0 3 74
	13	59 18,96	+ 1,29	- 35,51	+ 32,46	0 6,15
	14	59 15,01	+ 1,31	+ 32,27	0 2,03
	15	59 15,86	+ 1,33	+ 32 07	0 2,70
	17	59 17,84	+ 1,02	+ 46,73	+ 31,69	0 1,77
	18	59 17 70	+ 1,03	+ 31,49	0 1,44
	19	59 17,14	+ 1,05	+ 31,27	0 0,68
	21	59 16,50	+ 0,91	+ 30,80	59 59,43
	26	59 21,02	+ 0,73	+ 29,35	0 2,82
	27	59 21,51	+ 0,90	+ 29,00	0 2,63
	30	59 19 99	+ 0,80	+ 27,93	59 59,92
May	1	59 20,99	+ 1 08	+ 27,58	0 0,87
	3	59 22 75	+ 1,25	+ 26 68	0 1,90
	11	59 21,42	+ 0,68	+ 23 08	0 0,40
	12	59 26,02	+ 0,90	+ 22,57	0 0,71
	14	59 35,68	+ 1,04	+ 47,82	- 41,16	+ 22,06	0 4 84
	15	59 33 48	+ 0,90	+ 21 03	0 2,07
	16	59 36,85	+ 0,79	+ 20,48	0 4,78
	17	59 34,60	+ 0,68	+ 19,92	0 1,86
	18	59 33,13	+ 0 76	+ 19 35	59 59 90
	19	59 38 13	+ 0,84	- 42,76	+ 18,78	0 2,81
	20	59 38 66	+ 0,92	- 42,85	+ 18,19	0 2,74
	22	59 33,58	+ 0,71	- 41,16	+ 16,68	59 57,93
	24	59 34,28	+ 0,78	+ 15,76	59 57,48
	26	59 33,35	+ 1,12	- 39,75	+ 14,49	59 57,03
	27	59 37,69	+ 1,02	- 41,16	+ 13 85	59 56,22
	28	59 36,21	+ 0,88	+ 13,21	59 56,96
	29	59 37,45	+ 0,76	+ 12,57	59 57,44
	30	59 36,50	+ 0,76	+ 11,92	59 55,84
	31	59 37,60	+ 0,76	+ 11,27	59 56,29
	5	59 48,05	- 0,02	+ 7,68	0 0,19
June	9	59 49,27	- 0,14	+ 4,80	59 58,33
	10	59 52,53	- 0,14	- 43,41	+ 4,07	0 0,87
	11	59 57,32	- 0,26	+ 3,34	0 4,81
	15	59 59,68	- 0,01	+ 48,85	+ 0,40	0 5,51
December	7	0 59 06	- 1,40	- 11,46	+ 0,68	- 42,96	0 4,92
	8	0 56,23	- 1,50	- 42,32	0 1,63
	9	0 52,79	- 1,49	- 41,69	59 59,93

POLARIS AT INFERIOR CULMINATION.

1832		Observed A.R. correct- ed for Error of Clock.	Correction for			Aberration, &c.	Mean A.R. 1832.
			Level.	Azimuth.	Collimation.		
		13h.					12h.
		m. s.	s.	s.	s.	s.	m. s.
December	12	0 50,27	— 1,56	— 11,46	+ 0,68	— 39,72	59 58,21
	13	0 49,08	— 1,60	— 39,02	59 57,68
	14	0 51,80	— 1,53	— 38,33	0 1,46
	15	0 49,24	— 1,45	— 8,64	— 37,63	0 2,20
	16	0 49,23	— 1,36	— 36,93	0 2,92
	18	0 47,46	— 1,45	— 35,50	0 2 55
	20	0 44,20	— 1,28	— 34,08	0 0,90
	23	0 47,09	— 1,40	— 31,86	0 5,87
	24	0 42,00	— 1,36	— 31,11	0 1,57
	26	0 41,49	— 1,30	— 29,60	0 2,63
1833							
January	2	0 35,39	— 1,66	— 10,22	+ 1,23	— 8,34	0 12,94
	3	0 36,22	— 1,67	— 7,54	0 14,55
	4	0 34,57	— 1,69	— 6,74	0 17,15
	5	0 30,76	— 1,55	— 5,95	0 14,26
	6	0 35,02	— 1,37	— 5,15	0 19,51
	8	0 30,21	— 1,31	— 3,57	0 16,34
	10	0 35,47	— 1,45	— 2,88	— 1,99	0 18,93
	11	0 34,77	— 1,55	— 1,19	0 18,93
	13	0 26,66	— 1,35	+ 0,40	0 12,61
	14	0 27,25	— 1,17	+ 1,20	0 14,18
	15	0 35,22	— 1,96	— 6,90	+ 1,99	0 18,83
	16	0 30,26	— 2,75	+ 2,78	0 13,17
	17	0 33,42	— 3,54	+ 3,57	0 16,33
November	19	1 6,99	— 3,05	— 7,24	+ 5,13	— 45,79	0 16,04
	20	1 9,37	— 3,01	— 45,31	0 18,94
	21	1 7,54	— 2,92	— 44,83	0 17,68
	22	1 6,66	— 2,81	— 44,35	0 17,39
	23	1 7,81	— 3,02	— 43,86	0 18,82
	28	1 7,25	— 3,49	— 4,81	+ 3,63	— 41,78	0 20,80
December	1	1 3,92	— 3,60	— 39,58	0 19,56
	5	1 3,26	— 3,70	— 37,17	0 21,21
	6	0 58,53	— 3,62	— 36,54	0 17,19
	8	0 59,56	— 3,30	— 35,27	0 19,81
	9	0 58,41	— 3,05	— 34,64	0 19,44
	10	0 56,08	— 3,45	— 33,79	0 17,48
	11	0 57,41	— 3,82	— 33,30	0 19,11
	12	0 55,47	— 3,69	— 32,63	0 17,97
	13	0 53,10	— 3,57	— 31,96	0 16,39
	18	0 49,06	— 3,63	— 28,43	0 15,82
	24	0 44,01	— 4,35	— 2,60	+ 7,43	— 24,00	0 20,89
	25	0 46,57	— 5,27	— 3,29	+ 4,62	— 23,24	0 19,39
	26	0 47,25	— 5,08	— 22,49	0 21,01
	27	0 44,91	— 4,84	— 21,70	0 19,70
	28	0 42,65	— 4,74	— 20,92	0 18,32
	30	0 39,58	— 4,49	— 19,35	0 17,07

♂ URSE MINORIS AT SUPERIOR CULMINATION.							
1832		Observed A.R. correct- ed for Error of Clock.	Correction for			Aberration, &c.	Mean A.R. 1832.
			Level.	Azimuth.	Collimation.		
		18h.					18h.
		m. s.	s.	s.	s.	s.	m. s.
March	29	26 37,13	— 0,59	— 22,42	+ 17,88	— 2,50	26 29,50
	31	26 40,17	— 0,68	— 3,21	26 31,74
April	9	26 42,11	— 0,72	— 6,37	26 30,48
August	27	26 34,63	— 2,73	+ 7,09	— 2,49	— 5,37	26 31,13
	31	26 32,15	— 2,47	— 3,89	26 30,39
September	4	26 29,16	— 2,30	+ 7,98	— 2,31	26 30,04
	5	26 30,16	— 2,56	— 1,91	26 31,18
	9	26 29,77	— 2,60	— 4,38	— 0,33	26 30,44
	10	26 28,75	— 2,64	— 3,52	+ 0,07	26 30,64
	11	26 28,73	— 2,63	+ 0,46	26 31,03
	22	26 25,27	— 2,76	+ 4,98	26 31,95
	23	26 24,35	— 2,68	+ 5,40	26 31,53
	26	26 21,89	— 2,64	+ 6,66	26 30,36
	27	26 21,32	— 2,68	+ 7,08	26 30,18

♂ URSE MINORIS AT INFERIOR CULMINATION.

♂ URSE MINORIS AT INFERIOR CULMINATION.							
1832		Observed A.R. correct- ed for Error of Clock.	Correction for			Aberration, &c.	Mean A.R. 1832.
			Level.	Azimuth.	Collimation.		
		6h.					6h.
		m. s.	s.	s.	s.	s.	m. s.
January	4	25 55,71	+ 0,65	+ 23,86	— 6,99	+ 17,23	26 30,46
	12	25 55,52	+ 0,60	— 8,90	+ 17,19	26 28,27
	14	25 54,80	+ 0,62	+ 17,03	26 27,41
	15	25 55,16	+ 0,63	+ 16,94	26 27,69
	24	26 7,00	+ 0,70	+ 24,38	— 19,10	+ 16,01	26 28,99
	29	26 7,70	+ 0,80	+ 15,29	26 29,07
February	11	26 9,69	+ 0,67	+ 12,65	26 29,31
	13	26 10,60	+ 0,67	+ 12,15	26 28,70
	14	26 7,88	+ 0,69	+ 11,90	26 25,75
	15	26 10,61	+ 0,70	+ 11,64	26 28,23
	18	26 14,48	+ 0,46	+ 10,83	26 30,59
	19	26 11,37	+ 0,49	+ 10,55	26 27,69
	20	26 10,24	+ 0,52	+ 10,27	26 26,31
	22	26 12,53	+ 0,51	+ 9,71	26 28,03
	24	26 10,54	+ 0,45	+ 9,13	26 26,40
	25	26 11,84	+ 0,48	+ 8,82	26 26,42
	26	26 14,11	+ 0,53	+ 8,51	26 28,97
	28	26 17,79	+ 0,56	+ 23,10	— 19,88	+ 7,88	26 29,45
March	1	26 17,54	+ 0,61	+ 7,24	26 28,61
	2	26 17,20	+ 0,65	+ 6,91	26 27,98
	3	26 19,84	+ 0,59	+ 6,58	26 30,23
	4	26 18,03	+ 0,54	+ 6,24	26 28,03
	5	26 18,11	+ 0,56	+ 5,90	26 27,78
	13	26 21,96	+ 0,51	+ 3,19	26 28,88
	14	26 22,45	+ 0,45	+ 2,87	26 28,99
	15	26 22,26	+ 0,49	+ 2,55	26 28,52
	17	26 22,38	+ 0,51	+ 1,89	26 28,00
	19	26 23,94	+ 0,48	+ 1,11	26 28,75
	20	26 22,93	+ 0,51	+ 0,73	26 27,39
	21	26 24,47	+ 0,51	+ 0,34	26 28,54

3 URSE MINORIS AT INFERIOR CULMINATION.									
1833		Observed A.R. correct- ed for Error of Clock.		Correction for			Aberration, &c.	Mean A.R. 1833.	
				Level.	Azimuth.	Collimation.			
		6h.						6h.	
		m.	s.	s.	s.	s.	s.	m.	s.
January	12	26	1,87	— 0,55	— 4,84	— 1,33	+ 16,17	26	11,32
	15	26	0,76	— 0,76	— 1,33	+ 15,97	26	9,80
	16	26	1,42	— 1,06	— 3,18	+ 15,90	26	8,24
	29	26	9,32	— 1,60	— 6,68	+ 14,30	26	10,75
	31	26	8,32	— 1,73	+ 13,94	26	9,01
February	1	26	9,68	— 1,67	+ 13,76	26	10,25
	3	26	8,26	— 1,64	+ 13,39	26	8,49
	9	26	9,24	— 1,78	+ 12,11	26	8,05
	11	26	9,86	— 1,80	+ 11,63	26	8,17
	13	26	12,27	— 1,82	— 5,22	+ 11,14	26	9,69
March	28	26	16,47	— 1,55	+ 6,80	26	9,52
	3	26	16,16	— 1,94	+ 5,81	26	8,13
	6	26	20,43	— 1,94	+ 4,81	26	11,40
	7	26	18,01	— 2,30	+ 4,48	26	8,39
	8	26	16,66	— 1,67	+ 4,15	26	8,24
	9	26	16,25	— 1,79	+ 3,82	26	6,37
	10	26	18,45	— 1,75	+ 3,48	26	8,28
	11	26	19,44	— 1,71	— 4,72	+ 3,14	26	10,93
	13	26	17,52	— 1,70	+ 2,45	26	8,33
	14	26	17,54	— 1,76	+ 2,11	26	7,96
	15	26	17,64	— 1,78	+ 1,76	26	7,68
	16	26	18,89	— 1,80	+ 1,41	26	8,56
	17	26	18,00	— 1,82	+ 1,06	26	7,30
	18	26	18,97	— 1,84	+ 0,71	26	7,90
	19	26	18,87	— 1,80	+ 0,36	26	7,49
	21	26	18,64	— 1,83	— 0,35	26	6,52
	22	26	20,81	— 1,90	— 0,71	26	8,26
	23	26	20,24	— 2,00	— 1,06	26	7,14
	25	26	22,17	— 2,02	— 1,78	26	8,43

76 DRAGONIS AT SUPERIOR CULMINATION.

76 DRAGONIS AT SUPERIOR CULMINATION.									
1832		Observed A.R. correct- ed for Error of Clock.		Correction for			Aberration, &c.	Mean A.R. 1832.	
				Level.	Azimuth.	Collimation.			
		20h.						20h.	
		m.	s.	s.	s.	s.	s.	m.	s.
September	19	54	22,03	— 1,43	+ 3,28	— 1,30	— 6,20	54	16,38
	20	54	21,21	— 1,43	— 1,23	— 6,08	54	15,75
	22	54	20,98	— 1,49	— 5,82	54	15,72
	24	54	20,32	— 1,40	— 5,56	54	15,41
	25	54	19,95	— 1,43	— 5,44	54	15,13
1833							1833		
October	21	54	9,80	+ 1,27	+ 2,99	— 0,86	— 0,76	54	12,44
	22	54	9,99	+ 1,28	— 0,60	54	12,80
	23	54	9,60	+ 1,19	— 0,44	54	12,46
	25	54	8,92	+ 1,18	— 0,11	54	12,12
	30	54	9,47	+ 1,09	+ 0,72	54	13,41
November	6	54	6,87	+ 0,57	+ 1,90	54	11,47

76 DRAGONIS AT INFERIOR CULMINATION.						
1833	Observed A.R. corrected for Error of Clock.	Correction for			Aberration, &c.	Mean A.R. 1833.
		Level.	Azimuth.	Collimation.		
	8h.					6h.
	m. s.	s.	s.	s.	s.	m. s.
February 23	54 8,60	— 0,31	— 2,22	— 0,51	+ 6,88	54 12,44
March 11	54 10,73	— 0,31	— 1,45	+ 5,72	54 12,47
12	54 8,49	— 0,28	+ 0,27	+ 5,63	54 11,89
17	54 8,29	— 0,31	+ 5,12	54 11,15
18	54 8,76	— 0,32	+ 5,00	54 11,49
19	54 9,27	— 0,31	+ 4,89	54 12,90
25	54 11,53	— 0,36	— 1,45	+ 4,22	54 11,72
April 21	54 15,55	— 0,43	+ 0,48	54 11,93

Taking the means, and applying to the observations of 1833, the Annual variations to reduce them to the beginning of 1832, we have:

Mean A.R. Jan. 1, 1832.

			h.	m.	s.
I POLARIS.....S.P.	52 Observations in the first six months of 1832....	13	0	0,86	
II ——— ———	{ 26 Observations towards the end of 1832, and in	13	0	0,87	
Ann. Var. 17",86	January 1833.				
III ——— ———	{ 22 Observations in the months of November and	13	0	2,85	
	December 1833.				
IV POLARIS.....	{ 62 Observations in November and December 1832,	1	0	2,93	
	and in January 1833.				
V ——— ———	5 Observations in June and July 1833.....	1	0	6,39	
VI ——— ———	{ 27 Observations in the months of November and	1	0	3,00	
	December 1833.				
VII & URSE MIN. S.P.	30 Observations in the three first months of 1832...	6	26	28,35	
VIII ——— ———	{ 29 Observations in the three first months of 1833.	6	26	27,83	
Ann. Var. 19",19					
IX & URSE MIN....	14 Observations towards the middle of 1832.....	18	26	30,75	
X 76 DRAGONIS S.P.	{ 8 Observations in March 1833.....	8	54	15,72	
Ann. Var. 3",72					
XI 76 DRAGONIS....	5 Observations in September 1832.....	20	54	15,68	
XII ——— ———	6 Observations in October and November 1833...	20	54	16,17	

Examining these results attentively; we notice, from the near agreement of No. I with No. II and of No. VII with No. VIII, that any error of Azimuth affecting the observations at the beginning of 1832, affect equally those towards the end of that year and for the three first months of 1833: let this error be represented by a . No. V shews us that some larger error which we will call a' exists in the months of June and July 1833. To No. XII, or the observations for October and the early part of November 1833, we will assign an error a'' . Finally, comparing No. III with No. VI we find that an

error of Azimuth of no consequence is attached to the observations between the 19th November and the end of the year 1833.

Taking the mean of I and II and of VII and VIII we obtain the following Equations.

$$\begin{aligned} s. \quad 0,86 + 2,35 a \pm \frac{e}{\sqrt{n}} &= s. \quad 2,93 - 2,32 a \pm \frac{e}{\sqrt{n^I}} \\ 28,09 + 1,10 a \pm \frac{e^I}{\sqrt{n^{II}}} &= 30,75 - 1,07 a \pm \frac{e^I}{\sqrt{n^{III}}} \\ 15,72 + 0,47 a \pm \frac{e^{II}}{\sqrt{n^{IV}}} &= 15,68 - 0,44 a \pm \frac{e^{II}}{\sqrt{n^V}} \end{aligned}$$

where $e, e^I, \&c.$ represent the probable errors of a single observation and $n, n^I, \&c.$ the number of observation constituting each result. Considering the low altitude at which Stars below the pole are seen in this latitude, it must be expected that the unsteadiness consequent thereto will give rise to large errors of observation; in the case of the Pole Star, I propose to assume the mean error of a single observation to be two seconds; for δ Ursæ Minoris, one second; and for 76 Draconis seven tenth of a second—substituting these values, we determine:

$$\begin{aligned} s. \quad 4,67 a &= 2,07 \pm ,32 \text{ or } a = s. \quad 0,44 \pm ,07 \\ 2,17 a &= 2,66 \pm ,28 - a = 1,22 \pm ,13 \\ 0,91 a &= 0,04 \pm ,40 - a = - 0,05 \pm ,44 \end{aligned}$$

giving to each of these results a weight in the inverse ratio of the probable error, we find $a = 0',63$; hence the Azimuth of the North and South Marks for the year 1832, and for the first 3 months of 1833; (instead of the results found at Page 30) will be N. $35',51$ W. and S. $60',69$ E. Computing now the observations of the Pole Star with these newly found errors of Azimuth and taking the mean we find:

Mean Right Ascension reduced to January 1, 1832.

		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>
78 Observations below the Pole in 1832 and in January 1833.....	13	0	2,34	}	13	0	2,45	
22 Observations below the Pole towards the end of 1833.....			2,85					
62 Observations above the Pole in 1832 and in January 1833.....	1	0	1,47	}	1	0	1,93	
27 Observations above the Pole towards the end of 1833.....			3,00					

With the mean of these *1h. 0m. 2,19s.* We will now proceed to compute a^I or, since there are only five observations, it will perhaps be better to compute from these the Azimuth of the North and South Marks as follows:

1833	Observed A.R. correct- ed for Clock Error.	Correction for			Mean A.R. January 1, 1832.		
		Level.	Collimation.	Aberration, &c.			
	<i>h. m. s.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>h. m. s.</i>		
June 27	1 0 10,11	+ 5,55	— 1,76	— 1,20	0 59 56,92	+ 2,32	α^I
28	1 0 8,16	+ 5,48	— 1,97	0 59 54,13	+ 2,32	α^{II}
July 7	1 0 19,17	+ 4,86	— 8,90	0 59 57,79	+ 2,32	α^{III}
12	1 0 17,92	+ 4,77	— 12,73	0 59 52,42	+ 2,32	α^{IV}
14	1 0 19,37	+ 4,73	— 14,23	0 59 52,33	+ 2,32	α^V

$$\begin{array}{rclclcl}
 \text{Hence} & \begin{array}{c} s. \\ 5,27 \\ 8,06 \\ 4,40 \\ 9,77 \\ 9,86 \end{array} & = & \begin{array}{c} 2,32 \\ 2,32 \\ 2,32 \\ 2,32 \\ 2,32 \end{array} & \alpha^I & \text{or } \alpha^I = 2,27 \\
 & \text{---} & & & \alpha^{II} & \text{---} \alpha^{II} = 3,47 \\
 & \text{---} & & & \alpha^{III} & \text{---} \alpha^{III} = 1,90 \\
 & \text{---} & & & \alpha^{IV} & \text{---} \alpha^{IV} = 4,21 \\
 & \text{---} & & & \alpha^V & \text{---} \alpha^V = 4,29
 \end{array}$$

employing these in conjunction with the registered variation of the centre wire from the North and South Marks at Page 24, when corrected for Collimation, we obtain the

AZIMUTH OF THE					
North Mark.			South Mark.		
<i>s.</i>			<i>s.</i>		
N. 36,86	W.	S. 61,93	E.	
— 35,60	—	— 60,67	—	
— 37,13	—	— 62,29	—	
— 35,17	—	— 60,24	—	
— 34,77	—	— 59,84	—	
				
Mean N. 35,91	W.	S. 60,98	E.	

To compute α^{II} we must now with the value found above for α correct the place of 76 Draconis given at Pages 37 and 38, we have from

	Mean A.R. 1832.		
	<i>h.</i>	<i>m.</i>	<i>s.</i>
5 Observations in September 1832 above the Pole.....	20	54	15,40
8 Observations in March 1833 below the Pole.....	8	54	16,02

Taking the mean of these and putting it equal to No. XII, we have

$$\begin{array}{rclclcl}
 \begin{array}{c} h. \\ 12 \end{array} & + & \begin{array}{c} h. \quad m. \quad s. \\ 8 \quad 54 \quad 15,71 \end{array} & = & \begin{array}{c} h. \quad m. \quad s. \\ 20 \quad 54 \quad 16,17 \end{array} & - & 0,44 \alpha^{II} \\
 & & & & \text{or } \alpha^{II} & = & 0'',98
 \end{array}$$

applying this to the numbers found at Page 32, which it will be recollected

have been employed from the 1st of July 1833; we obtain the Azimuths of the North and South Marks for the month of October, and for the early part of November 1833; and recapitulating, we have found altogether as follows.

	AZIMUTH OF THE MARK	
	to the North.	to the South.
	s.	s.
Observations of 1831.....	N. 35,34 W. S. 62,31 E.
1832, and January February, and March of 1833....	— 35,51 — — 60,69 —
June and July 1833.....	— 35,91 — — 60,98 —
October and the early part of November 1833.....	— 34,77 — — 59,84 —
November and December 1833.....	— 33,79 — — 58,86 —

The results of 1832 from the number of observations employed are probably very near the truth; comparing them with those of 1831 it appears probable that the North Mark has remained firm, and that an alteration has taken place in the position of the South Mark to the amount of 1",6. The results for the months of June and July 1833, being determined from five observations of the Pole Star only, cannot be supposed very accurate; their tendency is however to support the values found for 1832. The results of October and the early part of November 1833, determined from five observations of 76 Draconis, possess still less claims to accuracy, their tendency is however rather to support the results of 1832 than those of November and December 1833, these last from the number of observations employed we may presume to be a good determination; from these considerations we are led to conclude, that the position of the North Mark has remained unchanged from the time of the erection of the Transit Instrument (January 1831) up to the early part of November 1833 when it moved 1",4 towards the East = 0",64 Inches; that the South Mark shifted to the Westward towards the end of 1831 or the beginning of 1832 to the amount 1",61, and that a further alteration in the same direction took place to the amount 2",42 towards the beginning of November 1833: to determine the precise date of the former alteration we unfortunately have not a sufficient number of observations, but the uncertainty thereby introduced into one or two months observations (from an error of eight tenths of a second of space) will on inspecting the table shewing the correction for 1" error of Azimuth be found not to exceed 0",14 of time. For the more accurate determination of the date of the latter alteration, we will now examine the daily observations of the Azimuth of the centre wire from the North and South Marks for 1833: to get rid of the error of Collimation with which each of these is affected, we will examine the sum, or N + S; here we find the utmost regularity to exist up to the 26th of September when

an alteration to the amount of two seconds occurs, but in a direction contrary to the alteration for which we desire to account; we must consequently attribute it to some alteration of the Instrument itself: from this time up to the end of the year, one alteration only occurs deserving of notice; it is on the 11th of November, being in amount such as very nearly agrees with the alteration which we found above to have taken place towards the early part of November; I should hesitate to assume this day as the date of the alteration on these grounds were it not that another circumstance (the fall of four or five Inches of rain) which took place at this time, seems to render it probable that the foundation of the buildings forming the North and South Marks may have given way; to satisfy myself on this head, on a late occasion I paid a visit to the South Mark, which is the end of a very substantially built brick dwelling House, situated at about one and a half miles distant from the Observatory; here I found a crack in the wall about 2 Inches wide, which is just sufficient to account for the alterations above found; the North Mark is a square, (brick and chunam) pyramid, of weather beaten and rough exterior, thereby offering no means of detecting a small alteration of the foundation, but from the nature of the soil (a bed of loose sand) it is easy to believe that a considerable fall of rain might have produced the alteration in question; consequently, in computing the corrections for Azimuth for 1832 and for 1833 up to the 12th of November, we must employ the number

$$\frac{96''.20 - N - S}{2}$$

and from the 12th November 1833, to the end of the year

$$\frac{92''.65 - N - S}{2}$$

employing these with the observed Azimuth of the North and South Marks from the centre wire we obtain as follows:

1832	N. — S.	$\frac{96''.20 - N - S}{2}$	REMARKS.	1832	N. — S.	$\frac{96''.20 - N - S}{2}$	REMARKS.
Jan.	s.	s.		Jan.	s.	s.	
1	+ 48,14	+ 24,03		7	+ 54,80	+ 20,70	
2	51,69	22,25		8	51,35	22,42	
3	51,97	22,11		9	51,94	22,13	
5	52,41	21,89		10	54,40	20,90	
6	51,83	22,18		11	52,48	21,86	

1832	N. — S.	96", 20 — N — S.	REMARKS.	1832	N. — S.	96", 20 — N — S.	REMARKS.
	s.	s.			s.	s.	
Jan. 12	+ 52,55	+ 21,82		March 15	+ 52,48	+ 21,86	
13	52,48	21,86		16	51,72	22,23	
14	51,12	22,54		17	52,27	21,96	
15	50,84	22,68		18	52,62	21,79	
16	51,70	22,25		19	52,79	21,70	
17	50,89	22,65	Mean of 18	20	52,48	21,86	
18	52,31	21,94	= + 22",16.	21	52,21	21,99	
19	50,86	22,67	New wires.	22	53,69	21,26	
Feb. 3	53,20	21,50	New wires.	23	53,77	21,21	
4	48,82	23,69		24	54,08	21,06	
5	50,86	22,67		25	53,97	21,11	
6	50,47	22,86		26	52,87	21,67	
7	48,57	23,81		27	54,34	20,93	
8	49,95	23,12		28	53,08	21,58	
9	49,91	23,14		29	52,80	21,70	
10	48,86	23,67		30	53,96	21,12	
11	49,28	23,46		31	52,14	22,00	
12	51,30	22,45		April 1	52,78	21,72	
13	50,88	22,66		2	52,86	21,67	
14	50,82	22,69		3	53,58	21,31	
15	51,37	22,41		4	53,82	21,19	
16	51,26	22,47		5	53,17	21,51	
17	51,33	22,43		6	53,48	21,36	
18	52,29	21,95		7	53,75	21,22	
19	50,39	22,90		8	53,54	21,33	
20	51,13	22,53		9	53,52	21,34	
21	51,65	22,27		10	55,30	20,45	
22	51,41	22,39		11	54,41	20,89	
23	51,57	22,31		12	53,54	21,33	
24	51,57	22,31		13	53,94	21,14	
25	51,69	22,25		14	53,43	21,38	
26	52,17	22,01	Mean of 24	15	53,37	21,41	Mean of 49
27	52,14	22,03	= + 22",62	16	53,77	21,21	= + 21",46
28	53,68	21,26		18	55,34	20,43	
29	53,44	21,38		19	55,59	20,30	
March 1	53,23	21,48		20	55,19	20,50	
2	52,96	21,62		21	55,17	20,51	
3	53,20	21,50		22	55,08	20,56	
4	52,48	21,86		23	55,05	20,57	
5	52,75	21,72		24	54,98	20,61	
6	52,50	21,85		25	54,96	20,62	
7	52,34	21,93		26	55,10	20,55	
8	52,20	22,00		27	55,34	20,43	
9	52,86	21,67		28	55,31	20,44	
10	54,64	20,78		29	55,65	20,27	
11	54,31	20,94		30	55,25	20,47	
12	53,23	21,48		May 1	55,54	20,33	
13	53,16	21,52		2	55,69	20,26	
14	52,85	21,67		3	55,44	20,38	
				4	55,44	20,38	
				5	55,62	20,26	

1832	N. — S.	96'' 20 — N — S.	REMARKS.	1832	N. — S.	96'' 20 — N — S.	REMARKS.	
May	<i>s.</i>	<i>s.</i>		June	<i>s.</i>	<i>s.</i>		
6	+ 55,79	+ 20,20		28	+ 53,31	+ 21,44		
7	55,24	20,48		29	53,31	21,44		
8	55,52	20,34		30	53,21	21,40		
9	55,09	20,56		July	1	53,44	21,38	
10	55,57	20,31		2	53,31	21,44		
11	55,73	20,23		3	53,06	21,57		
12	54,75	20,72		4	53,55	21,32		
13	53,92	21,14		5	53,62	21,29		
14	54,06	21,07		6	53,37	21,41		
15	54,30	20,95		7	52,55	21,82	Mean of 17	
16	53,88	21,16		8	53,10	21,50	= + 21'',40	
17	54,22	20,99						
18	55,89	20,16		16	100,26	2,03	Adjusted the In-	
19	55,15	20,52		17	100,40	2,10	strument.	
20	55,12	20,54		24	100,26	2,03		
21	55,16	20,52		25	100,57	2,18		
22	54,82	20,69		27	100,57	2,18		
23	54,65	20,77		29	100,16	1,98		
24	54,37	20,91		30	100,57	2,18		
25	54,29	20,95		31	101,40	2,60	Mean of 10	
26	54,47	20,86	Mean of 40	Aug.	1	100,39	= — 2'',08	
27	54,20	21,00	= + 20'',58	7	98,98	1,39		
28	54,61	20,79		13	103,82	3,81	A new set of	
29	54,45	20,87		14	102,26	3,03	lines.	
30	54,38	20,91		15	102,96	3,38		
31	54,15	21,02		17	102,16	2,98		
June	1	54,24	20,98	18	102,54	3,17		
2	54,11	21,04		19	101,71	2,75		
3	54,07	21,06		20	102,26	3,03		
4	54,03	21,08		21	101,80	2,80		
5	54,17	21,01		22	101,68	2,74		
6	54,58	20,81		23	101,24	2,52	Mean of 11	
7	54,16	21,02		24	101,02	2,41	= — 2'',97	
8	54,33	20,93						
9	54,54	20,83		25	107,89	5,84		
10	54,51	20,84		26	108,81	6,30		
11	54,26	20,97		27	109,37	6,58		
12	53,71	21,24		28	109,00	6,40		
13	53,44	21,38		29	108,60	6,20		
14	53,92	21,14		30	108,73	6,26		
15	54,29	20,95		31	107,79	5,79		
16	54,26	20,97		Sept.	1	107,71	5,75	Mean of 9
17	53,48	21,36	Mean of 22	2	107,22	5,51	= — 6'',07	
18	54,20	21,00	= + 21'',04					
19								
20	53,10	21,55		3	110,43	7,11		
21	53,95	21,12		4	109,88	6,84		
22	54,17	21,01		5	109,16	6,48		
24	53,71	21,24		6	109,46	6,63		
25	53,24	21,48		7	109,57	6,68		
27	53,68	21,26		8	109,92	6,86		
				9	110,05	6,92		

1832	N. — S.	96", 30 — N — S.	REMARKS.	1832	N. — S.	96", 30 — N — S.	REMARKS.
	s.	s.			s.	s.	
Sept. 13	+109,68	6,74		Nov. 13	+107,95	5,87	
20	110,19	6,99		14	108,26	6,03	
21	110,22	7,01		15	107,78	5,79	Mean of 8
22	110,50	7,15		16	107,56	5,68	= — 5",99
23	109,95	6,87					
24	109,44	6,62		17	104,58	4,19	
25	109,44	6,62		18	104,30	4,05	
26	109,88	6,84		19	105,45	4,62	
27	110,29	7,04		20	105,86	4,83	
28	110,50	7,15		21	106,46	5,13	
29	110,44	7,12		22	105,00	4,40	
30	109,64	6,72		23	105,07	4,43	
Oct. 1	110,22	7,01		24	104,82	4,31	
3	110,76	7,28		25	104,65	4,22	
6	109,70	6,75		26	105,30	4,55	
7	110,42	7,11		27	105,21	4,50	
8	110,25	7,02		28	105,48	4,64	
9	110,39	7,09		29	105,20	4,50	
10	110,30	7,05		30	104,82	4,34	
11	109,83	6,81		D.c. 1	104,62	4,24	
12	110,08	6,94		2	105,28	4,54	
13	109,94	6,87	Mean of 31	3	106,14	4,97	
14	110,04	6,92	= — 6",90	4	105,45	4,62	
17	109,88	6,84		5	104,82	4,31	
				6	104,59	4,19	
19	111,95	7,87	Inverted the axis	7	104,65	4,22	
20	112,15	7,97	several times.	8	103,77	3,78	
21	112,10	7,95		9	103,91	3,85	
22	112,35	8,07	Mean of 5	10	104,17	3,98	
23	111,71	7,75	= — 7",92	11	104,63	4,21	
				12	104,92	4,36	
24	110,47	7,13		13	104,92	4,36	Mean of 23:
25	110,57	7,18		14	104,82	4,31	= — 4",38
26	110,38	7,09					
27	110,12	6,96		15	102,06	2,93	
28	109,81	6,80		16	101,44	2,62	
29	109,70	6,75		17	103,36	3,58	
30	110,66	7,23		18	103,43	3,61	
31	110,49	7,14		19	102,94	3,37	
Nov. 1	110,25	7,02		20	102,99	3,39	
2	109,39	6,59		21	103,05	3,42	
3	110,04	6,92		22	102,32	3,06	
4	109,77	6,78		23	102,49	3,14	
5	109,35	6,58		24	101,84	2,82	
6	109,80	6,80		25	102,24	3,02	
7	109,26	6,53	Mean of 16	26	101,51	2,66	
8	109,80	6,80	= — 6",89	27	101,63	2,71	
				28	102,26	3,03	
9	108,56	6,18	A new set of lines	29	102,93	3,36	
10	108,53	6,16	put in.	30	102,98	3,39	Mean of 17
11	108,24	6,02		31	103,56	3,68	= — 3",16
12	108,60	6,20					

1833	N. — S.	96", 20 — N — S.	REMARKS.	1833	N. — S.	96", 20 — N — S.	REMARKS.
	s.	s.			s.	s.	
Jan. 1	+ 103,45	3,62		Feb. 19	+ 102,87	3,34	
2	102,73	3,26		20	102,69	3,24	
3	102,30	3,05		21	103,41	3,60	
4	102,43	3,11		22	104,10	3,95	
5	102,84	3,32	Inverted the axis.	23	103,65	3,73	
6	102,70	3,25		24	103,61	3,70	
7	102,73	3,26		25	104,19	3,99	
8	102,74	3,27		26	103,75	3,77	
9	102,56	3,18		27	103,41	3,60	
10	103,05	3,42		28	103,75	3,77	
11	102,67	3,23		March 1	103,10	3,45	
12	103,11	3,45	Mean of 14	2	103,41	3,60	
13	101,38	2,59	= — 3", 18	3	103,78	3,79	
14	101,28	2,54	Inverted the axis.	4	104,29	4,04	
15	102,24	3,02		5	103,48	3,64	
17	101,18	2,49		6	103,38	3,59	
18	103,86	3,83	Inverted the axis.	7	103,96	3,88	
19	103,63	3,71		8	104,75	4,28	
20	104,04	3,92		9	102,62	3,21	
21	104,16	3,98		10	103,24	3,52	
22	103,79	3,79		11	103,44	3,62	
23	104,26	4,03	Mean of 7	12	103,27	3,53	
24	103,20	3,50	= — 3", 82	13	103,33	3,56	
25	102,69	3,24		14	103,45	3,62	
26	101,79	2,79		15	102,83	3,31	
27	101,93	2,86		16	104,07	3,93	
28	102,30	3,05		17	104,89	4,34	
29	101,90	2,85		18	103,37	3,58	
30	102,31	3,05		19	103,51	3,65	
31	102,76	3,28		20	102,96	3,38	
Feb. 1	102,68	3,19		21	103,47	3,63	
2	101,55	2,67		22	103,82	3,81	
3	101,94	2,87		23	103,54	3,67	
4	102,07	2,93	Mean of 12	24	102,58	3,19	
5	102,63	3,21	= — 3", 00	25	102,79	3,29	
6	103,34	3,57		26	102,41	3,10	
7	102,66	3,23		27	103,34	3,57	
8	103,51	3,65		28	103,13	3,46	
9	103,10	3,45		29	103,20	3,50	
10	103,38	3,59		30	103,34	3,57	
11	103,93	3,86		31	103,93	3,86	
12	102,38	3,09		April 1	103,17	3,48	
13	103,00	3,40		2	103,41	3,60	
14	103,10	3,48		3	103,34	3,57	
15	103,68	3,74		4	103,92	3,86	
16	103,21	3,60		5	103,62	3,71	
17	103,38	3,53		6	103,76	3,78	
18	103,51	3,56		7	103,97	3,88	
				8	103,17	3,48	
				9	103,48	3,64	
				10	103,51	3,65	
				11	104,34	4,07	

1833	N.—S.	96",20—N—S. 2	REMARKS	1833	N.—S.	96",20—N—S. 2	REMARKS
April	s. 12 +103,41	s. 3,60		June	s. 1 +103,18	s. 3,49	
	13 102,92	3,36			2 103,04	3,42	
	14 103,17	3,48			3 102,97	3,38	
	15 103,31	3,55			4 103,01	3,40	
	16 103,34	3,57			5 103,07	3,43	
	17 103,24	3,52			6 103,07	3,43	
	18 102,99	3,39			7 102,32	3,06	
	19 103,02	3,41			8 103,17	3,48	
	20 103,03	3,41			9 102,66	3,23	
	21 102,86	3,33			10 102,95	3,37	
	22 103,55	3,67			11 102,98	3,39	
	23 103,16	3,48			12 102,94	3,37	
	24 103,27	3,53			13 102,90	3,35	Mean of 25
	25 103,69	3,74			14 103,21	3,50	= — 3",42
	26 103,14	3,47					
	27 103,62	3,71			19 105,19	4,49	
	28 103,34	3,67			20 105,03	4,41	
	29 103,31	3,55			22 104,86	4,33	
	30 103,62	3,71			23 104,86	4,33	Mean of 5
May	1 102,10	2,95			25 104,21	4,00	= — 4",31
	2 102,93	3,36					
	3 102,75	3,28			26 103,76	3,78	
	4 103,03	3,41			27 103,34	3,57	
	5 103,52	3,66			28 103,21	3,50	
	6 103,10	3,45		July	1 103,10	3,45	
	7 102,75	3,27			2 103,50	3,65	
	8 103,21	3,50	Mean of 94		3 103,31	3,55	
	9 103,16	3,48	= — 3",56		4 103,35	3,57	
	10 102,83	3,31	I applied fresh varnish to the wires.		5 103,33	3,56	
					6 103,29	3,54	
	11 103,55	3,67			7 103,14	3,47	
	12 104,01	3,90			8 103,24	3,52	
	13 103,97	3,88			9 103,15	3,47	
	14 103,70	3,75			10 103,21	3,50	
	15 103,49	3,64			11 103,07	3,43	
	16 104,44	4,12			12 103,83	3,81	
	17 104,10	3,95			13 103,27	3,53	
	18 104,64	4,22			14 103,20	3,50	
	19 106,07	4,93	Mean of 10		15 103,04	3,42	
	20 105,16	4,48	= — 4",05		16 102,05	2,92	
					17 102,66	3,23	
	21 103,41	3,60			18 102,12	2,96	
	22 102,93	3,36			19 102,22	3,01	
	23 102,93	3,36			20 102,90	3,35	
	24 103,27	3,53			22 102,93	3,37	
	25 103,27	3,53			23 103,36	3,58	
	26 102,97	3,38			24 102,96	3,38	
	27 102,93	3,36			25 102,77	3,29	
	28 103,14	3,47			26 102,83	3,31	
	29 103,45	3,62			28 102,66	3,23	
	30 103,17	3,48			30 102,25	3,02	
	31 103,45	3,62			31 101,95	2,87	

1833	N. — S.	96'' 20 — N — S.	REMARKS.	1833	N. — S.	96'' 20 — N — S.	REMARKS.
Aug.	^{s.} 1 + 102,05 2 101,77 3 101,26 4 102,11 5 102,66 6 102,07 7 102,55 8 101,56 9 101,33 10 101,76 11 102,08 12 101,83 13 102,26 14 101,54 15 101,64 16 101,33 17 101,14 19 101,76 20 101,73 21 102,70 22 101,98 23 101,73 24 102,57 25 102,50	^{s.} — 2,92 2,78 2,53 2,95 3,23 2,93 3,17 2,68 2,57 2,78 2,94 2,81 3,03 2,67 2,72 2,57 2,47 2,78 2,77 3,25 2,89 2,77 3,18 3,15		Sept.	^{s.} 28 + 107,17 29 107,58 30 106,70 Oct. 1 107,41 3 107,79 4 107,23 5 107,34 6 107,17 7 107,17 8 107,23 9 107,25 11 107,27 13 106,97 14 106,19 15 106,29 16 106,12 17 106,46 18 106,09 21 106,77 22 106,64 23 106,92 24 106,98 25 105,53 Nov. 1 105,19 3 105,88 5 105,81 7 106,77 9 105,57	^{s.} — 5,48 5,69 5,25 5,60 5,80 5,51 5,52 5,49 5,49 5,51 5,52 5,53 5,38 5,00 5,04 4,96 5,13 4,94 5,28 5,22 5,36 5,39 4,67 4,50 4,84 4,81 5,28 4,68	
	26 104,50 27 103,88 28 106,12 30 105,45 31 105,09 Sept. 1 105,38 2 105,77 8 105,31 9 105,93 10 105,52 11 106,21 12 104,90 13 104,40 14 104,83 15 104,54 16 104,72 17 104,95 18 104,71 19 104,69 20 105,26 21 105,09 23 105,92 24 104,92 25 104,73 26 104,70 27 106,24	4,15 3,84 4,96 4,62 4,44 4,59 4,78 4,55 4,86 4,66 5,00 4,35 4,10 4,31 4,17 4,26 4,37 4,25 4,24 4,53 4,44 4,86 4,36 4,26 4,35 5,02	Mean of 55 = — 3'',18		15 100,53 16 100,77 17 100,55 18 99,26 19 99,20 20 99,47 21 98,71 22 99,33 23 98,54 24 98,82 25 98,47 26 98,20 27 97,95 28 96,95 29 96,68 30 96,88 Dec. 1 97,27 2 96,71 3 96,95 4 96,51 5 96,74 6 96,92	3,94 4,06 3,95 3,30 3,27 3,41 3,03 3,34 2,94 3,08 2,91 2,77 2,65 2,15 2,01 2,12 2,31 2,03 2,15 1,93 2,04 2,13	Mean of 29 = — 5'',24 Mean of 13 = — 3'',28
			Mean of 25 = — 4'',45				

1833	N. — S.	92'', 65 — N — S.	REMARKS.	1833	N. — S.	92'', 65 — N — S.	REMARKS.
Dec. 7	+ 97,34	— 2,34		Dec. 19	+ 96,68	— 2,01	Mean of 23
8	97,34	2,34		20	95,93	1,64	= — 2'',43
9	97,27	2,31					
10	96,10	1,72		24	94,69	1,02	Inverted the axis.
11	95,89	1,62		25	94,76	1,05	
12	96,03	1,69		26	96,58	1,96	Inverted the axis.
13	96,83	2,09		27	95,21	1,28	
14	96,33	1,84		28	95,45	1,40	
15	96,57	1,96		29	95,45	1,40	
16	96,89	2,12		30	95,02	1,18	Mean of 8
17	97,85	2,60		31	94,90	1,12	= — 1'',30
18	96,33	1,84					

The following table exhibits the amount of error caused by an uncertainty of one second in the position of the Instrument for *unreduced* observations ; and the amount of error *after reduction*, or the error which may be expected to attach to the places of the Sun, Moon, Planets, and fixed Stars which hereafter follow, in case an error of Azimuth to this amount has been committed.

North Polar Distance of the Object.	Correction for 1s. Error of Azimuth.	Error of the computed Result.
20	+ 0,1634	+ 0,178
25	+ 0,1245	+ 0,140
30	+ 0,0974	+ 0,112
35	+ 0,0776	+ 0,093
40	+ 0,0623	+ 0,077
45	+ 0,0499	+ 0,065
50	+ 0,0394	+ 0,054
55	+ 0,0304	+ 0,045
60	+ 0,0224	+ 0,037
65	+ 0,0152	+ 0,030
70	+ 0,0084	+ 0,023
75	+ 0,0023	+ 0,017
80	— 0,0036	+ 0,011
85	— 0,0095	+ 0,006
90	— 0,0151	0,000
95	— 0,0208	— 0,006
100	— 0,0265	— 0,011
105	— 0,0324	— 0,017
110	— 0,0387	— 0,024

North Polar Distance of the Object.		Correction for 1s. Error of Azimuth,		Error of the computed Result.
		"		"
115	— 0,0455	— 0,030
120	— 0,0526	— 0,037
125	— 0,0609	— 0,046
130	— 0,0696	— 0,055
135	— 0,0801	— 0,065
140	— 0,0922	— 0,077
145	— 0,1077	— 0,093
150	— 0,1276	— 0,112
155	— 0,1544	— 0,139
160	— 0,1934	— 0,178

REDUCTIONS EMPLOYED.

In the reductions of the Observations for 1832 and 1833, I have continued to employ the numbers *a*, *b*, *c*, *d*, &c. given in the Catalogue of the Royal Astronomical Society, and for the numbers of A, B, C, D, I have availed myself of the values given in the Supplements to the Nautical Almanac, which I have reduced to nine o'clock in the evening for the Meridian of Madras; in the case of the Pole Star, and δ Ursæ Minoris the computations have been made for the moment of Transit.

ON THE CLOCK ERRORS AND CLOCK RATES.

In the result of Observations for 1831 Vol. I. I have explained at some length the method employed for the determination of the error and rate of the clock, and have exhibited the degree of accuracy to which the observa-

tions lay claims; on the present occasion I have therefore thought it sufficient to refer to these, and to state, that the reduction of the Observations for 1832 and 1833, have been effected agreeably to the plan there laid down with but one slight exception, namely; in the reductions for 1831, I had employed the Greenwich Catalogue of 720 Stars, whereas in the reduction for 1832 and 1833; those Stars only of this Catalogue have been employed, which are situated between the limits of 65° and 115° of North Polar Distance; by this arrangement we are enabled to correct the Right Ascension of a Star for any small error of Level, Azimuth, or Collimation which may have been committed in the reduction, from inequality of the Pivots, or from a wrong assumption of the position of either of the Marks with regard to the meridian: independent of this consideration, the more rapid motion of Equatoreal Stars through the field of view recommends them to preference where *general* accuracy only is our aim.

With regard to the accuracy of the determination of the Clock Errors, I may very safely claim for them an increased degree above that of 1831, and considering that with one exception only the same observers have been employed, this of course could only be expected; the exception I allude to is the exclusion of the Assistant S from making further observations; it will be recollected that towards the beginning of 1831 the observers S. M. A. R. and T. or my four Assistants and self agreed to two or three tenths of a second of time in estimating the time of Transit of a Star, whereas towards the end of that year, the Assistant S had acquired a habit of observing which gave rise to a difference of two seconds of time from the other three Assistants; in consequence of my absence from Madras at this time, (being otherwise employed in Calcutta) the evil was allowed to exist up to the middle of the year 1832, since which time I have not allowed the Assistant S to make any observations, and (agreeable to the plan followed in 1831) have employed only those observations of his before this time, which are situated in the vicinity of *known* Stars, and have rejected the rest; with regard to the Assistants M. R. and A. they continue up to the present time steadily to observe within two tenths of a second of myself and with about the same degree of accuracy. With a view to discover the cause of the difference above found, I lately tried the effect of pressure upon the Telescope whilst observing, this being the only means by which so large a discordance as two seconds might be accounted for, the result was, that a pressure of 5 pounds upon the end of the Telescope did not produce a deviation to the amount of 10 seconds of space; a fact, which (although it leaves us unsatisfied as to the present enquiry) speaks very satisfactorily with regard to the stability of the Telescope. With regard to

the going of the Clock ; it will be remarked that its irregularities are both large and frequent ; this is partly due to an ill constructed click, which I have not been able to get remedied at Madras, whereby the Clock has stopt, or tript, on the days of winding, (on the 1st and 15th of each month) ; and partly from the decayed state of the Clock case, which has allowed spiders to creep into the works ; the latter cause has I hope now been removed by a new plank which I lately caused to be screwed to the back of the case, and the former it must be recollected does not affect the reduced places of the Sun or Stars ; for the irregularities with which we *have* to contend, I may remark, that the method of reduction (the employment of the places of several known Stars, and separating the results into sets occupying two or three hours of A. R. only) keeps so severe a check upon the error of the Clock ; that an error of one tenth of a second of time from this cause is of unfrequent occurrence ; in a few cases however where uncertainty to the amount of 3 or 4 tenths has occurred, I have rejected the observations altogether.

1832	Clock Rate by		Difference.	REMARKS.	1832	Clock Rate by		Difference.	REMARKS.
	Sun.	Stars.				Sun.	Stars.		
Jan.	<i>s.</i>	<i>s.</i>	<i>s.</i>	The Clock stopt in winding. Stopt the Clock four minutes.	Feb.	<i>s.</i>	<i>s.</i>	<i>s.</i>	Stopt(I presume) two seconds in winding.
	3 + 2,43	+ 2,21	0,22			19	+ 2,98		
	5	+ 2,51				20	+ 3,09	3,15	0,06
	6	+ 2,03				21	+ 2,98	+ 2,87	0,11
	10	+ 2,07	+ 1,92	0,15		22	+ 2,74	+ 2,75	0,01
	12	+ 1,72	+ 1,79	0,07		23	+ 3,03	+ 2,72	0,31
	13		+ 2,84			24	+ 2,50	+ 2,72	0,22
	14	+ 2,27	+ 2,00	0,27		25	+ 3,28	+ 2,70	0,58
	16		+ 2,66			26		+ 2,94	
	26	+ 2,50	+ 2,77	0,27		27		+ 2,90	
	27	+ 2,02	+ 2,27	0,25		28		+ 2,70	
	29	+ 2,07	+ 2,20	0,13		29		+ 3,13	
Feb.	30		+ 2,31		March	1		+ 0,36	
	31	+ 3,10	+ 3,02	0,08		2		+ 2,30	
	1					3	+ 2,48	+ 2,40	0,08
	2		+ 2,57			5	+ 2,64	+ 2,55	0,09
	3					6	+ 2,45	+ 2,26	0,19
	4	+ 2,39	+ 2,37	0,02		7	+ 1,99	+ 2,00	0,01
	5	+ 2,39	+ 2,24	0,15		8	+ 2,14	+ 2,44	0,30
	6	+ 2,62	+ 2,63	0,01		9	+ 2,12	+ 2,08	0,04
	7	+ 2,18	+ 2,04	0,14		10	+ 2,31	+ 2,50	0,19
	8	+ 2,19	+ 2,13	0,06		11		+ 2,50	
	9	+ 2,22	+ 2,10	0,12		12		+ 2,46	
	10	+ 1,82	+ 1,88	0,06		13	+ 2,41	+ 2,22	0,19
	11	+ 2,15	+ 1,95	0,20		14	+ 2,52	+ 2,52	0,00
	12		+ 2,08			15	+ 1,87	+ 2,23	0,36
	13		+ 2,01			16	+ 2,29	+ 2,25	0,04
	14		+ 1,94			17	+ 2,27	+ 2,60	0,33
	15	+ 1,89	+ 2,38	0,49		18	+ 2,13	+ 2,39	0,26
	18		+ 2,99			19	+ 2,07	+ 2,13	0,06

1832	Clock Rate by		Difference.	REMARKS.	1832	Clock Rate by		Difference.	REMARKS.
	Sun.	Stars.				Sun.	Stars.		
	s.	s.	s.			s.	s.	s.	
March 20	+ 2,26	+ 2,10	0,16		May 14	+ 0,92		
21	+ 1,81	+ 2,05	0,24		15	+ 1,14	+ 4,68	The Clock tript
22	+ 2,04	+ 1,92	0,12		16	+ 3,29		in winding.
23	+ 2,23			17	+ 9,62	I removed the
24	+ 2,24	+ 2,14	0,10		18	0,20		head of the Clock
25	+ 2,02	+ 2,12	0,10		19	1,57		and cleaned the
26	+ 2,13	+ 2,28	0,15		20	1,64		scapement, &c.
27	+ 2,27	+ 2,40	0,13		21	1,67		and applied fresh
28	+ 2,72	+ 3 05	0,33		22	2,00		oil.
29	+ 3,05			23	1,66		
30	+ 3,43			25	- 1,22			
31	+ 3,65	+ 3,83	0,18		26	- 0,64	- 1 05	0,41	
April 1	+ 3 21			27	- 1,08		
2	+ 3,68	+ 3,73	0,05		28	- 1,02		
3	+ 3,53	+ 3,33	0,20		29	- 0,72		
4	+ 2,99	+ 3,05	0,06		30	- 0,81		
5	+ 3,02	+ 2,97	0,05		31	- 0 87		
6	+ 3,00	+ 2,90	0,10		June 1	- 0,80	- 1,05	0,25	
7	+ 2,83	+ 2,83	0,00		2	- 1,83			
9	+ 2,71	+ 3,15	0,44		4	- 1,89	- 1,65	0,24	
10	+ 3,29	+ 3,13	0,16		5	- 2,37	- 2,44	0,07	
11	+ 3,09	Stopt the Clock	7	- 2,22			
12	+ 3,40		four minutes and	8	- 2,61			
13	+ 2,57		lengthened the	9	- 2,27	- 2,30	0,03	
14	+ 2,80	pendulum.	10	- 2,54		
15	+ 0,21		The Click re-	11	- 2,50	- 2,54	0,04	
16	0,00		fused to do its duty	12	- 2,72	- 2,36	0,36	
17	- 0,24		in consequence	13	- 2,48	- 2,82	0,34	
18	- 0,43	- 0,36	0,07	the Clock stopt for	14	- 3,27	- 3,18	0,09	
19	- 0,46	- 0,43	0,03	several seconds in	15	- 3,00	- 2,86	0,14	
20	- 0,23			winding.	16	- 2,78	- 2,90	0,12	
21	- 0,65	- 0,98	0,33		18	- 2,71			
22	- 0,10	- 0,45	0,35		23	- 2,88			
23	- 0,36	- 0,54	0,18		27	+ 3,48			
24	- 0,24				28	+ 4,99			
25	- 0 85				July 2	+ 2,31			
26	- 0,03	- 0,38	0,35		3	+ 0,65			
27	+ 0,20	0,00	0,20		5	+ 6,34			
28	- 0,56	- 0,46	0,10		7	The Clock was
29	- 0,14	- 0,29	0,15		16	- 5,00		cleaned by
30	+ 0,02	+ 0,05	0,03		20	- 4,61			Mr. Law.
May 1	- 0,06	0,00	0,06		25	- 5,27	- 5,05	0,22	
2	+ 0,14	- 0,37	0,51		26	- 5,20			
3	- 0,44	+ 0,11	0,55		28	- 5,54			
4	- 0,03	- 0,27	0,24		29	- 5,43		
5	- 0,46	- 0,27	0,19		30	- 5,48			
6	- 0,55	- 0,19	0,36		Aug. 1	+ 7,54			
7	- 0,12	- 0,41	0,29		2	+ 6,88			
8	- 0,09	- 0,16	0,07		3	+ 7,46			
9	+ 0,21	- 0,09	0,30		5	+ 8,49			
11	+ 4 +	The Clock pro-	7	The Clock was
12	- 0,35	0,00	0,35	bably tript 4					inspected by
13	+ 0,65		seconds.					Mr. Law.

1832	Clock Rate by		Difference.	REMARKS.	1832	Clock Rate by		Difference.	REMARKS.			
	Sun.	Stars.				Sun.	Stars.					
	s.	s.	s.			s.	s.	s.				
Aug.	8	+15,81	Oct.	23	+ 1,07	+ 1,01	0,06	Stopt the Clock two minutes.		
	14	- 4,51	- 5,00	0,49		24	+ 0,91	+ 0,87	0,04			
	17	- 5,14	- 5,00	0,14		25	+ 0,14			
	18	- 5,14	- 5,28	0,14		26	+ 0,55	+ 0,29	0,26			
	19	- 5,38				27	+ 0,32	+ 0,37	0,05			
	20	- 5,13	- 5,19	0,06		28	+ 0,41				
	21	- 5,46				29	+ 1,31				
	22	- 5,09				30	+ 1,46	+ 1,27	0,19			
	23	- 5,49	- 5,27	0,22		31	+ 0,77	+ 0,42	0,35			
	24	- 5,39			Nov.	1	+ 0,40	+ 0,20		0,20	I cleaned the Clock.
	25	- 5,34					2	+ 0,54			
	27	- 5,46				3	+ 0,42	+ 1,07		0,65	
	28	- 4,85	- 5,08	0,23			4	+ 5,26	+ 8,91			
	29	- 5,33					5	+ 8,42			
	30	- 5,36	- 5,27	0,09			7	
	31	- 5,05	- 3,82				9	- 4,39			
Sept.	1	+ 0,23		10		- 4,55	- 4,49	0,06			
	4	+ 1,70	+ 1,13	0,57	12		- 4,57				
	6	+ 1,17		13		- 4,47	- 4,47	0,00			
	7	+ 1,20	+ 1,45	0,25	15		- 4,61	- 4,52	0,09			
	9	+ 1,88	+ 2,25	0,37	16		- 4,51	- 4,33	0,18			
	11	+ 0,33	Advanced the Clock 3 mi- nutes.	17		- 4,06	- 4,20	0,14			
	12	+ 0,64		18		- 4,25	- 4,06	0,19			
	14	+ 0,58		19		- 4,38	- 4,22	0,16			
	15	+ 0,56	+ 1,01		0,45		21	- 3,79				
	19	+ 1,76		22	- 4,53	- 3,90	0,63				
	21	- 5,07			23	- 4,11	- 4,23	0,12				
	22	- 5,11	- 5,06		0,05	24	- 4,26	- 4,12	0,14			
	23	- 5,05	- 5,11		0,06	25	- 4,49	- 4,56	0,07			
	24	- 5,55	- 5,09		0,46	26	- 4,10					
	25	- 4,97				27	- 4,44					
	26	- 4,37	- 4,43		0,06	29	- 4,56				
27	- 4,24	- 4,39	0,15		30	- 4,58	- 4,53	0,05				
28	- 4,25				Dec.	1	- 4,87					
30	- 1,39				4	- 4,65				
Oct.	1	+ 10,23			5	- 4,42	- 4,40	0,02		
	2	+ 12,59	+ 14,53				6	- 4,47			
	3	+ 14,04			7	- 4,41	- 4,47	0,06			
	4	+ 12,62			8	- 3,93	- 4,20	0,27			
	5	+ 8,97			9	- 4,56	- 4,15	0,41			
	6	+ 7,94	+ 7,84	0,10		10	- 4,40	- 4,24	0,16			
	7	+ 10,07				11	- 4,40				
	8	+ 6,85	+ 5,56			12	- 4,81				
	9	+ 4,36	+ 4,42	0,06		14	- 4,61	- 4,67	0,06			
	11	+ 4,17	+ 4,19	0,02		15	- 4,82	- 4,84	0,02			
	12	+ 3,70	+ 4,76			16	- 4,24				
	13	+ 4,43	+ 4,22	0,21		17	- 4,12				
	14	+ 5,11			18	- 4,79				
	15	+ 4,77		19	- 4,02	- 4,43	0,41			
	19	- 0,10	Wound up the Clock.	20	- 4,76	- 4,46	0,30				
	20	- 1,18			21	- 4,61	- 4,89	0,28				
21	+ 0,32	+ 1,00			22	- 5,17						
22	+ 0,95	+ 1,26	0,31		23	- 5,14						

1832	Clock Rate by		Difference.	REMARKS.	1833	Clock Rate by		Difference.	REMARKS.
	Sun.	Stars.				Sun.	Stars.		
	s.	s.	s.			s.	s.	s.	
Dec. 24	- 4,76	- 4,83	0,07		Feb. 17	+ 0,89	+ 0,73	0,16	
25	- 4,51	- 4,70	0,19		18	+ 0,67	+ 0,64	0,03	
26	- 4,91	- 4,53	0,38		19	+ 0,81	+ 0,74	0,07	
27	- 4,51	- 4,93	0,42		20	+ 0,58	+ 0,27	0,31	
28	- 4 63				21	+ 0,62			
29	- 4,62				22	+ 1,69			
					23	The Clock tript
					24				9 seconds; I ap-
					25				plied fresh oil to
1833									the escapement.
Jan. 3	- 3,74	- 3,56	0,18		26	+ 0,27	+ 0,46	0,19	
4	- 3,41	- 3,37	0,04		27	+ 0,79	+ 0,73	0,06	
5	- 3,52	- 3,17	0,35		28	+ 2,08			
6	- 3,29	- 3,28	0,01		March 1	+ 1,70	+ 1,18	0,52	
7	- 3,40				2	+ 0,96	+ 1,05	0,09	
8	- 3,74	- 3,63	0,11		3	+ 0,80	+ 0,52	0,28	
9	- 3,34	- 3,50	0,16		4	+ 0,32	+ 0,63	0,31	
10	- 3,73	- 3,99	0,26		5	+ 0,67	+ 0,88	0,21	
11	- 3,74	- 3,56	0,18		6	+ 0,98	+ 0,65	0,33	
12	- 3,44	- 2,98	0,46		7	+ 0,38	+ 0,52	0,14	
14	- 2,80	- 2,93	0,13		8	+ 0,46	+ 0,74	0,28	
15	+ 0,25	Regulated the	9	+ 1,23	+ 0,90	0,33	
16	+ 0,20	+ 0,25	0,05	Clock.	10	+ 0,79		
17	+ 0,74	+ 0,64	0,10		11	+ 0,60	+ 1,00	0,40	
18	+ 0,86	+ 0,62	0,24		12	+ 0,67	+ 0,46	0,21	
19	+ 0,44	+ 0,50	0,06		13	+ 0,40	+ 0,46	0,06	
20	+ 0,68	+ 0,20	0,48		14	+ 0,41	+ 0,46	0,05	
21	- 0,04	+ 0,06	0,10		15	+ 1,32	+ 1,86	0,54	
22	+ 0,14	+ 0,18	0,04		16	+ 3,86		
23	- 0,05			17	+ 3,97		
24	- 0,23			18	+ 1,80		
25	- 0,14			19	+ 1,17	+ 1,61	0,44	
26	- 0,20	0,00	0,20		20	+ 2,00	+ 2,00	0,00	
27	- 0,42			21	+ 1,42	+ 0,80	0,62	
28	- 0,12	- 0,48	0,36		22	+ 0,58	+ 0,84	0,26	
29	- 0,21	- 0,46	0,25		23	+ 0,65	+ 0,65	0,00	
30	- 0,13	0,00	0,13		24	+ 1,93		
31	- 0,01	+ 0,04	0,05		25	+ 1,27	+ 0,63		
Feb. 1	+ 0,26	+ 0,16	0,10		26	+ 0,69	+ 0,95	0,26	
2	+ 0,31	+ 0,12	0,19		27	+ 0,80	+ 0,88	0,08	
3	+ 0,17	+ 0,15	0,02		28	+ 0,83	+ 0,65	0,18	
4	+ 0,11	- 0,11	0,22		29	+ 0,70	+ 0,62	0,08	
5	- 0,32	- 0,12	0,20		30	+ 0,47	+ 0,43	0,04	
6	- 0,10	0,00	0,10		31	+ 0,50	+ 0,54	0,04	
7	+ 0,02			April 1	+ 0,33	+ 0,60	0,27	
8	+ 0,20	+ 0,05	0,15		2	+ 0,83	+ 0,60	0,23	
9	+ 0,56	+ 0,74	0,18		3	+ 0,39	+ 0,35	0,04	
10	+ 0,64			4	+ 0,60	+ 1,46		
11	+ 0,63	+ 0,39	0,24		5	+ 1,87		
12	+ 0,74	+ 0,78	0,04		6	+ 0,74		
13	+ 0,81	+ 0,89	0,08		7	+ 1,61		
14	+ 0,50	+ 0,85	0,35		8	+ 2,51		
15	+ 0,59	+ 0,58	0,01		9	+ 2,72	+ 2,88	0,16	
16	+ 0,59	+ 0,65	0,06		10	+ 3,23			

1833	Clock Rate by		Difference.	REMARKS.	1833	Clock Rate by		Difference.	REMARKS.
	Sun.	Stars.				Sun.	Stars.		
	s.	s.	s.			s.	s.	s.	
April 11	+ 1,89				June 11	- 4 51		
13	+ 2,80			12	- 4,66	- 4,62	0,04	
14	+ 3,23			13	- 4,63	- 4,81	0,18	
15	+ 6,53	+ 8,14			14	- 4,70	- 4,50	0,20	
16	+ 7,57	+ 5,83	I found a fine	19	Regulated the
17	+ 2,68	+ 2,25	0,43	cobweb attached	21	- 0,02		Clock.
18	+ 2,11	+ 2,37	0,26	to the escapement	22				
19	+ 2,69	+ 3,00	0,31	which I removed.	23	- 0,20		
20	Regulated the	26	- 1,52			
21	- 2,01		Clock.	27	- 2,14			
22	- 1,84	- 2,05	0,21		28	- 2,44			
23	- 2,12	- 2,40	0,28		29	- 3,01	- 3,31	0,30	
24	- 2,48	- 2,37	0,11		30	- 3,78		
25	- 2,16	- 2 35	0,19		July 1	- 3,91	- 4,52		
26	- 2,12			2	- 4,21	- 4,20	0,01	
27	- 2,27	- 2,24	0,03		3	- 4,52			
28	- 1,56	- 1,28	0,28		5	- 4,45	- 4,46	0,01	
29	- 2,32	- 2,91	0,59		7	- 4,61		
30	- 3,10	- 3,25	0,15		8	- 5,48		
May 1	- 3,44	- 3,43	0,01		9	- 5,59			
2	- 3,34	- 3,28	0,06		12	Regulated the
3	- 3,42	- 3,19	0,23		13	+ 0,60	+ 0,42	0,18	Clock.
4	- 3,00	- 2 76	0,24		15	+ 0,44	+ 0,02	0,42	
5	- 2,70			16				
6	- 2,72	- 2,70	0,02		17	+ 0,10			
7	- 2,83				18	+ 0,09			
8	- 3,32	- 3 38	0,06		19	- 0,10			
9	- 3,76	- 3,63	0,13		20	- 0,26	- 0,24	0,02	
10	- 3,41	- 3,51	0,10		21	- 0,80			
11	- 3,36	- 3,50	0,14		23	- 0,94		
12	- 3,55	- 3,35	0,20		25	- 0,66	- 0,66	0,00	
13	- 3,65	- 4,07			26	- 0,67		
14	- 3,77				27	- 0,80	- 0,85	0,05	
19	- 3,08				28	- 1 06	- 0,76	0,30	
20	- 3,62				29	- 1,10			
22	- 3 52				30	- 1,00			
23	- 5 02	- 4,53	0,49		Aug. 1	- 0,66	- 0,63	0,03	
24	- 4,46	- 4,67	0,21		2	- 0,26	- 0,85	0,59	
25	- 4,95				3	- 0,71			
26	- 5 31				4	- 0,53	- 0,69	0,16	
28	- 4,81				5	- 0,29	- 0,48	0,19	
29	+ 4 07				6	- 1,33	- 1,20	0,13	
30	+ 4,97	+ 5,54			7	- 0,89	- 1,14	0,25	
31	+ 5 90	+ 6,27	0,37		8	- 0,54	- 0,94	0,40	The minute hand
June 1	+ 6,45	Wound up the	10	- 2,51		of the Clock stopt,
2	- 3 55	- 4 75		Clock.	11	- 2,63			in consequence of
3	- 4,41	- 3,40			12	- 2,57	- 2,75	0,18	having become
4	- 3,39				13	- 1,84			loose.
5	- 4,03				14	- 1,68		
6	- 4 16				15	- 2,09	- 1,77	0,32	
7	- 4,50				16	- 1,94			
8	- 4,38	- 4,54	0,16		17	- 0,91	- 0,74	0,17	
9	- 4,66			18	- 1,41		

1833	Clock Rate by		Difference.	REMARKS.	1833	Clock Rate by		Difference.	REMARKS.
	Sun.	Stars.				Sun.	Stars.		
Aug. 23	s. 1,59	s. 1,63	0,04	An alteration of about 30 seconds in the error of the Clock took place between the 3d and 5th.	Oct. 20	s.	s. + 1,92	s.	Forwarded the Clock two minutes.
24	2,01				21	+ 0,80		
28	1,22				22	+ 1,62	+ 1,41	0,21	
29	1,44			23	+ 1,27	+ 1,21	0,06	
30	1,19	1,05	0,14		24	+ 1,14		
31	1,56				31	+ 0,85		
Sept. 2	1,41				Nov. 1	+ 0,77			
3	0,58				5	+ 2,10		
5				6	+ 0,83		
6	0,38				7	+ 0,41		
7	1,17				16	+ 1,06		
8	0,84	1,17	0,33		17	+ 1,55		
9	1,37	1,00	0,37		18	+ 0,96		
10	1,36	1,65	0,29		19	1,37	2,05		
11	1,52	1,08	0,44		20	1,99		
12	1,45	1,50	0,05		21	1,88		
13	1,49			22	1,46			
14	1,27			23	1,67		
15	1,16	1,39	0,23		29	1,73			
16	1,25				Dec. 1	1,27			
17	0,75			2	1,06	1,49	0,43	
18	0,96	1,46	0,50		3	1,08	0,83	0,25	
19	1,36				4	0,34		
21	1,64			5	0,50	0,51	0,01	
26	1,53	1,26	0,27		6	0,88		
27	0,36				7	0,92	0,86	0,06	
28	1,78				8	0,75			
29	1,90				9	0,85	0,89	0,04	
Oct. 30	1,46			10	0,74			
2	1,62			11	1,22	1,12	0,10	
4	1,47	1,46	0,01		12	0,93	1,10	0,17	
5	1,20			13	1,16		
6	1,38	1,50	0,12		14	1,19			
7	1,68			17	2,40		
8	1,61			18	2,15	2,28	0,13	
9	0,77			19	2,61	2,72	0,11	
10	0,93			20	2,21	1,93	0,28	
11	1,18			22	2,62			
12	1,24			23	3,02	2,77		
13	0,94			24	2,35	2,49	0,14	
14	+ 0,31			25	2,13		
15	+ 0,06				26	2,42	2,46	0,04	
16	+ 0,85	+ 0,78	0,07		27	2,33			
17	+ 2,12			29	1,64		
18	+ 2,30				30	1,99	2,13	0,14	
19	+ 2,56	+ 2,65	0,09		31	2,96			

OF THE MURAL CIRCLE.

This Instrument having been already sufficiently described in Vol. I, it is only necessary for me here to remark that I have continued to employ the full aperture ($3\frac{1}{4}$ Inches) and the same power (about 140) as heretofore. Towards the end of the year 1832, being desirous of ascertaining the amount of error of some of the divisions, I availed myself of the cloudy evenings which then occurred, to measure the angular distance between two *collimators*, which I had previously adjusted to subtend an angle of 90° ; by this means I was put in possession of the error of the points 90° 180° 270° .

I now placed two collimators so as to subtend an angle of 30° and thus obtained the error of the points 30° , 60° , 120° , &c. and subdividing these, eventually arrived at the errors of every fifth degree; the particulars of these measurements having been transmitted to England for publication, it is only necessary for me to remark, that the largest error which would be committed by the employment of any division together with that situated at 180° distance, did not exceed $2'.5$; and this is probably too large, being subject to the errors of observation. On the occasion of making these observations it was necessary to unclamp the Telescope from the circle; and on again clamping it to readjust the Telescope for Level, &c.; but at no other time during the years 1832 and 1833, has any adjustment been found necessary. On inspecting the rough observations a consistency is found to exist among the microscope readings which speaks in a manner highly creditable for the stability of the axis. With regard to the state of the Instrument I may safely assert, that now, after three and a half years of active employ, it is in no respect injured by wear, and but little deteriorated in appearance.

METEOROLOGICAL INSTRUMENTS EMPLOYED.

The Barometer employed at the beginning of 1832 was made by Cary; this

on being compared (see page 59, Vol. I.) with Standard Barometer No. 3, by Gilbert, shewed that the indications of the former were in defect 0,152 Inches, hence it is necessary to increase the Barometrical indications set down in the Mural Circle Book by this amount from the 1st January up to the 20th February 1832; for the observations, after this date the Standard Barometer No. 3, by Gilbert was employed, which consequently only requires the correction for capillary action + ,027. With a view to discover if the Barometer in question has remained undisturbed, I have occasionally compared it with another Standard No. 6, by Gilbert; the result of these comparisons shew that the same difference (,018) exists between them as found in Calcutta, when they were compared with the other Standards in the Surveyor General's Office. The Thermometers employed at the commencement of 1832 were A and B by Jones, which from comparisons made with the Standard A belonging to the Surveyor General's Office at Calcutta, appear to be $0^{\circ},54$ and $0^{\circ},47$ respectively *too low*; hence, (Thermometer A having been employed "*in doors*" for 1832 and 1833) it becomes necessary to add $0^{\circ},54$ to the *in door* Thermometer as set down in the Circle Book; for the Thermometer "*without*", the Thermometer B was employed up to 1st March 1832; for which period the indications must consequently be increased $0^{\circ},47$: after this time and up to the end of 1833, a Standard Thermometer by Troughton was employed, which I selected in Calcutta as agreeing with the Standard A in the Surveyor General's Office; consequently from the 1st March 1832 up to the end of 1833, the *out door* Thermometer as set down in the Mural Circle Book does not require correction.

OBSERVATIONS MADE WITH THE MURAL CIRCLE.

Having found it inconvenient to observe the reflected image of Stars from a basin of quicksilver by reason of the disturbance necessarily produced by the observer at the Transit Instrument, I have during the years 1832 and 1833, given up observing by reflection. In the determination of the Index Error I have continued to employ those Stars of the Greenwich Catalogue which are situated between 25° and 90° of N. P. D. these being the limits between which the uncertainty of refraction is but small.

In the reduction of the Greenwich Catalogue Bradley's table of refraction was employed, whereas in the reduction of the Madras Results I have for reasons explained at Page 61, Vol. I. employed Atkinson's table; I have consequently reduced the Greenwich Catalogue to the tenor of Atkinson's table of refraction before using it in computing the Index Error (see Page 62, Vol. I.)

The table of Index Errors which now follows has been employed in computing the places of the fixed Stars, and the Planets when the centre of the body has been observed; but in the case of the Sun and Moon, and of Planets where the *limb* has been observed, an allowance has been made of 1".2 for the semi-diameter of the wire.

Index Error of the Madras Mural Circle for the years 1832 and 1833.

Date.	No. of Observations.	Index Error.	Mean.	REMARKS.	Date.	No. of Observations.	Index Error.	Mean.	REMARKS.
1832					1832				
Jan. 1	14	— 2 58,41			Feb. 19	8	— 3 3,44		
3	12	2 59,11			21	11	3 4,04		
5	21	2 59,08			23	10	3 4,62		
6	9	3 0,19			24	11	3 2,03		
10	8	2 59,06			26	21	3 18,11		
12	4	2 59,40			27	7	3 16,09		
13	9	3 1,04			29	15	3 16,47		
14	12	3 4,37			March 1	11	3 16,63		
18	9	3 1,20			2	10	3 16,37		
22	17	3 1,40			4	15	3 16,28		
24	9	3 2,00			5	6	3 15,61		
26	20	3 1,66			7	8	3 15,25		
27	18	3 2,33			10	13	3 15,55		
28	13	3 2,52			11	8	3 27,81		
29	12	3 1,95			12	6	3 28,16		
30	14	3 2,45			13	8	3 28,48		
31	9	3 3,93			15	10	3 28,88		
Feb. 1	13	3 3,00			18	12	3 28,80		
2	12	3 2,79			20	13	3 26,85		
3	12	3 3,73			23	9	3 27,03		
4	10	3 3,74			24	10	3 28,05		
5	10	3 3,51			25	8	3 27,30		
6	11	3 3,29			26	8	3 27,41		
7	4	3 3,36			28	9	3 27,59		
8	9	3 2,30			29	9	3 28,55		
10	11	3 2,50			30	6	3 28,36		
11	7	3 2,19			31	10	3 28,57		
13	9	3 2,70			April 1	12	3 28,13		
15	15	3 2,14			3	20	3 27,32	— 3 27,61	

I adjusted the
microscopic
readings.

I took the In-
strument down,
and applied fresh
oil to the axis.

Date.	No. of Ob- servations.	Index Error.	Mean.	REMARKS.	Date.	No. of Ob- servations.	Index Error.	Mean.	REMARKS.
1832					1832				
April 4	10	3 27,21	3 27,61		Sept. 27	11	3 25,11		
6	14	3 28,04			30	7	3 25,18		
10	10	3 27,49			Oct. 1	13	3 25,09		
12	9	3 27,39			2	10	3 24,65		
13	7	3 27,53			3	15	3 25,88		
14	6	3 28,42	3 24,89		7	11	3 25,28		
16	8	3 27,43			9	10	3 24,22		
20	7	3 26,83			11	9	3 25,12		
22	10	3 25,17			21	15	3 25,15		
24	6	3 25,32			24	10	3 24,00		
26	11	3 24,99	3 26,77		26	10	3 25,00		
28	14	3 24,51			27	7	3 24,27		
30	12	3 24,24			29	7	3 26,39		
May 1	4	3 24,64			30	11	3 26,03		
2	6	3 25,37			31	8	3 25,27		
4	10	3 26,42	3 25,23		Nov. 2	9	3 25 65		
9	11	3 27,75			3	9	3 22,42		
11	7	3 26,60			4	9	3 23,64		
12	10	3 26,72			8	7	3 24,71		
16	14	3 26,39			10	7	3 23,06		
17	5	3 25,46	3 25,23		12	7	3 24,59	Unclamped the Telescope.	
18	8	3 25,25			16	9	1 19 14		
20	10	3 25,51			17	9	1 19,74		
22	10	3 24,86			19	11	1 20,16		
26	9	3 25,46			21	6	1 20,10		
28	7	3 24,88	3 25,23		22	8	1 19,84		
31	7	3 25,00			25	12	1 20,17		
June 5	9	3 25,44			29	11	1 18,84		
10	7	3 24 04			30	6	1 17,60		
12	11	3 23,59			Dec. 4	8	4 46,81		
17	13	3 25,33	6	8	4 47 47				
22	3	3 25,17	8	13	2 50,41	Do. do.			
July 29	11	3 23,25	12	7	3 2,73				
Aug. 8	10	3 23,22	13	6	3 0,11				
11	12	3 22,28	16	12	4 24 04			Do. do.	
15	7	3 21,74	17	8	4 23,57				
18	12	3 22,85	18	7	4 25,01				
23	13	3 23,88	19	5	4 24 67				
24	11	3 23,70	21	11	7 17,71	Do. do.			
26	11	3 25,02	22	9	7 16,53				
27	8	3 24,25	24	10	7 17,48				
28	13	3 24,36	25	9	7 18,36				
31	10	3 25,39	27	5	3 3,13			I took down the Circle and cleaned the axis.	
Sept. 7	10	3 24,97	1833						
9	10	3 24,05	Jan. 2	11	3 4 30				
11	10	3 23,95	3	17	3 5,36				
19	14	3 23,78	4	17	3 5,85				
22	11	3 24,67	5	9	3 6,05				
23	9	3 25,63							
24	13	3 24,39							
25	15	3 24,78							
26	12	3 24,44							

Date.	No. of observations.	Index Error.	Mean.	REMARKS.	Date.	No. of observations.	Index Error.	Mean.	REMARKS.
1833					1833				
Jan.	6 11	- 3 4,66	- 3 4,56		March 10 16	- 3 6,27	Unclamped the Telescope.	
	8 11	3 4,74			12 17	1 34,75			
	10 9	3 4,08	- 3 5,12		13 19	1 34,35			
	11 8	3 4,74			14 20	1 35,30			
	14 12	3 5,12	- 3 5,83		15 19	1 35,11			
	15 11	3 5,12			16 17	1 36 48			
	16 11	3 5,51			17 18	1 36,45			
	17 9	3 6,38			18 19	1 36,26			
	18 8	3 5,56			19 16	1 37,09	- 1 36,58		
	19 10	3 6,08			20 16	1 36,75			
	20 7	3 5,89	- 3 5,83		21 15	1 36,53			
	21 9	3 5,53			22 19	1 36,50			
	22 8	3 5 63			23 15	1 35,30			
	23 11	3 6 45			24 15	1 35,49			
	25 17	3 5,90			25 15	1 34,91	- 1 35,36		
	26 14	3 5,76			26 10	1 35,23			
	27 14	3 5,73			27 11	1 35,72			
	28 16	3 5,84			28 12	1 35,47			
	29 12	3 5 64			29 14	1 36,22			
	31 9	3 6,55			30 7	1 36,39			
Feb.	2 12	3 6,33			31 13	1 35,75	- 1 36,41		
	4 11	3 5,89			April 1 10	1 36,60			
	5 8	3 6,27			2 13	1 35,93			
	6 12	3 4,35			3 17	1 35,40			
	8 13	3 4,36			4 14	1 35,52	- 1 35,28		
	9 16	3 5,06			5 7	1 35,01			
	10 13	3 5,71			6 11	1 35,28			
	11 14	3 5,35			7 9	1 35,19			
	12 14	3 5,58	- 3 5,57		8 9	1 34,36			
	13 13	3 5,67			9 6	1 33,45			
	14 13	3 5,53			13 9	1 34,31			
	15 14	3 6,25			15 8	1 33,28			
	16 11	3 6,33	- 3 6,29		17 9	1 33,26	- 1 33,24		
	17 7	3 5,30			19 9	1 33,19			
	18 12	3 5,69			20 6	1 33,90	- 1 33,92		
	19 12	3 6,32			22 9	1 33,94			
	20 11	3 5,21			24 12	1 35,44			
	21 10	3 5,58			27 12	1 34,07			
	22 14	3 5,38	- 3 5,65		28 8	1 32,80			
	23 12	3 5,76			30 8	1 33,80			
	24 10	3 5,57			May 3 10	1 32,26			
	26 16	3 5,81			4 9 8	1 31,57			- 1 31,52
	27 12	3 5,98			23 10	1 31,47			
	28 12	3 5,77			24 30 8	1 32,06			
March	1 13	3 5,52			June 2 10	1 30,85			
	2 11	3 5,04			7 7	1 30,04			
	4 21	3 5,18			8 8	1 28 56			
	5 13	3 5,07			9 10	1 27,78			
	6 16	3 4,56			11 8	1 28,69			
	7 14	3 4,49			12 8	1 28,39			
	8 14	3 3,94			20 10	1 26,82			
	9 15	3 3,46			28 10	1 26,77			

INDEX ERROR OF THE MURAL CIRCLE FOR 1832 AND 1833.

63

Date.	No. of Observations.	Index Error.	Mean.	REMARKS.	Date.	No. of Observations.	Index Error.	Mean.	REMARKS.
1833					1833				
June 30	9	— 1 27,11			Oct. 13	8	— 1 28,15		
July 2	12	1 25,95			15	11	1 28,29		
5	11	1 27,72			16	7	1 28,99		
8	11	1 26,00			20	13	1 28,73	— 1 28,38	
12, 16	11	1 27,53			23	13	1 27,95		
23	10	1 27,18	— 1 27,37		Nov. 1	15	1 28,70		
26	10	1 27,39			9	7	1 25,22	— 1 25,18	
Aug. 1	12	1 26,83			17	8	1 25,14		Much rain
3	14	1 25,78			19	14	1 24,44		which fell between the 1st and 9th, may have occasioned this change.
5	15	1 26,99			21	14	1 23,94		
7	11	1 25,60	— 1 26,38		22	10	1 24,25	— 1 24,30	
10	13	1 27,06			23	11	1 24,56		
14	14	1 26,23			Dec. 2	15	1 24,33		
16	14	1 26,16			3	13	1 24,99		
29	14	1 27,84			4	13	1 24,59	— 1 24,85	
Sept. 5	14	1 26,66			5	12	1 24,96		
9	12	1 27,66			6	10	1 25,56	— 1 25,52	
10	8	1 28,87			7	8	1 25,48		
11	8	1 28,19			8	10	1 26,57		
13	14	1 28,89			9	8	1 26,90		
15	13	1 28,39	— 1 28,55		10	11	1 27,75		
20	11	1 28,61			14	18	1 28,19		
26	14	1 28,33			18	10	1 25,70		
30	7	1 28,55			20	11	1 25,81	— 1 25,86	Much rain.
Oct. 2	9	1 28,47			23	12	1 25,47		
4	7	1 28,34			25	14	1 28,12		
7	11	1 28,71			27	15	1 27,84	— 1 27,98	
11	15	1 27,33	— 1 28,38		29	11	1 26,89		
12	9	1 28,10			31	15	1 27,34	— 1 27,11	

RESULT OF OBSERVATIONS MADE WITH THE TRANSIT INSTRUMENT AND MURAL CIRCLE, IN THE YEARS 1832 AND 1833.

In the first place we will examine the observations of the Sun ; the observed transit of the first and second limb over the five wires furnishes us with the means of determining the semi-diameter ; for we have \odot mean semi-diameter = $\left(\frac{\odot 2 L - \odot 1 L}{30} \right) \left(1 + \frac{a^1 - a}{48} \right) \sin. \text{N.P.D.} + \text{Log. } \ominus - \odot$. Where a and a^1 represent the Right Ascension of the Sun, at the noon preceding, and at the noon following the day of observation ; in the next place, correcting the observed A.R. for the error of the Clock, and the observed N.P.D. for refraction parallax and Semi-diameter, we obtain results which we will now compare with the places interpolated from the Nautical Almanac, as follows.

Comparison of the observed A.R. and N.P.D. of the Sun, with their places interpolated from the Nautical Almanac, &c.

1832	Observed R.A.			A.R. from Nautical Almanac.		Error of Tables.	Observed N.P.D.			N.P.D. from Nautical Almanac.		Error of Tables.	Mean Semi-dia- meter.	
Jan.	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>
1	18	43	11,27	43	11,40	+ 0,13	113	5	10 16	5	16,00	+ 5,84	15	58,02
2	113	0	25 66	0	30,00	+ 4,34		
3	18	52	1,81	52	1,50	— 0,31	112	55	9,19	55	14,00	+ 4,81	16	1,44
4	112	49	25,77	49	31,00	+ 5,23		
6	19	5	14,50	5	13,90	— 0,60	112	36	43,55	36	44 00	+ 0 45	16	1,64
7	19	9	38,17	9	37,20	— 0,97	112	29	39,23	29	41,00	+ 1,77	15	58,00
8	19	14	0,85	14	0,00	— 0 85	112	22	4,23	22	12 00	+ 7,77		
9	19	18	22,72	18	22,30	— 0,42	112	14	11,47	14	17,00	+ 5,53	16	0,80
10	19	22	44 67	22	44,10	— 0,57	112	5	46,20	5	54,00	+ 7,80	16	0,18
11	19	27	6,35	27	5,30	— 1,05	111	56	57,08	57	3,00	+ 5,92		
12	19	31	26,78	31	35 80	— 0,98	111	47	47,83	47	46,00	— 1,83	16	2,34
13	19	35	46 46	35	45,70	— 0,76	111	38	2,25	38	4,00	+ 1,75		
14	19	40	5,78	40	5,10	— 0,68	111	28	0,62	28	0,00	— 0,62	16	3,33
15	19	44	24,63	44	23,50	— 1,13	111	17	30,45	17	32,00	+ 1,55	16	3,18
18	110	43	35,60	43	38,00	+ 2,40		
19	110	31	28,91	31	32,00	+ 3,09	16	3,28
21	110	6	10,93	6	10,00	— 0,93		
22	109	52	58,42	52	55,00	— 3,42		
24	20	22	39,78	22	38,80	— 0,98	109	25	12,68	25	20,00	+ 7,39	16	1,10
25	20	26	50,94	26	50,30	— 0,64	109	11	2,58	11	0,00	— 2,58	16	0,67

1832	Observed A.R.			A.R. from Nautical Almanac.		Error of Tables.		Observed N.P.D.		N.P.D. from Nautical Almanac.		Error of Tables.		Mean Semi-dia- meter.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>°</i>	<i>'</i>	<i>°</i>	<i>'</i>	<i>°</i>	<i>'</i>
January	26	20	31	1,29	31	0,90	—	0,39	108	56	10,75	56	18,00	+	7,25 16 1,24
	27	20	35	11,14	35	10,60	—	0,54	108	41	16,78	41	16,00	—	0,78 16 0,84
	28	20	39	20,59	39	19,50	—	1,09	108	25	45,34	25	53,00	+	7,66 16 1,66
	29	20	43	28,47	43	27,60	—	0,87	108	10	9,05	10	11,00	+	1,95 15 59,03
	30	20	47	35,45	47	35,20	—	0,25	107	54	0,13	54	7,00	+	6,87 16 4,63
February	31	20	51	42,22	51	41,70	—	0,52	107	37	48,67	37	46,00	—	2,67 16 2,74
	1	20	55	48,07	55	47,40	—	0,67	107	21	3,17	21	7,00	+	3,83 16 3,37
	2	20	59	52,78	59	52,30	—	0,48	107	4	10,97	4	8,00	—	2,97 16 4,05
	3	21	3	56,99	3	56,30	—	0,69	106	46	48,37	46	50,00	+	1,63 16 3,10
	4	21	7	59,76	7	59,60	—	0,16	106	29	22,12	29	17,00	—	5,12 16 4,16
	5	21	12	2,13	12	1,90	—	0,23	106	11	23,28	11	24,00	+	0,72 16 1,55
	6	21	16	3,93	16	3,60	—	0,33	105	53	21,12	53	16,00	—	5,12 16 4,32
	7	21	20	4,60	20	4,30	—	0,30	105	34	58,51	34	52,00	—	6,52 16 2,45
	8	21	24	4,44	24	4,10	—	0,34	105	16	14,32	16	13,00	—	1,32 16 1,80
	9	21	28	3,63	28	3,20	—	0,43	104	57	23,56	57	17,00	—	6,56 16 2,37
	10	21	32	1,90	32	1,60	—	0,30	104	38	3,00	38	6,00	+	3,00 16 1,40
	11	21	35	59,42	35	58,90	—	0,52	104	18	41,46	18	40,00	—	1,46 16 1,57
	12	21	39	56,67	39	55,50	—	0,17	103	58	58,84	59	2,00	+	3,16 16 1,40
	14	21	47	46,51	47	46,50	—	0,01	103	19	0,46	19	4,00	+	3,54 16 0,83
	15	21	51	41,44	51	40,80	—	0,64	102	58	40,60	58	45,00	+	4,40 16 0,48
	17	21	59	27,62	5	27,20	—	0,42	102	17	24,55	17	30,00	+	5,45
	18	22	3	19,98	3	19,40	—	0,58	101	56	29,40	56	36,00	+	6,60 16 2,02
	19	22	7	11,26	7	10,80	—	0,46
	20	22	11	2,05	11	1,60	—	0,45	101	14	6,88	14	11,00	+	4,12 16 2,30
	21	22	14	52,05	14	51,60	—	0,45	100	52	35,17	52	43,00	+	7,83 16 3,57
	22	22	18	41,41	18	41,10	—	0,31	100	30	59,96	31	5,00	+	5,04 16 3,16
	23	22	22	30,61	22	29,90	—	0,71	100	9	14,08	9	16,00	+	1,92 16 2,48
	24	22	26	18,67	26	18,20	—	0,47	99	47	16,27	47	19,00	+	2,73 16 1,67
	25	22	30	6,02	30	5,70	—	0,32	99	25	5,41	25	12,00	+	6,59 16 2,57
	26	22	33	53,64	33	52,70	—	0,94	99	2	47,56	2	57,00	+	9,44 16 2,34
	28	98	17	54,28	18	3,00	+	8,72
March	1	22	48	55,93	48	55,70	—	0,23	97	32	35,88	32	39,00	+	3,12 16 2,77
	2	22	52	40,20	52	39,90	—	0,30	97	9	40,18	9	47,00	+	6,82 16 2,85
	3	22	56	24,18	56	23,70	—	0,48	96	46	46,24	46	50,00	+	3,76 16 2,25
	4	23	0	7,21	0	7,10	—	0,11	96	23	43,27	23	47,00	+	3,73 16 1,80
	5	23	3	50,45	3	50,10	—	0,35	96	0	38,10	0	38,00	—	0,10 16 3,16
	6	23	7	53,06	7	52,60	—	0,46	95	37	17,60	37	25,00	+	7,40 16 1,80
	7	23	11	15,11	11	14,70	—	0,41	95	14	8,80	14	7,00	—	1,80 16 2,88
	8	23	14	56,67	14	56,30	—	0,37	94	50	45,89	50	45,00	—	0,89 16 1,81
	9	23	18	37,99	18	37,60	—	0,39	94	27	20,70	27	20,00	—	0,70 16 1,10
	10	23	22	18,97	22	18,50	—	0,47	94	3	45,61	3	50,00	+	4,39 16 2,16
	11	23	26	0,07	25	59,10	—	0,97	93	40	16,45	40	19,00	+	2,55 16 6,45
	12	23	29	39,62	29	39,30	—	0,32	93	16	34,74	16	44,00	+	9,26 16 2,34
	13	23	33	19,43	23	9,10	—	0,33	92	53	3,09	53	9,00	+	5,91 16 1,20
	14	23	36	59,13	36	58,70	—	0,43	92	29	24,00	29	31,00	+	7,00 16 1,67
	15	23	40	38,44	40	38,10	—	0,34	92	5	48,99	5	52,00	+	3,01 16 1,82
	16	23	44	17,49	44	17,10	—	0,39	91	42	4,68	42	11,00	+	6,32 16 0,66
	17	23	47	56,47	47	55,90	—	0,57	91	18	26,27	18	31,00	+	4,73 15 56,92
	18	23	51	35,02	51	34,60	—	0,42	90	54	47,50	54	48,00	+	0,50 16 0,60
	19	23	55	13,50	55	13,10	—	0,40	90	31	7,53	31	6,00	—	1,53
	20	23	58	52,11	58	51,50	—	0,61	90	7	25,25	7	25,00	—	0,25
	21	0	2	30,28	2	29,80	—	0,48	89	43	42,84	43	45,00	+	2,16 16 1,07
	22	0	6	8,27	6	7,90	—	0,37	89	20	6,12	20	5,00	—	1,12 16 2,16

1832	Observed A.R.			A.R. from Nautical Almanac.		Error of Tables	Observed N.P.D.			N.P.D. from Nautical Almanac.		Error of Tables.	Mean Semi-dia- meter.					
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>			
March	23	0	9	46,31	9	45,90	—	0,41	88	56	24,08	56	26,00	+	1,92	16	2,65	
	24	0	13	24,39	13	23,90	—	0,49	88	32	40,98	32	50,00	+	9,02	16	2,20	
	25	0	17	2,32	17	1,90	—	0,42	88	9	11,58	9	16,00	+	4,42	16	0,64	
	26	0	20	40,24	20	39,90	—	0,34	87	45	38,10	45	43,00	+	4,90	16	2,52	
	27	0	24	18,21	24	17,90	—	0,31	87	22	8,80	22	14,00	+	5,20	16	0,72	
	28	0	27	56,14	27	55,90	—	0,24	86	58	50,12	58	47,00	—	3,12	16	3,68	
	30	0	35	12,60	35	12,20	—	0,40	86	12	1,12	12	4,00	+	2,88			
	31	0	38	50,74	38	50,40	—	0,34	85	48	52,19	48	49,00	—	3,19	16	1,68	
	April	1	0	42	29,22	42	28,60	—	0,62	85	25	35,96	25	39,00	+	3,04	16	1,72
		2	0	46	7,69	46	7,10	—	0,59	85	2	39,39	2	33,00	—	6,39	16	0,84
3		0	49	46,12	49	45,60	—	0,52	84	39	36,02	39	32,00	—	4,02	16	1,32	
4		0	53	24,51	53	24,30	—	0,21	84	16	35,87	16	38,00	+	2,13	16	2,34	
5		0	57	3,39	57	3,10	—	0,29	83	53	45,69	53	50,00	+	4,31	15	59,34	
6		1	0	42,48	0	42,10	—	0,38	83	31	1,49	31	7,00	+	5,51	16	1,60	
7		1	4	21,89	4	21,30	—	0,59	83	8	23,57	8	32,00	+	8,43	16	1,46	
8									82	45	58,60	46	3,00	+	4,40	16	2,08	
9									82	23	40,33	23	43,00	+	2,67	15	58,77	
10									82	1	32,69	1	31,00	—	1,69	16	2,52	
11								81	39	17,79	39	26,00	+	8,21				
12								81	17	24,95	17	28,00	+	3,05	15	59,72		
13																		
14								80	33	59,58	34	3,00	+	3,42	16	0,28		
15	1	33	43,40	33	43,30	—	0,10	80	12	31,85	12	33,00	+	1,15	16	1,02		
16	1	37	25,75	37	24,90	—	0,85	79	51	10,54	51	13,00	+	2,46	15	59,60		
17								79	30	4,38	30	3,00	—	1,38	16	1,18		
18								79	8	58,31	9	3,00	+	4,69	16	3,60		
19															15	59,92		
20								78	27	33,56	27	37,00	+	3,44	16	1,98		
21								78	7	7,74	7	11,00	+	3,26	16	1,07		
22								77	46	50,81	46	56,00	+	5,19	15	59,58		
23								77	26	51,02	26	52,00	+	0,98	16	1,67		
24								77	6	59,87	7	1,00	+	1,13	16	1,42		
25								76	47	21,01	47	24,00	+	2,99	16	0,02		
26								76	27	57,54	27	58,00	+	0,46	16	3,71		
27								76	8	44,90	8	45,00	+	0,10				
28								75	49	48,97	49	47,00	—	1,97	16	4,10		
29								75	31	1,44	34	2,00	+	0,56	16	2,72		
30								75	12	32,59	12	31,00	—	1,59	16	1,63		
May	1							74	54	20,57	54	16,00	—	4,57	16	5,17		
	2							74	36	13,77	36	15,00	+	1,23	16	4,90		
	3							74	18	24,25	18	28,00	+	3,75	16	4,45		
	4							74	0	54,08	0	59,00	+	4,92	16	3,76		
	5							73	43	37,60	43	46,00	+	8,40	16	3,54		
	6							73	26	40,88	26	47,00	+	6,12	16	1,44		
	7							73	9	59,74	10	5,00	+	5,26	15	58,54		
	8							72	53	34,61	53	40,00	+	5,39				
	9							72	37	29,06	37	34,00	+	4,94	16	0,04		
	11															16	2,54	
12								71	50	52,53	50	56,00	+	3,47	16	1,20		
13	3	20	10,46	20	10,20	—	0,26	71	35	58,28	36	0,00	+	1,72	16	0,60		
14															16	1,26		
15								71	7	2,00	7	5,00	+	3,00	16	7,02		
16								70	53	5,20	53	4,00	—	1,20	16	3,36		
17								70	39	21,69	39	24,00	+	2,31	15	57,90		

1832	Observed A.R.			A.R. from Nautical Almanac		Error of Tables.	Observed N.P.D.			N.P.D. from Nautical Almanac.		Error of Tables.	Mean Semi-dia- meter.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>
May	18						70	26	0,85	26	3,00	+	2,15	16
	19						70	13	4,39	13	2,00	—	2,39	15
	20												16	2,00
	21	3	51	53,69	51	53,10	—	0,59					16	2,45
	22	3	55	54,12	55	53,50	—	0,62	69	36	4,10	36	1,00	—
	23	3	59	55,17	59	54,50	—	0,67	69	21	24,51	24	23,00	—
	24	4	3	56,77	3	55,90	—	0,87	69	12	58,73	13	5,00	+
	25						69	2	7,24	2	8,00	+	0,76	16
	26						68	51	22,12	51	32,00	+	9,88	16
	27	4	16	4,58	16	3,70	—	0,88	68	41	19,69	41	19,00	—
June	29	4	24	11,64	24	11,40	—	0,24					16	0,14
	30	4	28	16,87	28	15,90	—	0,97	68	12	49,40	12	52,00	+
	31	4	32	21,49	32	20,90	—	0,59	68	4	1,99	4	7,00	+
	1	4	36	27,01	36	26,20	—	0,81	67	55	44,58	55	47,00	+
	2	4	40	32,24	40	31,90	—	0,34	67	47	43,95	47	47,00	+
	3	4	44	38,78	44	38,00	—	0,78	67	40	13,26	40	14,00	+
	4	4	48	45,34	48	44,50	—	0,84	67	33	0,66	33	5,00	+
	5	4	52	51,52	42	51,40	—	0,12	67	26	14,34	26	16,00	+
	6	4	56	58,89	56	58,40	—	0,49	67	19	51,10	19	51,00	—
	7	5	1	6,37	1	5,80	—	0,57	67	13	48,35	13	51,00	+
	8	5	5	13,86	5	13,40	—	0,46	67	8	8,77	8	15,00	+
	9	5	9	21,89	9	21,40	—	0,49	67	3	4,85	3	3,00	—
	10	5	13	30,16	13	29,60	—	0,56	66	58	8,42	58	15,00	+
	11	5	17	38,91	17	38,00	—	0,91	66	53	50,47	53	51,00	+
	12	5	21	47,19	21	46,60	—	0,59	66	49	48,77	49	52,00	+
	13	5	25	56,03	25	55,20	—	0,83	66	46	15,80	46	18,00	+
	14	5	30	4,78	30	4,20	—	0,58	66	43	5,01	43	7,00	+
	15	5	34	14,08	34	13,40	—	0,68	66	40	19,76	40	20,00	+
	16	5	38	23,34	38	22,50	—	0,84	66	37	56,16	38	1,00	+
	17						66	36	1,30	36	4,00	+	2,70	15
July	18	5	46	41,46	46	41,20	—	0,26	66	34	27,43	34	33,00	+
	22						66	32	29,86	32	32,00	+	5,57	16
	23						66	33	2,58	33	4,00	+	2,14	16
	24						66	34	6,15	34	2,00	—	1,62	
	26						66	37	12,21	37	10,00	—	4,15	16
	27						66	39	18,10	39	23,00	+	2,21	15
	28						66	41	57,75	41	57,00	+	58,30	
	30						66	48	19,61	48	23,00	+	4,90	16
	2						66	56	27,42	56	25,00	—	0,75	
	3						67	1	2,13	1	3,00	+	3,39	16
	4						67	6	7,63	6	5,00	—	2,42	16
	5						67	11	27,68	11	30,00	+	1,68	
	6						67	17	15,99	17	20,00	+	0,87	16
	7						67	23	27,86	23	32,00	+	0,10	
	16						67	36	44,73	38	43,00	—	2,63	16
	20						69	18	48,33	18	53,00	+	3,56	
	24	8	14	5,86	14	5,10	—	0,76	69	6	39,55	6	35,00	—
	25	8	18	3,34	18	2,80	—	0,54	70	19	27,21	19	21,00	—
	26	8	22	0,19	21	59,80	—	0,39	70	32	35,49	32	28,00	—
	28	8	29	52,89	29	52,50	—	0,39	70	59	44,48	59	37,00	—
August	30						71	28	3,32	28	3,00	—	7,48	16
	31						71	42	44,17	42	42,00	—	1,86	
	1						71	57	43,37	57	42,00	—	0,32	16

1832	Observed R.A.			A.R. from Nautical Almanac.		Error of Tables.	Observed N.P.D.			N.P.D. from Nautical Almanac.		Error of Tables.	Mean Semi-dia- meter.				
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>		
August	2						72	12	59,72	12	57,00	—	2,72				
	3						72	28	35,78	28	29,00	—	6,78	16	2,34		
	5						73	0	30,57	0	28,00	—	2,57	16	0,18		
	6						73	16	49,42	16	51,00	+	1,58	16	3,90		
	7						73	33	29,44	33	29,00	—	0,44	16	2,42		
	8						73	50	25,78	50	24,00	—	1,78	16	2,65		
	11						74	42	48,86	42	42,00	—	6,86	15	58,94		
	12						75	0	47,12	0	38,00	—	9,12	16	0,58		
	13	9	31	23,86	31	23,50	—	0,36	75	18	57,04	18	48,00	—	9,04	16	2,92
	14	9	35	9,95	35	9,10	—	0,85	75	37	16,45	37	13,00	—	3,45	15	58,14
	17	9	46	24,37	46	23,40	—	0,97	76	33	50,58	33	47,00	—	3,58	16	0,48
	18	9	50	7,78	50	7,00	—	0,78	76	53	7,52	53	4,00	—	3,52	16	0,20
	19	9	53	50,86	53	50,20	—	0,66	77	12	34,40	12	34,00	—	0,40		
	20	9	57	33,69	57	32,90	—	0,79	77	32	15,95	32	17,00	+	1,05	16	1,50
	21	10	1	15,59	1	15,30	—	0,29	77	52	9,12	52	11,00	+	1,88	16	2,80
	22	10	4	57,57	4	57,10	—	0,47	78	12	17,81	12	18,00	+	0,19	16	2,01
	23	10	8	38,75	8	38,50	—	0,25	78	32	34,72	32	35,00	+	0,28	15	59,88
	25	10	16	0,87	16	0,20	—	0,67	79	13	50,09	13	43,00	—	7,09		
	27	10	23	20,62	23	20,00	—	0,62	79	55	35,70	55	31,00	—	4,70	16	3,90
	28	10	27	0,20	26	59,30	—	0,90	80	16	40,24	16	40,00	—	0,24	16	0,60
	29	10	30	39,24	30	38,40	—	0,84	80	38	4,17	37	59,00	—	5,17		
	30	10	34	17,75	34	17,00	—	0,75	80	59	26,61	59	26,00	—	0,61		
	31	10	37	56,23	37	55,30	—	0,93	81	21	0,28	21	1,00	+	0,72	16	1,68
Sept.	2						82	4	34,16	4	38,00	+	3,84	15	59,20		
	4	10	52	25,74	52	25,30	—	0,44	82	48	42,95	48	43,00	+	0,05	16	0,82
	6	10	59	39,23	59	38,80	—	0,43	83	33	16,04	33	17,00	+	0,96	15	59,30
	7	11	3	15,93	3	15,20	—	0,73	83	55	43,26	55	44,00	+	0,74	16	2,54
	9	11	10	27,91	10	27,30	—	0,61	84	41	2,89	40	54,00	—	8,89	16	0,12
	10	11	14	4,16	14	3,10	—	1,06	85	3	47,45	3	38,00	—	9,45	16	3,85
	14						86	35	24,45	35	20,00	—	4,45				
	15	11	32	1,05	32	0,70	—	0,35	86	58	30,78	58	26,00	—	4,78	16	4,16
	16	11	35	36,33	35	36,10	—	0,23	87	21	38,43	21	35,00	—	3,43	16	0,18
	20	11	49	58,33	49	57,90	—	0,43	88	54	42,27	54	42,00	—	0,27	16	0,22
	21	11	53	34,02	53	33,50	—	0,52	89	18	7,92	18	5,00	—	2,92	16	0,95
	22	11	57	12,62	57	9,10											
	23	12	0	45,77	0	45,00	—	0,77	90	5	1,09	4	53,00	—	8,09	15	59,74
	24	12	4	21,46	4	21,00	—	0,46	90	28	22,24	28	19,00	—	3,24	16	1,70
	25	12	7	57,55	7	57,20	—	0,35	90	51	48,97	51	45,00	—	3,97	16	2,28
	26	12	11	33,26	11	33,30	+	0,04	91	15	13,55	15	11,00	—	2,55	16	3,98
	27	12	15	10,66	15	9,80	—	0,86	91	38	35,55	38	36,00	+	0,45	16	1,61
	28	12	18	46,92	18	46,40	—	0,52	92	2	2,24	2	1,00	—	1,24		
	30	12	26	0,94	26	0,20	—	0,74	92	48	47,45	48	48,00	+	0,55	16	2,07
October	1	12	29	37,70	29	37,60	—	0,10	93	12	2,44	12	8,00	+	5,56	15	59,43
	2	12	33	16,41	33	15,20	—	1,21	93	35	28,25	35	27,00	—	1,25	16	4,17
	4	12	40	32,07	40	31,50	—	0,57	94	21	58,44	21	55,00	—	3,44		
	5								94	45	10,97	45	5,00	—	5,97	16	1,35
	6								95	8	13,54	8	10,00	—	3,54	16	1,72
	7	12	51	28,31	51	28,10	—	0,21	95	31	16,87	31	12,00	—	4,87	16	0,84
	8	12	55	9,28	55	7,90	—	1,38	95	54	12,56	54	10,00	—	2,56	16	1,55
	9	12	58	48,97	58	48,00	—	0,97	96	17	8,14	17	3,00	—	5,14	16	3,85
	11	13	6	10,42	6	9,50	—	0,92	97	2	36,15	2	35,00	—	1,15	16	3,10
	12	13	9	52,25	9	51,30	—	0,95	97	25	17,91	25	12,00	—	5,91	16	4,56
	13	13	13	34,20	13	33,20	—	1,00	97	47	42,99	47	43,00	+	0,01	16	1,51

1832	Observed A.R.			A.R. from Nautical Almanac.		Error of Tables.	Observed N.P.D.			N.P.D. from Nautical Almanac.		Error of Tables.	Mean Semi-dia- meter.		
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>	
October	14	13	17	16,69	17	15,80	—	0,89	98	10	10,93	10	8,00	—	2,93
	15	13	20	59,66	20	59,00	—	0,66	98	32	28,43	32	26,00	—	2,43 16 0,72
	19	100	0	27,11	0	23,00	—	4,11 16 3,72	
	20	13	39	44,51	39	43,70	—	0,81
	21	13	43	31,90	43	30,60	—	1,30	100	43	39,23	43	32,00	—	7,23 15 59,82
	22	13	47	19,30	47	18,20	—	1,10	101	4	51,71	4	52,00	+	0,29 16 1,20
	23	13	51	7,33	51	6,40	—	0,93	101	25	59,41	26	2,00	+	2,59 16 2,96
	24	13	54	56 51	54	55,60	—	0,91	101	47	2,79	47	2,00	—	0,79 16 1,90
	25	13	58	45,82	58	45,20	—	0,62	102	7	52,25	7	51,00	—	1,25 16 2,83
	26	14	2	36 37	2	35,50	—	0,87	102	28	29,93	28	28,00	—	1,93 16 3,22
	27	14	6	27,71	6	26,70	—	1,01	102	48	55,17	48	54,00	—	1,17 16 2,58
	28	14	10	19,51	10	18,60	—	0,91	103	9	6,56	9	8,00	+	1,44 16 1,10
	29	14	14	12,06	14	11,40	—	0,66	103	29	9,27	29	10,00	+	0,73 16 2,36
	30	14	18	5,38	18	4 50	—	0,88	103	49	0,54	48	59,00	—	1,54 16 1,04
	31	14	21	59,27	21	58,70	—	0,57	104	8	30,38	8	34,00	+	3,62 16 2,56
Nov.	1	14	25	54,19	25	53,50	—	0,69	104	28	1,57	27	56,00	—	5,57 16 0,35
	2	14	29	50,66	29	49,20	—	1 46	104	47	5,63	47	3,00	—	2 63 16 1,42
	3	14	33	46,46	33	45,70	—	0,76	105	6	1,34	5	56,00	—	5,34 16 1,44
	4	105	24	40,10	24	35,00	—	5,10 16 2,50
	5	14	41	42,04	41	40,00	—	1,14	105	42	59,08	42	58,00	—	1,08 16 1,52
	6	106	1	6,14	1	3 00	—	5,14 15 57,63
	9	107	53	51,24	53	49,00	—	2,24 16 0,54
	10	15	1	44 68	1	43,70	—	0,98	107	10	51,75	10	50,00	—	1,75
	12	15	9	51,60	9	50,70	—	0,90	107	43	58,85	43	58,00	—	0,85 16 1,96
	14
	15	15	22	8,81	22	8,00	—	0,81
	16	15	26	16,15	26	15 40	—	0,75	108	46	31,32	46	29,00	—	2,32 16 0,70
	17	15	30	24,83	30	23,70	—	1,13	109	1	21,52	1	19,00	—	2,52 15 59 30
	18	15	34	34,01	34	33,00	—	1,01	109	15	49,94	15	47,00	—	2,94 15 59,00
	19	15	38	43,98	38	43,10	—	0,88	109	29	56,79	29	55,00	—	1,79 16 1,34
21	15	47	6,94	47	5,40	—	1,54	109	57	12,86	57	8,00	—	4,86 16 1,77	
22	15	51	19,09	51	18,10	—	0,99	110	10	16,30	10	12,00	—	4,30 15 59,66	
23	15	55	32,45	55	31,40	—	1,05	110	22	53,92	22	53 00	—	0,92 15 59,30	
24	110	35	16,84	35	11,00	—	5,84 16 0,57	
25	16	4	1,14	4	0 40	—	0,74	110	47	4,37	47	7,00	+	2,63 16 0,40	
26	16	8	16,62	8	15,80	—	0,82	110	58	39,92	58	39,00	—	0,92 16 0,92	
27	16	12	33,13	12	32,20	—	0,93	111	9	50,58	9	48,00	—	2,58 16 1,50	
30	16	25	26,01	25	25,20	—	0,81	111	40	51,80	40	48,00	—	3,80 16 1,47	
Dec.	1	16	29	44,55	29	44,40	—	0,15	111	50	21,68	50	20,00	—	1,68 15 59,62
	4	16	42	45,73	42	44 80	—	0,93
	5	16	47	7,07	47	6,10	—	0,97
	6	112	31	23,66	31	28,00	+	4,34
	7	16	55	51,35	55	50,40	—	0,95	112	38	26,97	38	24,00	—	2,97 16 0 87
	8	17	0	14,32	0	13,00	—	1,32	112	44	48,70	44	53,00	+	4,30 15 59,22
	9
	10
	11
	12	17	17	50,02	17	49,20	—	0,82
	13	113	10	29,95	10	32,00	+	2,05 16 1,10
	14	17	26	40,45	26	39,40	—	1,05
	15	17	31	6,17	31	5,00	—	1,17
	16	17	35	32,15	35	31,00	—	1,15	113	20	18,29	20	25,00	+	6 71 16 1,23
	17	17	39	57,95	39	57,10	—	0,85	113	22	43,35	22	46,00	+	2,65 16 5,34
18	17	44	24,04	44	23,50	—	0,54	113	24	34,88	24	39,00	+	4,12 16 0,87	

RESULT OF OBSERVATIONS IN 1832 AND 1833.

1832	Observed R.A.			A.R. from Nautical Almanac.		Error of Tables.	Observed N.P.D.			N.P.D. from Nautical Almanac.		Error of Tables.	Mean Semi-dia- meter.					
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>				
Dec.	19	17	48	51,02	48	50,00	—	1,02	113	26	5,56	26	4,00	—	1,56	15	59,12	
	20	16	1,37	
	21	17	57	44,54	57	43,40	—	1,14	113	27	28,31	27	31,00	+	2,69	16	1,40	
	22	113	27	30,39	27	31,00	+	0,61	15	59,72	
	23	113	26	59,08	27	3,00	+	3,92	15	59,62	
	24	113	26	8,63	26	6,00	+	2,63	15	59,94	
	25	113	24	46,15	24	42,00	+	4,15	16	0,72	
	26	18	19	57,80	19	57,00	—	0,80	16	0,23	
	27	16	0,72	
	28	18	28	50,51	28	49,60	—	0,91	15	59,95	
29	113	14	18,81	14	21,00	+	2,19	15	59,46		
1833 January	2	18	50	58,28	50	57,50	—	0,78	112	56	27,69	56	36,00	+	8,31	16	2,60	
	3	18	55	22,41	55	21,90	—	0,51	112	50	57,16	51	0,00	+	2,84	16	0,28	
	4	18	59	46,38	59	45,90	—	0,48	112	44	47,52	44	57,00	+	9,48	16	0,20	
	5	19	4	9,89	4	9,70	—	0,19	112	38	29,28	38	27,00	—	2,28	16	1,88	
	6	19	8	33,05	8	32,90	—	0,15	112	31	24,20	31	30,00	+	5,80	16	4,65	
	7	19	12	55,94	12	55,70	—	0,24	112	24	7,26	24	7,00	—	0,26	16	2,72	
	8	19	17	18,38	17	17,90	—	0,48	112	16	9,68	16	16,00	+	6,32	15	59,34	
	9	19	18	39,77	21	39,60	—	0,17	112	7	54,75	8	0,00	+	5,25	16	1,24	
	10	19	26	1,17	26	0,70	—	0,47	111	59	14,10	59	17,00	+	2,90	16	0,44	
	11	111	50	5,69	50	9,00	+	3,31	16	1,73	
	12	19	34	41,72	34	41,40	—	0,32	111	40	32,15	40	36,00	+	3,85	16	2,70	
	14	19	43	20,34	43	19,70	—	0,64	111	20	11,59	20	13,00	+	1,41	16	2,13	
	15	111	9	23,54	9	24,00	+	0,46	16	0,50	
	16	19	51	55,79	51	55,50	—	0,29	110	58	7,80	58	11,00	+	3,20	16	2,80	
	17	110	46	34,06	46	34,00	—	0,06	16	2,40	
	18	110	34	31,29	34	33,00	+	1,71	16	1,85	
	19	110	22	8,15	22	9,00	+	0,85	16	2,40	
	20	20	8	59,05	8	58,60	—	0,45	110	9	28,74	9	22,00	—	6,74	15	59,73	
	21	20	13	1,76	13	12,50	—	0,26	109	56	14,36	56	13,00	—	1,36	15	59,76	
	22	20	17	26,00	17	25,70	—	0,30	109	42	43,05	42	41,00	—	2,05	16	1,20	
	23	20	21	38,37	21	38,20	—	0,17	109	28	44,34	28	47,00	+	2,66	16	0,58	
	24	20	25	49,63	25	49,80	+	0,17	109	14	32,30	14	32,00	—	0,30	
	25	20	30	0,85	30	0,50	—	0,35	108	59	52,56	59	54,00	+	1,44	
	26	20	34	10,76	34	10,50	—	0,26	108	44	59,02	44	58,00	—	1,02	16	2,42	
	27	108	29	35,72	29	39,00	+	3,28	16	3,10	
	28	20	42	28,16	42	27,70	—	0,46	16	1,75	
	29	20	46	35,63	46	35,30	—	0,33	107	57	59,31	58	4,00	+	4,69	16	3,48	
	30	20	50	42,06	50	41,90	—	0,16	107	41	45,17	41	49,00	+	3,83	15	59,90	
	31	107	25	7,39	25	13,00	+	5,61	16	0,10	
	February	1	20	58	52,88	58	52,60	—	0,28	107	8	21,25	8	20,00	—	1,25	16	3,13
		2	21	2	56,99	2	56,60	—	0,39	106	51	5,07	51	8,00	+	2,93	16	3,47
3		106	33	37,99	33	38,00	+	0,01	15	59,25	
4		21	11	2,83	11	2,20	—	0,63	16	0,58	
5		21	15	4,13	15	3,80	—	0,33	105	57	46,22	57	49,00	+	2,78	16	2,36	
6		21	19	4,94	19	4,70	—	0,24	105	39	28,77	39	29,00	+	0,23	16	2,07	
7		21	23	4,89	23	4,70	—	0,19	105	21	0,81	20	52,00	—	8,81	16	2,23	
8		21	27	4,06	27	3,80	—	0,26	105	2	4,29	2	2,00	—	2,29	16	1,72	
9		21	31	2,59	31	2,20	—	0,39	104	42	56,26	42	54,00	—	2,26	15	57,88	
10		21	34	59,51	34	59,80	+	0,29	104	23	34,23	23	35,00	+	0,77	15	58,49	
11		104	3	57,45	3	58,00	+	0,55	16	0,83	

1833	Observed A.R.			A.R. from Nautical Almanac.		Error of Tables.	Observed N.P.D.			N.P.D. from Nautical Almanac.		Error of Tables.	Mean Semi-dia- meter.				
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>			
February	12	21	42	53.15	42	52.70	—	0.45	103	44	4.78	44	10 00	+	5.22	16	0.60
	13	21	46	48.61	46	48.10	—	0.51	103	24	1.74	24	6.00	+	4.26		
	14	21	50	43.04	50	42.90	—	0.14		16	1.65	
	15	21	54	36.82	54	36.80	—	0.02	102	43	13.18	43	20.00	+	6.82	15	58.72
	16	21	58	30.01	58	29.90	—	0.11	102	22	39.38	22	39.00	—	0.38	16	0.64
	17	22	2	22.58	2	22.30	—	0.28	102	1	44.63	1	46.00	+	1.37	16	0.52
	18	22	6	14.37	6	14.00	—	0.37	101	40	38.74	40	41.00	+	2.26	16	2.54
	19	22	10	5.21	10	5.00	—	0.21	101	19	23.09	19	26.00	+	2.91	15	59.37
	20	100	57	55.44	57	59.00	+	3.56	16	1.62
	21	22	17	45.75	17	45.20	—	0.55	100	36	23.80	36	22.00	—	1.80	16	1.84
	22	100	14	36.41	14	37.00	+	0.59	16	0.43
	23	99	52	42.90	52	40.00	—	2.90	16	1.28
	24	99	30	37.73	30	36.00	—	1.73	16	2.80
	25	22	32	58.11	32	57.70	—	0.41	99	8	20.59	8	24.00	+	3.41	15	58.95
	26	22	36	44.77	36	44.40	—	0.37	98	45	58.69	46	2.00	+	3.31	16	2.16
	27	22	40	30.64	40	30.30	—	0.34	98	23	31.78	23	33.00	+	1.22	16	0.20
	28	22	44	16.18	44	15.70	—	0.48	98	0	52.63	0	57.00	+	4.37	16	0.82
March	1	22	48	1.02	48	0.70	—	0.32	97	38	12.79	38	14.00	+	1.21	16	0.98
	2	22	51	45.46	51	45.00	—	0.46	97	15	21.56	15	26.00	+	4.44	15	59.90
	3	22	55	29.32	55	28.80	—	0.52	96	52	30.74	52	30.00	—	0.74	16	1.06
	4	22	59	12.55	59	12.20	—	0.35	96	29	27.33	29	30.00	+	2.67	16	2.24
	5	23	2	55.14	2	55.10	—	0.04	96	6	22.57	6	23.00	+	0.43	16	0.84
	6	23	6	37.87	6	37.50	—	0.37	95	43	9.59	43	12.00	+	2.41	16	1.18
	7	23	10	19.71	10	19.40	—	0.31	95	19	58.31	19	56.00	—	2.31	16	0.90
	8	94	56	37.25	56	35.00	—	2.25	15	59.96
	9	23	17	42.63	17	42.20	—	0.43	94	33	12.83	33	11.00	—	1.83	16	1.02
	10	23	21	23.59	21	23.10	—	0.49	94	9	44.96	9	44.00	—	0.96	16	0.70
	11	23	25	4.17	25	3.70	—	0.47	93	46	6.52	46	13.00	+	6.48	16	1.94
	12	23	28	44.54	28	44.10	—	0.44		16	0.06	
	13	23	33	24.34	32	24.10	—	0.24	92	58	59.66	59	4.00	+	4.34	15	59.82
	14	92	35	24.61	35	26.00	+	1.39	16	0.95
	15	23	39	43.47	39	43.30	—	0.17	92	11	45.46	11	47.00	+	1.54	16	1.30
	16	91	48	2.99	48	6.00	+	3.01		
	18	91	0	38.80	0	41.00	+	2.20	16	2.05
	19	23	54	19.30	54	19.30	—	0.10	90	36	56.16	36	58.00	+	1.84	16	0.15
	20	90	13	17.73	13	16.00	—	1.73	16	0.90
	21	0	1	36.46	1	36.10	—	0.36	89	49	34.57	49	34.00	—	0.57	16	1.62
	22	0	5	14.68	5	14.40	—	0.28	89	25	54.83	25	53.00	—	1.83	16	0.23
	23	0	8	52.94	8	52.60	—	0.34	89	2	12.24	2	13.00	+	0.76	15	59.08
	24	88	38	33.67	38	35.00	+	1.33	16	2.40
	25	0	16	9.05	16	8.80	—	0.25	88	14	57.74	15	0.00	+	2.26	15	59.95
	26	0	19	46.96	19	46.90	—	0.06	87	51	22.43	51	27.00	+	4.57	16	2.25
	27	0	23	25.21	23	24.90	—	0.31	87	27	56.06	27	56.00	—	0.06	16	0.04
	28	87	4	29.06	4	29.00	—	0.06	16	0.10
29	0	30	41.03	30	40.80	—	0.23	86	41	6.18	41	5.00	—	1.18	16	0.00	
30	0	34	18.96	34	18.80	—	0.16	86	17	41.50	17	47.00	+	5.50	15	59.83	
31	85	54	34.57	54	30.00	—	4.57	15	59.95	
April	1	0	41	34.99	41	35.00	+	0.01	85	31	19.65	31	19.00	—	0.65	16	0.64
	2	0	45	13.33	45	13.20	—	0.13	85	8	19.02	8	14.00	—	5.02	16	0.50
	3	0	48	51.63	48	51.50	—	0.13	84	45	17.78	45	13.00	—	4.78	16	1.10
	4	0	52	30.08	52	30.00	—	0.08	84	22	15.83	22	17.00	+	1.17	16	2.10
	5	0	56	8.63	56	8.60	—	0.03	83	59	24.94	59	29.00	+	4.06	15	59.62
	6	0	59	47.96	59	47.40	—	0.56	83	36	42.09	36	46.00	+	3.91	16	1.26
	7	1	3	26.81	3	26.50	—	0.31	83	14	5.33	14	9.00	+	3.67	16	2.22

RESULT OF OBSERVATIONS IN 1832 AND 1833.

1833	Observed A.R.			A.R. from Nautical Almanac.		Error of Tables.	Observed N.P.D.			N.P.D. from Nautical Almanac.		Error of Tables	Mean Semi-dia- meter.				
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>			
April	8	1	7	6,06	7	5,70	—	0,36	82	51	36,47	51	40,00	+	3,53	15	59,86
	9	1	10	45,34	10	45,10	—	0,24	82	29	14,25	29	18,00	+	3,75	16	2,18
	10	82	7	3,69	7	2,00	—	1,69	16	0,08
	11	81	44	52,48	44	55,00	+	2,52
	14	1	29	7,01	29	6,90	—	0,11	80	39	28,60	39	24,00	—	4,60	16	1,77
	15	80	17	54,96	17	51,00	—	3,96	16	0,26
	16	79	56	34,00	56	28,00	—	6,00	15	59,64
	17	1	40	12,38	40	12,00	—	0,38	79	35	18,23	35	15,00	—	3,23	16	0 50
	18	79	14	16,53	14	12,00	—	4,53	16	1,00
	19	1	47	37,39	47	37,40	+	0,01	78	53	18,19	53	19,00	+	0,81	16	1,84
	20	1	51	20,78	51	20,60	—	0,18	78	32	37,70	32	39,00	+	1,30	15	59,64
	21	78	12	4,04	12	8,00	+	3,96	16	0 64
	22	1	58	48,71	58	48,50	—	0,21	77	51	45,72	51	50,00	+	4,28	16	0,10
	23	2	2	33,45	2	33,10	—	0,35	77	31	36,53	31	43,00	+	6,47	16	0,73
	24	77	11	45 92	11	49,00	+	3,08	16	4,57
	25	2	10	3,98	10	3,60	—	0,38	76	52	6,16	52	8,00	+	1,84	16	0,00
	27	2	17	36,10	17	36,00	—	0,10	76	13	24,02	13	23,00	—	1,02	16	1,26
	28	2	21	22,97	21	22,90	—	0,07	75	54	19,38	54	22,00	+	2,62	16	0,68
	29	75	35	38,18	35	34,00	—	4,18	16	0 90
	May	30	2	28	57,94	28	58,10	+	0,16	75	16	59,46	17	0,00	+	0,54	16
1		2	32	46,59	32	46,40	—	0,19	74	58	44,76	58	43,00	—	1,76	15	57,78
2		2	36	35,61	36	35,50	—	0,11	74	40	41,73	40	39,00	—	2,73	16	4,40
3		74	22	54,32	22	50,00	—	4,32	15	58,97
4		2	44	15,21	44	15,10	—	0,11	16	0 04
5		2	48	5,83	48	5,70	—	0,13	16	0 75
6		73	30	56,88	30	57,00	+	0,12	15	59,73
7		73	14	7,76	14	13,00	+	5,24	15	59,70
8		72	57	45,12	57	43,00	—	2,12	16	0 28
9		3	3	33,74	3	33,90	+	0,16	72	41	30,91	41	32,00	+	1,09	15	59,83
10		3	7	27,45	7	27,50	+	0,05	72	25	35,39	25	38 00	+	2,61	16	1,43
11		3	11	21,58	11	21,50	—	0,08	72	10	5,59	9	59,00	—	6,59	16	4,13
12		3	16	16,76	15	16,20	—	0,56	16	0 55
13		3	19	11,48	19	11,30	—	0,18	71	39	36,47	39	39,00	+	2,53	15	59,53
14		71	24	54,86	24	58 00	+	3,14	16	0 67
16		70	56	27,10	56	28,00	+	0,90	16	1,17
17		70	42	46,88	42	43,00	—	3,88	16	3,80
18		70	29	14,58	29	16 00	+	1,42	16	2,94
19		70	16	13,80	16	10,00	—	3,80	16	0 40
22		69	38	51,66	38	52,00	+	0,34	16	0 86
23		3	58	56,24	58	55,90	—	0,34	69	27	9,71	27	6,00	—	3,71	16	1,48
24		69	15	43,96	15	45,00	+	1,04	16	0 84
25		69	4	38,37	4	42,00	+	3,63
26		68	53	57,33	54	2,00	+	4,67	16	1,22
28		68	33	45,08	33	47,00	+	1,92	16	1,08
29		68	24	4,00	24	13,00	+	9,00
30		4	27	15,94	27	15,90	—	0,04	68	14	56 42	15	1,00	+	4,58	16	2,23
June	31	4	31	21,02	31	20,60	—	0,42	68	6	9 50	6	12 00	+	2,50	16	3,11
	1	4	35	26,35	35	25,80	—	0,55	67	57	43,95	57	46,00	+	2,05	16	1,24
	2	4	39	31,27	39	31,20	—	0,07	67	49	39,37	49	43,00	+	3,63	16	4,14
	3	4	43	37,14	43	37,10	—	0,04	67	41	58,90	42	3,00	+	4,10	16	2,53
	4	67	34	46,36	34	46,00	—	0,36	16	2,52
	5	67	27	49,58	27	52,00	+	2,42	16	2,58
	6	67	21	22,53	21	23,00	+	0,47	16	1,64
7	67	15	12,89	15	16,00	+	3,11	16	2,40	

1833	Observed A.R.			A.R. from Nautical Almanac.		Error of Tables.	Observed N.P.D.			N.P.D. from Nautical Almanac.		Error of Tables.	Mean Semi-dia- meter.			
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	
June	8						67	9	35,10	9	33,00	—	2,10	16	1,92	
	9	5	8	19,65	8	19,60	—	0,05	67	4	14,97	4	16,00	+	1,03 16 2,90	
	11	5	16	36,61	16	36,30	—	0,31	66	54	51,15	54	52,00	+	0,85 16 3,18	
	12	5	20	45,15	20	44,90	—	0,25	66	50	48,41	50	45,00	—	3,41 16 1,94	
	13	5	24	54,22	24	53,80	—	0,42	66	47	6,46	47	6,00	—	0,64 16 3,16	
	14	5	29	3,14	29	2,90	—	0,24	66	43	49,60	43	49,00	—	0,60 16 0,72	
	19						66	33	37,07	33	35,00	—	2,07	16	3,48	
	20						66	32	45,59	32	47,00	+	1,41	16	2,37	
	21						66	32	23,63	32	24,00	+	0,37	16	1,60	
	22						66	32	28,80	32	26,00	—	2,80	16	59,34	
	23	6	6	29,24	6	28,80	—	0,44	66	32	50,98	32	52,00	+	1,02 15	
	25						66	35	0,36	34	58,00	—	2,36	16	2,25	
	26						66	36	39,12	36	38,00	—	1,12	16	2,16	
	27						66	38	46,12	38	43,00	—	3,12	16	3,58	
	28						66	41	14,50	41	14,00	—	0,50	16	1,66	
	29	6	31	24,35	31	23,60	—	0,75	66	44	11,45	44	8,00	—	3,45 16	
	30						66	47	30,50	47	27,00	—	3,50	16	1,67	
July	1						66	51	12,76	51	9,00	—	3,76	16	0,94	
	2	6	43	48,73	43	48,40	—	0,33	66	55	20,33	55	17,00	—	2,96 16 1,24	
	3	6	47	56,14	47	56,20	+	0,06	66	59	51,96	59	49,00	—	1,59 16 1,25	
	5	6	56	10,97	56	10,80	—	0,17	67	10	2,41	10	4,00	+	7,28 16 0,26	
	7						67	22	1,28	21	54,00	—	0,60	16		
	8	7	8	30,58	8	30,40	—	0,18	67	31	24,40	28	25,00	+	5,59 16 0,02	
	9						67	35	20,93	35	20,00	—	0,93	16	3,98	
	12	7	24	51,43	24	51,40	—	0,03	67	58	15,41	58	21,00	+	1,03 16 1,92	
	13	7	28	55,82	28	55,60	—	0,22	68	6	46,70	6	47,00	+	4,23 16 3,70	
	15	7	37	3,29	37	2,50	—	0,79	68	24	41,77	24	46,00	+	3,94 16 4,40	
	16						68	34	21,94	34	18,00	—	1,08	16	3,70	
	17						68	44	12,97	44	14,00	+	0,60	16	4,40	
	19						68	54	32,08	54	31,00	—	1,90	16	1,26	
	19						69	5	7,40	5	8,00	+	0,92	15	58,18	
	20						69	16	9,90	16	8,00	—	6,19	16	1,94	
	21						69	27	28,92	27	28,00	—	3,15	16	2,67	
	23						69	51	17,19	51	11,00	—	5,36	16	1,94	
	25	8	17	6,42	17	5,90	—	0,52	70	42	36,84	42	37,00	+	1,93 15 59,98	
	27	8	24	59,85	24	59,50	—	0,35	70	56	18,15	56	15,00	—	4,50 16 1,58	
	28	8	28	55,62	28	55,40	—	0,22	70	10	17,36	10	12,00	—	2,42 16 2,23	
29						71	24	27,07	24	29,00	+	2,17	16	3,16		
30						71	54	3,50	53	59,00	—	3,04	16	1,40		
August	1						72	9	7,58	9	10,00	+	0,47	16	59,18	
	3						72	24	39,17	24	37,00	—	3,87	16	1,68	
	4	8	56	9,79	56	9,70	—	0,09	72	40	20,96	40	24,00	+	4,67 16 1,24	
	5	9	0	1,20	0	0,80	—	0,40	72	56	25,53	56	26,00	+	5,82 16 1,24	
	6	9	3	51,52	3	51,30	—	0,22	73	12	41,00	12	45,00	+	3,70 15 59,95	
	7						73	29	24,87	29	21,00	—	1,85	16	0,00	
	8						73	46	13,25	46	12,00	—	2,86	16	2,51	
	9						74	3	20,28	3	19,00	—				
	10	9	19	7,60	19	7,40	—	0,20	74	20	46,67	20	42,00	—		
	11	9	22	55,33	22	55,10	—	0,23	74	38	25,82	38	20,00	—		
	12	9	26	42,71	26	42,70	—	0,01	74	56	16,70	56	13,00	—		
	13	9	30	29,74	30	28,90	—	0,84	74	32	42,15	32	44,00	+		
	14						74	51	21,86	51	19,00	—				
	15	9	38	0,76	38	0,30	—	0,46	74							

1833	Observed A.R.			A.R. from Nautical Almanac.		Error of Tables.	Observed N.P.D.			N.P.D. from Nautical Almanac.			Error of Tables	Mean Semi-dia- meter.			
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>°</i>	<i>'</i>	<i>"</i>		
August	16						76	10	6,24	10	7,00	+	0,76	16	1,40		
	17	9	45	30,26	45	29,80	—	0,46	76	19	14,88	19	11,00	—	3,88	16	0,04
	18						76	48	24,33	48	26,00	+	1,67	16	1,20		
	21	10	0	22,75	0	22,30	—	0,45	77	47	25,65	47	25,00	—	0,65		
	23	10	7	46,30	7	45,70	—	0,60	78	27	36,67	27	43,00	+	6,33	16	0,80
	24						78	48	6,96	48	8,00	+	1,04	16	1,28		
	27						78	50	29,24	50	36,00	+	6,76	16	1,63		
	28						79	11	33,49	11	32,00	—	1,49				
	30						80	54	13,89	54	11,00	—	2,89	16	1,90		
	31						81	15	46,00	15	44,00	—	2,00	16	2,67		
Sept.	1						81	37	20,90	37	26,00	+	5,10	16	0,68		
	2						81	59	18,72	59	15,00	—	3,72				
	3						82	21	12,45	21	12,00	—	0,45	16	0,68		
	5						83	5	28,44	5	29,00	+	0,56	16	0,43		
	6	10	58	46,05	58	46,00	—	0,05	83	27	49,66	27	48,00	—	1,66	16	0,44
	7	11	2	22,65	2	22,60	—	0,05	83	50	7,20	50	15,00	+	7,80		
	8	11	5	59,18	5	58,80	—	0,38	84	12	40,76	12	43,00	+	2,24	16	0,84
	9	11	9	35,03	9	35,00	—	0,03	84	35	23,52	35	24,00	+	0,48	16	1,43
	10	11	13	11,05	13	11,00	—	0,05	84	58	10,48	58	7,00	—	3,48	16	1,15
	11	11	16	46,58	16	46,90	+	0,32	85	20	58,43	20	56,00	—	2,43	16	0,83
	12	11	20	22,64	20	22,70	+	0,06	85	43	52,64	43	51,00	—	1,64	16	0,46
	13	11	23	59,07	23	58,40	—	0,67	86	6	42,77	6	48,00	+	5,23		
	14	11	27	34,41	27	33,90	—	0,51	86	29	50,37	29	50,00	—	0,37	16	0,80
	15	11	31	10,00	31	9,50	—	0,50	86	52	56,52	52	56,00	—	0,52	16	1,53
	16	11	34	45,32	34	45,00	—	0,32	87	16	6,30	16	6,00	—	0,30	16	2,52
	18	11	41	56,45	41	56,00	—	0,45	88	2	29,35	2	34,00	+	4,65	15	59,74
	19								88	25	51,00	25	51,00		0,00	16	0,28
	25	12	7	5,77	7	5,50	—	0,27									
	26	12	10	41,70	10	41,70		0,00	91	9	35,25	9	36,00	+	0,75		
	27								91	33	0,61	32	59,00	—	1,61		
October	28								91	56	26,80	56	23,00	—	3,80		
	29								92	19	49,99	19	47,00	—	2,99	15	59,75
	30								92	43	7,44	43	8,00	+	0,56	16	0,40
	2	12	32	22,92	32	22,50	—	0,42	93	29	47,72	29	48,00	+	0,28	15	59,30
	3	12	36	0,40	36	0,30	—	0,10	93	53	3,65	53	5,00	+	1,35	16	0,70
	4	12	39	38,53	39	38,50	—	0,05	94	16	17,33	16	18,00	+	0,67	16	1,68
	6	12	46	56,12	46	55,80	—	0,32	95	2	38,90	2	36,00	—	2,90	16	1,88
	11	13	5	17,20	5	16,70	—	0,50	96	57	10,39	57	11,00	+	0,61	16	0,20
	12								97	19	47,00	19	51,00	+	4,00	16	1,64
	13	13	12	40,71	12	40,40	—	0,31	97	42	21,89	42	20,00	—	1,89	16	3,05
	14	13	16	23,46	16	23,00	—	0,46	98	4	49,11	4	52,00	+	2,89	16	1,20
	15	13	20	6,35	20	6,30	—	0,05	98	27	10,50	27	12,00	+	1,50		
	16	13	23	50,19	23	49,90	—	0,29	98	49	23,52	49	26,00	+	2,48	16	1,55
	18	13	31	19,47	31	19,10	—	0,37	99	33	33,44	33	30,00	—	3,44	16	1,38
	19	13	35	5,13	35	4,60	—	0,53	99	55	20,54	55	20,00	—	0,54	16	1,50
	21								100	38	35,81	38	31,00	—	4,81		
	22	13	46	25,03	46	24,80	—	0,23	100	59	48,55	59	53,00	+	4,49	15	59,54
	23	13	50	12,57	50	12,60	+	0,03	101	21	4,99	21	2,00	—	2,99	16	1,68
	24	13	54	1,50	54	1,30	—	0,20	101	42	5,42	42	6,00	+	0,58	16	2,63
	31	14	21	2,28	21	2,20	—	0,08	104	3	52,98	3	55,00	+	2,02	16	1,10
Nov.	1								104	23	20,10	23	20,00	—	0,10	16	1,52
	3								105	1	28,49	1	26,00	—	2,49		
	4								105	20	7,54	20	0,00	—	7,54	16	0,97
	5	14	40	44,19	40	43,60	—	0,59								16	1,88

1832	Observed R.A.			A.R. from Nautical Almanac.		Error of Tables.	Observed N.P.D.	N.P.D. from Nautical Almanac.		Error of Tables.	Mean Semi-dia- meter.						
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>				
Nov.	6	14	44	42,88	44	42,30	—	0,58	105	56	47,82	56	48,00	+	0,18	16	2,43
	14	108	12	10,38	12	15,00	+	4,62	16	3,08
	16	108	42	56,50	43	2,00	+	5,50		
	17	14	29	25 78	29	25,60	—	0,18	16	1,70
	18	14	33	35 32	33	34,70	—	0,62	109	12	23,54	12	29,00	+	5,46	16	0,66
	19	14	37	44,48	37	44,40	—	0,08	109	26	42 72	26	43,00	+	0,28	16	1,15
	20	109	40	35,26	40	35,00	—	0,26		
	22	15	50	19,06	50	18,60	—	0,46	110	7	16,74	7	13,00	—	3 74		
	23	15	54	31,45	54	31,40	—	0,05	110	19	59,62	19	59,00	—	0,62	16	2,53
	24	110	32	27,00	32	23 00	—	4,00		
	25	110	44	21,60	44	23,00	+	1,40		
	28	111	18	3,82	18	4,00	+	0,18	16	0,41
	29	111	28	26,70	28	31,00	+	4 30	16	1,75
Dec.	1	111	48	4,13	48	8,00	+	3,87	16	3,22
	2	111	57	19,23	57	20 00	+	0,77	16	0,77
	3	16	37	21,84	37	21,30	—	0,54	112	6	4,65	6	6,00	+	1,35	16	2,34
	5	112	22	19,90	22	22,00	+	2,10	15	57,60
	6	16	50	26,18	50	25,30	—	0,88	112	29	46,61	29	50,00	+	3,39	15	59,68
	7	16	54	48,07	54	47 70	—	0,37	112	36	50,59	36	50,00	—	0,59	15	57,90
	8	16	59	10,94	59	10,70	—	0,24	112	43	20,30	43	22,00	+	8,70	16	3,36
	9	112	49	31,06	49	37,00	+	5 94	16	2,58
	10	112	55	12,84	55	10,00	—	2 84	16	2,33
	11	17	12	22,42	12	22,20	—	0,22	113	0	29,49	0	34,00	+	4,51	16	3,23
	12	17	16	47,39	16	46,90	—	0,49	113	5	13,94	5	21,00	+	7,06	16	2,60
	14	113	13	25 90	13	33,00	+	7,10		
	15	113	16	51 90	16	57,00	+	5,10	16	0,15
	18	113	24	17,72	24	23,00	+	5,28		
	19	17	47	48,04	47	47,50	—	0,54	113	25	50,71	25	53,00	+	2 21		
	20	17	52	15,12	52	14,00	—	1,12	113	26	53,65	26	56 00	+	2,35	6	0,15
	22	113	27	32,56	27	39,00	+	6,44	16	0,00
	23	18	5	33,90	5	33,60	—	0,30	113	27	13,71	27	19,00	+	5,29	16	2,32
	24	113	26	20 51	26	29,00	+	8,49	16	1,84
	26	18	18	53 37	18	53,20	—	0,17	113	23	18,50	23	24,00	+	5,50	6	1,75
	27	18	23	19 90	23	19,50	—	0,40	113	21	5 75	21	10,00	+	4,25	16	3,56
	29	18	32	12,21	32	11,60	—	0,61	113	15	9 69	15	17,00	+	7,31	16	3,14
	30	18	36	37,59	36	37,30	—	0 29	113	11	32,74	11	39,00	+	6,26	16	1,08
	31	18	41	3,31	41	3,00	—	0,31	113	7	26,81	7	32,00	+	5,19	16	0 46

Taking the mean of the above measures of the
 Sun's Semi-diameter for 1832 we have from 258 Observations....16' 1",52
 ————— — 1833 ————— 257 —————16' 1",30
 differing very little from that found from the Observations of 1831.*

We will now select from the above, those observations which are made near to the Solstices, for the determination of the value of the obliquity of the Ecliptic as follows.

* Vol. I Page 69, ☉s. Mean Semi-diameter for 16' 0",15 read 16' 1",15.

*Observations of the Sun made near to the Summer Solstices of 1832 and 1833,
applied to the determination of the obliquity of the Ecliptic.*

1832	N. P. D.	Reduction.	Sun's Latitude.	Solstitial N.P.D.	Correction for		Mean N.P.D. of the Solstice reduced to January 1.
					Dr. Nut.	Cr. Nut t. 0".46 + 365	
	° ' "	° ' "	"	° ' "	"	"	° ' "
May	30 68 12 49 40	1 40 26,74	—	0 89 66 32 21,77	—	5,45	0 58 66 32 15,74
	31 68 4 1,99	1 31 42,77	—	0 78 66 32 18,44	—	5,44	0 60 66 32 12,40
June	1 67 55 44,58	1 23 22,12	—	0 64 66 32 21,82	—	5,43	0 61 66 32 15,78
	2 67 47 43 95	1 15 24,23	—	0 48 66 32 19,24	—	5,43	0 63 66 32 13,18
	3 67 40 13,26	1 7 49,63	—	0 33 66 32 23,30	—	5,42	0 64 66 32 17,24
	4 67 33 0 66	1 0 38,25	—	0 17 66 32 22,24	—	5,41	0 65 66 32 16,18
	5 67 26 14,34	0 53 50,42	—	0 02 66 32 23,90	—	5,40	0 66 66 32 17,84
	6 67 19 51,10	0 47 26,50	+	0 11 66 32 24,71	—	5,39	0 67 66 32 18 65
	7 67 13 48,35	0 41 26,23	+	0 25 66 32 22,37	—	5,38	0 68 66 32 16,31
	8 67 8 8,77	0 35 50,30	+	0 33 66 32 18,80	—	5,38	0 69 66 32 12,73
	9 67 3 4 85	0 30 38,07	+	0 40 66 32 27,18	—	5,37	0 70 66 32 21,11
	10 66 58 8 42	0 25 50,08	+	0 42 66 32 18 76	—	5,36	0 71 66 32 12,69
	11 66 53 50,47	0 21 26,12	+	0 43 66 32 24,78	—	5,36	0 71 66 32 12,71
	12 66 49 48,77	0 17 27,08	+	0 39 66 32 22,08	—	5,35	0 72 66 32 16,01
	13 66 46 15,80	0 13 52,37	+	0 32 66 32 23,75	—	5,34	0 73 66 32 17,68
	14 66 43 5,01	0 10 41,97	+	0 20 66 32 23,24	—	5,34	0 73 66 32 17 17
	15 66 40 19,76	0 7 56,09	+	0 10 66 32 23,77	—	5,33	0 74 66 32 17,70
	16 66 37 56,16	0 5 35,05	—	0 06 66 32 21,05	—	5,32	0 74 66 32 14 99
	17 66 36 1,30	0 3 38 63	—	0 23 66 32 22,44	—	5,32	0 75 66 32 16,37
	18 66 34 27 43	0 2 6,94	—	0 37 66 32 20,12	—	5,31	0 75 66 32 14,05
	22 66 32 29 86	0 0 7,95	—	0 85 66 32 21,06	—	5,28	0 75 66 32 15,03
	23 66 33 2 38	0 0 40,25	—	0 88 66 32 21,25	—	5,27	0 76 66 32 15 22
	24 66 34 6,15	0 1 37,28	—	0 89 66 32 27 98	—	5,27	0 76 66 32 21 95
	26 66 37 12,21	0 4 45,67	—	0 81 66 32 25 73	—	5,26	0 76 66 32 19,71
	27 66 39 18,10	0 6 56,78	—	0 74 66 32 20,38	—	5,25	0 76 66 32 14,37
	28 66 41 57 75	0 9 32,85	—	0 59 66 32 24 31	—	5,24	0 75 66 32 18,32
July	30 66 48 19,61	0 15 58,10	—	0 31 66 32 21,20	—	5,23	0 75 66 32 15 22
	2 66 56 27 42	0 24 0,90	—	0 00 66 32 26,52	—	5,22	0 74 66 32 20 56
	3 67 1 2,13	0 28 38,57	+	0 15 66 32 23,71	—	5,21	0 74 66 32 17 76
	4 67 6 7,63	0 33 40,30	+	0 26 66 32 27 59	—	5,20	0 73 66 32 21 66
	5 67 11 27,68	0 39 5,92	+	0 36 66 32 22 12	—	5,19	0 72 66 32 16 21
	6 67 17 15 99	0 44 55 45	+	0 42 66 32 20 96	—	5,18	0 71 66 32 15 07
	7 67 23 27,86	0 51 8,68	+	0 46 66 32 19,74	—	5,17	0 70 66 32 13,77
1833							
May	30 68 14 56 42	1 42 38,98	+	0 28 66 32 18,72	—	2,62	0 58 66 32 15 52
	31 68 6 9,50	1 33 49,77	+	0 25 66 32 19,98	—	2,61	0 60 66 32 16,77
June	1 67 57 43 95	1 25 23,25	+	0 16 66 32 20,86	—	2,60	0 61 66 32 17,65
	2 67 49 39 37	1 17 20,23	+	0 06 66 32 19,20	—	2,59	0 63 66 32 15,98
	3 67 41 58 90	1 9 39,97	—	0 05 66 32 18,88	—	2,58	0 64 66 32 15 66
	4 67 34 46,36	1 2 23,22	—	0 12 66 32 23,02	—	2,57	0 65 66 32 19,80
	5 67 27 49,58	0 55 29,80	—	0 30 66 32 19 48	—	2,57	0 66 66 32 16 25
	6 67 21 22,53	0 49 0,02	—	0 44 66 32 22,07	—	2,56	0 67 66 32 18,84
	7 67 15 12,89	0 42 53 90	—	0 55 66 32 18,44	—	2,55	0 68 66 32 15,21
	8 67 9 35,10	0 37 11,80	—	0 66 66 32 22,64	—	2,54	0 69 66 32 19 41
	9 67 4 14,97	0 31 53,58	—	0 77 66 32 20,62	—	2,53	0 70 66 32 17,39
	11 66 54 51,15	0 22 29,62	—	0 85 66 32 20,68	—	2,52	0 71 66 32 17,45
	12 66 50 48,41	0 18 24,09	—	0 86 66 32 23,46	—	2,51	0 72 66 32 20,23
	13 66 47 6,64	0 14 43 08	—	0 85 66 32 22,71	—	2,50	0 73 66 32 19,48
	14 66 43 49,60	0 11 26,56	—	0 78 66 32 22,26	—	2,49	0 73 66 32 19,04

1833	N. P. D.	Reduction.	Sun's Latitude.	Solstitial N.P.D.	Correction for		Mean N.P.D. of the Solstice reduced to January 1.
					Dr. Nut.	Cor. Nut. t 0",46 + 365	
June	19	66 33 37,07	0 1 13,92	— 0,20	66 32 22,95	— 2,45	66 32 19,75
	20	66 32 45 59	0 0 23 75	— 0,09	66 32 21,75	— 2,44	66 32 18,56
	21	66 32 23,63	0 0 2,44	+ 0,06	66 32 21,25	— 2,43	66 32 18,06
	22	66 32 28,80	0 0 3,87	+ 0,17	66 32 25,10	— 2,42	66 32 21,92
	23	66 32 50,98	0 0 30,18	+ 0,25	66 32 21,05	— 2,41	66 32 17,88
	25	66 35 0,36	0 2 37,15	+ 0,31	66 32 23,52	— 2,40	66 32 20,36
	26	66 36 39,12	0 4 17,67	+ 0,30	66 32 21,75	— 2,39	66 32 18 60
	27	66 38 46,12	0 6 22,88	+ 0,27	66 32 23,51	— 2,38	66 32 20,37
	28	66 41 14,50	0 8 52,72	+ 0,20	66 32 21,98	— 2,37	66 32 18,86
	29	66 44 11,45	0 11 47,10	+ 0,10	66 32 24,45	— 2,36	66 32 21,34
July	30	66 47 30 50	0 15 5,81	+ 0,04	66 32 24,73	— 2,35	66 32 21,63
	1	66 51 12,76	0 18 49,00	— 0,12	66 32 23,64	— 2,34	66 32 20,56
	2	66 55 20,33	0 22 56,44	— 0,25	66 32 23,64	— 2,33	66 32 20 57
	3	66 59 51,96	0 27 27,98	— 0,38	66 32 23,60	— 2,32	66 32 20 55
	5	67 10 2,41	0 37 43,30	— 0,62	66 32 18,49	— 2,30	66 32 15,47
	7	67 22 1,28	0 49 34,80	— 0,78	66 32 25,70	— 2,29	66 32 22,71
	8	67 28 24 40	0 56 4,65	— 0,82	66 32 18,93	— 2,28	66 32 15,96
	9	67 35 20,93	1 2 58,81	— 0,82	66 32 21,30	— 2,27	66 32 18,35

And further we have:

Observations of the Sun made near to the Winter Solstice of 1832 and 1833, applied to the determination of the obliquity of the Ecliptic.

1832	N. P. D.	Reduction.	Sun's Latitude.	Solstitial N.P.D.	Correction for		Mean N.P.D. of the Solstice reduced to January 1.
					Dr. Nut.	Cor. Nut. t 0",46 + 365	
Jan.	1	111 5 10,16	0 22 17,90	+ 0,74	113 27 28,80	+ 6,46	113 27 35,76
	2	113 0 25,66	0 27 5,68	+ 0,62	113 27 31,96	+ 6,46	113 27 38,91
	3	112 55 9,19	0 32 20,98	+ 0,51	113 27 30,68	+ 6,45	113 27 37,61
	4	112 49 25,77	0 38 3 80	+ 0,37	113 27 29,94	+ 6,44	113 27 36,83
	6	112 36 43,55	0 50 50,74	+ 0,07	113 27 34,36	+ 6,43	113 27 41,25
	7	112 29 39,23	0 57 54,64	— 0,09	113 27 33,78	+ 6,43	113 27 40,66
	8	112 22 4 23	1 5 25,20	— 0,24	113 27 29,19	+ 6,42	113 27 36,05
	9	112 14 11,47	1 13 22,27	— 0,38	113 27 33,36	+ 6,41	113 27 40,20
	10	112 5 46,20	1 21 45 94	— 0,47	113 27 31,67	+ 6,40	113 27 38,49
	11	111 56 57,08	1 30 34,67	— 0,55	113 27 31,20	+ 6,39	113 27 38,00
	12	111 47 47,83	1 39 49,30	— 0,58	113 27 36 55	+ 6,38	113 27 43 33
	13	111 38 2,25	1 49 29,18	— 0,59	113 27 30,84	+ 6,37	113 27 37,61
	14	111 28 0,62	1 59 34,57	— 0,55	113 27 34 64	+ 6,36	113 27 41,39
	15	111 17 30,45	2 10 3,90	— 0,51	113 27 33,84	+ 6,35	113 27 40 56
	18	110 43 35,60	2 43 58,52	— 0,16	113 27 33,96	+ 6,34	113 27 40,61
	19	110 31 28,91	2 56 4,98	— 0,02	113 27 33,87	+ 6,33	113 27 40,50
	21	110 6 10,93	3 21 25,43	+ 0,26	113 27 36,62	+ 6,32	113 27 43,21
Nov.	21	109 57 12 86	3 30 25,78	+ 0,81	113 27 39,45	+ 4,14	113 27 44 25
	22	110 10 16,30	3 17 22,52	+ 0,75	113 27 39,57	+ 4,13	113 27 44,38
	23	110 22 53,92	3 4 41,40	+ 0,70	113 27 36,02	+ 4,13	113 27 40,84
	24	110 35 16,84	2 52 22,67	+ 0,58	113 27 40,09	+ 4,12	113 27 44,92
	25	110 47 4,37	2 40 26,83	+ 0,46	113 27 31,66	+ 4,11	113 27 36,49
	26	110 58 39,92	2 28 55,10	+ 0,31	113 27 35,33	+ 4,11	113 27 40,18
	27	111 9 50,58	2 17 46,50	+ 0,17	113 27 37,25	+ 4,10	113 27 42,10

1832	N. P. D.	Reduction.	Sun's Latitude.	Solstitial N.P.D.	Correction for		Mean N.P.D. of the Solstice reduced to January 1.	
					Dr. Nut	Gr. Nut + t. 0",46 365		
Nov.	30	111 40 51,80	1 46 46,25	— 0,25	113 27 37,80	+ 4,08	+ 0,81	113 27 42,69
Dec.	1	111 53 21,68	1 37 15,05	— 0,37	113 27 36,36	+ 4,07	+ 0,83	113 27 41,26
	6	112 31 23,66	0 56 5,65	— 0,45	113 27 28,86	+ 4,02	+ 0,91	113 27 33,79
	7	112 38 26,97	0 49 9,87	— 0,37	113 27 36,47	+ 4,02	+ 0,92	113 27 41,41
	8	112 44 48,70	0 42 41,35	— 0,26	113 27 29,79	+ 4,01	+ 0,93	113 27 34,73
	13	113 10 29,95	0 17 2,08	+ 0,46	113 27 32,49	+ 3,98	+ 0,94	113 27 37,41
	16	113 20 18,29	0 7 9,60	+ 0,77	113 27 28,66	+ 3,97	+ 0,95	113 27 33,58
	17	113 22 43,35	0 4 48,08	+ 0,80	113 27 32,23	+ 3,96	+ 0,96	113 27 37,15
	18	113 24 34,88	0 2 54,55	+ 0,82	113 27 30,25	+ 3,95	+ 0,97	113 27 35,17
	19	113 26 5,56	0 1 29,03	+ 0,77	113 27 35,36	+ 3,94	+ 0,98	113 27 40,28
	21	113 27 28,31	0 0 3,70	+ 0,61	113 27 32,62	+ 3,93	+ 0,98	113 27 37,53
	22	113 27 30,39	0 0 1,35	+ 0,49	113 27 32,23	+ 3,92	+ 0,99	113 27 37,14
	23	113 26 59,08	0 0 29,45	+ 0,34	113 27 28,87	+ 3,90	+ 0,99	113 27 33,76
	24	113 26 8,63	0 1 25,86	+ 0,19	113 27 34,68	+ 3,89	+ 0,98	113 27 39,55
	25	113 24 46,15	0 2 50,58	+ 0,05	113 27 36,78	+ 3,88	+ 0,97	113 27 41,63
	29	113 14 18,81	0 13 13,65	— 0,45	113 27 32,01	+ 3,84	+ 0,97	113 27 36,82
1833								
Jan.	2	112 56 27,69	0 31 2,22	— 0,41	113 27 29,50	+ 3,83	+ 0,49	113 27 33,82
	3	112 50 57,16	0 36 38,05	— 0,32	113 27 34,89	+ 3,83	+ 0,48	113 27 39,20
	4	112 44 47,52	0 42 41,12	— 0,22	113 27 28,42	+ 3,82	+ 0,47	113 27 32,71
	5	112 38 29,28	0 49 11,53	— 0,10	113 27 40,71	+ 3,81	+ 0,46	113 27 44,98
	6	112 31 24,20	0 56 8,64	+ 0,02	113 27 32,86	+ 3,80	+ 0,45	113 27 37,11
	7	112 24 7,26	1 3 32,50	+ 0,15	113 27 39,91	+ 3,80	+ 0,45	113 27 44,16
	8	112 16 9,68	1 11 22,63	+ 0,28	113 27 32,59	+ 3,79	+ 0,44	113 27 36,82
	9	112 7 54,75	1 19 39,10	+ 0,39	113 27 34,24	+ 3,78	+ 0,43	113 27 38,45
	10	111 59 14,10	1 28 21,30	+ 0,50	113 27 35,90	+ 3,77	+ 0,42	113 27 40,09
	11	111 50 5,69	1 37 29,42	+ 0,57	113 27 35,68	+ 3,76	+ 0,41	113 27 39,85
	12	111 40 32,15	1 47 3,30	+ 0,63	113 27 36,08	+ 3,75	+ 0,40	113 27 40,23
	14	111 20 11,59	2 7 26,08	+ 0,64	113 27 38,31	+ 3,74	+ 0,37	113 27 42,42
	15	111 9 23,54	2 18 14,64	+ 0,62	113 27 38,80	+ 3,73	+ 0,35	113 27 42,88
	16	110 58 7,80	2 29 27,76	+ 0,56	113 27 36,12	+ 3,72	+ 0,34	113 27 40,18
	17	110 46 34,06	2 41 4,54	+ 0,46	113 27 39,06	+ 3,71	+ 0,32	113 27 43,09
	18	110 34 31,29	2 53 5,35	+ 0,34	113 27 36,98	+ 3,70	+ 0,31	113 27 40,99
	19	110 22 8,15	3 4 29,92	+ 0,23	113 27 38,30	+ 3,69	+ 0,30	113 27 42,29
	21	109 56 14,36	3 31 26,05	— 0,03	113 27 40,38	+ 3,67	+ 0,27	113 27 44,32
	22	109 42 43,05	3 44 58,18	— 0,17	113 27 41,06	+ 3,66	+ 0,26	113 27 44,98
Nov.	22	110 7 16,74	3 20 25,05	— 0,33	113 27 41,46	+ 1,13	+ 0,68	113 27 43,27
	23	110 19 59,62	3 7 39,08	— 0,32	113 27 38,38	+ 1,12	+ 0,69	113 27 40,19
	24	110 32 27,00	2 55 15,76	— 0,29	113 27 42,47	+ 1,12	+ 0,71	113 27 44,30
	25	110 44 21,60	2 43 15,06	— 0,23	113 27 36,43	+ 1,11	+ 0,73	113 27 38,27
	28	111 18 3,82	2 9 34,42	+ 0,12	113 27 38,36	+ 1,10	+ 0,79	113 27 40,25
	29	111 28 26,70	1 59 8,50	+ 0,26	113 27 35,46	+ 1,09	+ 0,80	113 27 37,35
Dec.	1	111 48 4,13	1 39 30,70	+ 0,53	113 27 35,36	+ 1,07	+ 0,83	113 27 37,26
	2	111 57 19,23	1 30 19,43	+ 0,64	113 27 39,30	+ 1,06	+ 0,84	113 27 41,20
	3	112 6 4,65	1 21 33,02	+ 0,74	113 27 38,41	+ 1,05	+ 0,86	113 27 40,32
	5	112 22 19,90	1 5 17,52	+ 0,85	113 27 38,27	+ 1,04	+ 0,88	113 27 40,19
	6	112 29 46,61	0 57 48,95	+ 0,87	113 27 36,43	+ 1,03	+ 0,89	113 27 38,35
	7	112 36 50,59	0 50 46,58	+ 0,88	113 27 38,05	+ 1,03	+ 0,90	113 27 39,98
	8	112 43 20,30	0 44 11,02	+ 0,81	113 27 32,13	+ 1,02	+ 0,91	113 27 34,06
	9	112 49 31,06	0 38 2,23	+ 0,75	113 27 34,04	+ 1,01	+ 0,92	113 27 35,97
	10	112 55 12,84	0 32 20,50	+ 0,66	113 27 34,00	+ 1,00	+ 0,93	113 27 35,93
	11	113 0 29,49	0 27 5,50	+ 0,54	113 27 35,53	+ 0,99	+ 0,94	113 27 37,46
	12	113 5 13,94	0 22 18,65	+ 0,42	113 27 33,01	+ 0,98	+ 0,95	113 27 34,94

1833	N. P. D.			Reduction.	Sun's Latitude.	Solstitial N.P.D.	Correction for		Mean N.P.D. of the Solstice reduced to January 1.
							Dr. Nut.	Or. Nut. $\frac{t. 0'' \cdot 46}{365}$	
	°	'	"	°	'	"	°	'	"
Dec. 14	113	13	25,90	0	14	7,12	+	0,17	113 27 33,19
15	113	16	51,90	0	10	42,95	+	0,05	113 27 34,90
18	113	24	17,72	0	3	17,62	—	0,20	113 27 35,14
19	113	25	50,71	0	1	46,73	—	0,23	113 27 37,21
20	113	26	53,65	0	0	43,16	—	0,24	113 27 36,57
22	113	27	32,56	0	0	0,92	—	0,14	113 27 33,34
23	113	27	13,71	0	0	22,10	—	0,04	113 27 35,77
24	113	26	20,51	0	1	11,90	+	0,07	113 27 32,48
26	113	23	18,50	0	4	16,00	+	0,29	113 27 34,79
27	113	21	5,75	0	6	30,25	+	0,44	113 27 36,44
29	113	15	9,69	0	12	23,40	+	0,68	113 27 33,77

Taking the means we have :

Mean Obliquity January 1, 1832.

From 33 Observations of the Summer Solstice of 1832..... 23 27 43,59
 From 33 ————— of 1833 23° 27' 41'',29 — 0'',46.... 23 27 40,83

Obliquity from Summer Solstices of 1832 and 1833 = 23 27 42,21

From 40 Observations at the Winter Solstice of 1832-33..... 23 27 39,20
 From 47 ————— of 1833-34 23° 27' 39'',07 — 0'',46.. 23 27 38,52

Obliquity from Winter Solstices of 1832 and 1833 = 23 27 38,83

Finally we have from the means of the whole..... 23 27 40 52

We will now from the Observations of the Sun near to the time of the Equinoxes compare the Right Ascension as determined by the Transit Instrument with that computed from the observed N. P. D.

Observations of the Sun made near to the Vernal Equinox in 1832 and 1833, applied to the determination of the error of the assumed Equinoctial Point.

1832	Reduced N.P.D. of the Sun.				Correc- tion.	N. P. D. reduced on account of Sun's Latitude			Computed A. R.			Observed A.R.		Error of Eq. Point.	REMARKS.
	°	'	"			°	'	"	h.	m.	s.	m.	s.		
February 10	104	38	3,00	—	0,69	104	38	2,31	21	32	2,41	32	1,90	—	0,51
11	104	18	41,46	—	0,64	104	18	40,82	21	35	59,16	35	59,42	+	0,26
12	103	58	58,84	—	0,55	103	58	58,29	21	39	56,50	39	56,67	+	0,17
14	103	19	0,46	—	0,29	103	19	0,17	21	47	47,29	47	46,51	—	0,78
15	102	58	40,60	+	0,18	102	58	40,78	21	51	41,66	51	41,44	—	0,22

1832	Reduced N.P.D. of the Sun.			Correc- tion.	N. P. D. reduced on account of Sun's Latitude.			Computed A. R.	Observed A.R.	Error of Eq. Point.	REMARKS.
	°	'	"	"	°	'	"	h. m. s.	m. s.	s.	
February	17	102 17 24,55	+	0,21	102 17 24,76	21 59 28,26	59 27,62	—	0,64		
	18	101 56 29,40	+	0,23	101 56 29,63	22 3 20,34	3 19,98	—	0,36		
	20	101 14 6,88	+	0,45	101 14 7,33	22 11 2,18	11 2,05	—	0,13		
	21	100 52 35,17	+	0,50	100 52 35,67	22 14 52,60	14 52,05	—	0,55		
	22	100 30 59,96	+	0,53	100 31 0,49	22 18 41,77	18 41,41	—	0,36		
	23	100 9 14,08	+	0,55	100 9 14,63	22 22 30,20	22 30,61	+	0,41		
	24	99 47 16,27	+	0,52	99 47 16,79	22 26 18,47	26 18,67	+	0,20		
	25	99 25 5,41	+	0,46	99 25 5,87	22 30 6,85	30 6,02	—	0,83		
	26	99 2 47,56	+	0,35	99 2 47,91	22 33 54,39	33 53,64	—	0,75		
March	1	97 32 35,88	—	0,20	97 32 35,68	22 48 56,18	48 55,93	—	0,25		
	2	97 9 40,18	—	0,38	97 9 39,80	22 52 41,22	52 40,20	—	1,02		
	3	96 46 46,24	—	0,52	96 46 45,72	22 56 24,52	56 24,18	—	0,34		
	4	96 23 43,27	—	0,63	96 23 42,64	23 0 7,87	0 7,21	—	0,66		
	5	96 0 38,10	—	0,69	96 0 37,41	23 3 50,27	3 50,45	+	0,18		
	6	95 37 17,60	—	0,75	95 37 16,85	23 7 33,89	7 33,06	—	0,83		
	7	95 14 8,80	—	0,80	95 14 8,00	23 11 14,53	11 15,11	+	0,58		
	8	94 50 45,89	—	0,81	94 50 45,08	23 14 56,36	14 56,67	+	0,31		
	9	94 27 20,70	—	0,76	94 27 19,94	23 18 37,56	18 37,99	+	0,43		
	10	94 3 45,61	—	0,69	94 3 44,92	23 22 19,43	22 18,97	—	0,46		
	11	93 40 16,45	—	0,59	93 40 15,86	23 25 59,56	26 0,07	+	0,51		
	12	93 16 34,74	—	0,46	93 16 34,28	23 29 40,93	29 39,62	—	1,31		
	13	92 53 3,09	—	0,30	92 53 2,79	23 33 20,07	33 19,43	—	0,64		
	14	92 29 24,00	—	0,17	92 29 23,83	23 36 59,81	36 59,13	—	0,68		
	15	92 5 48,99	—	0,03	92 5 48,96	23 40 38,43	40 38,44	+	0,01		
	16	91 42 4,68	+	0,11	91 42 4,79	23 44 18,12	44 17,49	—	0,63		
	17	91 18 26,27	+	0,23	91 18 26,50	23 47 56,55	47 56,47	—	0,08		
	18	90 54 47,50	+	0,35	90 54 47,85	23 51 34,77	51 35,02	+	0,25		
	19	90 31 7,53	+	0,42	90 31 7,95	23 55 13,02	55 13,50	+	0,48		
	20	90 7 25,25	+	0,47	90 7 25,72	23 58 51,53	58 52,11	+	0,58		
	21	89 43 42,84	+	0,47	89 43 43,31	0 2 30,04	2 30,28	+	0,24		
	22	89 20 6,12	+	0,44	89 20 6,56	0 6 7,73	6 8,27	+	0,54		
	23	88 56 24,08	+	0,39	88 56 24,47	0 9 46,38	9 46,31	—	0,07		
	24	88 32 40,98	+	0,29	88 32 41,27	0 13 25,39	13 24,39	—	1,00		
	25	88 9 11,58	+	0,17	88 9 11,75	0 17 2,58	17 2,32	—	0,26		
	26	87 45 38,10	+	0,04	87 45 38,14	0 20 40,75	20 40,24	—	0,51		
	27	87 22 8,80	—	0,11	87 22 8,69	0 24 18,71	24 18,21	—	0,50		
	28	86 58 50,12	—	0,26	86 58 49,86	0 27 55,53	27 56,14	+	0,61		
	30	86 12 1,12	—	0,54	86 12 0,58	0 35 12,77	35 12,60	—	0,17		
	31	85 48 52,19	—	0,67	85 48 51,52	0 38 50,03	38 50,74	+	0,71		
April	1	85 25 35,96	—	0,78	85 25 35,18	0 42 29,22	42 29,22	—	0,00		
	2	85 2 39,39	—	0,84	85 2 38,55	0 46 6,21	46 7,69	+	1,48		
	3	84 39 36,02	—	0,86	84 39 35,16	0 49 45,22	49 46,12	+	0,90		
	4	84 16 35,87	—	0,84	84 16 35,03	0 53 24,77	53 24,51	—	0,26		
	5	83 53 45,69	—	0,81	83 53 44,88	0 57 3,84	57 3,39	—	0,45		
	6	83 31 1,49	—	0,75	83 31 0,74	1 0 43,15	0 42,48	—	0,67		
	15	80 12 31,85	+	0,35	80 12 32,20	1 33 43,40	33 43,40	—	0,00		
	16	79 51 10,54	+	0,38	79 51 10,92	1 37 25,33	37 25,75	+	0,42		
1833											
February	10	104 23 34,23	+	0,56	104 23 34,79	21 34 59,87	34 59,51	—	0,36		
	12	103 44 4,78	+	0,47	103 44 5,25	21 42 53,67	42 53,30	—	0,37		
	13	103 24 1,74	+	0,38	103 24 2,12	21 46 48,98	46 48,61	—	0,37		
	15	102 43 13,18	+	0,18	102 43 13,36	21 54 38,10	54 36,82	—	1,28		
	16	102 22 39,38	+	0,05	102 22 39,43	21 58 29,85	58 30,01	+	0,16		

1833	Reduced N.P.D. of the Sun.			Correc- tion.	N. P. D. Reduced on account of Sun's Latitude			Computed A. R.	Observed A.R.	Error of Eq.Point.	REMARKS.		
	°	'	"	..	°	'	"	h. m. s.	m. s.	s.			
February	17	102	1	44,63	—	0,09	102	1	44,57	22 2 22,59	2 22,58	— 0,01	
	18	101	40	38,74	—	0,22	101	40	38,52	22 6 14 58	6 14,37	— 0,21	
	19	101	19	23,09	—	0,34	101	19	22,75	22 10 5,66	10 5,21	— 0,45	
	21	100	36	23,80	—	0,51	100	36	23 29	22 17 45,14	17 45,75	+ 0,61	
	25	99	8	20,59	—	0,53	99	8	20,06	22 32 58,25	32 58,11	— 0,14	
	26	98	45	58 69	—	0,48	98	45	58,21	22 36 44,95	36 44,77	— 0,18	
	27	98	23	31,78	—	0,38	98	23	31,40	22 40 30,63	40 30,64	+ 0,01	
	28	98	0	52,63	—	0,28	98	0	52,35	22 44 16,58	44 16,18	— 0,40	
	March	1	97	38	12,79	—	0,19	97	38	12 60	22 48 0,95	48 1,02	+ 0,07
		2	97	15	21,56	—	0,06	97	15	21,50	22 51 45,61	51 45,46	— 0,15
3		96	52	30,74	+	0,06	96	52	30,80	22 55 28,69	55 29,32	+ 0,63	
4		96	29	27,33	+	0,18	96	29	27,51	22 59 12,41	59 12,55	+ 0,14	
5		96	6	22 57	+	0,28	96	6	22,85	23 2 55,03	2 55,14	+ 0,11	
6		95	43	9,59	+	0,38	95	43	9,97	23 6 37,72	6 37,87	+ 0,15	
7		95	19	58,31	+	0,45	95	19	58,76	23 10 19,00	10 19 71	+ 0,71	
9		94	33	12 83	+	0,47	94	33	13,30	23 17 42,09	17 42,63	+ 0,54	
10		94	9	44,96	+	0,45	94	9	45,41	23 21 23,06	21 23,59	+ 0,53	
11		93	46	6,52	+	0,40	93	46	6,92	23 25 4,85	25 4,17	— 0,68	
	13	92	58	59,66	+	0,21	92	58	59,87	23 32 24,73	33 24,34	— 0,39	
	15	92	11	45,46	—	0,02	92	11	45,44	23 39 43,47	39 43,47	0,00	
	19	90	36	56,16	—	0,49	90	36	55,67	23 54 19,60	54 19,30	— 0,30	
	21	89	49	34,57	—	0,64	89	49	33,93	0 1 36,19	1 36,46	+ 0,27	
	22	89	25	54,83	—	0,65	89	25	54,18	0 5 14,31	5 14,68	+ 0,37	
	23	89	2	12,24	—	0,65	89	2	11 59	0 8 52,97	8 52 94	— 0,03	
	25	88	14	57,74	—	0,68	88	14	57,06	0 16 9,32	16 9,05	— 0,27	
	26	87	51	22 43	—	0,50	87	51	21,93	0 19 47,62	19 46,96	— 0,66	
	27	87	27	56,06	—	0,40	87	27	55 66	0 23 24,96	23 25,21	+ 0,25	
	29	86	41	6 18	—	0,17	86	41	6,01	0 30 40,74	30 41,03	+ 0,29	
April	30	86	17	41,50	—	0,05	86	17	41,45	0 34 19,52	34 18 96	— 0,56	
	1	85	31	19,65	+	0,20	85	31	19,85	0 41 34,97	41 34,99	+ 0,02	
	2	85	8	19,02	+	0,29	85	8	19,31	0 45 12,33	45 13 33	+ 1,00	
	3	84	45	17,78	+	0,36	84	45	18,14	0 48 50,76	48 51,63	+ 0,87	
	4	84	22	15 83	+	0,38	84	22	16,21	0 52 30,29	52 30 08	— 0,21	
	5	83	59	24,94	+	0,39	83	59	25,33	0 56 9,18	56 8,63	— 0,55	
	6	83	36	42,09	+	0,40	83	36	42 49	0 59 47,97	59 47,96	— 0,01	
	7	83	14	5,33	+	0,35	83	14	5,68	1 3 27,03	3 26,81	— 0,22	
	8	82	51	36,47	+	0,28	82	51	36,75	1 7 6,16	7 6,06	— 0,10	
	9	82	29	14,25	+	0,18	82	29	14,43	1 10 45 61	10 45,34	— 0,27	
	14	80	39	28 60	—	0,45	80	39	28,15	1 29 6 19	29 7,01	+ 0,82	
	17	79	35	18,23	—	0,74	79	35	17,49	1 40 11,64	40 12 38	+ 0,74	
	19	78	53	18,19	—	0,75	78	53	17,44	1 47 37,84	47 37 39	— 0,45	
	20	78	32	37 70	—	0,73	78	32	36 97	1 51 20,97	51 20,78	— 0,19	
	22	77	51	45,72	—	0,59	77	51	45,13	1 58 49,40	58 48 71	— 0,69	

NOTE.—In the foregoing computations, and in those which follow, the Sun's Latitude has been computed from VINCE'S Tables for the year 1832; and copied from the Nautical Almanac for the year 1833: the values of the obliquity of the Ecliptic employed are those given in the Supplements to the Nautical Almanac.

And further we have:

Observations of the Sun made near to the Autumnal Equinox in 1832 and 1833, applied to the determination of the error of the assumed Equinoctial Point.

1832	Reduced N.P.D. of the Sun.	Correc- tion.	N. P. D. Reduced on account of Sun's Latitude.	Computed A. R.	Observed A.R.	Error of Eq'l'oint.	REMARKS.
	° ' "	"	° ' "	h. m. s.	m. s.	s.	
August 19	77 12 34,40	— 0,75	77 12 33,65	9 53 50,10	53 50,86	+ 0,76	
20	77 32 15,95	— 0,57	77 32 15,38	9 57 32,69	57 33,69	+ 1,00	
21	77 52 9,12	— 0,50	77 52 8,62	10 1 14,74	1 15,59	+ 0,85	
22	78 12 17,81	— 0,39	78 12 17,42	10 4 57,07	4 57,57	+ 0,50	
23	78 32 34,72	— 0,29	78 32 34,43	10 8 38,40	8 38,75	+ 0,35	
25	79 13 50,09	+ 0,10	79 13 50,19	10 16 1,40	16 0,87	— 0,53	
27	79 55 35,70	+ 0,37	79 55 36,07	10 23 20,81	23 20,62	— 0,19	
28	80 16 40,24	+ 0,48	80 16 40,72	10 26 59,46	27 0,20	+ 0,74	
29	80 38 4,17	+ 0,57	80 38 4,74	10 30 39,46	30 39,24	— 0,22	
30	80 59 26,61	+ 0,60	80 59 27,21	10 34 17,32	34 17,75	+ 0,43	
31	81 21 0,28	+ 0,62	81 21 0,90	10 37 55,15	37 56,23	+ 1,08	
September 4	82 48 42,95	+ 0,31	82 48 43,26	10 52 25,48	52 25,74	+ 0,26	
6	83 33 16,04	+ 0,06	83 33 16,10	10 59 38,73	59 39,23	+ 0,50	
7	83 55 43,26	— 0,08	83 55 43,18	11 3 15,17	3 15,93	+ 0,76	
9	84 41 2,89	— 0,37	84 41 2,52	11 10 28,67	10 27,91	— 0,76	
10	85 3 47,45	— 0,49	85 3 46,96	11 14 4,63	14 4,16	— 0,47	
15	86 58 30,78	— 0,63	86 58 30,15	11 32 1,45	32 1,05	— 0,40	
16	87 21 38,43	— 0,53	87 21 37,90	11 35 36,58	35 36,33	— 0,25	
20	88 54 42,27	0,00	88 54 42,27	11 49 57,91	49 58,33	+ 0,42	
21	89 18 7,92	+ 0,16	89 18 8,08	11 53 34,07	53 34,02	— 0,05	
23	90 5 1,09	+ 0,44	90 5 1,53	12 0 46,25	0 45,77	— 0,48	
24	90 28 22,24	+ 0,57	90 28 22,81	12 4 21,60	4 21,46	— 0,14	
25	90 51 48,97	+ 0,65	90 51 49,62	12 7 57,81	7 57,55	— 0,26	
26	91 15 13,55	+ 0,70	91 15 14,25	12 11 33,85	11 33,26	— 0,59	
27	91 38 35,55	+ 0,71	91 38 36,26	12 15 9,73	15 10,66	+ 0,93	
28	92 2 2,24	+ 0,72	92 2 2,96	12 18 46,59	18 46,92	+ 0,33	
30	92 48 47,45	+ 0,57	92 48 48,02	12 26 0,40	26 0,94	+ 0,54	
October 1	93 12 2,44	+ 0,41	93 12 2,85	12 29 36,85	29 37,70	+ 0,85	
2	93 35 28,25	+ 0,29	93 35 28,54	12 33 15,61	33 16,41	+ 0,80	
4	94 21 58,44	0,00	94 21 58,44	12 40 31,94	40 32,07	+ 0,13	
7	95 31 16,87	— 0,36	95 31 16,51	12 51 28,70	51 28,31	— 0,39	
8	95 54 12,56	— 0,47	95 54 12,09	12 55 8,03	55 9,28	+ 1,25	
9	96 17 8,14	— 0,52	96 17 7,62	12 58 48,53	58 48,97	+ 0,44	
11	97 2 36,15	— 0,54	97 2 35,61	13 6 9,61	6 10,42	+ 0,81	
12	97 25 17,91	— 0,53	97 25 17,38	13 9 51,89	9 52,25	+ 0,36	
13	97 47 42,99	— 0,43	97 47 42,56	13 13 32,95	13 34,20	+ 1,25	
14	98 10 10,93	— 0,37	98 10 10,56	13 17 16,07	17 16,69	+ 0,62	
15	98 32 28,43	— 0,22	98 32 28,21	13 20 59,15	20 59,66	+ 0,51	
21	100 43 39,23	+ 0,61	100 43 39,84	13 43 32,00	43 31,90	— 0,10	
22	101 4 51,71	+ 0,68	101 4 52,39	13 47 18,26	47 19,30	+ 1,04	
23	101 25 59,41	+ 0,76	101 26 0,17	13 51 6,11	51 7,33	+ 1,22	
24	101 47 2,79	+ 0,80	101 47 3,59	13 54 55,73	54 56,51	+ 0,78	
25	102 7 52,25	+ 0,80	102 7 53,05	13 58 45,50	58 45,82	+ 0,32	
26	102 28 29,93	+ 0,75	102 28 30,68	14 2 35,87	2 36,37	+ 0,50	
27	102 48 55,17	+ 0,67	102 48 55,84	14 6 26,80	6 27,71	+ 0,91	
28	103 9 6,56	+ 0,55	103 9 7,11	14 10 18,12	10 19,51	+ 1,39	
29	103 29 9,27	+ 0,42	103 29 9,69	14 14 10,91	14 12,06	+ 1,15	
30	103 49 0,54	+ 0,24	103 49 0,78	14 18 4,71	18 5,38	+ 0,67	

1833	Reduced N.P.D. of the Sun.	Correc- tion.	N. P. D. Reduced on account of Sun's Latitude.	Computed A. R.	Observed A.R.	Error of Eq.Point.	REMARKS.
	<i>° ' "</i>	<i>"</i>	<i>° ' "</i>	<i>h. m. s.</i>	<i>m. s.</i>	<i>s.</i>	
August 21	77 47 25,65	+ 0,38	77 47 26,03	10 0 22,75	0 22,75	0,00	
23	78 27 36,67	+ 0,23	78 27 36,90	10 7 44,85	7 46,30	+ 1,45	
September 6	83 27 49,66	— 0,37	83 27 49,29	10 58 46,16	58 46,05	— 0,11	
7	83 50 7,20	— 0,25	83 50 6,95	11 2 21,37	2 22,65	+ 1,28	
8	84 12 40,76	— 0,13	84 12 40,63	11 5 58,00	5 58,18	+ 0,18	
9	84 35 23,52	0,00	84 35 23,52	11 9 34,98	9 35,03	+ 0,05	
10	84 58 10,48	+ 0,12	84 58 10,60	11 13 11,58	13 11,05	— 0 53	
11	85 20 58,43	+ 0,25	85 20 58,68	11 16 47,38	16 46,58	— 0,80	
12	85 43 52,64	+ 0,36	85 43 53,00	11 20 23,30	20 22,64	— 0,66	
13	86 6 42,77	+ 0,45	86 6 43,22	11 23 57,76	23 59,07	+ 1,31	
14	86 29 50,37	+ 0,51	86 29 50,88	11 27 34,22	27 34,41	+ 0,19	
15	86 52 56,52	+ 0,55	86 52 57,07	11 31 9,80	31 10,00	+ 0,20	
16	87 16 6,30	+ 0,54	87 16 6,84	11 34 45,33	34 45,32	— 0,01	
18	88 2 29,35	+ 0,44	88 2 29,79	11 41 55,50	41 56,45	+ 0,95	
26	91 9 35,25	— 0,45	91 9 34,80	12 10 41,60	10 41,70	+ 0,10	
October 2	93 29 47,72	— 0,41	93 29 47,31	12 32 22,37	32 22,92	+ 0,55	
3	93 53 3 65	— 0,31	93 53 3,34	12 36 0 16,36	0 16,40	+ 0,24	
4	94 16 17,33	— 0,19	94 16 17,14	12 39 38,29	39 38,55	+ 0,26	
6	95 2 38,90	+ 0,08	95 2 38,98	12 46 56,25	46 56,12	— 0,13	
11	96 57 10 39	+ 0,61	96 57 11,00	13 5 16,71	5 17,20	+ 0,49	
13	97 42 21,89	+ 0,65	97 42 22,54	13 12 40,07	12 40,71	+ 0,64	
14	98 4 49,11	+ 0,63	98 4 49,74	13 16 22,69	16 23,46	+ 0,77	
15	98 27 10,50	+ 0,66	98 27 11,06	13 20 5 93	20 6,35	+ 0,42	
16	98 49 23,52	+ 0,48	98 49 24,00	13 23 49,56	23 50,19	+ 0,63	
18	99 33 33,44	+ 0,27	99 33 33,71	13 31 19 73	31 19,47	— 0,26	
19	99 55 20,54	+ 0,16	99 55 20,70	13 35 4 77	35 5,13	+ 0,36	
22	100 59 48,55	— 0,30	100 59 48 35	13 46 23 75	46 25,03	+ 1,28	
23	101 21 4 99	— 0,30	101 21 4 69	13 50 12 53	50 12,57	+ 0,04	
24	101 42 5,42	— 0,37	101 42 5,05	13 54 0 98	54 1,50	+ 0,52	

Taking the means and referring to the Observations of 1831, for the results of that year we have:

ERROR OF THE ASSUMED EQUINOCTIAL POINT.				MEAN.
	<i>s.</i>		<i>s.</i>	<i>s.</i>
1831 From 19 Obs. at Vernal Eq.	+ ,055	from 17 Obs. at Aut. Eq.	+ ,267	+ ,161
1832 — 50 — — — —	,140	48 — — — —	+ ,399	+ ,130
1833 — 48 — — — —	,046	29 — — — —	+ ,325	+ ,140
General Mean.....	— ,068	—	+ ,352	+ ,142

Now the above observed places are derived from the Equinoctial Point assumed by Dr. Maskelyne + 0",20: hence it appears that the place of the true Equinox, is Dr. MASKELYNE + 0",058.

It must here be recollected that the above measures of N. P. D. are derived from a comparison of the observed places of certain fixed Stars, with their places given in the Greenwich Catalogue; the latter depending upon the

assumption that the latitude of the Greenwich Royal Observatory = $51^{\circ} 28' 39''.00$. Now any error in this assumption will necessarily occasion a similar error in the determination of the North Polar Distance of the Sun, Planets, Moon, and fixed Stars; and further, our result of the latitude of the Madras Observatory determined at Page 95, of Vol. I. will be erroneous to the like amount.

If to the above cause we now refer the disagreement between the Solstitial declination of the Sun in Winter and Summer at Page 79, and the disagreement between the Equinoctial point found from the Spring and Autumn Observations as above; we determine as follows.

						Latitude of Greenwich.		
						•	'	"
To reconcile the Summer and Winter Solstices of 1831.....						51	28	38,29
—	—	—	—	—	—	1832.....	51	28 36,81
—	—	—	—	—	—	1833.....	51	28 37,85
—	— Spring and Autumn Equinoxes —					1831.....	51	28 38,30
—	—	—	—	—	—	1832.....	51	28 37,26
—	—	—	—	—	—	1833.....	51	28 37,80
Giving to each result the same weight and taking the Mean =						51	28	37,72

and the reduced value of the latitude of the Madras Observatory $13^{\circ} 4' 7''.93$: for the present I propose to consider these determinations too small by half a second at least; an opinion which rests on the improbability that the numerous and carefully made Observations at Greenwich can err to this amount on the one hand, and on the other from the general irregularity of the Solar Observations at Madras, the above result cannot be allowed to determine a point of so much importance and to this degree of accuracy.

With regard to the irregularity just noticed I have to remark, that in this climate the edge of the Sun is frequently ill defined and tremulous, which will account for some of the discordances which are found; whether the fierce rays of a vertical Sun which on one occasion may unavoidably remain longer on the Telescope than at another will account for the rest, is a subject to which I propose immediately to turn my attention.

In the next place we come to the Observations of the Planets; these have been reduced to the *apparent* place, as would be viewed by an observer situated at the centre of the Earth; for this purpose the parallaxes employed have been computed from the Horizontal Parallaxes given in the Supplement to the Nautical Almanac.

Apparent Right Ascension and North Polar Distance of MERCURY.

1832	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
February	18	22	52	27,8	Centre.	20	44	22.92	Centre.	109	33	37,96	
March	12	23	49	32,7	—	23	13	5.84	—	97	9	23,59	
April	2	0	52	55,8	—	1	35	30,68	—	
	3	0	55	45,8	—	1	42	17,52	—	78	12	35,78	
	4	0	58	28,0	—	1	48	56,37	—	77	23	9,48	
	5	1	0	58,6	—	1	55	24,09	—	76	35	39,44	
	7	1	5	27,5	—	2	7	47,14	—	75	7	23,45	
	9	1	8	58,3	—	2	19	12,22	—	73	48	43,07	
	10	1	10	24,5	—	2	24	35,39	—	73	13	23,41	
October	6	23	7	26,8	—	12	10	54,23	—	89	6	16,89	
November	5	0	13	34,3	—	15	11	35,35	—	108	41	17,75	
	10	0	25	11,1	—	15	42	56,69	—	111	5	10,69	
	12	0	29	56,6	—	15	55	36,31	—	111	55	33,71	
	15	0	37	12,4	—	16	14	42,77	—	113	2	59,82	
	18	0	44	33,3	—	16	33	55,71	—	112	59	58,15	
	19	0	47	2,4	—	16	40	21,68	—	114	16	34,42	
	23	0	56	51,7	—	17	5	58,04	—	115	10	9,17	
December	5	1	20	45,8	—	18	17	14,48	—	115	36	52,37	
	8	1	22	50,6	—	18	31	9,31	—	115	11	51,63	
1833													
March	18	0	59	33,0	—	0	42	2.21	—	84	51	7,51	
	23	1	9	0,8	—	1	11	15,29	—	80	42	17,95	
	25	1	10	58,6	—	1	21	6,36	—	79	17	51,48	
	26	1	11	28,3	—	1	25	32,76	—	78	39	40,16	
	27	1	11	37,4	—	1	29	38,62	—	78	4	34,61	
	28	1	11	24,2	—	1	33	21,79	—	77	32	35,76	
	29	1	10	48,0	—	1	36	42,12	—	77	3	50,33	
April	1	1	6	36,7	—	1	44	19,53	—	75	58	5,46	
May	28	22	36	—	—	—	75	8	57,74	
	31	22	50	36,5	—	3	21	57,46	—	73	21	8,20	
July	17	1	50	—	—	—	74	45	54,00	
October	19	0	21	13,8	—	14	11	17,32	—	103	39	32,36	
	21	0	25	15,4	—	14	23	12,66	—	104	54	19,58	
December	23	22	27	30,1	—	16	37	26,89	—	109	32	19,03	
	25	22	24	44,8	—	16	43	33,15	—	109	58	33,07	

Apparent Right Ascension and North Polar Distance of VENUS.

1832	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
January	24	21	5	59,0	2 L.	17	19	50,61	Centre.	110	47	53,14	
	26	21	8	1,9	—	17	29	47,29	—	111	2	15,27	
	29	21	11	14,3	—	17	44	48,13	—	111	19	47,23	
	30	21	12	19,3	—	17	49	50,22	—	
	31	21	13	23,6	—	17	54	52,60	—	111	28	33,17	
February	1	21	14	30 5	—	17	59	56,21	—	111	32	7,02	
	3	21	16	45 8	—	18	10	4,92	—	111	37	38,93	

Apparent Right Ascension and North Polar Distance of VENUS, continued.

1832	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
February	4	21	17	54,1	2 L.	18	15	9,91	Centre.	111	39	27,33	
	5	21	19	0,4	—	18	20	15,42	—	111	40	42,87	
	7	21	21	21,8	—	18	30	27,30	—	111	41	29,47	
	8	21	22	31,8	—	18	35	34,28	—	111	40	45,50	
	11	21	26	0,9	—	18	50	55,45	—	111	35	24,42	
	12	21	27	12,1	—	18	56	2,61	—	111	32	22,38	
	22	21	38	53,4	—	19	47	10,59	—	110	28	46,09	
	23	21	40	—	—	—	110	19	7,20	
	24	21	41	10,0	—	19	57	20,64	—	110	8	50,92	
	25	21	42	15,2	—	20	2	24,93	—	109	58	1,77	
	27	21	44	30,6	—	20	12	31,55	—	109	34	36,02	
	29	21	46	41,0	—	20	22	35,13	—	109	8	56,41	
March	1	21	47	45,5	—	20	27	36,54	—	108	55	11,00	
	2	21	48	48,6	—	20	32	36,44	—	108	40	58,79	
	3	21	49	51,4	—	20	37	36,03	—	108	26	14,11	
	4	21	50	54,0	—	20	42	34,88	—	108	10	58,20	
	5	21	51	55,7	—	20	47	32,66	—	107	55	9,01	
	7	21	53	54,6	—	20	57	26,11	—	107	22	4,86	
	11	21	57	43,5	—	21	17	1,75	—	106	9	59,08	
	12	21	58	39,2	—	21	21	54,02	—	105	50	49,63	
	13	21	59	33,5	—	21	26	45,02	—	105	31	12,87	
	15	22	1	18,8	—	21	36	23,79	—	104	50	38,67	
	17	22	3	0,5	—	21	45	59,34	—	104	8	21,96	
	19	22	4	39,9	—	21	55	31,65	—	103	24	30,87	
	26	22	9	59,6	—	22	28	27,31	—	100	40	0,73	
August	13	0	24	39,7	—	9	51	31,40	—	75	35	46,22	
	17	0	28	2,5	—	10	10	41,59	—	77	13	34,46	
	20	0	30	24,3	—	10	24	53,40	—	78	32	45,56	
	21	0	31	—	—	—	78	59	47,08	
September	11	0	52	53,4	—	12	5	49,74	—	89	18	0,54	
	24	0	52	10,2	—	13	4	41,95	—	95	56	45,22	
	26	0	54	14,1	—	13	13	52,42	—	96	59	59,85	
	27	0	54	47,7	—	13	18	25,41	—	97	26	55,75	
October	2	0	57	24,7	—	13	41	30,20	—	99	53	59,97	
	8	1	1	51,2	—	14	9	37,16	—	102	42	49,05	
	12	1	5	8,4	—	14	28	40,84	—	104	29	40,59	
	13	1	6	0,5	—	14	33	29,53	—	104	55	35,06	
	24	1	16	50,4	—	15	27	43,17	—	109	12	55,96	
	25	1	17	56,9	—	15	32	46,23	—	109	33	35,33	
	26	1	19	4,3	—	15	37	50,36	—	109	3	41,23	
	27	1	20	13,3	—	15	42	56,33	—	110	13	15,54	
	28	1	21	23,3	—	15	48	3,08	—	110	32	10,97	
	29	1	22	34,0	—	15	53	10,49	—	110	50	35,90	
	30	1	23	47,7	—	15	58	20,76	—	111	8	28,85	
	31	1	25	1,2	—	16	3	30,85	—	111	25	48,14	
November	1	1	26	15,9	—	16	8	42,27	—	111	42	27,52	
	3	1	28	49,3	—	16	19	9,33	—	112	14	2,98	
	4	1	30	7,8	—	16	24	24,55	—	112	28	49,94	
	5	1	31	26,7	—	16	29	40,52	—	112	43	2,71	
	10	1	38	17,2	—	16	56	14,91	—	113	44	4,71	
	12	1	41	7,4	—	17	6	58,81	—	114	3	44,97	
	16	1	46	56,3	—	17	28	34,52	—	114	34	31,04	
	17	1	48	21,7	—	17	33	59,99	—	114	40	21,93	
	18	1	49	53,4	—	17	39	25,47	—	114	45	26,96	
	19	1	51	22,6	—	17	44	52,43	—	114	49	48,88	

Apparent Right Ascension and North Polar Distance of VENUS, continued.

1832	Madras Mean Time of Observations			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	
November 23	1	57	21,5	2 L.	18	6	37,81	Centre.	113	59	49,22	
24	1	58	52,0	---	18	12	4,88	---	115	0	23,97	
1833												
April 5	2	40	41,9	---	3	34	56,47	---	65	32	40,62	
6	2	39	47,3	---	3	37	28,85	---	65	20	14,56	
May 6	1	0	53,0	---	3	56	34,24	---	64	40	16,87	
8	0	49	28,0	---	3	53	1,02	---	65	7	36,20	
23	23	10	59,1	---	3	17	20,99	---	70	33	47,51	
24	23	5	11,1	---	3	15	28,34	---	70	55	35,03	
28	23			---			---	72	16	53,49	
29	22			---			---	72	35	20,34	
31	22	28	18,6	---	3	6	5,63	---	73	9	30,70	
July 15	20	53	2,8	---	4	27	59,61	---	72	5	50,59	
23	20	51	26,1	---	4	56	54,80	---	70	54	33,73	
25	20	51	26,1	---	5	5	47,88	---	70	30	43,62	
26	20	51	30,5	---	5	9	48,97	---	70	30	43,83	
28	20	51	43,7	---	5	17	55,18	---	70	16	6,49	
29	20	51	53,6	---	5	22	1,80	---	70	9	10,41	
August 2	20	52	54,1	---	5	38	48,48	---	69	44	38,79	
5	20	53	57,7	---	5	51	42,02	---	69	29	51,25	
7	20	54	50,0	---	6	0	26,75	---	69	21	57,74	
9	20	55	46,5	---	6	9	17,98	---	69	15	42,75	
13	20	57	57,7	---	6	27	15,11	---	69	8	29,89	
14	20	58	33,8	---	6	31	47,94	---	69	7	51,94	
15	20	59	10,6	---	6	36	20,56	---	69	7	41,23	
September 10	21	18	51,8	---	8	38	35,88	---	72	4	28,98	
11	21	19	39,8	---	8	43	20,68	---	72	19	22,06	
November 27	22	12	20,6	---	14	39	44,99	---	103	58	46,42	
December 2	22	17	13,8	---	15	4	21,49	---	105	54	50,40	
9	22	24	53,0	---	15	39	37,99	---	108	19	52,33	
11	22	27	15,2	---	15	49	53,52	---	106	57	5,48	
13	22	28	43,1	---	16	0	13,78	---	109	32	12,74	
17	22	34	51,1	---	16	21	7,64	---				
18	22	36	7,8	---	16	26	24,07	---	110	50	13,16	
25	22	45	51,23	---	17	3	44,45	---	112	13	59,69	
26	22	52	29,0	---	17	9	7,85	---	112	25	22,81	
30	22	50	24,9	---	17	30	47,82	---	112	56	4,43	

Apparent Right Ascension and North Polar Distance of MARS.

1832	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	
January 29	21	16	53,0	Centre.	17	44	48,13	Cent e.	113	45	44,33	
February 3	21	13		---			---	113	50	10,94	
4	21	12	5,0	---	18	9	19,85	---	113	50	25,00	
5	21	11	18,4	---	18	12	29,18	---	113	50	25,38	
6	21	10	30,4	---	18	15	38,43	---	113	50	4,07	
8	21	8	49,0	---	18	21	57,30	---	113	48	52,84	
22	20	58	3,9	---	19	6	14,40	---	113	13	46,41	

Apparent Right Ascension and North Polar Distance of MARS, continued.

1832	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
February	24	20	56	30.6	Centre.	19	12	33,82	Centre.	113	5	1,29	
	27	20	54	11,7	—	19	23	1,93	—	112	50	9 87	
	28	20	53	24,6	—	19	25	11,15	—	112	44	24,41	
	29	20	52	36 5	—	19	28	19,85	—	112	39	8,92	
March	1	20	51	46 6	—	19	31	28,85	—	112	33	17,45	
	2	20	50	59 1	—	19	34	37,48	—	112	27	15,86	
	3	20	50	11,1	—	19	37	45,86	—	112	20	58 68	
	4	20	49	23 2	—	19	40	54 33	—	112	14	28,83	
	5	20	48	34,6	—	19	44	2,45	—	112	7	41,32	
	6	20	47	46,0	—	19	47	10,12	—	112	0	44,30	
	7	20	46	57,0	—	19	50	17,52	—	111	53	35,82	
	11	20	43	43,3	—	20	2	45,78	—	111	22	41,71	
	12	20	42	50,1	—	20	5	52,49	—	111	14	29 56	
	13	20	41	59,9	—	20	8	58,72	—	111	6	1,53	
	15	20	40	18,7	—	20	15	10,20	—	110	48	33 21	
	19	20	36	52,8	—	20	27	30,12	—	110	11	10,93	
	20	20	36	0,3	—	20	30	34,26	—	110	1	22,99	
	27	20	29	46,8	—	20	51	55 48	—	108	47	2 00	
	31	20	26	5,8	—	21	3	59,97	—	108	0	43,41	
April	1	20	25	10 0	—	21	9	0,29	—	107	48	43 33	
	2	20	24	13,0	—	21	10	0,29	—	107	36	52,83	
	3	20	23	15,9	—	21	12	59,45	—	107	24	13 62	
	5	20	21	21,2	—	21	18	57,50	—	106	59	7,03	
	6	20	20	23,2	—	21	21	55,82	—	106	42	26 18	
	7	20	19	24,6	—	21	24	53,87	—	106	33	23,71	
	12	20	14	26,2	—	21	39	38,65	—	105	26	33 56	
	13	20	13	25,5	—	21	42	34,69	—	105	12	49,08	
	14	20	12	25 0	—	21	45	30,02	—	103	58	49 22	
	21	20	5	10,2	—	22	5	49 00	—	103	17	51,62	
	30	19	55	23,2	—	22	31	30,00	—	101	0	26,25	
May	1	19	54	16,4	—	22	34	19,19	—	100	44	46,00	
	2	19	53	8,6	—	22	37	8,03	—	100	28	58,97	
	4	19	50	53,0	—	22	42	45,21	—	99	57	12,45	
	5	19	49	45 7	—	22	45	33,97	—	99	41	7,02	
	12	19	41	44,8	—	23	5	2,24	—	97	47	15,69	
	14	19	39	17,5	—	23	10	33,11	—	97	14	20,65	
	15	19	38	10,6	—	23	13	18,19	—	96	57	45,87	
	16	19	36	58,1	—	23	16	2,83	—	96	41	11,49	
	31	19	18	28 4	—	23	56	42,76	—	92	30	43,90	
	9	19	6	58 5	—	0	20	38,52	—	89	59	36,00	
June	10	19	5	40,3	—	0	23	16 93	—	89	42	58,04	
	11	19	4	21,8	—	0	25	54,81	—	89	26	26,22	
	12	19	3	3 3	—	0	28	32,67	—	89	9	55 58	
	13	19	1	44,7	—	0	31	10,54	—	88	53	23,68	
	14	19	0	26,0	—	0	33	47,89	—	88	37	0,50	
	15	18	59	6,7	—	0	36	25,19	—	88	20	39,75	
	17	18	56	27,4	—	0	41	38,18	—	87	51	6,83	
	22	18	49	42,1	—	0	54	34 69	—	86	27	47,22	
	9	12	44	40,3	—	4	0	30,87	—	68	58	16,56	
	15	12	11	47,2	—	3	51	11 51	—	
November	16	12	6	15,7	—	3	49	35,07	—	69	8	24,93	
	17	12	0	13,7	—	3	47	28 56	—	69	10	16,86	
	22	11	33	7,3	—	3	40	0,72	—	69	21	9,48	
	29	10	55	21,1	—	3	29	41,83	—	69	37	32,37	
	30	10	50	2,1	—	3	28	21,22	—	69	39	55,54	

Apparent Right Ascension and North Polar Distance of MARS, continued.

1832	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
December	4	10	29	24,7	Centre.	3	23	26,32	Centre.	69	48	32,52	
	5	10	24	22,1	—	3	22	19,79	—	69	50	32,46	
	6	10	19	25,4	—	3	21	16,19	—	69	52	26,38	
	7	10	14	26,4	—	3	20	15,58	—	69	54	13,71	
	12	9	50	33,2	—	3	16	1,14	—	70	1	29,33	
	13	9	45	56,4	—	3	15	20,07	—	70	2	36,82	
	14	9	41	22,6	—	3	14	42,37	—			
	15	9	36	52,7	—	3	14	8,21	—	70	4	16,50	
	16	9	31	25,8	—	3	13	37,59	—	70	4	53,18	
	17	9	28	2,4	—	3	13	10,02	—	70	5	23,91	
	18	9	23	43,9	—	3	12	46,30	—	70	5	41,99	
	20	9	15	14,0	—	3	0	9,63	—	70	5	51,22	
	21	9	11	4,4	—	3	11	55,05	—	70	5	38,49	
	22	9	6	58,5	—	3	11	44,72	—	70	5	21,76	
	24	8	58	56,0	—	3	11	34,27	—	70	4	12,34	
	25	8	54	59,8	—	3	11	33,84	—	70	3	21,52	
	26	8	51	6,4	—	3	11	36,93	—			
	27	8	47	17,3	—	3	11	43,82	—	70	1	15,47	
1833													
January	3	8	21	55,3	—	3	13	53,40	—	69	48	46,01	
	4	8	18	29,7	—	3	14	23,77	—	69	46	23,58	
	6	8	11	36,2	—	3	15	32,14	—	69	41	14,46	
	8	8	5	13,4	—	3	16	51,16	—	69	35	34,79	
	9	8	2	0,8	—	3	17	34,74	—	69	32	33,75	
	10	7	58	50,8	—	3	18	20,72	—	69	29	22,98	
	11	7	55	33,2	—	3	19	9,19	—	69	26	9,69	
	14	7	47	22,3	—	3	22	47,53	—	69	15	48,36	
	15	7	43	36,2	—	3	22	46,07	—	69	12	7,58	
	16	7	40	39,5	—	3	23	45,24	—	69	8	21,62	
	17	7	37	45,6	—	3	24	47,60	—	69	4	33,05	
	18	7	34	55,0	—	3	25	53,42	—	69	0	37,68	
	19	7	32	4,7	—	3	26	59,25	—	68	56	37,30	
	20	7	29	16,6	—	3	28	7,41	—	68	52	33,07	
	21	7	26	31,5	—	3	29	18,26	—	68	48	23,36	
	22	7	23	48,0	—	3	31	1,96	—	68	44	9,72	
	23	7	21	6,9	—	3	31	45,70	—	68	39	54,05	
	24	7	18	27,4	—	3	33	2,06	—	68	35	33,48	
	25	7	15	48,6	—	3	34	19,89	—			
	27	7	10	38,3	—	3	37	1,80	—	68	22	15,67	
	28	7	8	6,2	—	3	38	25,74	—	68	17	45,32	
	29	7	5	35,3	—	3	39	50,97	—	68	13	11,20	
	30	7	3	6,2	—	3	41	17,88	—	68	8	34,75	
	31	7	0	38,4	—	3	42	46,30	—	68	3	57,06	
February	1	6	58	12,0	—	3	44	16,10	—	67	59	17,90	
	2	6	55	48,1	—	3	45	48,49	—	67	54	40,23	
	4	6	51	3,7	—	3	48	56,47	—	67	45	17,33	
	5	6	48	44,3	—	3	50	33,10	—	67	40	36,12	
	6	6	46	25,3	—	3	52	10,38	—	67	35	54,32	
	8	6	41	52,6	—	3	55	28,75	—	67	26	32,32	
	9	6	39	37,6	—	3	57	11,35	—	67	21	52,31	
	10	6	37	24,9	—	3	58	54,05	—	67	17	12,03	
11	6	34	12,1	—	3	59	37,96	—	67	12	33,89		

Apparent Right Ascension and North Polar Distance of MARS, continued.

1833	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
February	12	6	33	1,6	Centre.	4	2	23,97	Centre.	67	7	56,56	
	13	6	30	52,3	—	4	4	10,84	—	67	3	19,87	
	14	6	28	43,6	—	4	5	58,07	—	66	58	42,76	
	15	6	26	36,6	—	4	7	47,23	—	66	54	9,21	
	16	6	24	30,8	—	4	9	37,51	—	66	49	36,72	
	17	6	22	26,0	—	4	11	29,21	—	66	45	6,48	
	18	6	22	22,4	—	4	13	21,71	—	66	40	43,92	
	24			—			—	66	14	56,56	
	25	6	6	27,0	—	4	27	0,06	—	66	10	50,67	
	26			—			—	66	6	47,32	
27	6	2	37,2	—	4	31	2,83	—				
28	6	0	44,5	—	4	33	6,37	—	65	58	55,67		
March	1	5	58	50,9	—	4	35	8,99	—	65	55	6,03	
	2	5	56	58,9	—	4	37	13,45	—	65	51	20,89	
	3	5	55	8,0	—	4	39	18,88	—	65	47	40,23	
	4	5	53	18,1	—	4	41	24,94	—	65	44	3,69	
	6	5	49	40,2	—	4	45	40,64	—	65	37	7,87	
	7	5	47	52,5	—	4	47	47,88	—	65	33	46,11	
	8	5	46	5,7	—	4	49	57,05	—	65	30	32,11	
	9	5	44	19,1	—	4	52	7,11	—	65	27	24,25	
	10	5	42	33,5	—	4	54	17,97	—	65	24	18,16	

Observed North Polar Distance of the centre of the Planet Mars and of Stars culminating near to him, together with the Greenwich mean time at which the former passed the Meridian.

1832	NAMES.		Greenwich Mean Time.	N. P. D.			REMARKS.
			<i>h.</i> <i>m.</i> <i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	
November	9	A ¹ Tauri.....	68	26	24,3	
		♂	7 23 31,3	69	1	44,9	
		53 Tauri.....	69	19	41,2	
		a Tauri.....	73	53	29,1	
	15	b Tauri.....	69	11	34,5	
		♂	6 50 38,2	69	8	0,9	
		53 Tauri.....	69	17	38,4	
		a Tauri.....	73	51	24,1	
	16	b Tauri.....	69	11	34,5	
		♂	6 45 6,7	69	9	49,1	
		a Tauri.....	73	51	24,7	
	17	♂	6 39 4,7	69	11	41,8	
		A ¹ Tauri.....	68	24	23,8	
	22	♂	6 11 58,3	69	22	24,2	
		b Tauri.....	69	11	32,8	
		A ¹ Tauri.....	68	24	21,4	
		a Tauri.....	73	51	24,8	
	29	♂	5 34 12,1	69	38	56,2	
		a Tauri.....	73	51	23,8	
	30	65 Arietis.....	69	49	15,4	
		♂	5 28 53,1	69	41	17,1	

1832	NAMES.	Greenwich Mean Time.	N. P. D.			REMARKS.
		<i>h. m. s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	
December	4 65 Arietis.....	5 8 15,7	69	52	40,8	
	♂		69	53	24,2	
	α Tauri.....		73	54	52,1	
	5 ♂	5 3 13,1	69	55	24,8	
	α Tauri.....		73	54	51,9	
	6 65 Arietis.....	4 58 16,4	69	52	40,9	
	♂		69	57	18,7	
	β Tauri.....		70	55	21,5	
	α Tauri.....		73	54	53,2	
	7 65 Arietis.....		69	50	44,4	
	♂	4 53 17,4	69	57	9,0	
	β Tauri.....		70	53	26,0	
	α Tauri.....		73	52	55,4	
	12 ♂	4 29 24,2	70	4	36,9	
	α Tauri.....		73	53	8,2	
	13 38 Arietis.....		70	9	12,6	
	♂	4 24 47,4	70	5	41,8	
	α Tauri.....		73	53	8,1	
	15 38 Arietis.....		70	10	34,1	
	♂	4 15 43,7	70	8	45,4	
	α Tauri.....		73	54	28,9	
	16 38 Arietis.....		70	10	34,0	
	♂	4 10 16,8	70	9	22,1	
	α Tauri.....		73	54	29,8	
	17 ♂	4 6 53,4	70	9	52,4	
	α Tauri.....		73	54	29,3	
	18 38 Arietis.....		70	10	36,2	
	♂	4 2 34,9	70	10	11,7	
	α Tauri.....		73	54	30,8	
	20 ♂	3 54 5,0	70	13	13,8	
	65 Arietis.....		69	55	12,8	
	α Tauri.....		73	57	22,1	
	21 ♂	3 49 55,4	70	13	1,1	
	65 Arietis.....		69	55	12,5	
	α Tauri.....		73	57	22,4	
	22 ♂	3 45 49,5	70	12	43,2	
	65 Arietis.....		69	55	11,7	
	α Tauri.....		73	57	22,2	
	24 ♂	3 37 47,0	70	11	34,8	
	65 Arietis.....		69	55	13,3	
	α Tauri.....		73	57	22,6	
	25 ♂	3 33 50,8	70	10	44,9	
	65 Arietis.....		69	55	12,3	
	α Tauri.....		73	57	24,3	

The above column *Greenwich Mean Time* is derived from the Madras Mean Time as computed from the observed Transit, by subtracting 5*h.* 21*m.* 9*s.* The column *N. P. D.* is copied from the Mural Circle Book without any correction whatever having been applied; in the observations it will be noticed that I have not followed the recommendation of Mr. HENDERSON, of observing the first and second limbs on alternate days, but have always bisected the centre of the Planet; my reason for thus deviating from a plan

which as far as it secures uniformity of results is a good one; arises from a conviction, that a perfect contact between the border of the Planet and edge of the wire can never be made to that degree of accuracy which a bisection of the body itself will permit; in support of this opinion I need only refer to the Solar observations made at Greenwich and at Madras, where it will be found, that the irregularity of the differences from the places given in the Nautical Almanac (the errors of observation in fact) are at least three times as large as those which are found in the observations of a fixed Star; added to which on the present occasion, were the limb of the planet observed the Star being observed with reference to the centre of the horizontal wire, and the Planet observed at the edge; we are obliged to know not only the thickness of the wire, but the semi-diameter of the Planet.

Not being possessed of any corresponding observation to the above, I am prevented from applying them to the determination of the parallax of Mars for which purpose it will be understood they have been made.

Apparent Right Ascension and North Polar Distance of JUPITER.

1832	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.	
	h.	m.	s.		h.	m.	s.		°	'	"		
May	12	20	9	56,2	Centre.	23	33	18,31	Centre.	94	3	53,73	A. R. doubtful on account of the clock tripping.
	14	20	3	15,3	—	23	34	35,11	—	93	56	3,65	
	15	20	0	2,5	—	23	35	13,84	—	93	52	9,99	
	16	19	56	44,6	—	23	35	52,63	—	93	48	23,26	
	17	19	53	23,4	—	23	36	29,50	—	93	44	39,19	
	26	19	23	10,0	—	23	41	40,99	—	93	13	6,42	
	31	19	6	9,1	—	23	44	17,82	—	92	57	20,46	
June	9	18	34	57,0	—	23	48	31,73	—	92	32	38,03	
	10	18	31	26,1	—	23	48	57,16	—	92	30	10,45	
	11	18	27	54,9	—	23	49	21,92	—	92	27	44,33	
	12	18	24	23,2	—	23	49	46,29	—	92	25	26,93	
	13	18	20	51,0	1 & 2 L.	23	50	9,73	—	92	23	7,36	
	14	18	17	18,1	—	23	50	32,93	—	92	20	57,57	
	15	18	13	44,5	—	23	50	55,44	—	92	18	47,69	
	17	18	6	35,3	—	23	51	37,89	—	92	14	43,87	
September	22	11	29	38,6	—	23	36	11,54	—	94	18	33,43	
	24	11	21	0,1	—	23	35	14,73	—	94	24	43,76	
	25	11	16	34,2	—	23	34	45,20	—	94	27	49,27	
	26	11	12	10,1	—	23	34	16,79	—	94	30	49,93	
	27	11	7	46,2	—	23	33	48,74	—	94	33	49,45	
October	1	1	50	12,5	—	23	31	57,81	—	94	45	24,63	
	8	8	19	41,0	—	23	28	58,51	—	95	3	56,11	
	11	10	6	43,4	—	23	27	47,88	—	95	11	2,35	
	12	10	2	24,6	—	23	27	25,02	—	95	13	18,18	
	13	9	58	6,6	—	23	27	3,71	—	95	15	30,00	
	14	9	53	50,5	—	23	26	42,55	—	95	17	34,81	
	19	9	32	29,6	—	23	25	1,70	—	95	27	16,35	
	20	9	24	3,5	—	23	24	26,26	—	95	30	38,12	

Apparent Right Ascension and North Polar Distance of JUPITER, continued.

1833	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	
November	9	10	33	7,1	1	47	38,66	Centre.	80	28	56,43	
	17	9	58	12,3	1	44	9,94	—	80	46	46,91	
	19	9	49	33,5	1	43	23,55	—	80	50	44,95	
	20	9	45	14,7	1	42	59,88	—	80	52	38,59	
	21	9	40	57,8	1	42	37,39	—	80	54	29,33	
	22	8	57	45,0	1	42	16,28	—	80	56	15,75	
	23	9	42	20,9	1	41	55,81	—	80	58	0,16	
December	2	8	54	21,0	1	39	17,11	—	81	10	32,54	
	4	8	46	2,0	1	38	49,37	—	81	12	32,33	
	5	8	41	53,0	1	38	36,73	—	81	13	26,92	
	6	8	37	45,0	1	38	25,00	—	81	14	16,56	
	7	8	33	37,9	1	38	13,63	—	81	14	58,46	
	8	8	29	31,3	1	38	2,92	—	81	15	44,94	
	10	8	21	20,3	1	37	43,55	—	81	16	54,00	
	11	8	17	17,2	1	37	36,20	—	81	17	19,46	
	14	8	5	9,5	1	37	16,15	—	81	18	17,27	
	18	8	48	59,8	1	37	0,14	—	81	18	29,20	
	19	8	45	0,0	1	36	58,43	—	81	18	19,59	
	20	7	41	8,2	1	36	57,17	—	81	18	7,87	
	22	7	33	23,0	1	36	56,91	—	81	17	27,78	
	24	7	25	34,3	1	37	0,17	—	81	16	25,27	
	25	7	21	42,6	1	37	2,79	—	81	15	54,75	
	26	7	17	48,7	1	37	6,33	—	81	15	11,25	
	27	7	13	57,2	1	37	10,68	—	81	14	28,13	
	29	7	6	16,8	1	37	22,24	—	81	12	44,07	
	30	7	2	27,4	1	37	28,69	—	81	11	46,17	
	31	6	58	38,2	1	37	35,57	—	81	10	43,87	

Apparent Right Ascension and North Polar Distance of SATURN.

1832	Madras Mean Time of Observations			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
March	11	11	35	20,2	Centre.	10	52	52,83	Centre.	80	33	27,52	
	13	11	26	48,5	—	10	52	20,29	—	80	29	51,50	
	14	11	22	35,2	—	10	52	3,52	—	80	31	5,77	
	15	11	18	21,9	—	10	51	45,65	—	80	26	21,03	
	16	11	14	8,8	—	10	51	28,43	—	80	24	39,11	
	17	11	9	58,1	—	10	51	19,76	—	80	22	55,55	
	19	11	1	34,4	—	10	50	37,00	—	80	18	36,33	
	22	10	48	56,5	—	10	49	47,96	—	80	14	43,98	
	23	10	44	45,7	—	10	49	32,35	—	80	13	10,25	
	24	10	40	34,2	—	10	49	16,44	—	80	11	36,80	
	25	10	36	20,1	—	10	48	58,05	—	80	13	6,04	
	26	10	32	12,6	—	10	48	46,66	—	80	11	34,29	
	27	10	28	0,9	—	10	48	30,49	—	80	10	7,38	
	28	10	23	50,3	—	10	48	15,61	—	80	5	40,10	
	29	10	19	39,6	—	10	48	1,20	—	80	7	14,92	
30	10	15	29,7	—	10	47	46,87	—	80	2	51,79		
31	10	11	19,6	—	10	47	32,65	—	80	4	30,35		
April	1	10	7	9,8	—	10	47	19,07	—	80	3	10,58	

Apparent Right Ascension and North Polar Distance of SATURN, continued.

1832	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.		
April	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>			
	2	10	3	0,1	Centre.	10	47	5,63	Centre.	79	58	53,48		
	3	9	58	51,0	—	10	46	52,25	—	79	57	37,66		
	4	9	54	42,0	—	10	46	39,17	—	79	56	23,73		
	5	9	50	33,4	—	10	46	26,11	—	79	59	11,21		
	6	9	46	22,2	—	10	46	14,65	—	79	53	59,27		
	7	9	42	14,0	—	10	46	2,28	—	79	52	49,80		
	10	9	29	57,1	—	10	45	26,57	—	79	49	40,63		
	11	9	25	50,4	—	10	45	15,43	—	79	48	41,22		
	12	9	21	43,2	—	10	45	5,41	—	79	47	46,32		
	13	9	17	36,4	—	10	44	54,62	—	79	46	47,07		
	14	9	13	31,3	—	10	44	44,69	—	79	45	57,15		
	21	8	44	57,9	—	10	43	45,37	—	79	40	59,29		
	22	8	40	55,0	—	10	43	38,28	—	79	40	10,07		
	23	8	36	51,6	—	10	43	30,94	—	79	39	39,71		
	24	8	32	50,3	—	10	43	24,65	—	79	39	7,80		
	26	8	24	45,8	—	10	43	12,87	—	79	41	15,24		
	27	8	20	45,1	—	10	43	8,00	—	79	37	52,42		
	28	8	16	43,8	—	10	43	2,72	—	79	37	30,17		
	29	8	12	43,5	—	10	42	57,93	—	79	40	12,44		
	30	8	8	43,0	—	10	42	53,89	—	79	36	56,94		
	May	3	7	56	45,2	—	10	42	44,18	—	79	36	21,44	
		4	7	52	46,4	—	10	42	40,77	—	79	36	15,84	
		5	7	48	48,3	—	10	42	38,29	—	79	36	10,51	
		6	7	44	51,6	—	10	42	37,21	—	79	36	9,91	
		9	7	32	58,6	—	10	42	32,54	—	79	36	16,21	
		11	7	25	7,7	—	10	42	32,49	—	79	36	37,56	
		12	7	21	11,9	—	10	42	33,02	—	79	36	51,24	
		14	7	13	22,0	—	10	42	35,52	—	79	38	22,64	
		15	7	9	29,0	—	10	42	37,58	—	79	37	44,25	
16		7	5	34,9	—	10	42	39,66	—	79	38	3,25		
17		7	1	40,9	—	10	42	41,54	—	79	38	30,48		
18		6	57	40,5	—	10	42	44,22	—	79	37	58,29		
19		6	53	59,9	—	10	42	47,63	—	79	37	38,03		
20		6	50	2,5	—	10	42	51,12	—	79	38	23,53		
21		6	46	11,0	—	10	42	55,04	—	79	38	4,08		
1833														
March	13	12	20	21,0	—	11	45	0,35	—	85	41	0,10		
	14	12	16	8,2	—	11	44	43,28	—	85	39	2,11		
	15	12	11	55,5	—	11	44	25,98	—	85	37	7,20		
	16	12	6	36,9	—	11	44	8,40	—	85				
	17	11	46	13,7	—	11	43	51,23	—	85	34	16,20		
	18	11	59	15,0	—	11	43	33,92	—	85	32	22,88		
	19	11	55	1,9	—	11	43	16,12	—	85	39	27,80		
	20	11	50	49,1	—	11	42	50,21	—	85	32	34,91		
	21	11	46	36,0	—	11	42	42,67	—	85	25	42,49		
	22	11	42	22,5	—	11	42	24,82	—	85	23	49,48		
	23	11	38	10,0	—	11	42	7,79	—	85	21	58,76		
	25	11	30	4,3	—	11	41	33,83	—	85	18	28,02		
	26	11	26	1,5	—	11	41	16,84	—	85	16	29,47		
	27	11	21	19,1	—	11	41	0,03	—	85	15	2,05		
	28	11	17	6,4	—	11	40	43,43	—	85	12	55,52		
	29	11	12	53,9	—	11	40	26,87	—	85	12	19,74		
	30	11	8	41,3	—	11	40	10,33	—	85	10	24,24		

Apparent Right Ascension and North Polar Distance of SATURN, continued.

1833	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
March	31	11	4	29,3	Centre.	11	39	54,08	Centre.	85	7	42,32	
April	1	11	0	17,4	—	11	39	37,96	—	85	5	59,58	
	2	10	56	5,4	—	11	39	21,77	—	85	4	20,82	
	3	10	51	53,9	—	11	39	6,05	—	85	2	43,02	
	4	10	47	42,8	—	11	38	50,24	—	85	1	3,98	
	5	10	43	0,5	—	11	38	34,94	—	84	59	27,56	
	6	10	39	19,2	—	11	38	19,41	—	84	57	51,95	
	8	10	30	57,7	—	11	37	49,27	—	84	54	48,01	
	13	10	10	5,8	—	11	36	37,73	—	84	47	34,64	
	14	10	5	57,3	—	11	36	24,07	—	84	46	10,71	
	16	9	57	37,5	—	11	35	57,54	—	84	43	35,03	
	17	9	53	29,9	—			—	84	42	18,90	
	18	9	49	21,8	—	11	35	31,79	—	84	41	4,37	
	19	9	45	13,9	—	11	35	19,44	—	84	39	52,45	
	20	9	41	5,1	—	11	35	7,43	—	84	38	43,25	
	21	9	36	57,3	—	11	34	56,10	—	84	37	35,95	
	22	9	32	50,6	—	11	34	44,24	—	84	36	30,84	
	23	9	28	43,4	—	11	34	33,12	—	84	35	23,50	
	24	9	24	36,7	—	11	34	22,38	—	84	34	24,27	
	25	9	20	30,1	—	11	34	11,54	—	84	33	25,11	
	26	9	16	24,4	—	11	34	1,29	—	84	32	23,30	
	27	9	12	18,5	—	11	33	51,44	—	84	31	34,79	
	30	9	0	2,6	—	11	33	23,56	—	84	29	4,42	
May	2	8	51	53,8	—	11	33	6,41	—	84	27	37,53	
	4	8	43	46,5	—	11	32	50,86	—	84	26	19,12	

Apparent Right Ascension and North Polar Distance of GEORGIAN.

1832	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
August	28	10	46	17,5	Centre.	21	13	59,93	Centre.			
September	11	9	49	21,2	—	21	12	5,52	—	106	56	35,05	
	15	9	33	9,2	—	21	11	36,96	—	106	58	35,27	
	19	9	16	58,9	—	21	11	10,92	—	107	0	30,44	
	22	9	4	52,9	—	21	10	52,09	—	107	1	49,43	
	24	8	56	49,5	—	21	10	40,55	—	107	2	37,12	
	25	8	52	47,60	—	21	10	35,00	—	107	3	58,84	
	27	8	44	45,1	—	21	10	24,67	—	107	4	42,97	
	30	8	32	45,1	—	21	10	9,64	—	107	5	41,68	
October	7	8	4	43,1	—	21	9	42,03	—	107	6	31,43	
	12	7	44	49,4	—	21	9	27,56	—	107	7	27,56	
	14	7	36	53,4	—	21	9	23,13	—	107	7	44,56	
	23	7	1	20,0	—	21	9	12,68	—	107	8	11,40	
	26	6	49	38,2	—	21	9	12,84	—	107	8	2,81	
	27	6	45	47,0	—	21	9	13,50	—	107	7	59,45	
	28	6	41	41,8	—	21	9	14,50	—	107	7	53,53	
	29	6	37	46,6	—	21	9	14,89	—	107	7	54,04	
November	3	6	18	14,7	—	21	9	22,34	—	107	7	8,15	
	5	6	10	27,1	—	21	9	26,78	—	107	6	41,98	
	9	5	54	54,8	—	21	9	28,34	—	107	6	45,54	
	10	5	51	2,0	—	21	9	41,18	—	107	5	28,52	

Apparent Right Ascension and North Polar Distance of GEORGIAN, continued.

1833	Madras Mean Time of Observations.			Point Observed.	A. R.			Point Observed.	N. P. D.			REMARKS.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>		
August	29	10	59	44,0	Centre.	21	30	27,07	Centre.	105	33	18,40	
September	10	10	11	12,0	—	21	29	6,47	—	105	39	19,19	
	11	10	7	15,7	—	21	29	6,64	—	105	39	18,15	
	13	9	59	39,4	—	21	28	22,06	—	105	43	4,55	
	15	9	50	33,1	—	21	28	7,17	—	105	44	15,11	
	17	9	42	26,7	—	21	27	52,50	—	105	45	22,28	
	18	9	38	23,9	—	21	27	45,60	—	105	45	53,94	
	20	9	29	18,1	—	21	26	31,45	—	105	46	56,33	
	21	9	26	16,4	—	21	27	24,73	—	105	47	26,87	
	30	8	50	2,2	—	21	26	31,11	—	105	51	27,09	
October	2	8	41	57,3	—	21	26	21,24	—	105	57	11,77	
	4	8	33	55,9	—	21	26	11,53	—	105	52	54,58	
	6	8	25	54,0	—	21	26	2,71	—	105	53	31,95	
	7	8	21	55,4	—	21	25	58,05	—	105	53	50,75	
	14	7	53	58,9	—	21	25	33,95	—	105	55	32,83	
	15	7	50	0,1	—	21	25	31,09	—	105	55	42,86	
	16	7	46	2,4	—	21	25	29,00	—	105	55	52,95	
	17	7	42	3,6	—	21	25	26,57	—	105	56	4,40	
	22	7	22	6,9	—	21	25	17,70	—	105	56	33,83	
	25	7	10	23,5	—	21	25	14,55	—	105	56	42,10	

Apparent Right Ascension and North Polar Distance of PALLAS.

1832	Madras Mean Time of Observations.			A. R. from Observation.			A. R. from Tables		Error of Tables.	N. P. D. from Observation.			N. P. D. from Tables.		Error of Tables.			
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>	<i>"</i>			
Sept.	24	11	27	39,3	23	41	55,03	41	53,59	—	1,44	95	59	12,82	58	30,9	—	41,9
	25	11	22	58,5	23	41	10,03	41	8,34	—	1,69	96	13	23,18	12	46,4	—	36,8
Oct.	1	10	54	58,7	23	36	44,78	36	43,60	—	1,18	97	37	2,49	36	24,9	—	37,6

Apparent Right Ascension and North Polar Distance of CERES.

1832	Madras Mean Time of Observations.				A. R. from Observation.			A. R. from Tables.		Error of Tables.	N. P. D. from Observation.			N. P. D. from Tables.		Error of Tables.		
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>	<i>"</i>		
Oct.	23	12	38	8,6	2	46	56,33	46	56,75	+	0,42	85	40	57,96	40	59,1	+	1,1
	24	12	33	20,5	2	46	4,14	46	4,63	+	0,49	85	43	22,87	43	24,2	+	1,3
	25	12	26	32,8	2	45	11,56	45	11,93	+	0,37	85	45	42,61	45	46,5	+	3,9
	26	12	23	43,2	2	44	18,26	44	18,77	+	0,51	85	48	0,05	48	2,9	+	2,9
	27	12	19	33,8	2	43	24,68	43	25,09	+	0,41	85	50	14,13	50	15,9	+	1,8
	29	12	13	13,1	2	41	36,06	41	36,57	+	0,51	85	54	25,12	54	28,2	+	3,1
	30	12	4	23,1	2	40	41,24	40	41,86	+	0,62	85	56	22,07	56	27,0	+	4,9
	31	11	59	32,6	2	39	46,26	39	46,93	+	0,67	85	58	15,91	58	20,5	+	4,6
Nov.	1	11	54	42,9	2	38	51,43	38	51,78	+	0,35	86	0	4,15	0	8,8	+	4,7
	2	11	49	50,4	2	37	56,16	37	56,54	+	0,38	86	1	46,09	1	51,5	+	5,4
	3	11	44	59,9	2	37	0,78	37	1,26	+	0,48	86	3	24,61	3	28,1	+	3,5

Apparent Right Ascension and North Polar Distance of CERES, continued.

1832	Madras Mean Time of Observations.			A. R. from Observation.			A. R. from Tables.		Error of Tables.	N. P. D. from Observation.			N. P. D. from Tables.		Error of Tables.			
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>	<i>"</i>			
Nov.	4	11	40	8,8	2	36	5,51	36	5 99	+	0,48	86	4	55,89	4	58,7	+	2,8
	5	11	35	17 5	2	35	10,31	35	10 82	+	0,51	86	6	19,18	6	22,9	+	4,7
	12	11	0	28,9	2	28	50,76	28	51,26	+	0,50	86	12	55,68	13	1,3	+	5,6

Apparent Right Ascension and North Polar Distance of JUNO.

1833	Madras Mean Time of Observations			A. R. from Observation.			A. R. from Tables.		Error of Tables.	N. P. D. from Observation.			N. P. D. from Tables.		Error of Tables.			
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>	<i>"</i>			
April	27	12	57	15	20		19	59,74	92	47	19,53	48	17,4	—	2,1		
	28	12	53	10,5	15	19	16,68	19	13,73	—	2,95	92	42	27,03	42	26,7	—	0,3
	29	12	48	28,1	15	18	29,99	18	27,29	—	2,70	92	36	39,82	36	40,4	+	0,6
May	2	12	34	18,7	15	16	9,87	16	6,17	—	3,70	92	19	52,96	19	49,3	—	3,7
	8	12	5	56,4	15	11	20,33	11	17,24	—	3,09
	9	12	1	12,1	15	10	31,45	10	28,68	—	2,77
	10	11	56	27,6	15	9	43,39	9	40,14	—	3,25	92	39	4,85	38	57,8	—	7,0
	11	11	51	42,9	15	8	54,28	8	51,65	—	2,63	92	34	27,85	34	20,6	—	7,2
	12	11	46	59 8	15	8	6,82	8	3,26	—	3,56
	13	11	42	15,8	15	7	18,38	7	15,03	—	3,35

In consequence of the extreme faintness of JUNO ; in making the above observations it was found necessary to exclude all the light from the field, and even then, it was seen with the greatest difficulty ; from this circumstance the transits which in general could only be observed at one or two wires are less accurate than the observations of the other Planets.

Apparent Right Ascension and North Polar Distance of VESTA.

1833	Madras Mean Time of Observations.			A. R. from Observation.			A. R. from Tables.		Error of Tables.	N. P. D. from Observation.			N. P. D. from Tables.		Error of Tables.
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>'</i>	<i>"</i>	<i>"</i>
July	7	11	58		19		0	36,97	113	0	59,64	0	25,0
	8	11	53	42,3	18	59	34,28	59	36,39	+	2,11

The prevalence of clouds and rain prevented further observation of VESTA.

The places with which the observations of the above four Planets are compared are interpolated from the Supplements to the Nautical Almanac which are “ deduced from the Berliner Astronomisches Jahrbuch for 1833,

page 109": not having a copy of this work or indeed any tables of the Planetary Motions, has prevented my offering a similar comparison of the places of the larger Planets.

In the next place we come to the observations of the Moon, before giving which, it will be proper to state the elements which have been employed in the reduction of the observation ; they are as follows.

Ratio of Polar and Equatoreal Axes.....	299 : 300
From which we find the <i>Angle of the Vertical</i>	5' 0"
And the radius of the Earth.....	,999825
Semi-diameter.....	} Computed from the Nautical Almanac.
Parallax.....	

In addition to the above it is necessary I should here state, that the column *mean time* which now follows, is for the instant of the first limb, centre, or second limb, transiting the meridian as the case may be ; at which instant, the Right Ascension of the Moon's *centre* (computed from the observation) is given, and compared with the interpolated place from the Nautical Almanac: Now the observed N.P.D. being necessarily due to the moment of the Moon's *centre* being on the meridian, will correspond to a mean time greater or less than the above according to the circumstance of the first or second limb having been observed ; to obviate the inconvenience which would thus result, I have applied to the reduced North Polar Distance the change of declination due to the interval occupied by the Moon's semi-diameter to pass the Meridian, or in other words the Declination here given is reduced to correspond with the mean time at which the Transit was observed.

Comparison of the observed Right Ascension and North Polar Distance of the Moon with the interpolated place from Nautical Almanac.

1832	Madras Mean Time.			Limb Observed.	Observed A. R. of D's Centre.			A.R. from Nautical Almanac.	Error of Tables.	Limb Observed.	Observed N. P. D. of D's Centre.			N.P.D. from Nautical Almanac.	Error of Tables.
	<i>h</i>	<i>m</i>	<i>s</i>		<i>h</i>	<i>m</i>	<i>s</i>				<i>h</i>	<i>m</i>	<i>s</i>		
Jan.	13	8	9 54 88	1	54	51	5,4 51	9,7	+ 4,3	S.	14	16	36,0 N.	16 28,1	— 7,9
	14	9	7 43,36	1	70	19	44,6 19	47,3	+ 2,7	S.	17	33	49,2 N.	33 46,3	— 2,9
	15	10	8 52,03	1	86	38	58,0 38	57,2	— 0,8	S.	19	39	53,6 N.	39 1,4	+ 7,8
	17	12	17 27,85	1	120	16	23,1 16	18,9	— 4,5	S.	19	14	9,2 N.	14 9,3	+ 0,1
	25	19	0 41,99	2	229	17	7,5 17	5,3	— 2,2	N.	12	47	5,3 S.	46 49 5	— 15,8
Feb.	9	6	2 23 08	1	49	29	11,4 29	1,9	— 9,5	S.	12	49	55 9 N.	50 1,5	+ 5,6
	10	6	56 35 32	1	61	4	3,6 4	0,9	— 2,7	S.	16	21	22,7 N.	21 26,2	+ 3,5
	11	7	53 58,74	1	79	26	50,9 26	48,2	— 2,7	S.	18	53	26,2 N.	53 34,2	+ 8,7

1832	Madras Mean Time.	Limb Observed.	Observed A. R. of D's Centre.	A.R. from Nauti- cal Al- manac.	Error of Tables.	Limb Observed.	Observed N. P. D. of D's Centre.	N.P.D. from Nauti- cal Al- manac.	Error of Tables.
	<i>h m s</i>		<i>° ' "</i>	<i>° ' "</i>	<i>"</i>		<i>° ' "</i>	<i>° ' "</i>	<i>"</i>
Feb.	12 8 54 1,91	1	95 28 50,9	28 51,8	+ 0,9	N.	20 9 22,1 N.	9 23,1	+ 1,0
	13 9 55 15,85	1	111 49 43,7	49 41,5	- 2,2	N.	19 55 53,1 N.	55 59,1	+ 6,0
	14 10 56 3,82	1	128 2 34,7	2 40,8	+ 6,1	N.	18 4 6,4 N.	14 2,5	- 3,9
	15 11 54 44,54	1	143 43 59,9	43 53,4	- 6,5	N.	15 13 55,5 N.	13 57,5	+ 2,0
	21 16 54 19,95	2	224 13 46,0	13 40,1	- 5,9	S.	11 21 12,0 S.	21 23,6	+ 11,6
	23 18 26 24,47	2	249 16 11 3	16 5,9	- 5,4
March	11 7 44 35,02	1	150 40 46,2	40 39,0	- 7,2	N.	20 17 1,3 N.	17 0,0	- 1,3
	12 8 43 37,68	1	121 27 44,3	27 45,1	+ 0,8	N.	19 11 21,3 N.	11 10,5	- 10,8
	13 9 41 17,42	1	136 54 54,4	54 42,1	- 12,3	N.	16 44 39,5 N.	44 40,3	+ 0,3
	14 10 36 53,21	1	151 48 42,8	48 27,7	- 15,1	N.	13 13 26,4 N.	13 29,3	+ 2,9
	15 11 29 45,20	1	166 3 55,1	3 42,6	- 12,3	N.	8 55 27,4 N.	55 35,9	+ 8,5
	16 12 21 24,53	2	179 43 48,4	43 39,9	- 8,5	N.	4 10 36,0 N.	10 58,1
	17 13 11 12,20	2	192 55 14,3	55 7,8	- 6,5	S.	0 41 28,4 S.	41 26,6	- 1,8
	18 13 58 34,22	2	205 46 52 6	46 48,3	- 4,3	S.	5 23 37,0 S.	23 27,7	- 9,3
	20 15 31 51,40	2	231 8 25,1	8 9,4	- 15,7	S.	13 28 4,5 S.	28 4,2	- 0,3
	21 16 18 40,95	2	243 51 40,6	51 36,2	- 4,4	S.	16 30 44,0 S.	30 43,9	- 0,1
	22 17 5 57,93	2	256 41 54,8	41 45,6	- 9,2	S.	18 44 6,7 S.	44 9,4	+ 2,7
	23 17 53 42,89	2	269 39 16,8	39 1,0	- 15,8	N.	20 3 26,3 S.	3 29,1	+ 2,8
April	8 6 38 13,39	1	116 38 8,4	37 53,8	- 14,6	N.	19 51 51,7 N.	51 52,3	+ 0,6
	9 7 35 21,48	1	131 56 34,9	56 22,6	- 12,3	N.	17 51 2,4 N.	51 1,1	- 1,3
	10 8 30 14,36	1	146 40 54,5	40 52,5	- 2,0	N.	14 42 37,5 N.	42 39,5	+ 2,0
	11 9 22 35,91	1	160 47 17,6	47 23,2	+ 5,6	N.	10 43 27,0 N.	43 13,7	- 13,3
	12 10 12 44,04	1	174 19 31,0	19 27,3	- 3,7	N.	6 10 49,0 N.	10 34,2	- 14,8
	13 11 1 1,90	1	187 24 54,8	24 49,7	- 5,1	N.	1 22 13,6 N.	22 14,1	+ 0,5
	14 11 48 11,76	1	200 13 9,3	13 5,8	- 3,5	N.	3 25 30,3 S.	25 26,3	- 4,0
	15 12 36 56,17	2	212 54 50,5	54 40,0	- 10,5	N.	7 58 9,5 S.	58 14,5	+ 5,0
	17 14 10 36,68	2	238 21 23,5	21 16,9	- 6,6	S.	15 28 17,3 S.	28 16,5	- 0,8
	18 14 58 6,34	2	251 15 20,2	15 11,1	- 9,1	N.	18 6 26,4 N.	6 30,8	+ 4,4
	21 17 22 35,64	N.	20 26 15,7 N.	26 19,5	+ 3,8
May	6 5 31 15,92	1	127 26 57,1	26 42,0	- 15,1	N.	18 50 3,9 N.	49 57,3	- 6,6
	8 7 19 59,49	1	156 39 49,6	39 51,0	+ 1,4	N.	12 12 31,4 N.	12 30,4	- 1,0
	9 8 10 1,81	1	170 11 13,6	11 11,1	+ 7,4	N.	7 49 22,0 N.	49 25,6	+ 3,6
	11 9 44 27,20	1	195 48 7,9	48 8,3	+ 0,4	N.	1 40 12,1 S.	40 10,9	- 1,2
	12 10 30 19,38	1	208 16 58,4	16 54,6	- 3,8	N.	6 18 18,3 S.	18 27,3	+ 9,0
	13 11 16 8,06	1	220 46 14,8	46 7,8	- 7,0	N.	10 34 22,7 S.	34 31,5	+ 8,8
	14 12 4 43,90	2	233 24 12,5	24 12,8	+ 0,3	N.	14 17 45,6 S.	17 49,7	+ 4,1
June	6 6 56 40,80	1	179 23 27,8	23 23,6	- 4,2	N.	4 44 18,6 N.	44 22,2	+ 3,6
	7 7 43 22,86	1	192 4 52,9	4 41,7	- 11,2	N.	0 4 7,4 S.	4 4,4	- 3,0
	9 9 14 8,88	1	216 48 10,2	47 58,5	- 11,7	N.	9 9 29,0 S.	9 30,7	+ 1,7
	10 9 59 38,65	1	229 12 46,9	12 34,4	- 12,5	N.	13 4 3,6 S.	4 14,4	+ 10,8
	12 11 33 15,34	1	254 39 15,0	39 11,9	- 3,1	N.	18 49 5,6 S.	49 4,6	- 1,0
Sept.	4 7 46 34,61	1	280 36 37,7	36 34,6	- 3,1	N.	21 3 35,0 S.	2 38,7	+ 3,7
	5 8 34 52,01	1	293 42 3,5	41 58,9	- 4,6	S.	20 40 59,1 S.	40 56,5	- 2,6
Oct.	2 6 28 23,29	1	288 36 34,2	26 26,5	- 7,7	S.	21 8 56,7 S.	8 53,1	- 3,6
	3 7 16 28,68	1	301 38 51,0	38 41,9	- 9,1	S.	20 8 54,0 S.	8 56,4	+ 2,4
	4 8 3 45,03	1	314 28 55,3	28 50,3	- 5,0	S.	18 11 54,1 S.	11 57,8	+ 3,7
	5 8 50 7,70	1	327 5 32,0	5 36,2	+ 4,2	S.	15 23 16,1 S.	23 20,4	+ 4,3
	8 11 6 7,05	1	4 8 22,8	8 24,1	+ 1,3	N.	3 2 53,7 S.	2 56,8	+ 3,1
	9 11 53 2,61	1	16 37 53,7	37 57,2	+ 3,5	S.	1 49 10,0 N.	49 0,3	- 9,7
	30 5 9 10,25	1	296 20 50,3	20 47,3	- 3,0	S.	20 56 36,3 S.	56 38,9	+ 2,6
	31 5 56 48,32	1	309 16 19,1	16 8,0	- 11,1	S.	19 22 17,1 S.	22 18,7	+ 1,6
Nov.	1 6 43 17,08	1	321 54 26,4	54 18,3	- 8,1	S.	16 54 5,0 S.	54 10,5	+ 5,5
	2 7 28 45,14	1	334 17 32,9	17 17,1	- 15,8	S.	13 38 49,6 S.	38 54,8	+ 5,2
	3 8 13 34,75	1	346 30 36,1	30 31,6	- 4,5	S.	9 43 34,7 S.	43 40,6	+ 5,9
	4 8 58 17,87	1	358 42 20,1	42 20,4	+ 0,3	S.	5 16 35,9 S.	16 40,9	+ 5,0

1832	Madras Mean Time.	Limb Observed.	Observed A. R. of D's Centre.	A.R. from Nauti- cal Al- manac.	Error of Tables.	Limb Observed.	Observed N. P. D. of D's Centre.	N.P.D. from Nauti- cal Al- manac.	Error of Tables.
	" "		" "	" "	" "		" "	" "	" "
Nov.	5 9 43 36,42	1	11 3 9,9	3 16,7	+ 6,8	S.	0 27. 37,2 S.	27 42,8	+ 5,6
	15 18 55 3,76	1	158 37 12,1	37 26,6	+ 14,5	S.	12 26 49,2 N.	27 1,8	+ 12,6
	29 5 22 33,19	1	329 15 15,9	15 13,4	- 2,5	S.	15 19 19,3 S.	19 9,7	+ 9,6
	30 6 6 54,87	1	341 22 7,4	21 54,5	- 12,9	S.	11 42 20,6 S.	42 21,1	+ 0,5
Dec.	3 8 19 46,89	1	17 37 39,0	37 36,5	- 2,5	57 43,3
	4 9 6 44,74	1	30 24 2,7	24 3,7	+ 1,0	S.	6 54 52,6 N.	54 55,5	+ 2,9
	5 9 56 50,67	1	43 54 45,6	54 50,3	+ 4,7	N.	11 40 46,3 N.	40 37,9	- 8,4
	6 10 50 20,19	1	58 20 48,8	20 50,5	+ 1,7	S.	15 55 24,2 N.	55 24,2	0,0
	7 11 49 1,58	1	73 46 33,9	46 25,7	- 8,2	S.	19 15 23,6 N.	15 14,5	- 9,1
1833									
Jan.	4 10 27 12,12	1	81 9 16,5	9 15,9	- 0,6	N.	20 20 47,4 N.	20 56,8	+ 9,4
	5 11 29 34,33	1	97 46 50,5	46 53,5	+ 3,0	S.	21 42 31,8 N.	42 26,4	+ 5,4
	13 18 52 56,4	2	216 15 8,5	14 56,9	- 11,6	S.	8 55 39,3 S.	55 39,0	- 0,3
	29 6 23 36,52	1	44 42 11,9	42 8,9	- 3,0	S.	11 50 58,9 N.	50 59,4	+ 0,5
	30 7 14 5,89	1	58 21 20,0	21 21,4	+ 1,4	S.	15 52 6,2 N.	51 50,8	- 15,4
	31 8 8 45,45	1	73 2 59,5	3 6,2	+ 6,7	S.	19 6 17,3 N.	6 18,7	+ 1,4
Feb.	1 9 7 36,91	1	88 48 6,3	48 11,3	+ 5,0	N.	21 11 23,6 N.	11 24,0	+ 0,4
	4 12 17 6,65	1	138 58 12,0	58 16,4	+ 4,4	N.	17 56 40,9 N.	56 30,8	- 10,1
	27 5 59 10,97	1	67 10 34,3	10 28,4	- 5,9	S.	18 6 25,5 N.	6 24,8	- 0,7
	28 6 54 14,87	1	81 58 18,1	58 14,9	- 3,2	S.	20 36 15,5 N.	36 20,4	+ 4,9
March	1 7 52 42,65	1	97 37 20,3	37 22,7	+ 2,4	S.	21 49 56,7 N.	49 55,1	- 1,6
	2 8 53 30,94	1	113 51 13,1	51 20,1	+ 7,0	N.	21 32 32,4 N.	32 31,1	- 1,3
	3 9 54 57,03	1	130 14 21,5	14 24,9	+ 3,4	N.	19 38 20,1 N.	38 23,9	+ 3,8
	4 10 55 17,01	1	146 20 41,2	20 39,9	- 1,3	N.	16 14 31,2 N.	14 28,0	- 3,2
	6 12 51 2,65	2	176 46 8,0	46 7,5	- 0,5	N.	6 18 7,9 N.	18 10,4	+ 2,5
	28 5 44 54,82	1	92 11 32,8	11 29,4	- 3,4	N.	21 48 42,9 N.	48 44,3	+ 1,4
	29 6 43 14,27	1	107 48 8,9	48 9,3	+ 0,4	N.	22 3 43,1 N.	3 40,6	- 2,5
	30 7 42 26,33	1	123 37 42,8	37 56,3	+ 13,5	N.	20 48 4,4 N.	47 58,8	- 5,6
	31 8 41 6,70	1	139 19 25,4	19 19,2	- 6,2
April	1 9 38 13,60	1	154 37 3,9	37 6,2	+ 2,3	N.	14 3 22,1 N.	3 22,8	+ 0,7
	2 10 33 19,51	1	169 24 41,0	24 43,4	+ 2,4	N.	9 5 28,1 N.	5 24,4	- 3,7
	3 11 26 33,89	1	183 44 21,5	44 20,4	- 1,1	N.	3 33 51,5 N.	33 55,4	+ 3,9
	4 12 20 41,84	2	197 44 52,0	44 48,9	- 3,1	N.	2 7 39,8 S.	7 36,2	+ 3,6
	27 6 34 49,44	1	134 16 17,0	16 24,0	+ 7,1	N.	19 21 10,2 N.	21 12,9	+ 2,7
	28 7 30 56,95	1	149 19 22,3	19 26,5	+ 4,2	N.	15 48 47,8 N.	48 47,4	- 0,4
	29 8 24 57,95	1	163 50 41,4	50 41,8	+ 0,4	N.	11 15 35,0 N.	15 32,9	- 2,1
	30 9 17 4,84	1	177 53 25,4	53 17,9	- 7,5	N.	6 1 20,0 N.	1 15,6	- 4,4
May	1 10 7 52,39	1	191 36 21,0	36 9,9	- 11,1	N.	0 27 8,3 N.	27 14,7	+ 6,4
	2 10 58 4,52	1	205 10 33,9	10 24,5	- 9,4	N.	5 5 46,8 S.	5 41,1	- 5,7
	3 11 49 32,23	Cent	218 47 6,0	47 9,8	+ 3,8	N.
June	28 9 16 19,28	1	235 51 3,0	50 51,4	- 11,6	N.	15 43 37,5 S.	43 39,0	+ 1,5
	29 10 6 36,03	1	249 26 34,4	26 30,3	- 4,1	N.	19 4 55,0 S.	4 57,2	+ 2,1
	30 10 57 52,14	1	263 16 45,9	16 45,2	- 0,7	S.	21 22 50,2 S.	22 50,3	+ 0,1
July	1 11 50 39 59	Cent	277 13 40,0	13 34,0	- 6,0	N.	22 30 39,8 S.	30 41,7	+ 1,9
	25 7 13 57,05	1	231 47 23,7	47 12,6	- 11,1	N.	14 32 13,5 S.	32 13,6	+ 0,1
	29 10 35 58,35	1	286 22 27,0	22 17,9	- 9,1	S.	22 35 51,5 S.	35 50,3	- 1,2
Aug.	29 11 44 53,02	1	333 51 4,0	50 55,5	- 8,5	N.	14 47 19,5 S.	47 5,6	- 13,9
Sept.	21 6 28 5,02	1	277 27 33,5	27 27,5	- 6,0	S.	22 49 37,2 S.	49 38,9	+ 1,7
	26 10 25 13,62	1	341 48 52,6	48 50,3	- 2,3	S.	12 15 4,2 S.	15 3,5	- 0,7
Oct.	20 6 2 49 43	1	299 42 27,9	42 20,9	- 7,0	S.	22 16 52,4 S.	16 57,4	+ 6,0
	21 6 51 35,79	1	312 54 51,6	54 44,6	- 7,0	S.	20 19 40,4 S.	19 41,2	+ 0,8
	22 7 38 1,62	1	325 31 57,9	32 0,8	+ 2,9	S.	17 27 31,9 S.	27 35,2	+ 3,3
	23 8 22 22,50	1	337 37 54,5	37 51,4	- 3,1	S.	13 51 3,5 S.	51 13,4	+ 9,9

1833	Madras Mean Time.	Limb Observed.	Observed A. R. of D's Centre.	A.R. from Nauti- cal Al- manac.	Error of Tables.	Limb Observed.	Observed N. P. D. of D's Centre.	N.P.D. from Nauti- cal Al- manac.	Error of Tables.
	<i>h m s</i>		<i>° ' "</i>	<i>° ' "</i>	<i>"</i>		<i>° ' "</i>	<i>° ' "</i>	<i>"</i>
Oct. 25	9 46 55,71	1	0 47 37,2	47 40,3	+ 3,1	S.	5 4 14,1 S.	4 13,3	— 0,8
Nov. 18	5 32 2,87	1	320 34 22,5	34 9,9	— 12,6	S.
19	6 17 31,84	1	332 57 11,8	57 4,4	— 7,4	S.	15 34 3,3 S.	34 15,1	+ 11,8
20	7 0 53,70	1	344 48 18,3	48 7,4	— 10,9	S.	11 34 17,8 S.	34 20,3	+ 2,5
21	7 42 51,08	1	356 18 9,4	18 0,0	— 9,4	S.	7 6 22,1 S.	6 27,5	+ 5,4
22	8 24 12,04	1	7 39 28,0	39 21,8	— 6,2	S.	2 19 38,9 S.	19 41,7	+ 2,8
Dec. 18	5 37 47,70	1	351 34 1,9	34 2,3	+ 0,4	S.	9 7 42,5 S.	7 41,4	— 1,1
19	6 19 4,74	1	2 54 3 7	53 52,9	— 10,8	S.	4 28 41,9 S.	28 39,4	— 2,9
20	7 0 4 98	1	14 2 42 5	2 53 3	+ 10,8	S.	0 22 42,3 N.	22 49,2	+ 6,9
22	8 25 20,77	1	37 31 26,6	31 15,8	— 10,3	S.	10 6 3,8 N.	6 15,6	+ 11,8
23	9 11 39,65	1	50 7 6,2	7 3,6	— 2,6	S.	14 35 12,0 N.	35 17,8	+ 5,8
24	10 1 30,91	1	63 36 51,6	36 54,1	+ 2,5	S.	18 28 43,5 N.	28 46,5	+ 3,0
25	10 55 25,29	1	78 6 31,5	6 36,7	+ 5,2	N.	21 27 12,2 N.	27 9,9	— 2,3
26	11 54 3,13	1	93 31 26,0	31 26,7	+ 0,7	N.	23 10 8,0 N.	10 4,6	— 3,4
27	12 56 6,54	1	109 31 17,2	31 15,6	— 1,6	S.	23 21 1,0 N.	20 56,6	— 4,4

Observation of the Eclipse of the Moon on the 1st July 1833.

	Shelton's Clock.	Madras Mean Time.	Observed by
	<i>h. m. s.</i>	<i>h. m. s.</i>	
Beginning of the Eclipse.....	23 3 55	16 25 59,8	
The Shadow covers Mare Humorum.....	23 8 36	16 30 40,1	A.
The Shadow touches Grimaldus.....	23 8 41	16 30 48,1	T.
The Shadow touches Grimaldus.....	23 13 28	16 35 31,3	T.
The Shadow covers Grimaldus.....	23 13 33	16 35 36,3	A.
The Shadow touches Tycho.....	23 14 55	16 36 58,1	T.
The Shadow touches Tycho.....	23 17 5	16 39 7,7	A.
The Shadow covers Tycho.....	23 17 10	16 39 12,7	T.
The Shadow covers Tycho.....	23 18 25	16 40 27,5	A.
The Shadow covers Tycho.....	23 18 29	16 40 31,5	T.
The Shadow covers Galileus.....	23 22 40	16 44 41,8	T.
The Shadow covers Galileus.....	23 22 45	16 44 46,8	A.
The Shadow touches Keplerus.....	23 27 15	16 49 16,1	A.
The Shadow covers Keplerus.....	23 29 55	16 51 55,7	A.
The Shadow touches Copernicus.....	23 36 8	16 58 7,6	A.
The Shadow touches Copernicus.....	23 36 28	16 58 27,5	T.
The Shadow covers Copernicus.....	23 38 10	17 0 9,3	A.
The Shadow covers Copernicus.....	23 38 12	17 0 11,3	T.
The Shadow covers Aristarchus—somewhat uncertain.....	23 43 40	17 5 38,4	T.

Trees prevented further observation,

The Earth's Shadow was not well defined, and the observations altogether were in consequence unsatisfactory particularly towards the latter observations.

The observations marked T were made by myself with Dollond's 5 feet Achromatic with the lowest power (60); those marked A, were made by my Head Assistant with Dollond's 42 Inch Achromatic power 75; a lower power was much wanted for this nature of observation.

Observation of the Eclipse of the Moon on the 27th December 1833.

	Shelton's Clock.			Madras Mean Time.			Observed by
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>	
Beginning of the Eclipse the Shadow was not well defined.	7	23	50	13	0	11,9	T.
The Shadow covers Aristarchus.....	7	33	28	13	9	48,4	—
The Shadow covers Copernicus.....	7	45	28	13	21	46,4	—
The Shadow touches Plato.....	7	49	23	13	25	40,8	—
The Shadow covers Aristoteles.....	7	58	10	13	34	26,3	—
The Shadow covers Eudoxus.....	7	58	15	13	34	31,3	—
The Shadow touches Tycho.....	7	58	41	13	35	0,2	—
The Shadow covers Tycho.....	7	59	22	13	35	38,1	—
The Shadow covers Plinius.....	8	4	45	13	41	0,2	—
The Shadow covers Meshala.....	8	12	2	13	48	16,0	—
The Shadow covers Proclus.....	8	14	35	13	50	48,6	—
The Shadow covers Mare Crisium.....	8	19	34	13	55	46,8	—
The Shadow covers the Moon.....	8	24	28	11	0	40,0	—
End of Total Darkness.....	10	2	55	13	38	51,0	—
The Shadow covers Grimaldus.....	10	5	50	15	41	45,5	—
The Shadow leaves Grimaldus.....	10	6	45	15	42	40,4	—
The Shadow leaves Galileus.....	10	10	14	15	46	8,8	—
The Shadow leaves Aristarchus.....	10	14	16	15	50	10,1	—
The Shadow covers Tycho.....	10	28	13	16	4	4,8	—
The Shadow leaves Tycho.....	10	29	10	16	5	1,8	—
The Shadow leaves Manilius.....	10	41	0	16	16	49,9	—
The Shadow covers Mare Crisium.....	10	58	20	16	34	7,1	—
The Shadow leaves Mare Crisium.....	11	0	0	16	35	46,8	—
End of the Eclipse.....	11	2	50	16	38	36,3	—

The above observations were made by myself with Dollond's 5 feet Achromatic power 60; the air was beautifully clear, and with the exception of the beginning, I have never seen the Earth's Shadow better defined; the observations though few in numbers in consequence of the rapid deposition of dew (which obliged me to stop every five minutes to wipe the object Glass), are nevertheless to be depended upon.

Eclipses of Jupiter's Satellites observed in the years 1832 and 1833.

1832		h. m. s.		h. m. s.	
Sept.	26—Emersion of Jupiter's first Satellite with				
	5 feet Achromatic power 160 at.....	20	2 45	or	7 40 26,1 M. T.
	Do. with 46 Inches Achromatic power 75 at..	20	2 55	or	7 40 36,1 M. T.
	Air very clear, and good observation.				
Oct.	3—Emersion of Jupiter's first Satellite with				
	5 feet Achromatic power 130 at.....	22	26 18	or	9 35 31,5 M. T.
	Do. with 46 Inches Achromatic power 75 at..	22	26 18	or	9 35 31,5 M. T.
	A little haze, but observation satisfactory.				
	9—Emersion of Jupiter's second Satellite				
	with 46 Inches Achromatic power 75 at....	23	30 50	or	10 15 35,8 M. T.
	Observation satisfactory.				
Nov.	2—Emersion of Jupiter's first Satellite with				
	5 feet Achromatic power 120 at.....	2	35 35	or	11 46 41,2 M. T.
	Moon light clear, observation good.				
	3—Emersion of Jupiter's second Satellite				
	with 5 feet Achromatic power 130 at....	22	11 30	or	7 19 23,3 M. T.
	Do. with 46 Inches Achromatic power 75 at..	22	12 10	or	7 20 3,2 M. T.
	Moon light very clear, observation satisfactory.				
	11—Emersion of Jupiter's first Satellite with				
	46 Inches Achromatic power 75 at.....	23	35 37	or	8 11 34,6 M. T.
	Do. with 5 feet Achromatic power 130 at....	23	35 42	or	8 11 39,6 M. T.
	Observation good.				
	17—Immersion of Jupiter's third Satellite				
	with 46 Inches Achromatic power 75 at ...	0	15 50	or	8 28 32,0 M. T.
	17—Emersion of Jupiter's third Satellite				
	with 46 Inches Achromatic power 75 at....	3	12 30	or	11 24 43,6 M. T.
Dec.	4—Emersion of Jupiter's first Satellite with				
	46 Inches Achromatic power 75 at.....	1	22 45	or	8 29 39,5 M. T.
	5—Emersion of Jupiter's second Satellite				
	with 46 Inches Achromatic power 75 at....	23	57 30	or	7 0 46,7 M. T.
1833.					
Jan.	12—Emersion of Jupiter's first Satellite with				
	5 feet Achromatic power 130 at.....	2	30 49	or	7 6 58,3 M. T.
	Do. with 46 Inches Achromatic power 75 at..	2	30 55	or	7 7 4,3 M. T.
	13—Emersion of Jupiter's second Satellite				
	with 5 feet Achromatic power 60 at.....	4	47 10	or	9 19 4,6 M. T.
	Planet low, clear, observation good.				
	19—Emersion of Jupiter's first Satellite with				
	5 feet Achromatic power 110 at.....	4	58 15	or	9 2 34,4 M. T.

h. m. s. h. m. s.

- Feb. 27—Emersion of Jupiter's first Satellite with
46 Inches Achromatic power 75, at..... 6 7 8 or 7 37 14,7 M. T.
4° Above the horizon, observation doubtful.
- June 11—Immersion of Jupiter's first Satellite
with 5 feet Achromatic power 130, at.....20 57 46 or 15 37 1,2 M. T.
Moon light, clear, observation satisfactory.
- 27—Emersion of Jupiter's third Satellite
with 5 feet Achromatic power 130, at.....22 22 25 or 16 0 5,7 M. T.
Clear, observation good.
- July 4—Immersion of Jupiter's first Satellite
with 46 Inches Achromatic power 75, at....22 34 48 or 15 45 18,8 M. T.
Thin haze, observation satisfactory.
- 20—Immersion of Jupiter's second Satellite
with 46 Inches of Achromatic power 75, at.. 0 3 20 or 16 11 8,2 M. T.
- 27—Immersion of Jupiter's first Satellite
with 46 Inches Achromatic power 75, at.... 0 15 45 or 15 56 4,1 M. T.
Observation satisfactory.
- Aug. 5—Immersion of Jupiter's first Satellite
with 46 Inches Achromatic power 75, at....21 12 26 or 12 17 57,9 M. T.
- 9—Immersion of Jupiter's third Satellite
with 46 Inches Achromatic power 75, at....22 53 25 or 13 41 23,8 M. T.
Thin haze, observation satisfactory.
- 14—Immersion of Jupiter's second Satellite
with 5 feet Achromatic power 110, at.....22 54 34 or 13 23 4,5 M. T.
Clear, observation good.
- 14—Emersion of Jupiter's second Satellite
with 5 feet Achromatic power 110, at..... 1 20 29 or 15 48 34,7 M. T.
- Sept. 11—Immersion of Jupiter's first Satellite
with 5 feet Achromatic power 110, at..... 3 35 35 or 16 14 22,7 M. T.
Observation fair.
- 14—Emersion of Jupiter's third Satellite
with 46 Inches Achromatic power 75, at....21 15 45 or 9 43 51,4 M. T.
Do. with 5 feet Achromatic power 110, at....21 15 50 or 9 43 56,4 M. T.
- 14—Emersion of Jupiter's third Satellite
with 5 feet Achromatic power 110, at.....23 34 35 or 12 2 18,9 M. T.
- 21—Immersion of Jupiter's third Satellite
with 5 feet Achromatic power 110, at..... 1 45 55 or 13 45 55,0 M. T.
By reason of haze, this observation can
only be considered one of second rate
accuracy.
- Oct. 6—Immersion of Jupiter's first Satellite
with 5 feet Achromatic power 110, at.....23 53 36 or 10 55 16,8 M. T.

h. m. s. h. m. s.

- Oct. 13—Immersion of Jupiter's first Satellite
with 5 feet Achromatic power 180, at..... 2 15 59 or 12 49 51,8 M. T.
Very good observation.
- 15—Immersion of Jupiter's first Satellite
with 46 Inches Achromatic power 75, at....20 51 38 or 7 18 34,3 M. T.
Do. with 5 feet Achromatic power 180, at... 20 51 40 or 7 18 36,3 M. T.
- 20—The first appearance of the Emersion of
Jupiter's third Satellite was from be-
hind the body of the Planet at.....22 8 15 or 8 15 13,5 M. T.
As seen through the 5 feet Achroma-
tic with a power 150.
It appeared in contact with the body of
Jupiter at.....22 16 20 or 8 23 12,3 M. T.
- 31—Emersion of Jupiter's first Satellite with
5 feet Achromatic power 110, at.....22 21 20 or 7 44 43,2 M. T.
Do. with 46 Inches Achromatic power 75 at..22 21 40 or 7 45 3,1 M. T.
Clear, observation good.
- Nov. 23—Emersion of Jupiter's first Satellite with
5 feet Achromatic power 110, at..... 0 8 58 or 7 59 15,7 M. T.
Do. with 46 Inches Achromatic power 75 at.. 0 9 19 or 7 59 36,6 M. T.
- Dec. 2—Emersion of Jupiter's third Satellite
with 42 Inches Achromatic power 75, at.... 0 56 33 or 8 11 34,1 M. T.
Clear, observation satisfactory.
- 6—Emersion of Jupiter's second Satellite
with 5 feet Achromatic power 180, at..... 2 31 10 or 9 30 14,6 M. T.
- 9—Immersion of Jupiter's third Satellite
with 42 Inches Achromatic power 75, at.... 3 16 35 or 10 3 56,8 M. T.
- 9—Emersion of Jupiter's third Satellite
with 5 feet Achromatic power 110, at..... 5 27 12 or 12 14 2,6 M. T.

Not being possessed of any Greenwich or Cambridge Observations corresponding to these we will now compare them with the times given in the Nautical Almanac, from which we determine.

The Longitude of the Madras Observatory.

1832	Im. or Em.	I Satellite.	Im. or Em.	II Satellite.	Im. or Em.	III Satellite.	REMARKS.
		<i>h. m. s.</i>		<i>h. m. s.</i>		<i>h. m. s.</i>	
September 26	E.	5 21 11,1	
October 3	E.	5 20 55,5	
9	E.	5 21 10,8	
November 2	E.	5 20 57,2	
3	E.	5 20 51,3	

The Longitude of the Madras Observatory, continued.

1832	Im. or Em.	I Satellite.	Im. or Em.	II Satellite.	Im. or Em.	III Satellite.	REMARKS.
		<i>h. m. s.</i>		<i>h. m. s.</i>		<i>h. m. s.</i>	
November 11	E.	5 20 57,1	
17	I.	5 23 3,0	
17	E.	5 21 7,6	
December 4	E.	5 21 59,5	
5	E.	5 21 18,7	
1833							
January 12	E.	5 21 31,3	
13	E.	5 22 11,6	
19	E.	5 21 15,4	
27	E.	5 20 36,7	
June 11	I.	5 21 24,2	
27	E.	5 20 58,7	
July 4	I.	5 20 0,0	
20	I.	5 21 36,2	
27	I.	5 21 21,1	
August 5	I.	5 21 10,9	
9	I.	5 24 34,8	
14	I.	5 21 57,5	
14	E.	5 21 58,7	
September 11	I.	5 19 58,7	
14	I.	5 22 42,9	
14	E.	5 22 50,9	
21	I.	5 23 42,0	
October 6	I.	5 20 59,8	
13	I.	5 21 3,8	
15	I.	5 21 6,3	
31	E.	5 20 56,2	
November 23	E.	5 20 50,2	
December 2	E.	5 20 53,1	
6	E.	5 21 19,6	
9	I.	5 22 16,8	
9	E.	5 21 11,6	
Mean.....	..	5 21 0,8	..	5 21 33,0	..	5 22 20,1	

Taking the Mean of the first and second Satellites whose places are much more accurately observed and computed than those of the third Satellite we obtain :

The Longitude of the Madras Observatory.

5h. 21m. 7,7s: East of Greenwich.

Occultations of the Planet SATURN and of Stars, in the years 1832 and 1833.

1832

April 11—Immersion of Saturn behind the Moon's Dark Limb observed with 42 Inches Achromatic power 75.

The first edge of the ring was lost.

Centre of the Body in contact with Moon's Dark Limb at 12h. 4m. 17,0s. by Shelton's Clock or 10h. 41m. 36,7s. Madras Mean Time.

The Second edge of the Limb at 12h. 4m. 39,5s. by Shelton's Clock or 10h. 41m. 59,1s. Madras Mean Time.

Sept. 27—Immersion of a Star behind the Moon's Dark Limb with 42 Inches Achromatic power 75, at 19h. 8m. 22,5s. by Shelton's Clock or 6h. 42m. 20,4. Madras Mean Time.

Clear, observation good.

Nov. 3—Immersion of ψ Aquarii behind the Moon's Dark Limb with 42 Inches Achromatic power 75, at 23h. 10m. 31,0s. by Shelton's Clock or 8h. 18m. 14,6s. Madras Mean Time.

Observation certain to a second.

29—Immersion of β Arietis behind the Moon's Dark Limb with 42 Inches Achromatic power 75, at 2h. 18m. 53,0s. by Shelton's Clock or 9h. 44m. 45,7s. Madras Mean Time.

Clear, observation good.

Dec. 25—Immersion of θ Capricorni behind the Moon's Dark Limb with 42 Inches Achromatic power 75, at 0h. 47m. 28,5s. by Shelton's Clock or 6h. 33m. 30,6. Madras Mean Time.

Observation satisfactory.

27—Immersion of γ Aquarii behind the Moon's Dark Limb with 5 feet Achromatic power 110, at 2h. 8m. 54,5s. by Skelton's Clock or 7h. 47m. 1,0s. Madras Mean Time.

I fancied the Star slightly projected upon the Moon's Disc at Immersion but my Assistant with the 42 Inches Achromatic did not so see it.

Do. —With 42 Inches Achromatic power 75, at 2h. 8m. 54,0s. by Shelton's Clock or 7h. 47m. 1,5s. Madras Mean Time.

1833

March 24—Immersion of μ Ceti behind the Moon's Dark Limb with 5 feet Achromatic power 110, at 7h. 37m. 34,0s. by Shelton's Clock or 7h. 28m. 36,4s. Madras Mean Time.

25—Immersion of a small Star behind the Moon's Dark Limb with 5 feet Achromatic power 110, at 8h. 2m. 55,5s. by Shelton's Clock or 7h. 49m. 57,7s. Madras Mean Time.

Clear, observation good.

26—Immersion of a small Star behind the Moon's Dark Limb with 5 feet Achromatic power 110, at 7h. 9m. 33,0s. by Shelton's Clock or 6h. 52m. 47,1s. Madras Mean Time.

1833

March 26—Immersion of ϵ Tauri behind the Moon's Dark Limb with 5 feet Achromatic power 110, at 7h. 10m. 38,5s. by Shelton's Clock or 6h. 53m. 52,4s. Madras Mean Time.

Clear, observation good.

Emmersion of ϵ Tauri from behind the Moon's Bright Limb with 5 feet Achromatic power 110, at 7h. 46m. 20,0s. by Shelton's Clock or 7h. 29m. 28,1s. Madras Mean Time.

Immersion of a Star in Taurus behind the Moon's Dark Limb with 5 feet Achromatic power 110, at 7h. 53m. 49,5s. by Shelton's Clock or 7h. 36m. 56,4s. Madras Mean Time.

Observed Transits of the MOON and of Stars, culminating near thereto, in the years 1832 and 1833.

1832	NAMES.	Observed Transit.			1832	NAMES.	Observed Transit.		
		<i>h.</i>	<i>m.</i>	<i>s.</i>			<i>h.</i>	<i>m.</i>	<i>s.</i>
Jan. 13	D 1 Limb.....	3	42	12,09	Sept. 5	D 1 Limb.....	19	31	43,97
	48 Tauri.....	4	10	10,03		σ Capricorni.....	20	7	43,06
	15 D 1 Limb.....	5	49	24,13		π Capricorni.....	20	15	43,48
	ν Geminorum....	6	1	58,23	Oct. 3	57 Sagittarii.....	19	43	45,10
Feb. 11	D 1 Limb.....	5	18	0,70		D 1 Limb.....	20	6	50,04
	χ^3 Orionis.....	5	54	19,42		ν Capricorni.....	20	31	48,79
	12 D 1 Limb.....	6	21	9,84	4	ν Capricorni.....	20	32	1,20
	ζ Geminorum....	6	54	33,60		D 1 Limb.....	20	58	24,09
	23 ϕ Ophiuchi.....	16	22	28,11		δ Capricorni.....	21	39	19,14
	D 2 Limb.....	16	39	3,31	8	P Piscium.....	23	52	9,37
March 13	α^1 Cancræ.....	8	49	31,20		S Piscium.....	23	58	49,16
	D 1 Limb.....	9	8	10,03		D 1 Limb.....	0	17	34,42
	ν Leonis.....	9	50	49,63		26 Ceti.....	0	57	15,80
	14 ν Leonis.....	9	50	52,15	9	26 Ceti.....	0	57	20,04
	D 1 Limb.....	10	7	48,83		D 1 Limb.....	1	7	34,00
April 13	D 1 Limb.....	12	27	40,59		D 2 Limb.....	1	9	42,22
	k^4 Virginis.....	12	54	20,36		ν Piscium.....	1	34	51,31
	14 k^4 Virginis.....	12	54	22,48	30	D 1 Limb.....	19	45	7,18
	D 1 Limb.....	13	18	56,61		σ Capricorni.....	20	10	30,01
	88 Virginis.....	13	38	38,55		ν Capricorni.....	20	31	17,22
	15 88 Virginis.....	13	38	14,85	31	σ Capricorni.....	20	10	30,56
	κ Virginis.....	14	2	40,20		ν Capricorni.....	20	31	17,59
	D 2 Limb.....	14	11	23,42		D 1 Limb.....	20	36	49,92
June 9	94 Virginis.....	13	55	58,87		ν Capricorni.....	21	13	42,22
	D 1 Limb.....	14	24	44,27	Nov. 1	ν Capricorni.....	21	13	42,39
	ξ^a Libræ.....	14	46	14,28		D 1 Limb.....	21	27	23,30
	12 S Ophiuchi.....	16	50	25,14		ν Aquarii.....	21	58	11,03
	D 1 Limb.....	16	55	55,09		D Aquarii.....	22	10	49,01
	52 Ophiuchi.....	17	23	35,71		ν Aquarii.....	21	58	11,61
Sept. 4	21 Sagittarii.....	18	13	20,36		D Aquarii.....	22	10	49,64
	D 1 Limb.....	18	39	21,07		D 1 Limb.....	22	16	56,43
	138 Sagittarii.....	19	18	55,81	70	Aquarii.....	22	40	29,74
	5,138 Sagittarii.....	19	18	56,79	3	70 Aquarii.....	22	40	30,72

1832		NAMES.		Observed Transit.		1833		NAMES.		Observed Transit.			
				<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>h.</i>	<i>m.</i>	<i>s.</i>	
Nov.	3	D	1 Limb.....	23	5	50,38	May	2	1 ³ Virgins.....	13	28	53,59	
	r	Piscium.....	23	54	12,21	D		1 Limb.....	13	41	39,84		
	4	190 ^o Aquarii.....	23	40	54,04	2		Libræ.....	14	16	30,34		
	D	1 Limb.....	23	54	45,47	3		κ Virgins.....	14	5	59,95		
	5	D	1 Limb.....	0	44	16,75		2	Libræ.....	14	16	27,30	
	f	Piscium.....	1	10	17,21	D		1 Limb.....	14	37	7,11		
	v	Piscium.....	1	33	50,88	D		2 Limb.....					
	15	a	Leonis.....	10	0	10,53		γ	Libræ.....	15	25	20,65	
	p	Leonis.....	10	24	42,61	η		Libræ.....	15	33	50,32		
	D	2 Limb.....	10	36	18,26	D		1 Limb.....	15	41	27,17		
	29	δ	Capricorni.....	21	37	33,60		χ	Ophiuchi.....	16	16	30,42	
	D	1 Limb.....	21	55	46,63	29		χ Ophiuchi.....	16	16	27,00		
	70	Aquarii.....	22	39	27,82	D		1 Limb.....	16	35	45,24		
	30	σ	Aquarii.....	22	21	28,72		p	Ophiuchi.....	17	10	5,84	
	70	Aquarii.....	22	39	23,14	D		Ophiuchi.....	17	27	31,37		
Dec.	D	1 Limb.....	22	44	9,44	June	30	D	1 Limb.....	17	31	2,03	
	3	26 Ceti.....	0	54	41,00		μ ¹	Sagittarii.....	18	2	48,51		
	D	1 Limb.....	1	8	56,38		1	D	1 Limb.....	18	27	50,40	
	v	Ceti.....	1	32	12,23		o	Sagittarii.....	18	53	38,05		
	4	v Piscium.....	1	32	8,03		π	Sagittarii.....	18	58	47,35		
	225	Ceti.....	1	50	37,10		29	v ¹ Sagittarii.....	18	42	20,22		
	D	1 Limb.....	1	59	56,12		f	Sagittarii.....	18	52	55,45		
	μ	Ceti.....	2	35	18,50		D	1 Limb.....	19	2	37,91		
	5	μ Ceti.....	2	35	13,90		f	Sagittarii.....	19	34	51,83		
	D	1 Limb.....	2	53	52,30		Aug.	22	δ	Cancr.....	21	36	59,69
	6	D	1 Limb.....	3	51			29,80	μ	Cancr.....	21	43	21,76
	179	Tauri.....	4	35	46,04			D	1 Limb.....	22	14	32,37	
	7	i Tauri.....	4	40	46,09			D	2 Limb.....				
	D	1 Limb.....	4	54	15,52			I	Aquarii.....	22	33	24,52	
	D	2 Limb.....						21	D	1 Limb.....	18	26	52,70
1833						26		Sagittarii.....	18	29	50,28		
	Jan.	13	D	2 Limb.....	14	22	34,92	61	Sagittarii.....	19	8	47,26	
	a ²	Libræ.....	14	38	9,95	Oct.	20	f	Sagittarii.....	19	34	26,84	
	Feb.	4	q	Cancr.....	9	10	10,65	D	1 Limb.....	19	55	33,51	
	D	2 Limb.....	9	17	37,74	20	Capricorni.....	20	47	56,51			
	March	2	p	Geminorum.....	7	19	6,57	21	D	1 Limb.....	20	48	25,51
	D	1 Limb.....	7	35	31,33	γ	Capricorni.....	21	28	41,51			
	29	D	1 Limb.....	7	11	50,45	δ	Capricorni.....	21	35	40,75		
	l	Geminorum.....	7	47	42,14	22	γ	Capricorni.....	21	28	43,06		
	31	q	Cancr.....	9	11	27,85	δ	Capricorni.....	21	35	42,16		
	D	1 Limb.....	9	17	56,32	D	1 Limb.....	21	38	57,68			
	April	1	37	Leonis.....	10	9	32,10	f	Aquarii.....	22	19	14,27	
	D	1 Limb.....	10	19	9,54	23	f	Aquarii.....	22	19	14,76		
	4	θ	Virginis.....	13	3	11,66	D	1 Limb.....	22	27	23,52		
	D	2 Limb.....	13	13	56,45	h ¹	Aquarii.....	22	54	22,05			
	28	D	1 Limb.....	9	58	25,45	χ ³	Aquarii.....	23	8	11,22		
	p	Leonis.....	10	26	16,56	Nov.	x	Aquarii.....	21	53	49,40		
	l	Leonis.....	10	42	44,27		D	1 Limb.....	22	11	17,57		
29	p	Leonis.....	10	26	13,75		20	70	Aquarii.....	22	40	12,71	
l	Leonis.....	10	42	41,42	K		Aquarii.....	22	45	10,70			
D	1 Limb.....	10	56	28,90	D		1 Limb.....	22	58	40,90			
v	Virginis.....	11	39	29,54	21		190	Aquarii.....	23	40	26,05		
1	γ ¹	Virginis.....	12	35	18,56		D	1 Limb.....	23	44	39,07		
D	1 Limb.....	12	47	26,24	60		Ceti.....	0	16	26,57			
1 ³	Virginis.....	13	28	56,92	n		Ceti.....	0	21	59,73			

1833	NAMES.	Observed Transit.	1833	NAMES.	Observed Transit.
		<i>h. m. s.</i>			<i>h. m. s.</i>
Nov. 22	60 Ceti.....	0 16 25,01	Dec. 22	4 Ceti.....	3 1 54,86
	" Ceti.....	0 21 58,17		f Ceti.....	3 21 22,39
	1 Limb.....	0 30 3,09	23	4 Ceti.....	3 1 52,14
Dec. 18	1 Limb.....	23 25 7,09		1 Limb.....	3 29 1,83
	P Piscium.....	23 49 59,57	24	1 Limb.....	4 12 56,52
	S Piscium.....	23 56 39,19		Tauri.....	4 52 45,36
19	P Piscium.....	23 49 56,80		1 Tauri.....	4 57 33,86
	S Piscium.....	23 56 36,76	25	Tauri.....	4 52 43,09
	1 Limb.....	0 10 24,54		1 Tauri.....	4 57 31,44
	m Ceti.....	0 44 18,48		1 Limb.....	5 10 50,35
20	m Ceti.....	0 44 16,25		Q ² Tauri.....	5 51 12,42
	1 Limb.....	0 55 25,99	26	Q ² Tauri.....	5 51 10,17
	μ Piscium.....	1 21 14,21		γ Geminorum.....	6 4 21,17
	ν Piscium.....	1 32 32,93		1 Limb.....	6 13 35,36
22	1 Limb.....	2 28 43,38		2 Limb.....	

Selecting from the above those of which corresponding observations have been made at the Greenwich Royal Observatory, we have :

1832	NAMES.	Madras Observations	<i>t</i>	Greenwich Observations	<i>τ</i>	<i>t - τ</i>
		<i>h. m. s.</i>	<i>m. s.</i>	<i>h. m. s.</i>	<i>m. s.</i>	<i>m. s.</i>
March 13	o ¹ Cancr.....	8 49 31,20	8 48 35,76
	1 Limb....	9 8 10,03	- 18 38,83	9 20 44,54	- 32 8,68	+ 13 29,85
	ν Leonis....	9 50 49,63	+ 42 39,60	9 49 54,97	+ 29 10,43	+ 13 29,17
April 13	1 Limb....	12 27 40,59	12 40 50,26
	k ⁴ Virginis....	12 54 20,35	+ 26 39,76	12 56 0 38	+ 15 10,12	+ 11 29,66
14	1 Limb....	13 18 56,61	13 31 53,76
	88 Virginis....	13 38 38,55	+ 19 41,94	13 40 15,96	+ 8 22,20	+ 11 19,74
Oct. 8	p Piscium....	23 52 9,47	- 25 24,95	23 50 31,24	- 36 27,76	+ 11 2,81
	S Piscium....	23 58 49,23	- 18 45,19	23 56 11,18	- 30 47,82	+ 11 2,63
	1 Limb....	0 17 34,42	0 26 59,00
	26 Ceti.....	0 57 15,65	+ 39 41,23	0 55 37,54	+ 28 38,54	+ 11 2,69
Nov. 4	190 Aquarii....	23 40 54,10	- 13 51,37	23 40 2,90	- 24 47,02	+ 10 55,65
	1 Limb....	23 54 45,47	0 4 49,92
29	1 Limb....	21 55 46,63	22 7 38,10
	70 Aquarii....	22 39 27,96	+ 43 41,33	22 40 26,90	+ 32 48,80	+ 10 52,53

Similarly, for those of which corresponding observations were made at the Observatory at Cambridge, we have :

1832	NAMES.	Madras Observations	<i>t</i>	Cambridge Observations	<i>τ</i>	<i>t - τ</i>
		<i>h. m. s.</i>	<i>m. s.</i>	<i>h. m. s.</i>	<i>m. s.</i>	<i>m. s.</i>
March 13	1 Limb....	9 8 10,03	9 19 40,20
	ν Leonis....	9 50 49,63	+ 42 39,60	9 48 51,25	+ 29 11,05	+ 13 28,55
Sept. 4	1 Limb....	18 39 21,07	18 48 50,34

1832	NAMES.	Madras Observations	t	Cambridge Observations	τ	$t - \tau$
		<i>h. m. s.</i>	<i>m. s.</i>	<i>h. m. s.</i>	<i>m. s.</i>	<i>m. s.</i>
Sept.	4 138 Virginia...	19 18 55,78	+ 39 34,71	19 16 43,87	+ 27 53,53	+ 11 41,18
	5 138 Virginia...	19 18 56,79	— 12 47,18	19 16 40,91	— 24 22,91	+ 11 35,73
	<i>h</i> 1 Limb....	19 31 43,97	19 41 3,82
	<i>π</i> Capricorni...	20 15 43,45	+ 43 59,48	20 13 27,46	+ 32 23,64	+ 11 35,84
Oct.	8 <i>p</i> Piscium....	23 52 9,47	— 25 24,95	23 49 12,66	— 36 26,94	+ 11 1,89
	<i>S</i> Piscium....	23 58 49,23	— 18 45,19	23 55 52,54	— 29 46,96	+ 11 1,77
	<i>h</i> 1 Limb....	0 17 34,42	0 25 39,50
Nov.	1 <i>h</i> 1 Limb....	21 27 23,30	21 36 34,29
	<i>h</i> Aquarii....	21 58 11,03	+ 30 47,73	21 56 15,82	+ 19 41,53	+ 11 6,20
	4 190 Aquarii...	23 40 54,10	— 13 51,37	23 38 39,55	— 24 46,06	+ 10 54,69
	<i>h</i> 1 Limb....	23 54 45,47	0 3 25,61
1833						
Feb.	4 <i>q</i> Cancri....	9 10 10,65	— 7 27,09	9 9 23,32	— 21 58,12	+ 14 31,03
	<i>h</i> 2 Limb....	9 17 37,74	9 31 21,44
April	1 37 Leonis....	10 9 32,10	— 9 37,44	10 6 53,06	— 22 58,53	+ 13 21,09
	<i>h</i> 1 Limb....	10 19 9,54	10 29 51,59
	28 <i>h</i> 1 Limb....	9 58 25,45	10 7 28,38
	<i>ρ</i> Leonis....	10 26 16,58	+ 27 51,13	10 22 12,53	+ 14 44,15	+ 13 6,98
May	3 <i>χ</i> Virginis...	14 5 59,89	— { 30 0,09 32 14,35	14 4 1,02	— { 42 10,40 44 25,16	+ { 12 10,31 12 10,81
	2 Libræ....	14 16 27,26	— { 19 32,72 21 46,98	14 14 28,33	— { 31 43,09 33 57,85	+ { 12 10,37 12 10,87
	<i>h</i> 1 Limb....	14 35 59,98	14 46 11,42
	<i>h</i> 2 Limb....	14 38 14,24	14 48 26,18
June	29 <i>h</i> 1 Limb....	16 35 45,24	16 47 46,49
	<i>h</i> Ophiuchi...	17 32 31,47	+ 56 46,23	17 32 17,83	+ 44 31,34	+ 12 14,89
July	1 <i>h</i> 1 Limb....	18 26 42,62	18 38 55,90
	<i>σ</i> Sagittarii...	18 53 38,14	+ 26 55,52	18 53 27,70	+ 14 31,80	+ 12 23,72
	<i>π</i> Sagittarii...	18 58 47,46	+ 32 4,84	18 58 37,20	+ 19 41,30	+ 12 23,54
Sept.	26 <i>σ</i> Aquarii....	22 19 51,46	— 24 24,75	22 21 1,31	— 34 50,87	+ 10 26,12
	<i>h</i> 1 Limb....	22 44 16,21	22 55 52,18
Oct.	20 <i>f</i> Sagittarii...	19 34 26,86	— 21 6,65	19 35 52,13	— 33 4,28	+ 11 57,63
	<i>h</i> 1 Limb....	19 55 33,51	20 8 56,41
	23 <i>f</i> Aquarii....	22 19 14,77	— 8 8,75	22 20 28,23	— 18 40,61	+ 10 31,91
	<i>h</i> 1 Limb....	22 27 23,52	22 39 8,89
	<i>h</i> ¹ Aquarii....	22 54 22,03	+ 26 58,51	22 55 35,54	+ 16 26,65	+ 10 31,86
	<i>ψ</i> ² Aquarii....	23 8 11,18	+ 40 47,66	23 9 24,60	+ 30 15,71	+ 10 31,95

The above observations at Greenwich and Cambridge are extracted from the Monthly reports of the proceedings of the Royal Astronomical Society; but my copy of these not being complete; it is possible that a greater number of corresponding observations may have been made than are now given. In computing the Longitude I have in either case assumed $x = 5h. 21m.$ in preference to computing the horary motion for the middle of the times of passage, and for the other elements of the computation have employed the Nautical Almanac; the values of the Longitude thus deduced are as follows:

1832	Longitude from Greenwich Observations.			Longitude from Cambridge Observations.			REMARKS.		
	D. 1 L.		D. 2 L.	D. 1 L.		D. 2 L.			
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>
March 13	5	20	52,47	5	20	27,59	
April 13	5	20	53,97	
14	5	21	4,05	
September 4	5	20	48,62	
5	5	20	20,51	
October 8	5	20	54,37	5	20	28,69	
November 1	5	20	23,01	
4	5	20	52,30	5	20	24,27	
29	5	20	46,60	
1833									
February 4	5	20	33,19
April 4	5	20	34,31	
28	5	20	50,80	
May 3	5	20	26,25	5	20 34,01
June 29	5	20	31,14	
July 1	5	20	46,05	
September 26	5	20	22,47	
20	5	20	20,32	
October 23	5	20	23,84	
Mean.....	5	20	55,94	5	20	30,56	5	20 33,60

The observations of 1831, shew that a correction of about 12 seconds ought to be applied to the Longitude determined from the Observations of the Moon's first limb at Greenwich when compared with the Madras Observations; not having any corresponding observations at Greenwich of the Moon's second limb in 1832 and 1833, it will perhaps be the safer plan to allow these observations to remain as they are until further observations upon the Moon's second limb have been made; the Cambridge Observations offer two results of the longitude from the second limb, which taking the mean and allowing the longitude of Cambridge to be 23,54s. East of Greenwich, we obtain for the longitude of Madras 5h. 20m. 55,62s. a result which is probably from 5 to 10 seconds in defect.

Observation of the Transit of MERCURY, May 5, 1832, observed with Dollond's five feet Achromatic, power 110.

	Mean Time.		
	<i>h.</i>	<i>m.</i>	<i>s.</i>
The Exterior contact at ingress was lost.			
Centre of Planet (by estimation) in contact with the Sun's limb....	2	22	21,5
Interior contact at ingress.....	2	23	37,3
High wind which agitated the telescope prevented further observation.			

SUPPLEMENTARY OBSERVATIONS AND REMARKS.

Hitherto, in the reduction of the Madras Observations I have employed for the aberration, nutation, &c. the tables by Baily, published in the II Volume of the Royal Astronomical Society's Memoirs; the great care which was taken in the computation of these tables, and the superior judgment and skill of the Superintendant renders it unnecessary for me here to offer any explanation as to why I have given to them the preference; in the reduction of the observations of 1831, being obliged to compute the values A, B, C, D, I assumed for the value of the maximum of aberration 20,50s.* instead of 20,36s. which had been recommended by Mr. Baily; but in the reductions for 1832 and 1833, these numbers having been furnished in the Supplements to the Nautical Almanac computed for the latter co-efficient, I have considered the difference too unimportant to render a recomputation necessary. For the refraction, I have employed those very excellent tables by Mr. Henry Atkinson published in the III Volume of the Astronomical Society's Memoirs; independant of the elegance and originality which marks this memoir through every step of the investigation, the actual comparison of observations at low altitudes *below* the Pole at Greenwich, with those *above* the Pole, has given to these tables a preference to those of Ivory, Young, Brinkley, Bradley and Groombridge, with which they have been compared; as this comparison however does not extend to altitudes below 10°, it will at least be *interesting*, if not *useful* to fill up the blank; for this purpose we will select from the Greenwich Catalogue those Stars which are situated at 120° of N. P. D. or 8½° altitude, and downwards to the horizon; for at these altitudes the uncertainty of refraction amounts to several seconds, whereas at the altitudes which Stars thus situated attain to at Madras (from 47° to 39°), the uncertainty is comparatively very unimportant.

The Greenwich Catalogues which I am so fortunate as to possess, are; a Catalogue of 720 Stars observed (I believe) in 1827-29 and reduced to 1830; and the Catalogue published in Part 5, of the observations for 1831; these being reduced to January 1, 1832, and arranged in order of N. P. D. are as follows.

* Deduced from the Greenwich Observations by Mr. W. Richardson.

NAMES.	A. R.	Greenwich N. P. D. for 1832 from Observations.		Concluded N. P. D. Jan. 1, 1832	Bradley's Refraction Bar. 29.6 Ther. 50°.	Presumed Apparent N. P. D.
		In 1828.	In 1831.			
ζ Sagittarii...	18 51	12 6 37,70	2 6 40,18	120 6 38,05	— 6 7,33	120 0 30,72
α Ault. Piscium	10 19	14 12 50,50	120 12 50,50	— 6 11,70	120 6 38,80
α App. Sculp.	0 50	14 15 58,79	120 15 58,79	— 6 13,85	120 9 44,96
γ ^a Sagittarii...	17 55	2 24 57,80	120 24 57,80	— 6 20,12	120 18 37,68
α Piscis. Aust.	22 48	96 30 36,20	18 30 36,87	120 30 36,31	— 6 24,17	120 24 12,14
ν ^a Eridani.....	4 29	6 54 43,20	4 54 42,98	120 54 43,20	— 6 42,64	120 48 0,56
ξ Hyd. & Crat.	11 24	14 55 41,50	2 55 40,89	120 55 41,41	— 6 43,44	120 48 57,97
h Centauri.....	13 43	10 5 37,29	121 5 37,29	— 6 51,55	120 58 45,74
θ Piscis. Aust.	21 37	2 40 13,64	121 40 13,64	— 7 22,29	121 32 51,35
k Centauri....	13 42	6 9 24,70	1 9 23,66	122 9 24,55	— 7 51,59	122 1 32,96
* Centauri....	13 36	13 11 26,21	122 11 26,21	— 7 53,90	122 3 32,31
κ ^a Canis Maj.	6 43	14 19 11,50	122 19 11,50	— 8 2,31	122 11 9,19
μ Columbæ....	5 40	2 22 36,21	122 22 36,21	— 8 5,95	122 14 30,26
D Canis Maj.	6 22	10 28 47,14	122 28 47,14	— 8 13,27	122 20 33,87
α Pixed Naut.	8 36	18 35 7,60	122 35 7,60	— 8 20,85	122 26 46,75
4 Piscis. Aust.	21 7	2 52 10,76	122 52 10,76	— 8 41,88	122 43 28,88
β Hydæ.....	11 44	10 58 28,10	122 58 28,10	— 8 49,60	122 49 38,50
χ Lupi.....	15 40	6 6 28,50	2 6 30,77	123 6 29,07	— 9 0,82	122 57 28,25
β Piscis. Aust.	22 22	14 12 17,30	2 12 21,05	123 12 17,77	— 9 8,83	123 3 8,94
λ Canis Maj....	6 16	10 21 28,50	123 21 28,50	— 9 22,05	123 12 6,45
g Centauri....	13 40	8 36 33,29	123 36 33,29	— 9 45,02	123 26 48,27
γ Piscis. Aust.	22 43	6 45 52,75	123 45 52,75	— 10 0,24	123 35 52,51
ι Piscis. Aust.	21 35	14 47 17,30	123 47 17,30	— 10 2,56	123 37 14,74
k Scorp.ii.....	16 54	6 52 42,00	123 52 42,00	— 10 11,60	123 42 30,40
e Scorp.ii.....	16 39	10 58 49,70	123 58 49,70	— 10 22,33	123 48 27,37
α Columbæ....	5 33	8 10 14,40	6 10 31,59	124 10 14,40	— 10 42,75	123 59 31,65
* Canis Maj....	6 45	10 31,59	124 10 31,59	— 10 43,20	123 59 48,39
41 Eridani.....	4 11	4 12 54,90	124 12 54,90	— 10 47,50	124 2 7,40
α Normæ.....	16 20	10 49 52,84	124 19 52,84	— 11 1,40	124 8 51,44
α Microscop.ii.	20 39	6 23 49,30	2 24 3,33	124 23 49,30	— 11 9,60	124 12 39,70
43 Eridani.....	4 17	4 24 48,40	124 24 48,40	— 11 11,70	124 13 36,70
e Sagittarii....	18 12	9 27 22,10	124 27 22,10	— 11 16,90	124 16 5,20
β Pixed Naut.	8 33	2 43 21,05	124 43 21,05	— 11 50,30	124 31 30,75
κ Columbæ....	6 10	8 5 31,40	4 5 35,84	125 5 32,88	— 12 42,40	124 52 50,48
γ Columbæ....	5 51	3 18 31,90	2 18 46,50	125 18 31,90	— 13 16,30	125 5 15,60
θ Centauri.....	13 56	8 32 31,50	125 32 31,50	— 13 53,50	125 18 38,00

* This being only a single observation at each Instrument, I have rejected it and assumed the result of 1828.

† I have rejected this result as erroneous in consequence of the coincidence of the results of 1823, with the R. A. Society's Catalogue, for comparing it with κ Columbæ we have :

R. A. S. Catalogue 1830.	Greenwich Observations of 1828 reduced to 1830.	Greenwich Observations of 1831 reduced to 1830.
125 5 20,20	125 5 31,40	125 5 35,84
125 18 23,30	125 18 31,90	125 18 46,50
Difference...13 3,10	13 0,50	13 10,66

NAMES.	A. R.	Greenwich N. P. D. for 1832 from Observations.		Concluded N. P. D. Jan. 1, 1832.	Bradley's Refraction Bar. 29,6 Ther. 50°.	Presumed Apparent N. P. D.
		In 1828.	In 1831.			
α Columbæ....	5 25	5 36 10,60	2 36 9,75	125 36 10,36	— 14 4,50	125 22 5,86
ϵ Centauri....	13 11	11 49 35,60	125 49 35,60	— 14 46,40	125 34 49,20
β Columbæ....	5 45	2 50 24,40	4 50 29,21	125 50 27,61	— 14 49,20	125 35 38,41
ϕ^2 Lupi.....	15 12	1 15 23,52	126 15 23,52	— 16 13,50	125 59 10,02
θ Lupi.....	15 55	1 20 33,73	126 20 33,73	— 16 33,40	126 4 0,33
β Telescopii...	18 6	6 48 39,70	5 48 30,46	126 48 35,50	— 18 28,70	126 30 6,80
λ Scorpii.....	17 22	1 58 37,30	5 58 38,43	126 58 38,24	— 19 14,20	126 39 24,04
γ Telescopii...	17 38	1 59 25,10	1 58 59,73	126 59 12,41	— 19 16,70	126 39 55,71

It will readily be understood that the above column "Barometer 29,6 Thermometer 50°" is computed from Bradley formula $r = 57",00 \times \tan. (z - 3r)$. If it should so happen that any of the Stars above given were observed under this pressure and at this temperature, then the column "Presumed Apparent N. P. D." will be the N. P. D. as actually observed at Greenwich corrected for aberration, &c. and reduced to the beginning of 1832; but since this can hardly be the case exactly in any one single instance, our "Presumed Apparent N. P. D." will be subject to the error which attaches to Bradley's correction for temperature and pressure; notwithstanding this apparently serious objection which (not being possessed of the Greenwich Observations for 1831) I am unable to remedy, and considering that the numbers for which we are seeking are large in proportion to the *uncertainty* of Bradley's correction for 10° or 15° of temperature or for 3 or 4 tenth of an inch of pressure (the probable extent for which the correction is required) I have ventured as a rough approximation to proceed with these computations.

‡ A single observation at this low altitude cannot much be depended upon; the difference between this Star and the preceding one compared with the Society's Catalogue is as follows:

R. A. S. Catalogue 1830.	Greenwich Observations of 1828, reduced to 1830.	Greenwich Observations of 1831 reduced to 1830.
126 58 3,48	126 58 30,70	126 58 31,83
126 58 41,54	126 59 21,30	126 58 55,93
Difference..38,06	50,60	24,10

As there appears no reason for attaching an error to one of these rather than to the other, I have attributed the disagreement to error incidental to observations at this altitude, and taken the mean accordingly.

NAMES.	A. R.	MADRAS.			GREENWICH.			Barometer 29,60 Ther. 50°.			Error of	
		Mean N.P.D. Jan. 1, 1832			Presumed Ap- parent N.P.D. Jan. 1, 1832.			Observed Refraction.	Bradley's Refraction.	Atkinson's Refraction.	Bradley.	Atkin- son.
ζ Sagittarii...	18 51	120 6	44,74	120 0	30,72	6 14,02	6 7,33	6 7,91	—	6,69	—	6,11
α Antl. Pneum.	10 19	120 12	55,91	120 6	38,80	6 17,11	6 11,70	6 12,18	—	5,41	—	4,93
α App. Sculp...	0 50	120 16	2,41	120 9	44,96	6 17,45	6 13,83	6 14,28	—	3,62	—	3,17
γ ^a Sagittarii...	17 55	120 25	2,81	120 18	37,68	6 25,13	6 20,12	6 20,44	—	5,01	—	4,69
α Piscis. Aust...	22 48	120 30	39,01	120 24	12,14	6 26,87	6 24,17	6 24,39	—	2,70	—	2,48
ν ^a Eridani.....	4 29	120 54	43,17	120 48	0,56	6 42,61	6 42,64	6 42,73	+	0,03	+	0,12
ξ Hyd. & Crat.	11 24	120 55	42,87	120 48	57,97	6 44,90	6 43,44	6 43,47	—	1,46	—	1,43
h Centauri....	13 43	121 5	38,66	120 58	45,74	6 52,92	6 51,55	6 51,05	—	1,37	—	1,87
θ Piscis. Aust...	21 37	121 40	16,01	121 32	51,35	7 24,66	7 22,29	7 21,04	—	2,37	—	3,62
k Centauri....	13 42	122 9	22,74	122 1	32,96	7 49,78	7 51,59	7 49,72	+	1,81	—	0,06
* Centauri....	13 36	122 11	26,06	122 3	32,31	7 53,75	7 53,90	7 51,92	+	0,15	—	1,83
κ ^a Canis Maj...	6 43	122 19	9,50	122 11	9,19	8 0,31	8 2,31	7 59,89	+	2,00	—	0,42
μ Columbæ....	5 40	122 22	30,12	122 14	30,26	7 59,86	8 5,95	8 3,39	+	6,09	+	3,53
U Canis Maj...	6 22	122 28	43,76	122 20	33,87	8 9,89	8 13,27	8 10,45	+	3,38	+	0,56
α Pixid Naut...	8 36	122 35	3,72	122 26	46,75	8 16,97	8 20,85	8 17,77	+	3,88	+	0,80
4 Piscis. Aust...	21 7	122 52	5,40	122 43	28,88	8 36,52	8 41,88	8 38,06	+	5,36	+	1,54
β Hydæ.....	11 44	122 58	22,11	122 49	38,50	8 53,61	8 49,60	8 45,48	—	4,01	—	8,13
χ Lupi.....	15 40	123 5	28,93	122 57	28,25	9 0,68	9 0,82	8 56,27	+	0,14	—	4,41
β Piscis. Aust...	22 22	123 12	14,90	123 3	8,94	9 5,96	9 8,83	9 4,04	+	2,87	—	1,92
λ Canis Maj...	6 16	123 21	19,79	123 12	6,45	9 13,34	9 22,05	9 16,69	+	8,71	+	3,35
g Centauri....	13 46	123 36	28,83	123 26	48,27	9 40,56	9 45,02	9 38,65	+	4,46	—	1,91
γ Piscis. Aust...	22 43	123 45	47,08	123 35	52,51	9 54,57	10 0,24	9 53,04	+	5,67	—	1,53
ε Piscis. Aust...	21 35	123 47	14,47	123 37	14,74	9 59,73	10 2,56	9 55,26	+	2,83	—	4,47
k Scorpii.....	16 54	123 52	38,09	123 42	30,40	10 7,69	10 11,60	10 3,97	+	3,91	—	3,72
ε Scorpii.....	16 39	123 58	45,71	123 48	27,37	10 18,34	10 22,33	10 14,07	+	3,99	—	4,27
α Columbæ....	5 33	124 10	5,12	123 59	31,65	10 33,47	10 42,75	10 33,68	+	9,28	+	0,21
* Canis Maj...	6 45	124 10	25,09	123 59	48,39	10 36,70	10 43,20	10 34,03	+	6,50	—	2,67
41 Eridani....	4 11	124 12	46,98	124 2	7,40	10 39,58	10 47,50	10 38,59	+	7,92	—	0,99
α Normæ....	16 20	124 19	49,21	124 8	51,44	10 57,77	11 1,40	10 51,35	+	3,63	—	6,42
α Microscopii...	20 39	124 23	43,11	124 12	39,70	11 3,41	11 9,60	10 59,26	+	6,19	—	4,15
43 Eridani....	4 17	124 24	42,65	124 13	36,70	11 5,95	11 11,70	11 0,97	+	5,75	—	4,98
ε Sagittarii....	18 12	124 27	18,19	124 16	5,20	11 12,99	11 16,90	11 5,85	+	3,91	—	7,14
β Pixid Naut...	8 33	124 43	1,39	124 31	30,75	11 30,64	11 50,30	11 37,46	+	*19,66	+	6,82
κ Columbæ....	6 10	125 5	25,85	124 52	50,48	12 35,37	12 42,40	12 28,15	+	7,03	—	7,22
γ Columbæ....	5 51	125 18	25,92	125 5	15,60	13 10,32	13 16,30	13 0,40	+	5,98	—	9,92
θ Centauri....	13 56	125 32	24,13	125 18	38,00	13 46,13	13 53,50	13 36,95	+	7,37	—	9,18
ε Columbæ....	5 25	125 35	56,03	125 22	5,86	13 50,17	14 4,50	13 47,07	+	14,33	—	3,10
ι Centauri....	13 11	125 49	25,99	125 34	49,20	14 36,79	14 46,40	14 29,01	+	9,61	—	7,78
β Columbæ....	5 45	125 50	11,49	125 35	38,41	14 33,08	14 49,20	14 31,90	+	16,12	—	1,18
φ ^a Lupi.....	15 12	126 14	56,97	125 59	10,02	15 46,95	16 13,50	15 51,54	+	26,55	+	4,59
θ Lupi.....	15 55	126 20	13,64	126 4	0,33	16 13,31	16 33,40	16 10,29	+	20,09	—	3,02
β Telescopii...	18 6	126 48	8,20	126 30	6,80	18 1,40	18 28,70	18 2,06	+	27,30	+	0,66
λ Scorpii.....	17 22	126 58	10,72	126 39	24,04	18 46,68	19 14,20	18 48,20	+	27,52	+	1,52
γ Telescopii...	17 38	126 58	43,66	126 39	55,71	18 47,95	19 16,70	18 49,35	+	28,75	+	1,40

The above columns will I apprehend require little or no explanation; consulting that headed "Errors of Bradley" we are led at once to the conclusion, that for altitudes below 5°, Bradley's Refraction can in no wise be

* The Greenwich place of this Star is probably 10 or 12 seconds too large.

trusted. For the altitudes above 5° , the errors incidental to one or two observations (which in some cases constitute the result), do not enable us to form an opinion. Consulting the column "Error of Atkinson"; between the limits of $81^\circ 30'$ and $85^\circ 30'$, and between $87^\circ 4'$ and $88^\circ 8'$ of Zenith Distance, we can perceive no error but what can be reasonably supposed to arise from the errors of observations joined to perhaps a small error* in the temperature; an error which must always exist when there is a considerable difference between the "IN" and "OUT" Thermometer; neither of which in this case can be proper to be employed in computing the refraction; *between* these limits, viz. between $85^\circ 30'$ and $87^\circ 4'$ of Zenith Distance we find ten very accordant results, shewing that Atkinson's refractions are too small by about $6''$. To say nothing of the enormous errors which appear in the preceeding column (errors of Bradley) which have long since been acknowledged; we cannot but lament that whilst Astronomers have paid such ample and proper attention to the determination of the co-efficient of aberration, nutation, and precession, so much should be left undone in the way of refraction.

PARALLAX OF THE PLANET MARS.

Since Pages 90 and 91 were put to press, I have been favored with Volume VI of the Royal Astronomical Society's Memoirs, containing observations made at the Cape and at St. Helena, of the North Polar Distance of *Mars*,

* Supposing the error of temperature to be only a single degree of Fahrenheit, then the error of the refraction will be :

					"
For	84	Zenith	Distance.....	0,8	
—	85	—	—	1,0	
—	86	—	—	1,3	
—	87	—	—	1,7	
—	88	—	—	2,3	
—	89	—	—	3,2	

Now notwithstanding all the care that is taken at the Greenwich Royal Observatory to equalise the temperature within and without, (and I have good reason for knowing that a very considerable degree of attention is paid to this particular), it is nevertheless not unfrequently found that a difference of 5 or 6 degrees exists between the "IN" and "OUT" Thermometer, it sometimes (most frequently) being warmer in the Observatory than in the open air, and at other times colder.

and of certain Stars, which had been previously pointed out by Mr. Henderson, Astronomer at the Cape, as proper for the determination of the parallax of this Planet; of the observations made at the Cape there have been several corresponding observations made here with which we will now compute the parallax of Mars: from Pages 90 and 91; &c. as above, we obtain as follows.

Difference of Declination between the Centre of the Planet MARS, and of Stars, from observations at

1832.	NAMES.	Madras.				The Cape of Good Hope.				
		Observed Difference.	R.			Observed Difference.	R.	M.		
		° ' " "				° ' " "				
Nov. 9	A ¹ Tauri.	0 35 20,6	+ 0,59	+ ,1399	ρ	= 0 35 16,4	+ 1,79	- 10,30	+ ,8162	ρ
	53 Tauri.	0 17 56,3	+ 0,30	- ,1399	ρ	= 0 17 55,9	+ 0,93	+ 10,30	- ,8162	ρ
	a Tauri.	4 51 44,2	+ 4,68	- ,1399	ρ	= 4 51 35,3	+ 13,13	+ 10,30	- ,8162	ρ
15	b Tauri.	0 3 33,6	+ 0,06	- ,1378	ρ^I	= 0 3 29,6	+ 0,12	+ 18,32	- ,8152	ρ^I
	53 Tauri.	0 9 37,5	+ 0,16	- ,1378	ρ^I	= 0 9 32,5	+ 0,50	+ 18,32	- ,8152	ρ^I
	a Tauri.	4 43 23,2	+ 4,42	- ,1378	ρ^I	= 4 43 11,5	+ 12,66	+ 18,32	- ,8152	ρ^I
16	b Tauri.	0 1 45,4	+ 0,02	- ,1370	ρ^{II}	= 0 1 40,5	+ 0,06	+ 19,18	- ,8145	ρ^{II}
	a Tauri.	4 41 35,6	+ 4,37	- ,1370	ρ^{II}	= 4 41 23,4	+ 12,60	+ 19,18	- ,8145	ρ^{II}
17	A ¹ Tauri.	0 47 18,0	+ 0,78	+ ,1364	ρ^{III}	= 0 47 23,1	+ 2,36	- 20,03	+ ,8142	ρ^{III}
22	b Tauri.	0 10 51,4	+ 0,18	+ ,1333	ρ^{IV}	= 0 10 59,3	+ 0,55	- 23,68	+ ,8123	ρ^{IV}
	A ¹ Tauri.	0 58 2,8	+ 0,97	+ ,1333	ρ^{IV}	= 0 58 9,8	+ 2,97	- 23,68	+ ,8123	ρ^{IV}
	a Tauri.	4 29 0,6	+ 4,35	- ,1333	ρ^{IV}	= 4 28 43,4	+ 12,01	+ 23,68	- ,8123	ρ^{IV}
30	65 Arietis	0 7 58,3	+ 0,13	- ,1278	ρ^V	= 0 7 46,1	+ 0,18	+ 23,51	- ,8091	ρ^V
Dec. 4	65 Arietis	0 0 43,4	+ 0,01	+ ,1254	ρ^{VI}	= 0 0 56,3	+ 0,05	+ 20,94	+ ,8078	ρ^{VI}
	a Tauri.	4 1 27,9	+ 3,83	- ,1254	ρ^{VI}	= 4 1 13,3	+ 10,49	+ 20,94	- ,8078	ρ^{VI}
5	a Tauri.	3 59 27,1	+ 3,80	- ,1248	ρ^{VII}	= 3 59 19,0	+ 10,30	+ 19,74	- ,8073	ρ^{VII}
6	65 Arietis	0 4 37,8	+ 0,08	+ ,1243	ρ^{VIII}	= 0 4 44,2	+ 0,22	- 18,74	+ ,8070	ρ^{VIII}
	F ¹ Tauri.	0 58 2,8	+ 0,97	- ,1243	ρ^{IX}	= 0 57 58,1	+ 2,82	+ 18,72	- ,8070	ρ^{VIII}
	a Tauri.	3 57 34,5	+ 3,77	- ,1243	ρ^{IX}	= 3 57 24,1	+ 10,29	+ 18,72	- ,8070	ρ^{VIII}
7	65 Arietis	0 6 24,6	+ 0,11	+ ,1237	ρ^{IX}	= 0 6 30,5	+ 0,30	- 17,70	+ ,8067	ρ^{IX}
	F ¹ Tauri.	0 56 17,0	+ 0,94	- ,1237	ρ^{IX}	= 0 56 12,4	+ 2,75	+ 17,70	- ,8067	ρ^{IX}
	a Tauri.	3 55 46,4	+ 3,77	- ,1237	ρ^{IX}	= 3 55 37,9	+ 10,32	+ 15,70	- ,8067	ρ^{IX}
12	a Tauri.	3 48 31,3	+ 3,64	- ,1217	ρ^X	= 3 48 29,2	+ 9,85	+ 11,32	- ,8054	ρ^X
13	38 Arietis	0 3 30,8	+ 0,06	- ,1213	ρ^{XI}	= 0 3 31,4	+ 0,16	+ 10,13	- ,8052	ρ^{XI}
	a Tauri.	3 47 26,3	+ 3,33	- ,1213	ρ^{XI}	= 3 47 27,2	+ 9,85	+ 10,13	- ,8052	ρ^{XI}
15	38 Arietis	0 1 48,7	+ 0,03	- ,1208	ρ^{XII}	= 0 1 53,3	+ 0,09	+ 7,20	- ,8050	ρ^{XII}
22	65 Arietis	0 17 31,5	+ 0,29	+ ,1205	ρ^{XIII}	= 0 17 16,2	+ 0,82	+ 4,29	- ,8048	ρ^{XIII}
	a Tauri.	3 44 39,0	+ 3,50	- ,1205	ρ^{XIII}	= 3 44 51,9	+ 9,81	+ 4,29	- ,8048	ρ^{XIII}
24	65 Arietis	0 16 21,5	+ 0,27	+ ,1208	ρ^{XIV}	= 0 16 3,3	+ 0,77	+ 7,71	+ ,8051	ρ^{XIV}
	a Tauri.	3 45 47,8	+ 3,53	- ,1208	ρ^{XIV}	= 3 46 3,9	+ 9,91	+ 7,71	- ,8051	ρ^{XIV}
25	65 Arietis	0 15 32,6	+ 0,26	+ ,1211	ρ^{XV}	= 0 15 14,4	+ 0,73	+ 9,09	+ ,8051	ρ^{XV}
	a Tauri.	3 46 39,4	+ 3,55	- ,1211	ρ^{XV}	= 3 46 53,1	+ 9,87	+ 9,09	- ,8051	ρ^{XV}

In the above computation of R, which it will be understood is the difference of the refractions due to the Planet and Star, I have employed Atkinson's Table of Refractions, and have assumed the ratio of the Polar and Equatoreal Axis, 299 : 300; from which we determine :

For the Observations at			
	Madras.		The Cape.
	' "		' "
Angle of the Vertical.....	= 5 0	—	10 38
Logarithm Radius of the Earth.....	= 9,99992	—	9,99958

Not having in my possession any Tables of the Planetary motions, from which I could compute the change of Declination (M.) for the interval between the Planet transiting the meridians of Madras and the Cape of Good Hope, I have been reduced to an interpolation from the observations, on which account errors to the amount of 0',2 in any single measure may be expected; but as these will occur indifferently + or —, the mean result cannot on this account be much affected.

To render these results in a more useful shape, we will now compute P, the Parallax at the time of opposition, when the Planets distance from the Earth was ,50581 whose Logarithm = 9,7040. Employing the Logarithm Distances given in the Supplement to the Nautical Almanac and *resolving the above equations.*

1832	From the Observations of.	We determine.					
		"		"		"	"
Nov.	9 A ¹ Tauri.....	13,30 = ,6763 ρ	or ρ = 19,666	and P = 19,697			
	53 Tauri.....	10,53 = ,6763 ρ	— ρ = 15,570	— = 15,595			
	a Tauri.....	9,85 = ,6763 ρ	— ρ = 14,564	— = 14,590			
	15 b Tauri.....	14,38 = ,6774 ρ^I	— ρ^I = 21,228	— = 21,262			
	53 Tauri.....	13,56 = ,6774 ρ^I	— ρ^I = 20,017	— = 20,050			
	a Tauri.....	14,86 = ,6774 ρ^I	— ρ^I = 21,937	— = 21,972			
	16 b Tauri.....	14,32 = ,6775 ρ^{II}	— ρ^{II} = 21,137	— = 21,204			
	a Tauri.....	15,21 = ,6775 ρ^{II}	— ρ^{II} = 22,450	— = 22,520			
	17 A ¹ Tauri.....	13,45 = ,6778 ρ^{III}	— ρ^{III} = 19,844	— = 19,944			
	22 b Tauri.....	15,41 = ,6790 ρ^{IV}	— ρ^{IV} = 22,695	— = 23,122			
	A ¹ Tauri.....	14,68 = ,6790 ρ^{IV}	— ρ^{IV} = 21,620	— = 22,027			
	a Tauri.....	14,14 = ,6790 ρ^{IV}	— ρ^{IV} = 20,825	— = 21,216			
	30 65 Arietis.....	11,36 = ,6813 ρ^V	— ρ^V = 16,673	— = 17,707			
	4 65 Arietis.....	8,00 = ,6824 ρ^{VI}	— ρ^{VI} = 11,724	— = 12,803			
	a Tauri.....	13,00 = ,6824 ρ^{VI}	— ρ^{VI} = 19,050	— = 20,804			
Dec.	5 a Tauri.....	18,14 = ,6825 ρ^{VII}	— ρ^{VII} = 26,579	— = 29,247			
	6 65 Arietis.....	12,18 = ,6827 ρ^{VIII}	— ρ^{VIII} = 17,842	— = 19,784			
	F ¹ Tauri.....	15,87 = ,6827 ρ^{VIII}	— ρ^{VIII} = 18,464	— = 20,476			
	a Tauri.....	14,64 = ,6827 ρ^{VIII}	— ρ^{VIII} = 21,444	— = 23,778			
	7 65 Arietis.....	11,61 = ,6830 ρ^{IX}	— ρ^{IX} = 16,998	— = 19,007			
	F ¹ Tauri.....	14,91 = ,6830 ρ^{IX}	— ρ^{IX} = 21,830	— = 24,410			
	a Tauri.....	15,75 = ,6830 ρ^{IX}	— ρ^{IX} = 23,060	— = 25,783			
	12 a Tauri.....	15,43 = ,6837 ρ^X	— ρ^X = 22,568	— = 26,357			
	13 38 Arietis.....	10,83 = ,6839 ρ^{XI}	— ρ^{XI} = 15,837	— = 18,078			
	a Tauri.....	17,55 = ,6839 ρ^{XI}	— ρ^{XI} = 25,662	— = 30,268			
	15 38 Arietis.....	11,86 = ,6842 ρ^{XII}	— ρ^{XII} = 17,333	— = 20,768			
	22 65 Arietis.....	10,48 = ,6843 ρ^{XIII}	— ρ^{XIII} = 15,316	— = 19,748			
	a Tauri.....	14,92 = ,6843 ρ^{XIII}	— ρ^{XIII} = 21,803	— = 28,108			

1832	From the Observations of.	We determine.					
		"		"		"	
Dec. 24	65 Arietis.....	9.99 =	,6843	ρ^{xiv} —	ρ^{xiv} =	14,600 and P =	19,224
	a Tauri.....	14.47 =	,6843	ρ^{xiv} —	ρ^{xiv} =	21,145 — =	28,122
25	65 Arietis.....	8.64 =	,6840	ρ^{xv} —	ρ^{xv} =	12,632 — =	16,809
	a Tauri.....	11.03 =	,6840	ρ^{xv} —	ρ^{xv} =	16,126 — =	21,461

The above results it must be confessed are highly unsatisfactory ; a nearer coincidence does however appear to take place between the *individual* determinations of each Star than is found by viewing them collectively, which is better seen by the following arrangement.

Values of P, deduced from observations made at Madras compared with the corresponding observations at the Cape.

1832:	38 Arietis.	65. Arietis.	b. Tauri.	53 Tauri.	A ¹ Tauri.	F ¹ Tauri.	a Tauri.
	"	"	"	"	"	"	"
November 9	15,595	19,697	14,590
15	21,262	20,051	21,972
16	21,204	22,520
17	19,944
22	23,122	22,027	21,216
30	17,707
December 4	12,803	20,804
5	*29,247
6	19,784	20,476	23,778
7	19,007	24,410	25,783
12	26,357
13	18,678	+30,268
15	20,768
22	19,748	28,108
24	19,229	28,122
25	16,809	21,461
Mean.....	19,713	17,869	21,863	17,823	20,556	22,443	23,155

When we consider that the above values are determined from the *difference of differences* (involving in extreme cases an eight fold amount of error) and that in the course of computation we have multiplied the results by a factor $\frac{100}{6}$ and by another varying from 1 to $\frac{100}{74}$, we are at no loss to account for the irregularities now found in the results of the first six Stars, since on computation it will be found that they do not involve for each single obser-

* The Cape Observation of Mars, appears to be 5" in Error.

+ ————— 2" —————

vation a larger probable error than $1''$, an amount which might reasonably be expected; but in the case of α Tauri the disagreement assumes so determined a character that we can by no means allow that the errors incidental to observation can account for it: to comprehend this matter more clearly we will again consult the rough observations Pages 90 and 91, Vol. VI of the Royal Astronomical Society's Memoirs, whence we obtain as follows.

Difference of Declination between $\delta 3$ Tauri and α Tauri as observed

<i>at Madras.</i>		<i>at the Cape.</i>		<i>at St. Helena.</i>	
1832	" ' "	1832	" ' "	1832	" ' "
November	9.. 4 33 47,90	October	22.. 4 33 37,40	October	14.. 4 33 45,20
	15.. 4 33 45,70		24.. 4 33 39,10		15.. 4 33 44,80
			25.. 4 33 39,30	November	14.. 4 33 44,30
		November	8.. 4 33 40,30		
			9.. 4 33 39,40		
			10.. 4 33 39,70		
			11.. 4 33 39,00		
			12.. 4 33 41,50		
			13.. 4 33 40,50		
			15.. 4 33 39,00		
Mean.....	4 33 46 80		4 33 39,52		4 33 44,77
Diff. of Refraction.	+ 4,82		+ 12,04		+ 6,39
True Difference....	4 33 51,12		4 33 51,56		4 33 51,16

And further we have the

Difference of Declination between $\delta 38$ Arietis and α Tauri as observed

<i>at Madras.</i>		<i>at the Cape.</i>		<i>at St. Helena.</i>	
1832	" ' "	1832	" ' "	1832	" ' "
December	13.. 3 43 55,50	December	12.. 3 43 55,00	December	18.. 3 43 57,00
	15.. 3 43 54,80		13.. 3 43 55,80		
	16.. 3 43 55,80		22.. 3 43 53,40		
	18.. 3 43 54,60		23.. 3 43 52,30		
			24.. 3 43 52,40		
			25.. 3 43 51,30		
Mean.....	3 43 55,17		3 43 53,37		3 43 57,00
Diff. of Refraction.	+ 3,27		+ 9,69		+ 5,00
True Difference....	3 43 58,44		3 44 3,06		3 44 2,00

Moreover we have the

Difference of Declination between 65 Arietis and α Tauri as observed

<i>at Madras.</i>				<i>at the Cape.</i>				<i>at St. Helena.</i>			
1832	°	'	"	1832	°	'	"	1832	°	'	"
December	4..	4	2 11,30	November 30..	4	2	8,00	November 30..	4	2	14,10
	6..	4	2 12,30	December 1..	4	2	9,40	December 1..	4	2	13,80
	7..	4	2 11,00		3..	4	2 6,50		4..	4	2 14,80
	20..	4	2 9,30		4..	4	2 9,60		5..	4	2 15,10
	21..	4	2 9,90		5..	4	2 6,70		6..	4	2 14,00
	22..	4	2 10,55		6..	4	2 8,30		18..	4	2 13 30
	24..	4	2 9,30		7..	4	2 8,40		19..	4	2 11,40
	25..	4	2 12,00		8..	4	2 7,60				
					9..	4	2 6,70				
					10..	4	2 7,60				
Mean.....	4	2	10,70		4	2	7,88		4	2	13,79
Diff. of Refraction.	+		3,84		+		10,56		+		5,47
True Difference....	4	2	14,54		4	2	18,44		4	2	19,26

In each of the above cases, the observations having been made at nearly the same time of the year, the difference of the corrections for aberration, &c. will be very nearly common for the result obtained at each Observatory, and for the present enquiry may be disregarded altogether: Examining the "true difference" the agreement between the results at the Cape and those at St. Helena, affords us good reason for supposing them accurate, and for employing them as standards of comparison. If we accordingly compare the Madras "True difference" with that found from

<i>We determine.</i>	<i>The Cape Observations.</i>	<i>The St. Helena Observations.</i>
$e + e^1$	$= - 0,44$	$= - 0,04$
$e + e^2$	$= - 4,62$	$= - 3,56$
$e + e^3$	$= - 3,90$	$= - 4,72$

Taking the mean we have:

$$e + \frac{e^1 + e^2 + e^3}{3} = - 2,98 \quad = - 2,77$$

In the above, e represents the error of division for α Tauri, e^1 that for 53 Tauri, &c. Here (in the case of divisions situated within 3° or 4° of each

other) it appears plain, that if we could obtain a sufficient number of results; the values e' e'' , &c. occurring as they no doubt do with contrary signs, we could determine e to any required degree of accuracy; even with the very limited number we already possess *it appears exceedingly probable that the divisions $73^{\circ} 50'$ and $73^{\circ} 55'$ of the Madras Mural Circle are erroneous to the amount of two seconds*, and comparing the mean place of α Tauri from 146 Observations made at Madras, with the Greenwich place from three times that number of observations, I find a difference = $-1''.71$ which so strongly supports the above conjecture that for the present it becomes necessary to suppress altogether the results obtained from α Tauri; were however the circumstances different; the distance of this Star from the Planet Mars ($4^{\circ} \pm$) would have rendered it questionable if its result ought to be admitted. Taking the mean of the remaining 19 Observations we determine $P = 19''.595$.

Since writing the above — signing as it were the death warrant of the Madras Observations; with a firm conviction that the discordances found in the place of α Tauri did not arise from error of division I have proceeded as follows.

Error of Division of the Madras Mural Circle.

About two years ago I made a set of experiments to ascertain the amount of error in the division of the Madras Mural Circle; having transmitted copy of these observations to England for publication, it is only necessary for me here to remark, that in the course of an examination of every 5th degree; I met with no error which could affect the mean of the four readings to the amount of one second: Now the divisions $69^{\circ} 50'$, $70^{\circ} 10'$ and $73^{\circ} 55'$ on which 56 Arietis, 38 Arietis and α Tauri were respectively observed, not having fallen under this examination, it still becomes necessary, either to admit the remarks at lines 4 — 6; or by a direct appeal to those divisions to ascertain their *actual* amount of error; pursuing the latter course I have adopted a plan on the present occasion similar to that contrived for the above-mentioned examination, which I will now proceed to explain. In the description of the Madras Mural Circle given in the 1st Volume of these results, it is stated, that "the Telescope is attached to the circular ring at each end by appropriate braces, each secured by four strong screws; and is further supported in the middle, by an axis (represented by dotted lines fig. 1) which passes through the axis of the circle, and is secured by a screw C affixed to its smaller end;" from this description it will appear plain that the screws at each end of the Telescope which serve to secure it to the circular ring being loosed; the Telescope is free to turn upon its axis independent of the circle;

by which property we are enabled to measure any angle upon any required divisions, by merely shifting the place of the Telescope upon the ring. To obtain an object which could be distinctly viewed through an Astronomical Telescope, (in which the eye piece is required to be adjusted to the Solar focus,) I availed myself of the well known property of the rays of light, which, diverging from the principal focus of an object glass, after passing through the object glass are transmitted as parallel rays; and hence possess the property of an object placed at an infinite distance; but to be particular; I placed Dolland's 5 feet Achromatic Telescope about 5 feet in front (to the North) of the Mural Circle, with its object glass *vis a vis* to the object glass of the Mural Circle Telescope, and its whole length so disposed that a line passing through the centre of the one Telescope, being continued, would equally pass through the centre of the other: I now rested another Telescope (a 46 Inch Achromatic by Dolland) immediately above the first named Telescope, by means of two pieces of wood A, B, (see fig.) of such dimensions, that the angle subtended by the two Telescopes was nearly that which I required, and such that the Mural Circle Telescope being directed to the said upper Telescope; a line passing through the centre of the one if continued would equally pass through the centre of the other; matters thus arranged I introduced into the principal focus of the upper Telescope a pair of cross lines, which by means of a light placed behind them, were very distinctly seen by the Circle Telescope, and were adjusted to horizontality;—moving the circle and its attached Telescope through the angle subtended by the two Telescopes; a similar pair of lines which had been fitted into the micrometer attached to the lower Telescope now came into view, and the angle formed by the two Telescopes was thus read off from the circle; as this angle did not at first agree with that which was required, the micrometer screw of the lower Telescope enabled me to adjust it to any required degree of accuracy. The Circle was made to read off $70^{\circ} 10' 35''$ (the reading at which 38 Arietis (Page 91) was observed and clamped; the Telescope being released from the circle, was directed to the wires of the *lower Telescope* very nearly, again clamped, and an accurate bisection of them made by the moveable wire of the circle Telescope; the circle was now very carefully read off and the bisection of the cross wires again examined and if necessary improved; unclamping the circle, it was with its now attached Telescope moved to view the cross lines of the upper Telescope, of which an accurate bisection was made and the circle again read off; here the reading was $(73^{\circ} 54' 25'' \pm)$;—as nearly as need be that which was employed in the observations of α Tauri (Page 91), consequently any error arising from ill division which may be attached to the measured difference of declination of these two Stars as found at Page 122, will equally affect the measure of the angle between

the two Telescopes (*collimators*) above described; to ascertain its amount I have measured the above angle between the two collimators on several sets of divisions as follows.

Angular inclination of the two Telescopes on the 2d September 1834, as measured by the Mural Circle, on the divisions employed in the observations of a Tauri and 38 Arietis, together with the measurement of the same upon sundry other divisions.

						Angle between the Collimators as measured by			
						Divisions 70° 10' and 73° 54'.		Sundry Divisions.	
	A.	B.	C.	D.	Mean.				
70 10	36,1	42,1	49,0	40,4	41,90	•	•	•	
73 54	28,5	34,5	42,6	32,0	34,40	3	43	52,50	
80 11	11,3	20,0	15,7	16,0	15,75				
83 55	0,6	10,7	14,5	7,8	8,40	3	43	52,65
80 11	11,9	20,3	16,5	17,0	16,42	3	43	52,28
83 55	0,6	11,6	14,0	8,6	8,70	3	43	52,28
90 11	9,3	15,3	18,5	13,2	14,08	3	43	51,42
93 54	59,3	5,6	12,0	5,1	5,50	3	43	51,42
100 11	9,8	15,0	17,2	15,2	14,30	3	43	52,37
103 55	0,4	9,5	11,3	5,5	6,67	3	43	52,37
70 10	36,8	43,8	49,0	41,5	42,78	3	43	52,42	
73 54	29,4	36,1	41,3	34,0	35,20				
70 10	31,0	37,2	43,0	36,4	36,90	3	43	52,35	
73 54	22,2	28,0	35,0	31,8	29,25				
80 11	6,1	14,5	10,3	11,0	10,47	3	43	52,65
83 54	55,6	6,4	8,5	2,0	3,12	3	43	50,35
90 11	13,9	18,1	22,0	16,3	17,57	3	43	51,73
93 55	3,0	8,8	12,0	7,9	7,92	3	43	52,15
100 11	9,1	15,1	15,3	13,2	13,17	3	43	51,75
103 54	59,8	5,0	8,8	6,0	4,90	3	43	52,05
110 11	6,9	12,4	13,3	11,8	11,10	3	43	51,97
113 54	57,4	4,0	6,8	4,7	3,25	3	43	51,02
120 11	6,2	12,1	6,5	14,0	9,70	3	43	51,88
123 54	58,6	1,9	3,8	1,5	1,45	3	43	51,87
130 11	10,1	12,1	13,3	11,0	11,62	3	43	52,05
133 55	0,3	4,4	7,2	2,8	3,67	3	43	51,97
140 11	9,8	13,5	15,3	10,5	12,40	3	43	51,02
143 55	1,2	6,0	7,2	3,1	4,37	3	43	51,88
150 11	0,0	3,0	6,0	1,2	2,55	3	43	51,88
153 54	50,4	53,2	57,0	53,7	53,57	3	43	51,88	
70 10	36,0	41,1	44,8	40,2	40,52				
73 54	28,0	33,9	37,0	30,7	32,40	3	43	51,88	
Mean....						3	43	52,29	3 43 51,87

The Telescopes were allowed to remain undisturbed and on the 3d September 1834, the following measures were taken.

		A.	B.	C.	D.	Mean.	Angle between the Collimators as measured by					
							Divisions 70° 10' and 73° 54'.	Sundry Divisions.				
°	'	"	"	"	"	"	°	'	"			
70	10	39,9	47,0	47,3	44,3	44,62	3	43	49,90			
73	54	30,0	37,9	34,0	34,2	34,52						
70	10	38,2	44,5	45,3	43,2	42,80	3	43	49,27			
73	54	27,7	33,6	34,5	32,5	32,07						
80	11	14,2	21,2	16,5	18,7	17,65	3	43	49,45		
83	55	1,9	9,5	9,0	8,0	7,10						
90	11	12,0	16,6	15,6	14,7	14,72	3	43	49,25		
93	55	0,2	5,1	5,8	4,8	3,97						
100	11	12,0	17,9	15,7	16,0	15,40	3	43	49,00		
103	55	0,0	7,4	5,0	5,2	4,40						
110	11	12,1	16,4	15,4	16,6	15,12	3	43	49,58		
113	55	0,0	8,0	4,5	6,3	4,70						
120	11	11,9	17,2	15,5	13,2	14,45	3	43	49,77		
123	55	1,1	6,6	3,8	5,4	4,22						
130	11	14,1	16,1	13,2	14,5	14,47	3	43	48,98		
133	55	1,3	4,5	3,0	5,0	3,45						
140	11	12,9	15,5	12,0	14,3	13,68	3	43	49,74		
143	55	0,2	7,5	2,0	4,0	3,42						
150	11	11,6	14,4	13,0	14,6	13,40	3	43	49,95		
153	55	0,5	5,4	3,2	4,3	3,35						
70	11	49,2	54,5	54,0	53,2	52,72	3	43	49,50			
73	54	38,9	44,2	43,3	42,5	42,22						
80	11	12,0	19,2	16,2	16,5	15,97	3	43	49,78		
83	55	0,1	9,5	6,6	6,8	5,75						
90	11	12,4	19,4	16,2	15,8	15,95	3	43	48,20		
93	55	0,3	6,5	5,0	4,8	4,15						
100	11	13,1	16,6	14,6	15,3	14,90	3	43	48,90		
103	55	0,2	6,5	3,7	4,8	3,80						
110	11	12,6	17,8	15,8	17,6	15,95	3	43	48,17		
113	55	0,0	6,2	4,3	6,0	4,12						
120	11	12,2	16,0	15,3	13,8	14,32	3	43	49,43		
123	55	0,8	4,5	5,7	4,0	3,75						
130	11	12,0	13,5	11,6	14,1	12,80	3	43	50,02		
133	55	0,7	4,6	2,2	3,8	2,82						
140	11	12,5	16,5	12,0	13,8	13,95	3	43	50,07		
143	55	0,8	7,3	3,7	4,3	4,02						
153	11	11,8	14,4	13,7	14,8	13,68	3	43	49,94		
153	55	0,8	5,2	3,7	4,8	3,62						
70	11	40,5	46,0	45,0	44,3	43,95	3	43	48,90			
73	54	29,8	35,3	33,6	32,7	32,85						
70	11	39,1	46,0	44,0	43,8	43,22	3	43	48,86			
73	54	29,0	34,1	32,5	32,7	32,08						
Mean....							3	43	49,48	3	43	49,39

The change of 3" in the angle between the observations of September 2d and 3d, no doubt arises from a shrinking of the wooden supports; this however is of no consequence in our present enquiry, since we only require that the angle should remain fixed during the observations of the day, or for the space of an hour which (with one assistant stationed at each microscope) was the time employed on each day.

The angle was now increased to $4^{\circ} 2' 8''$ nearly; and its exact quantity measured upon the divisions $69^{\circ} 50'$ and $73^{\circ} 50'$ (these being the divisions at which 65 Arietis and α Tauri were respectively observed), and upon sundry other divisions as follows.

6th September.

		A.	B.	C.	D.	Mean.	Angle between the Collimators as measured by			
							Divisions 70° 10' and 73° 54'.		Sundry Divisions.	
°	'	"	"	"	"	"	°	'	"	
69	49	14,1	24,8	17,3	23,0	19,80	4	2	7,05	
73	51	23,9	28,1	25,8	29,6	26,85	4	2	5,98
79	49	15,8	23,9	18,0	19,5	19,30	4	2	7,23
83	51	21,2	28,5	24,6	26,8	25,28	4	2	6,80
89	49	14,7	22,7	20,3	20,5	19,55	4	2	7,07
93	51	23,2	29,2	26,1	28,6	26,78	4	2	6,85
99	49	15,4	22,5	17,3	20,2	18,85	4	2	7,34
103	53	23,1	28,6	25,1	25,8	25,65	4	2	7,14
109	49	15,8	23,5	18,0	21,4	19,68	4	2	7,38
113	53	24,4	28,6	24,8	29,2	26,75	4	2	7,67
119	49	11,0	17,6	14,6	14,4	14,40	4	2	
123	53	18,4	23,2	20,7	22,7	21,25	4	2	
129	49	13,9	19,4	13,2	18,2	16,18	4	2	
133	53	21,8	25,2	21,1	26,0	23,52	4	2	
139	49	14,1	18,2	13,4	19,0	16,18	4	2	
143	53	21,6	26,0	20,7	25,0	23,32	4	2	
149	49	17,2	22,4	18,2	19,9	19,42	4	2	
153	53	26,4	28,0	25,0	27,8	26,80	4	2	
69	49	15,0	22,6	19,2	21,5	19,58	4	2	7,67	
73	51	26,3	28,4	25,8	28,5	27,25				
Mean....							4	2	7,36	4 2 6,97

7th September.

		A.	B.	C.	D.	Mean.	Angle between the Collimators as measured by					
							Divisions 70° 10' and 73° 54'.		Sundry Divisions.			
°	'	"	"	"	"	"	°	'	"	°	'	"
69	49	16,0	25,3	21,4	26,1	22,20 }	4	2	8,65			
73	51	28,0	33,9	29,1	32,4	30,85 }						
79	49	16,2	25,0	19,1	23,1	20,85 }						
83	51	23,3	31,9	28,3	31,5	28,75 }			4	2	7,90
89	49	15,4	24,5	20,9	22,8	20,90 }			4	2	7,80
93	51	25,0	32,4	27,3	30,1	28,70 }			4	2	8,80
99	49	15,2	23,6	17,0	21,2	19,25 }			4	2	8,80
103	53	25,0	32,2	26,0	29,0	28,05 }			4	2	7,98
109	49	15,6	24,0	17,1	22,0	19,67 }			4	2	8,47
113	53	24,0	32,0	24,5	30,1	27,65 }			4	2	8,47
119	49	15,2	22,6	18,6	21,0	19,35 }			4	2	8,47
123	53	25,4	31,0	26,1	28,8	27,82 }			4	2	8,47

		A.	B.	C.	D.	Mean.	Angle between the Collimators as measured by			
							Divisions 70° 10' and 73° 54'.		Sundry Divisions.	
°	'	''	''	''	''	''	°	'	''	
129	49	17,7	24,4	18,6	21,9	20,65}	4	2	7,15
133	53	26,0	30,8	25,3	29,1	27,80}				
139	49	15,0	18,6	13,0	18,0	16,16}	4	2	8,67
143	53	23,1	29,0	21,2	26,0	24,82}				
149	49	14,2	21,5	15,3	15,4	16,60}	4	2	8,95
153	53	24,2	29,2	23,1	25,7	25,55}				
69	49	15,8	24,6	19,1	23,8	20,82}	4 2	8,93		
73	51	28,7	32,2	28,0	30,1	29,75}				
69	49	15,9	25,0	20,2	23,7	21,20}	4 2	8,05		
73	51	27,7	32,5	27,6	29,1	29,25}				
Mean....							4 2	8,54	4 2	8,22

Hence it appears that the angular distance between 38 *Arietis* and *α Tauri* as observed at Madras (Page 122) is erroneous by reason of error of division.

From the observations of	to the amount.
2d September 1834.....	+ 0,42
3d ——— 1834.....	+ 0,09
Mean.....	+ 0,25

It further appears that the angular distance between 65 *Arietis* and *α Tauri* as observed at Madras (Page 123) is erroneous by reason of error of division.

From the observations of	to the amount.
6th September 1834.....	+ 0,39
7th ——— 1834.....	+ 0,32
Mean.....	+ 0,35

The above results, whilst they leave nothing to be desired with regard to the division of the circle, still leave unexplained the discordant results of Page 123; they do not as we have seen arise from error of division in the Madras Mural Circle, and it is *highly improbable* that the Cape or St. Helena Instruments can err from error of division to this amount (4" +). From a comparison of numerous observations of N. P. D. with the mean result, I find that the mean error of a single observation is considerably less than 1", but allowing it to equal this amount, and making a further liberal allowance for

possible errors, we can in no way make up the amount of $4''$ +. For the present I am compelled to allow this singular and unexpected anomaly to remain unexplained, but venture to hope that in the next Volume of these observations I shall be enabled to offer some sort of conclusion as to its cause.

Error of Observation ; Parallax of α Aquilæ.

With reference to the remarks at Page 129, I had here proposed to give the result of each single observation of the North Polar Distance of one or more of the principal fixed Stars, by way of exhibiting the extent of error committed in this nature of observation ; and had commenced for the purpose an examination of the catalogue, to ascertain which Star had been most frequently observed ; when the recollection of the reputed annual parallax of α Aquilæ led me to select this Star, and to join to my original enquiry the question of parallax ; I must however remark, that the observations which now follow having been made simply for the purpose of determining the Index Error of the Mural Circle and the place of the Star, are not so numerous, or so well disposed for the determination of Parallax as under other circumstances they might have been ; if π represent the semiaxis minor of the Earth's orbit (supposed to be a circle) as viewed from α Aquilæ, and λ the Latitude of the Star ; we have the semiaxis major or $\rho = \cos. (\text{Long. } \odot - \text{Long. } *) \frac{\pi}{\sin. \lambda}$ nearly : selecting now the observations which are situated near to the positive and negative maximum of Parallax, we have as follows.

1831	N. P. D. from Circle Book.			Refrac- tion.	Aberra- tion, &c.	Index Error.	Annual Preces- sion.	Mean N. P. D. January 1, 1832.						
	°	'	"		"	"	"	°	'	"				
February	1	81 35 58.0	+	4.43	+	0.78	—	1 45.77	—	8.67	81 34 8.77	+	486	ρ
	2	81 35 58.7	+	4.42	+	0.71	—	1 46.47		81 34 8.69	+	484	ρ
	3	81 36 0.5	+	4.42	+	0.64	—	1 47.29		81 34 9.60	+	482	ρ
	7	81 36 0.3	+	4.43	+	0.35	—	1 46.58		81 34 9.83	+	471	ρ
	8	81 36 0.9	+	4.41	+	0.27	—	1 46.58		81 34 10.33	+	468	ρ
	10	81 36 1.4	+	4.41	+	0.12	—	1 46.80		81 34 10.46	+	462	ρ
	12	81 36 0.4	+	4.42	—	0.22	—	1 46.96		81 34 8.97	+	456	ρ
	13	81 35 59.3	+	4.41	—	0.39	—	1 47.14		81 34 7.51	+	451	ρ
	14	81 36 0.8	+	4.41	—	0.55	—	1 47.14		81 34 8.85	+	448	ρ
	15	81 36 1.7	+	4.40	—	0.71	—	1 46.50		81 34 10.22	+	444	ρ
	18	81 36 1.2	+	4.38	—	1.18	—	1 46.57		81 34 9.16	+	431	ρ
	21	81 36 1.4	+	4.39	—	1.70	—	1 46.95		81 34 8.47	+	416	ρ
	23	81 36 0.2	+	4.40	—	2.02	—	1 46.89		81 34 7.02	+	406	ρ
	24	81 36 1.4	+	4.39	—	2.11	—	1 46.89		81 34 8.12	+	401	ρ
	27	81 36 2.8	+	4.40	—	2.43	—	1 48.03		88 34 7.07	+	386	ρ

RESULT OF OBSERVATIONS IN 1832 AND 1833.

131

1831	N. P. D. from Circle Book.			Refrac- tion.	Aberra- tion, &c.	Index Error.	Annual Preces- sion.	Mean N. P. D. January 1, 1832.						
	°	'	"	"	"	'	"	°	'	"				
March	1	81 36	2,3	+	4,42	— 2,58	— 1 47,49	— 8,67	81 34	7,98	+	,375	p	
	2	81 36	2,3	+	4,42	— 2,66	— 1 47,49	81 34	7,90	+	,369	p	
	3	81 36	3,3	+	4,43	— 2,73	— 1 46,83	81 34	9,50	+	,363	p	
	4	81 36	2,2	+	4,48	— 2,81	— 1 46,83	81 34	8,37	+	,357	p	
	5	81 36	3,4	+	4,46	— 2,89	— 1 47,67	81 34	8 63	+	,351	p	
	6	81 36	2,6	+	4,45	— 2,96	— 1 47,67	81 34	7,75	+	,345	p	
	7	81 36	2,3	+	4 42	— 3,03	— 1 46,98	81 34	8,04	+	,338	p	
	13	81 36	3,0	+	4 40	— 3,32	— 1 47,14	81 34	8,27	+	,305	p	
15	81 36	2,9	+	4,40	— 3,37	— 1 46,42	81 34	8,84	+	,291	p		
1832														
February	20	81 37 11,1	+	4,37	— 4,48	— 3 2,03	0,00	81 34	8,96	+	,423	p		
	27	81 37 26,7	+	4 42	— 4 08	— 3 16,37	81 34	9 77	+	,387	p		
	29	81 37 24,9	+	4,44	— 5,12	— 3 16 37	81 34	7,85	+	,375	p		
March	1	81 37 25,9	+	4,45	— 5,19	— 3 16,37	81 34	8,81	+	,369	p		
	2	81 37 24,1	+	4 45	— 5,26	— 3 16,37	81 34	7,94	+	,364	p		
	3	81 37 25,3	+	4,44	— 5,33	— 3 16 37	81 34	8,06	+	,359	p		
	6	81 37 25,7	+	4,43	— 5 52	— 3 15,25	81 34	9,38	+	,341	p		
	8	81 37 26,7	+	4,42	— 5,65	— 3 15,55	81 34	9,92	+	,327	p		
	9	81 37 25,7	+	4,44	— 5,71	— 3 15,55	81 34	8,92	+	,320	p		
	11	81 37 38,2	+	4,44	— 5,77	— 3 27,81	81 34	9 06	+	,307	p		
	12	81 37 38,5	+	4 44	— 5,81	— 3 28,16	81 34	8,97	+	,300	p		
13	81 37 37,6	+	4,45	— 5 85	— 3 28,48	81 34	7,72	+	,293	p			
15	81 37 38,0	+	4,45	— 5,93	— 3 28,48	81 34	8,04	+	,279	p			
December	21	81 41 10,6	+	4,42	+	11,16	— 7 17,71	81 34	8,47	+	,433	p	
1833.														
January	3	81 36 59,6	+	4,43	+	0,30	— 3 5,36	+	8,67	81 34	7,64	+	,479	p
	5	81 37 0,9	+	4,44	— 0,05	— 3 6,05	81 34	7,91	+	,484	p		
	6	81 37 0,4	+	4,44	— 0,22	— 3 4,56	81 34	8 73	+	,486	p		
	7	81 37 0,7	+	4,44	— 0,39	— 3 4,56	81 34	8 86	+	,488	p		
March	16	81 35 40,5	+	4,44	— 8,95	+	1 36,48	81 34	8,18	+	,272	p	
1831														
July	13	81 37 13,8	+	4,34	+	12,41	— 3 10,66	81 34	11,22	—	,495	p	
	16	81 37 5,3	+	4,38	+	12,97	— 3 4,70	— 8,67	81 34	9,28	—	,497	p	
	17	81 37 7,2	+	4,35	+	13,14	— 3 4,70	81 34	9,32	—	,498	p	
August	28	81 37 15,5	+	4,32	+	15,02	— 3 15,61	81 34	11,54	—	,497	p	
	10	81 37 12,5	+	4 33	+	16,98	— 3 16,38	81 34	9,76	—	,474	p	
	11	81 37 12,7	+	4,33	+	16,86	— 3 16,38	81 34	9,84	—	,471	p	
	22	81 37 11,6	+	4,34	+	18,42	— 3 16,43	81 34	10,76	—	,432	p	
	23	81 37 11,1	+	4,33	+	18,53	— 3 15,51	81 34	9,78	—	,429	p	
	26	81 37 11,1	+	4,36	+	18,85	— 3 15,55	81 34	10,09	—	,420	p	
1833														
August	5	81 35 12,8	+	4,34	+	10,55	— 1 26,38	81 34	9,97	—	,486	p	
	6	81 35 11,7	+	4,34	+	10,69	— 1 26,38	+	8,67	81 34	9,02	—	,484	p
	7	81 35 12,1	+	4,33	+	10,82	— 1 26,38	81 34	9,54	—	,482	p	
	16	81 35 10,3	+	4,34	+	11,99	— 1 26,38	81 34	8,92	—	,456	p	
	29	81 35 9,2	+	4,36	+	13,36	— 1 26,84	81 34	8,75	—	,401	p	
30	81 35 8,3	+	4,36	+	13,43	— 1 26,66	81 34	8,10	—	,396	p		
September	5	81 35 7,8	+	4,35	+	13,89	— 1 26,66	81 34	8,05	—	,363	p	
	8	81 35 6,2	+	4,35	+	14,12	— 1 26,46	*81 34	6,88	—	,346	p	

* This is omitted in taking the mean.

1833	N. P. D. from Circle Book.	Refrac- tion.	Aberra- tion, &c.	Index Error.	Annual Preces- sion.	Mean N. P. D. January 1, 1832.
	° ' "	"	"	' "	"	° ' "
September 10	81 35 9,8	+ 4,35	+ 14,27	— 1 28,55	81 34 8,54 — ,334 ρ
11	81 35 9,5	+ 4,34	+ 14,32	— 1 28,55	81 34 8,28 — ,327 ρ
12	81 35 9,8	+ 4,36	+ 14,37	— 1 28,55	81 34 8,65 — ,321 d
13	81 35 9,3	+ 4,36	+ 14,42	— 1 28,55	81 34 8,20 — ,314 ρ
15	81 35 10,6	+ 4,34	+ 14,51	— 1 28,55	81 34 9,57 — ,300 ρ

Taking the mean we have:

				Mean N.P.D. January 1, 1832.
				° ' "
From 24 Observations in the Winter of 1830-1831	—	81 34	8,682	+ ,408 ρ
From 13 — — — — 1831-1832	—	81 34	8,723	+ ,342 ρ
From 6 — — — — 1832 1833	—	81 34	8,298	+ ,440 ρ
From 9 — — — — Summer of 1831	—	81 34	10,177	— ,468 ρ
From 12 — — — — 1833	—	81 34	8,900	— ,389 ρ

$$\therefore \rho = 0'',978$$

or the angle under which the Earth's orbit is seen at α Aquilæ* = $1'',96$. Considering the disagreement which is found to exist between the numerous results of the Greenwich and Dublin Instruments when applied to the determination of the Parallax of α Aquilæ, it would appear that the above result as far as the determination of parallax is concerned, is entitled to very little if any credit; one circumstance however will be found to affect these observations which goes far to diminish the weight of this objection. It must be recollected that in the Latitude of Greenwich the meridian altitude of α Aquilæ is about 47° and that it arrives at the positive and negative maximum of parallax in the middle of Winter and in the height of Summer respectively, whereby a considerable uncertainty exists as to the amount of Refraction; in the case of the Madras Observations however, the meridian altitude being 85° and the variation of temperature at the times of the Star arriving at the + and — maximum amounting to little or nothing, no such uncertainty exists. With regard to error of observation the above speak so well for themselves that it is unnecessary for me to offer any further remarks.

* From a few very accordant Transit Observations the Parallax of α Aquilæ comes out $0'',49$, or the diameter of the Earth's orbit viewed from α Aquilæ = $0'',98$: these it will be as well to reserve for a future opportunity when a greater number of observations shall have been made.

PLACES OF THE FIXED STARS.

At the commencement of my Superintendence of the Madras Observatory in 1830, I selected for observation a Catalogue of about 1200 of the brightest Stars, from the Catalogue of 2881 given in the 2d Volume of the Memoirs of the Royal Astronomical Society, and set to work, intending to make at least five Observations of each Star: towards the end of 1831, finding that the greater part of this Catalogue was then already completed, I determined to extend my observations to the remaining Stars of the Society's Catalogue, and to devote the Instruments during the years 1832 and 1833 solely to this purpose; the result of the three years observation are given in the pages which follow reduced to January 1, 1832. It may at first sight appear superfluous that the result of the observations for 1831 which have already been given in Vol. I. should again appear in the present work; but several of the Stars observed in 1831 having been again observed in 1832 and 1833, it became necessary to state the former results in order to obtain the mean of *all* the observations; added to which, the peculiar circumstances to which the Transit Instrument has been subject (by reason of the very rapid and unequal wear of the pivots, and the meridian marks having undergone a change of position), renders it desirable that the nature of the agreement between the observations of one year and another should be distinctly pointed out.

It will be noticed that I have retained *all the names*, and consequently the same *numbers*, as given in the Society's Catalogue, notwithstanding that from twenty to thirty Stars (from being situated near the South Pole) are invisible at Madras, and that about double of that number have not been observed at either the Transit or the Mural Circle; my reason for so doing was for the sake of uniformity and facility of reference, and to allow me to fill up the blanks with a pen from the observations of 1834 and 1835.

The magnitudes and Annual Precessions* are copied from the Society's Catalogue: the *Greenwich place* is derived from the Catalogue of 720 Stars for 1830; in which the place of the equinox is assumed Dr. Maskelyne + 0".20, and it is from this point which the places in this Catalogue are likewise

+ Where an asterisk is attached to the Annual Precession it denotes, that the proper motion exceeds 0.5s. of space (according to M. Piazzi) and that it is included with the precession.

reckoned. Under the head "No. 1831", "No. 1832", &c. is found the number of observations made in each year, and the corresponding mean result on the supposition that the pivots remained unaltered during the three years; to make the requisite correction, we must have recourse to the table at Page 8 and proceed as follows—thus for α Cassiopeæ N. P. D. $45^{\circ} 34'$ which was observed at the commencement of 1832 and 1833, we find :

From Observa- tions in	Mean Place Ja- nuary 1, 1832.			Correc- tion.	No. of Obs.		
	<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>s.</i>
1831.....	0	31	1,42	+ 0 00	= 1,42	× 12	= 17,04
1832.....	0	0	1,24	+ 0 04	= 1,28	× 20	= 25 60
1833.....	0	0	1,09	+ 0 09	= 1,18	× 28	= 33,04
					Sum	60	75,68
<hr/>							
Sum	75 68						
No. of Observ.	= $\frac{75\ 68}{60}$			= 1 ^h 26			

The place thus deduced is set down in column "Mean", and compared with the Greenwich, and the Astronomical Society's Catalogue.

The column "Mean N. P. D." is derived from the three preceding columns in the usual way with reference to the number of observations; the Greenwich N. P. D. is derived from the Catalogue of 720 Stars for 1830, increased by two years precession, and reduced by the table Vol. I. Pages 62 and 147, in order to render the results which were computed by Bradley's table of Refractions, in terms of Atkinson's: this Catalogue rests upon the supposition that the Latitude of the Greenwich Royal Observatory deduced from Bradley's table of Refraction = $51^{\circ} 28' 39''.00$.

A

GENERAL CATALOGUE

OF THE

PRINCIPAL FIXED STARS

FROM

OBSERVATIONS AT THE MADRAS OBSERVATORY

IN THE YEARS 1831, 1832 AND 1833,

COMPARED WITH

THE GREENWICH, AND ASTRONOMICAL SOCIETY'S CATALOGUE.

ii *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion			
			No.	1831	No.	1832	No.	1833			h.	m.		s.	Green.	A. S.
1	7	Ceti	2	6,82	5	6,79	—	—	0	0	6,80	—	—	—	—	
2	2.3	11 Cassiop. β	6	15,55	—	—	—	0	0	15,55	15,71	6,45	—0,16	+0,35	+3,068	
3	6	87 Pegasi μ	—	—	5	23,10	—	0	0	23,10	—	14,73	—	+0,82	3,124*	
4	6	AppSculp κ^1	1	46,56	2	46,68	4	46,68	0	0	46,64	—	22,46	—	+0,64	3,069
5	4	Phœnicis ϵ	6	51,81	—	—	—	0	0	51,81	—	46,07	—	+0,57	3,060	
												51,51	—	+0,30	3,063	
6	7	Piscium	—	—	—	—	5	19,05	0	1	19,05	—	18,63	—	+0,42	3,068
7	6	34 Piscium E^1	—	—	—	—	6	24,70	0	1	24,70	—	23,93	—	+0,77	3,069
8	5	22 Androm B	5	37,04	—	—	—	0	1	37,04	—	36,98	—	+0,06	3,077	
9	6.7	Ceti	—	—	5	42,92	—	0	1	42,92	—	42,54	—	+0,38	3,067	
10	5	Octantis γ^3	—	—	—	—	—	Invisible	—	—	—	10,01	—	—	2,967	
11	6	6 Ceti f	—	—	4	42,72	—	0	2	42,72	—	42,05	—	+0,67	3,064	
12	5.6	AppSculp κ^2	6	1,77	—	—	—	0	3	1,77	—	1,65	—	+0,12	3,059	
13	2.3	88 Pegasi γ	12	35,66	24	35,69	16	35,74	0	4	35,69	35,71	35,51	—0,02	+0,18	3,075
14	6	89 Pegasi κ	2	55,09	3	55,37	—	—	0	5	55,26	—	54,95	—	+0,31	3,080
15	5.6	7 Ceti h	—	—	5	6,26	—	—	0	6	6,26	—	5,86	—	+0,40	3,055
16	6	35 Piscium B	—	—	5	20,02	—	—	0	6	20,02	—	19,60	—	+0,42	3,073
17	6.7	36 Piscium	—	—	5	56,61	—	—	0	7	56,61	—	55,85	—	+0,76	3,074
18	5	24 Androm θ	6	20,26	—	—	—	—	0	8	20,26	—	19,48	—	+0,78	3,105
19	6.7	33 Piscium	6	10,31	—	—	—	—	0	9	10,31	—	9,89	—	+0,42	3,069
20	4	8 Ceti i	6	52,14	5	52,16	2	52,22	0	10	52,16	52,15	51,75	+0,01	+0,41	3,057
21	5	Tucanæ ζ	6	15,80	—	—	—	—	0	11	15,80	—	12,83	—	+2,97	2,923
22	6	40 Piscium	2	16,03	5	15,92	—	—	0	11	15,95	—	15,22	—	+0,73	3,086
23	5.6	41 Piscium δ	4	57,47	7	57,66	5	57,58	0	11	57,59	57,60	57,82	—0,01	—0,23	3,077
24	6	Ap. Sculp i	—	—	6	4,26	—	—	0	13	4,25	—	4,00	—	+0,25	3,025
25	6	9 Ceti	6	15,10	—	—	—	—	0	14	15,10	—	15,22	—	—0,12	3,049
26	6.7	Ceti	1	54,79	5	54,88	2	55,07	0	15	54,91	—	54,67	—	+0,24	3,063
27	3	Hydri β	—	—	—	—	—	Invisible	—	—	—	37,97	—	—	2,606	
28	6	44 Piscium t	7	47,63	—	—	—	—	0	16	47,63	—	47,19	—	+0,44	3,070
29	6	45 Piscium	—	—	6	2,68	—	—	0	17	2,68	—	2,01	—	+0,67	3,080
30	5	Phœnicis κ	5	55,61	—	—	—	—	0	17	55,61	—	54,29	—	+1,32	2,966
31	2	Phœnicis κ	6	57,86	11	57,84	—	—	0	17	57,84	—	57,21	—	+0,63	2,970
32	6	10 Ceti	—	—	5	0,78	4	0,75	0	18	0,77	—	0,40	—	+0,37	3,066
33	6	47 Piscium	—	—	3	18,05	3	18,26	0	19	18,15	—	17,76	—	+0,39	3,102
34	6	48 Piscium	6	29,83	—	—	—	—	0	19	29,83	—	28,96	—	+0,87	3,099
35	6	28 Androm	3	16,42	2	16,60	—	—	0	21	16,51	—	15,95	—	+0,56	3,136
36	6	Ceti	—	—	6	21,04	—	—	0	21	21,04	—	20,23	—	+0,81	3,033
37	6	12 Ceti π	—	—	5	28,17	2	28,20	0	21	28,18	—	27,77	—	+0,41	3,057
38	6	Ceti	—	—	6	58,44	—	—	0	21	58,44	—	58,39	—	+0,05	3,009
39	5	14 Cassiopeæ λ	6	32,86	—	—	2	32,67	0	22	32,83	—	32,00	—	+0,83	3,245
40	5	Phœnicis λ^1	6	17,64	—	—	—	—	0	23	17,64	—	16,68	—	+0,96	2,909
41	4	15 Cassiopeæ κ	5	30,89	—	—	—	—	0	23	30,89	30,79	29,80	+0,10	+1,09	3,324
42	6.7	51 Piscium	—	—	5	44,17	—	—	0	23	44,17	—	43,80	—	+0,37	3,083
43	6	52 Piscium	—	—	5	47,94	—	—	0	23	47,94	—	47,36	—	+0,58	3,116
44	4	Tucanæ β^1	6	48,36	—	—	—	—	0	23	48,36	—	48,41	—	—0,05	2,786
45	4	Tucanæ β^2	—	—	3	49,35	—	—	0	23	49,22	—	48,77	—	+0,45	2,786

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
1	—	—	4 9 25,31	93 9 25,31	—	9 25,79	—	0,48	20,043
2	5 46 37,06	4 46 36,52	—	31 46 36,82	46 37,91	46 39,46	-1,09	2,64	20,043
3	—	—	4 43 16,97	72 43 16,97	—	43 19,12	—	2,15	20,043
4	—	—	5 55 20,45	118 55 20,45	—	55 23,01	—	2,56	20,043
5	5 40 24,30	—	—	136 40 24,30	—	40 25,62	—	1,32	20,042
6	—	—	5 29 43,17	93 29 43,17	—	29 45,10	—	1,93	20,042
7	—	—	5 47 25,89	79 47 25,89	—	47 19,22	+	6,67	20,042
8	5 51 50,12	—	—	44 51 50,12	—	51 46,46	+	3,66	20,042
9	2 10 55,69	4 10 55,94	—	96 10 55,86	—	10 55,20	+	0,66	20,042
10	—	—	—	173 —	—	9 29,62	—	—	20,042
11	4 23 23,42	1 23 24,39	—	106 23 23,61	—	23 27,96	—	4,35	20,041
12	—	3 44 4,62	3 44 4,39	118 44 4,51	—	44 8,62	—	4,11	20,041
13	22 45 3,67	8 45 2,98	—	75 45 3,49	45 2,93	45 1,81	+0,56	1,68	20,039
14	5 43 40,51	—	—	70 43 40,51	—	43 35,11	+	5,40	20,036
15	2 51 51,97	4 51 53,75	—	109 51 53,16	—	51 48,51	+	4,65	20,036
16	—	5 7 45,44	—	82 6 45,44	—	6 41,81	+	3,63	20,035
17	3 41 33,71	2 41 33,44	—	82 41 33,60	—	41 32,31	+	1,29	20,031
18	4 15 5,59	9 15 5,67	—	52 15 5,63	—	15 5,23	+	0,40	20,030
19	5 14 36,35	—	—	89 14 36,35	—	14 44,52	—	8,17	20,027
20	5 45 23,44	6 45 24,96	—	99 45 24,27	45 20,55	45 17,08	+3,72	7,19	20,021
21	5 51 45,54	5 51 46,99	—	155 51 46,27	—	53 47,78	+121,51	—	20,019
22	5 40 57,20	—	—	74 40 57,20	—	40 52,59	+	4,61	20,019
23	6 44 33,38	1 44 32,92	—	82 44 33,31	44 36,50	44 33,93	-3,19	0,62	20,016
24	—	5 55 42,09	—	119 54 42,09	—	54 38,51	+	3,58	20,011
25	3 8 36,53	2 8 38,37	—	103 8 37,27	—	8 38,53	—	1,26	20,004
26	5 8 52,53	1 8 51,07	—	93 8 52,29	—	8 56,48	—	4,19	19,995
27	—	—	—	168 —	—	12 1,02	—	—	19,990
28	—	5 59 26,90	—	88 59 26,90	—	59 25,11	+	1,79	19,990
29	—	5 14 16,88	—	83 14 16,88	—	14 15,08	+	1,80	19,988
30	5 36 46,74	5 36 48,41	—	134 36 47,57	—	36 40,38	+	7,19	19,982
31	8 13 5,03	5 13 5,57	—	133 13 5,30	—	12 56,19	+	9,11	19,982
32	5 58 50,28	—	—	90 58 50,29	—	58 47,37	+	2,92	19,981
33	8 2 12,96	3 2 14,83	—	73 2 13,47	—	2 14,08	—	0,61	19,972
34	—	5 29 5,07	—	74 29 5,07	—	29 1,94	+	3,13	19,971
35	—	5 10 30,50	—	61 10 30,50	—	10 32,62	—	2,12	19,957
36	—	2 47 33,21	3 47 32,22	105 47 32,62	—	47 32,67	—	0,05	19,957
37	—	—	4 53 15,65	94 53 15,65	—	53 10,85	+	4,80	19,956
38	—	2 43 7,23	3 43 6,52	114 43 6,80	—	43 4,93	+	1,87	19,951
39	5 24 21,52	5 24 22,17	—	36 24 21,85	—	24 11,86	+	9,99	19,947
40	5 44 1,60	5 44 2,45	—	139 44 2,02	—	43 6,42	+	55,60	19,940
41	5 59 44,70	1 59 45,63	6 59 43,40	27 59 44,12	59 48,44	59 49,77	-4,32	5,65	19,938
42	4 58 20,66	—	—	83 58 20,66	—	58 19,91	+	6,75	19,936
43	—	2 37 55,06	3 37 55,32	70 37 55,22	—	37 50,85	+	4,37	19,936
44	—	—	—	153 —	—	53 18,49	—	—	19,935
45	—	—	—	153 —	—	53 40,49	—	—	19,935

iv *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Greenh Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	1832					Green.	A. S.	
						h.	m.	s.					
46	5	Tucanæ β^3			5 2,80	0	25	2,65		2,44		+0,21	+2,771
47	7	Piscium		5 28,99		0	25	28,99		28,47		+0,52	3,092
48	7	Ceti		6 55,43		0	25	55,43		55,12		+0,31	3,054
49	6.7	Piscium		5 13,29		0	26	13,30		13,04		+0,26	3,102
50	6	13 Ceti		6 36,35		0	26	36,35		35,42		+0,93	3,056
51	6.7	Piscium (120)		3 55,65	1 55,36	0	26	55,58		55,63		—0,05	3,064
52	4	17 Cassiopeæ ζ	7 39,27			0	27	39,27	39,18	38,86	+0,09	+0,11	3,280
53	4.5	29 Androm π	6 55,69			0	27	55,69	55,71	55,77	—0,02	—0,08	3,172
54	6	53 Piscium	5 2,86			0	28	2,86		2,16		+0,70	3,109
55	6	Ceti		4 42,63		0	28	42,62		39,05		+3,57	2,988
56	7	Piscium		5 51,86		0	28	51,86		51,19		+0,67	3,074
57	7	15 Ceti		6 29,44		0	29	29,44		28,76		+0,68	3,064
58	4	30 Androm ϵ	6 41,73			0	29	41,73	41,81	41,24	—0,08	+0,49	3,161
59	3	31 Androm δ	6 21,74			0	30	21,74	21,81	21,32	—0,07	+0,42	3,169
60	3	18 Cassiopeæ α	12 1,42	20 1,24	28 1,09	0	31	1,21	1,26	0,76	—0,05	+0,45	3,330
61	6	55 Piscium		5 5,79		0	31	5,79		5,40		+0,39	3,135
62	6.7	Ceti	5 9,38			0	32	9,38		8,89		+0,49	3,051
63	5	Phœnicis μ	6 22,30			0	33	22,30		22,26		+0,02	2,861
64	6	Ceti	1 45,76	4 45,55		0	33	45,59		33,45,34		+0,25	3,024
65	5	20 Cassiopeæ π	6 12,38			0	34	12,38		11,58		+0,80	3,274
66	6	Ceti		5 18,70		0	34	18,70		18,46		+0,24	2,991
67	2.3	16 Ceti β	7 9,18	8 9,42	8 9,26	0	35	9,29	9,27	9,23	+0,02	+0,06	2,998
68	5	17 Ceti ϕ^1	5 42,82			0	35	42,82		42,63		+0,19	3,026
69	5	Phœnicis η	4 46,86			0	35	46,86		45,80		+1,06	2,731
70	6	Ceti		5 25,50		0	36	25,50		25,32		+0,18	2,979
71	6	Ceti		5 51,34		0	36	51,34		50,92		+0,42	3,047
72	6	18 Ceti		7 2,50		0	37	2,50		1,95		+0,55	3,015
73	6.7	57 Piscium		5 45,99		0	37	45,99		46,06		—0,07	3,125
74	6	58 Piscium		5 16,17		0	38	16,17		15,29		+0,88	3,111
75	6	59 Piscium		5 21,78		0	38	21,78		21,28		+0,50	3,143
76	4	34 Androm ζ	6 26,94			0	38	26,94	27,01	27,01	—0,07	—0,07	3,164
77	6	60 Piscium		4 42,79		0	38	42,79		41,87		+0,92	3,091
78	4	24 Cassiopeæ η	4 59,32	2 59,19		0	38	59,31	59,16	58,27	+0,15	+1,04	3,533*
79	6	Piscium		5 34,84		0	39	34,84		32,81		+2,03	3,086
80	6	62 Piscium		2 35,11	5 35,00	0	39	35,04		34,36		+0,68	3,094
81	5	63 Piscium δ	6 58,51		3 58,65	0	39	58,56		58,30		+0,26	3,095
82	5.6	64 Piscium γ		5 9,73		0	40	9,74		9,49		+0,25	3,135
83	4	35 Androm ν	5 34,79	1 35,08	4 34,63	0	40	34,78	34,84	34,25	—0,06	+0,53	3,266
84	6	65 Piscium i	5 52,82			0	40	52,82		52,14		+0,68	3,187
85	6	19 Ceti ϕ^2		7 42,94		0	41	42,94		42,81		+0,13	3,019
86	5	20 Ceti m	7 25,64	8 25,73	2 25,74	0	44	25,69	25,68	25,72	+0,01	—0,03	3,059
87	6	66 Piscium		6 42,44		0	45	42,45		41,80		+0,65	3,155
88	6	36 Androm	6 59,24	1 59,33		0	45	59,26		58,94		+0,32	3,179
89	3	27 Cassiopeæ γ	5 37,85	12 37,65	8 37,61	0	46	37,67	37,83	36,79	—0,16	+0,88	3,531
90	6	67 Piscium k	2 57,31	2 57,35		0	46	57,33		56,97		+0,36	3,202

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue:	A. S. Catalogue.	Difference from		Annual Precession.	
	1831		1832		1833					Green.	A. S. C		
	No.		No.		No.								
46	4 57	22,87	5 57	24,16			153 57	23,65	57 27,57		3,92	-19,924	
47			2 37	18,60	3 37	18,69	80 37	18,64	37 11,70	+	6,94	19,920	
48			4 28	29,46	2 28	31,23	95 28	30,07	28 26,54	+	3,53	19,916	
49	3 33	9,42	5 33	10,35			72 33	10,00	33 11,52	-	1,52	19,913	
50			1 31	10,22	5 3	8,57	94 31	8,84	31 5,37	+	3,47	19,909	
51			5 25	44,95			91 25	44,95	25 43,05	+	1,90	19,905	
52	5 1	45,03	6 1	44,54	4 1	41,11	37 1	44,57	1 43,57	+1,00	+	1,62	19,898
53	6 12	24,53					57 12	24,53	12 23,44	+1,03	+	2,73	19,895
54	5 41	37,56					75 41	37,56	41 35,06	+	2,50	19,894	
55			1 41	35,15	5 41	34,67	115 41	34,75	41 33,43	+	1,32	19,887	
56					5 47	14,80	87 47	14,80	47 10,98	+	3,82	19,885	
57			4 25	40,87			91 25	40,87	25 40,38	+	0,49	19,878	
58	4 36	5,22			3 36	1,00	61 36	3,41	36 4,10	-0,69	-	1,70	19,876
59	5 3	37,56	6 3	38,47			60 3	38,06	3 32,69	+5,37	+	6,53	19,868
60	16 23	8,74	15 23	8,77			34 23	8,76	23 7,54	+1,22	+	1,27	19,861
61	5 29	3,63					69 29	3,63	29 2,08	+	1,55	19,860	
62	4 16	31,72	1 16	32,32			95 16	31,34	16 27,58	+	4,26	19,847	
63	5 0	28,80					137 0	28,80	0 18,30	+	10,50	19,832	
64	4 43	30,63	1 43	32,11			102 43	30,92	43 33,41	-	2,49	19,827	
65	5 53	44,03	4 53	42,52			43 53	43,36	53 46,03	-	2,67	19,821	
66			4 6	55,34			111 6	55,34	6 55,43	-	0,09	19,820	
67	5 54	33,23	5 54	34,09			108 54	33,66	54 35,21	-1,27	-	1,55	19,809
68	4 31	30,12	2 31	30,69			101 31	30,48	31 33,57	-	3,09	19,801	
69	5 23	3,42					118 23	3,42	23 3,54	-	0,12	19,800	
70	3 55	46,30	2 55	51,90			112 55	48,54	55 51,83	-	3,29	19,791	
71			5 33	6,38			95 33	6,38	33 4,43	+	1,95	19,786	
72			4 47	27,17			103 47	27,17	47 32,26	+	5,09	19,783	
73			4 26	32,52			75 26	32,52	26 27,39	+	5,13	19,773	
74					5 56	35,05	78 56	35,05	56 33,65	+	1,40	19,766	
75	1 20	26,00			4 20	26,33	71 20	26,26	20 22,95	+	3,31	19,764	
76	5 38	50,85			7 38	52,13	66 38	51,59	38 52,76	-1,17	-	1,24	19,763
77	4 10	33,32					84 10	33,32	10 33,68	+	4,64	19,759	
78	5 4	39,71					33 4	39,71	4 42,23	-2,52	+	0,98	19,035*
79			5 35	8,20			85 35	8,20	34 27,41	-			19,747
80					5 37	4,41	83 37	4,41	37 7,54	-	3,13	19,746	
81	5 19	47,91	5 19	46,83			83 19	47,37	19 46,61	+	0,76	19,740	
82			5 58	1,34			73 58	1,34	58 1,48	-	0,14	19,737	
83	5 50	19,58	5 50	18,25			49 50	18,91	50 15,05	+3,86	+	1,62	19,731
84	5 12	19,88					63 12	19,98	12 22,67	-	2,79	19,726	
85			5 33	1,33			101 33	1,33	33 1,64	-	0,31	19,713	
86	5 3	28,93	5 3	26,03			92 3	27,48	3 29,13	-1,65	-	1,39	19,669
87	5 43	25,11					71 43	25,11	43 27,36	-	2,25	19,647	
88	5 16	56,54					67 16	56,54	16 57,56	-	1,02	19,642	
89	9 11	45,60	5 11	44,85	9 11	46,42	30 11	45,76	11 42,48	+3,28	+	8,28	19,632
90			4 42	6,73			63 42	6,73	42 7,39	-	0,66	19,625	

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
s.	s.	s.	s.	s.	s.	s.	s.	s.	s.	s.	s.		
91	5	Cephei	4 10,56	—	—	0 47 10,56	—	—	—	4,94	—	+5,62	+6,996
92	6	Ceti	—	5 13,26	—	0 47 13,26	—	—	—	12,81	—	+0,45	3,028
93	7	Piscium	—	5 20,89	—	0 47 20,90	—	—	—	20,51	—	+0,39	3,131
94	4	37 Androm	5 27,42	—	3 26,93	0 47 27,26	—	—	27,48	27,17	-0,22	+0,09	3,359*
95	6	22 Ceti	—	6 36,21	1 36,00	0 47 36,18	—	—	—	35,71	—	+0,47	3,009
96	5	38 Androm	6 15,20	1 15,14	—	0 48 15,19	—	—	—	14,35	—	+0,84	3,183
97	6	68 Piscium	—	4 45,88	—	0 48 45,90	—	—	—	45,11	—	+0,79	3,218
98	6.7	Piscium	—	5 6,25	—	0 49 6,26	—	—	—	5,88	—	+0,38	3,132
99	6	23 Ceti	1 19,22	5 19,23	—	0 50 19,22	—	—	—	18,95	—	+0,27	3,005
100	5	App Sculp.	6 30,31	—	—	0 50 30,31	—	—	—	30,36	—	-0,05	2,898
101	6.7	Piscium	—	5 4,62	—	0 51 4,62	—	—	—	7,03	—	-2,41	3,097
102	7	Piscium	3 45,77	—	—	0 53 45,77	—	—	—	45,21	—	+0,56	3,111
103	4	71 Piscium	6 13,96	3 13,86	4 13,85	0 54 13,90	—	—	13,96	14,00	-0,06	-0,10	3,106
104	6	25 Ceti	—	5 32,96	—	0 54 32,96	—	—	—	32,50	—	+0,46	3,036
105	6.7	26 Ceti	—	6 10,71	—	0 55 10,71	—	—	—	10,11	—	+0,60	3,071
106	6.7	73 Piscium	—	5 10,83	—	0 56 10,83	—	—	—	10,64	—	+0,19	3,095
107	6	72 Piscium	—	3 13,99	3 14,12	0 56 14,08	—	—	—	13,30	—	+0,78	3,149
108	5.6	74 Piscium	2 41,41	1 41,86	—	0 56 41,57	—	—	—	41,31	—	+0,26	3,191
109	6	27 Ceti	4 12,06	—	—	0 57 12,06	—	—	—	11,77	—	+0,29	3,005
110	6	28 Ceti	8 39,57	—	—	0 57 39,57	—	—	—	39,49	—	+0,08	3,005
111	6.7	75 Piscium	—	5 43,99	—	0 57 43,97	—	—	—	43,74	—	+0,23	3,139
112	3.4	Phœnicis	6 34,66	—	—	0 58 34,66	—	—	—	34,50	—	+0,16	2,698
113	6	79 Piscium	—	—	3 57,39	0 58 57,42	—	—	—	56,88	—	+0,54	3,190
114	6	30 Ceti	—	—	3 19,31	0 59 19,30	—	—	—	19,12	—	+0,18	3,004
115	2.3	1 Ursæ Min.	—	—	—	1 0 2,19	—	—	3,14	1,81	-0,95	-0,38	15,430*
116	5	80 Piscium	2 43,54	—	2 43,30	0 59 43,42	—	—	4 3,45	43,51	-0,03	-0,09	3,097
117	5	42 Androm	—	—	2 47,08	0 59 47,18	—	—	—	46,96	—	+0,22	3,428
118	3.4	31 Ceti	—	—	3 8,37	1 0 8,37	—	—	8,46	8,63	-0,69	-0,26	3,000
119	2	43 Androm	—	—	3 21,16	1 0 21,23	—	—	20,96	20,28	+0,27	+0,95	3,309
120	6	81 Piscium	—	—	3 51,26	1 0 51,29	—	—	—	50,75	—	+0,54	3,187
121	4.5	33 Cassiopeæ	—	—	3 55,11	1 1 55,24	—	—	55,19	55,26	+0,05	+0,04	3,555
122	6	Piscium	—	—	2 17,75	1 1 17,77	—	—	—	16,98	—	+0,79	3,161
123	5	Phœnicis	—	—	2 18,29	1 1 18,18	—	—	—	18,08	—	+0,10	2,542
124	6	32 Ceti	—	—	2 46,21	1 1 46,20	—	—	—	46,20	—	0,00	3,007
125	6	33 Ceti	—	1 55,44	2 55,23	1 1 55,30	—	—	—	54,79	—	+0,51	3,078
126	6	83 Piscium	—	—	3 25,98	1 2 26,03	—	—	—	24,93	—	+1,10	3,268
127	5	84 Piscium	—	—	3 26,31	1 2 26,34	—	—	—	26,54	—	-0,20	3,200
128	7	Piscium	—	—	3 41,17	1 2 41,19	—	—	—	41,36	—	-0,17	3 128
129	6.7	34 Ceti	—	—	5 11,09	1 3 11,09	—	—	—	10,68	—	+0,41	3,048
130	6.7	35 Ceti	2 54,16	3 54,19	—	1 3 54,18	—	—	—	53,87	—	+0,31	3,078
131	6	85 Piscium	—	5 38,52	—	1 4 38,54	—	—	—	38,41	—	-0,13	3,231
132	6	86 Piscium	—	5 57,82	—	1 4 57,82	—	—	57,79	57,76	+0,03	+0,06	3 112
133	6.7	87 Piscium	—	4 12,98	—	1 5 12,99	—	—	—	12,13	—	+0,86	3,170
134	6	37 Ceti	—	—	3 56,53	1 5 56,53	—	—	—	55,92	—	+0,61	3,009
135	6.7	88 Piscium	6 58,57	—	—	1 5 58,57	—	—	—	57,98	—	+0,59	3,108

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
91	5 38 58,35	—	—	4 38 58,35	—	39 0,28	—	1,93	19,625
92	—	4 15 22,84	—	98 15 22,84	—	15 23,80	—	0,96	19,621
93	—	4 57 34,60	1 57 33,97	76 57 34,47	—	57 33,65	+	0,82	19,618
94	5 24 47,97	5 24 46,98	5 24 49,89	52 24 48,28	24 46,29	24 49,12	+1,99	0,84	19,617
95	—	5 11 40,81	—	102 11 40,81	—	10 39,72	+	1,09	19,614
96	5 29 23,91	5 29 22,06	—	67 29 22,98	—	29 25,67	—	2,69	19,602
97	4 55 2,58	—	—	61 55 2,58	—	55 3,90	—	1,32	19,593
98	—	5 12 49,41	—	77 12 49,41	—	12 49,17	+	0,24	19,586
99	—	5 17 17,50	—	102 17 17,50	—	17 17,87	—	0,37	19,563
100	5 16 2,70	5 16 2,12	—	120 16 2,41	—	16 0,13	+	2,28	19,560
101	2 25 30,55	3 25 30,34	—	84 25 30,44	—	25 27,97	+	2,47	19,548
102	5 5 1,44	—	—	82 5 1,44	—	4 58,62	+	2,82	19,496
103	7 0 55,88	6 0 55,27	5 0 54,95	83 0 55,42	0 57,81	0 57,83	-2,39	2,41	19,486
104	2 44 18,03	3 44 12,26	—	95 44 12,57	—	44 8,66	+	3,91	19,480
105	—	5 32 10,96	—	89 32 10,96	—	32 7,92	+	3,04	19,467
106	—	5 14 48,99	2 14 47,68	85 14 48,62	—	14 42,79	+	5,83	19,446
107	—	5 57 32,92	—	75 57 32,92	—	57 31,39	+	1,53	19,445
108	5 25 41,23	—	—	69 25 41,23	—	25 41,23	—	0,00	19,435
109	—	5 51 47,54	—	100 51 47,54	—	52 43,68	+	3,86	19,424
110	—	5 44 29,64	—	100 44 29,64	—	44 24,81	+	4,83	19,414
111	—	1 56 46,03	4 56 43,60	77 56 44,08	—	56 46,01	—	1,93	19,412
112	5 37 11,75	5 37 9,75	—	137 37 10,75	—	37 2,81	+	7,94	19,394
113	—	4 9 24,62	—	70 9 24,62	—	9 19,22	+	5,40	19,386
114	—	3 41 9,89	—	100 41 9,89	—	41 11,51	—	1,62	19,377
115	10 35 12,17	11 35 12,57	3 35 12,94	1 35 12,44	35 12,60	35 12,20	-0,16	0,24	19,375
116	5 14 30,74	—	3 14 31,69	85 14 31,10	14 28,36	14 28,02	+2,74	3,08	19,368
117	5 39 19,22	—	—	43 39 19,22	—	39 22,03	—	2,81	19,367
118	5 4 27,40	—	—	101 4 27,40	4 29,30	4 25,08	-1,90	2,32	19,359
119	5 16 22,94	2 16 22,30	—	55 16 22,76	16 19,41	16 17,61	+3,35	5,15	19,355
120	—	—	6 14 23,10	71 14 23,10	—	14 22,55	+	0,55	19,343
121	4 44 47,01	1 44 47,33	—	35 44 47,07	44 46,75	44 48,41	+0,32	1,34	19,341
122	—	5 13 23,85	—	75 13 23,85	—	13 18,06	+	5,79	19,333
123	—	—	4 8 43,27	146 8 43,27	—	8 31,30	+	11,97	19,332
124	—	5 43 6,81	—	99 43 6,81	—	47 56,65	—	—	19,321
125	—	5 26 59,38	—	88 26 59,38	—	27 0,61	—	1,23	19,318
126	—	5 48 17,42	—	60 48 17,42	—	48 13,60	+	3,82	19,306
127	6 51 41,98	—	—	69 51 41,98	—	51 38,18	+	3,80	19,306
128	—	4 36 13,89	—	80 36 13,89	—	36 10,81	+	3,08	19,300
129	3 8 38,31	—	2 8 40,17	93 8 39,06	—	8 42,26	—	3,20	19,288
130	—	4 25 1,65	—	88 25 1,65	—	24 58,94	+	2,71	19,271
131	—	—	5 18 26,71	66 18 26,71	—	18 28,67	—	1,96	19,253
132	1 18 53,12	—	5 18 53,73	83 18 53,63	18 54,82	18 53,38	-1,19	0,25	19,245
133	—	—	5 45 30,31	74 45 30,31	—	45 28,26	+	2,05	19,240
134	5 49 35,96	—	—	98 49 35,96	—	49 36,27	—	0,31	19,221
135	—	5 53 42,15	—	83 53 42,15	—	53 39,62	+	2,53	19,221

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1833	Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833				Green.	A. S.	
			s.	s.	s.	h. m. s.	s.	s.	s.	s.	s.
136	6	38 Ceti	7 14,92	—	—	1 6 14,92	—	14,70	—	+0,22	+3,056
137	6	39 Ceti	1 4,78	—	4 4,87	1 8 4,85	—	4,70	—	+0,15	3,045
138	6	40 Ceti	—	3 23,24	2 23,64	1 8 23,40	—	23,29	—	+0,11	3,046
139	6	89 Piscium	—	5 8,51	—	1 9 8,51	—	8,16	—	+0,35	3,087
140	5.6	90 Piscium	5 14,89	—	—	1 10 14,89	—	14,82	—	+0,07	3,268
141	6	42 Ceti	1 13,44	5 13,35	—	1 11 13,37	—	13,18	—	+0,19	3,058
142	6	91 Piscium	—	5 51,05	—	1 11 51,07	—	51,17	—	-0,10	3,285
143	5	48 Androm	6 29,10	1 29,04	—	1 12 29,09	—	28,54	—	+0,55	3,478
144	7	Ceti	—	5 58,44	—	1 13 58,44	—	58,32	—	+0,12	3,074
145	6.7	43 Ceti	—	5 59,78	—	1 13 59,78	—	59,41	—	+0,37	3,058
146	4.5	36 Cassiopeae	6 10,30	2 10,44	1 10,29	1 14 10,39	10,45	9,43	-0,06	+0,96	4,079
147	3	37 Cassiopeae	2 53,89	2 53,50	5 53,54	1 14 53,69	—	55,11	—	-1,42	4,833*
148	6	44 Ceti	—	5 35,76	—	1 15 35,76	—	35,46	—	+0,30	3,000
149	3.	45 Ceti	—	6 37,84	—	1 15 37,84	—	37,55	—	+0,29	2,999
150	5.6	93 Piscium	—	6 12,74	—	1 17 12,76	—	12,40	—	+0,36	3,214
151	5	Phoenicis	6 14,34	—	—	1 17 14,34	—	14,29	—	+0,05	2,665
152	5	46 Ceti	6 21,62	—	—	1 17 21,62	—	21,40	—	+0,22	2,946
153	6.7	94 Piscium	—	—	5 38,16	1 17 38,18	—	37,87	—	+0,31	3,215
154	6.7	Ceti	—	5 51,88	—	1 17 51,88	—	51,51	—	+0,37	3,058
155	6	47 Ceti	—	5 34,39	—	1 17 34,38	—	34,97	—	-0,59	2,957
156	7	95 Piscium	—	5 57,04	—	1 18 57,04	—	56,87	—	+0,17	3,103
157	7	Piscium	—	—	5 22,97	1 18 22,99	—	22,32	—	+0,67	3,200
158	7	Piscium	—	—	5 35,08	1 19 35,09	—	34,86	—	+0,23	3,124
159	6.7	96 Piscium	—	—	5 17,49	1 20 17,50	—	16,91	—	+0,59	3,120
160	6.7	97 Piscium	—	6 49,64	—	1 20 49,66	—	49,01	—	+0,65	3,213
161	3	Phoenicis	6 3,86	—	—	1 21 3,86	—	3,20	—	+0,66	2,619
162	5	98 Piscium	5 23,52	1 23,32	7 23,43	1 21 23,46	23,32	23,09	+0,24	+0,37	3,111
163	6	48 Ceti	—	5 32,63	—	1 21 32,62	—	32,55	—	+0,07	2,875
164	6	Ceti	—	5 46,73	—	1 21 46,71	—	—	—	—	2,836
165	6	Ap. Scalp	—	5 27,84	—	1 22 27,83	—	27,02	—	+0,80	2,828
166	4	99 Piscium	6 30,46	6 30,40	—	1 22 30,44	30,35	30,27	+0,09	+0,17	3,189
167	4	Phoenicis	5 15,00	—	—	1 24 15,00	—	14,69	—	+0,31	2,497
168	7	Piscium	—	6 30,35	—	1 24 30,35	—	30,11	—	+0,24	3,130
169	6	Piscium	—	5 44,65	—	1 25 44,67	—	43,86	—	+0,81	3,223
170	7	100 Piscium	—	5 56,91	—	1 25 56,92	—	56,41	—	+0,51	3,169
171	5.6	49 Ceti	—	5 25,06	—	1 26 25,64	—	24,72	—	+0,92	2,922
172	6	101 Piscium	—	5 48,19	—	1 26 48,21	—	47,45	—	+0,76	3,189
173	6	Piscium	—	3 50,36	3 50,51	1 26 50,45	—	49,82	—	+0,63	3,215
174	5	50 Androm	6 58,17	1 57,55	—	1 26 58,08	—	57,50	—	+0,58	3,491
175	6.7	Piscium	—	5 15,99	—	1 27 16,00	—	15,36	—	+0,24	3,127
176	3.4	51 Androm	6 43,35	—	—	1 27 43,35	43,28	42,93	+0,07	+0,42	3,617
177	6	50 Ceti	—	—	6 47,50	1 27 47,49	—	46,82	—	+0,67	2,922
178	6	102 Piscium	4 12,19	—	6 12,17	1 28 12,19	12,18	11,90	+0,01	+0,29	3,168
179	6	Ceti	—	5 14,20	—	1 29 14,19	—	13,08	—	+1 11	2,976
180	6.7	104 Piscium	—	—	5 16,05	1 30 16,06	—	16,30	—	-0,24	3,190

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from			Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A. S.	C	
136			2 52	29,33	3 52	30,25	91 52 29,88		52 27,00		+	2,88	+19,214
137	4 23	8,47	1 23	9,09			93 23 8,59		23 8,41		+	0,18	19,167
138			5 9	38,60			93 9 38,60		9 38 64		—	0,04	19,159
139	4 16	19,55	1 16	17,85			87 16 19,21		16 14,40		+	4,81	19,140
140			5 37	14,43			63 37 14,43		37 12,26		+	2,17	19,111
141			5 23	35,87			91 23 35,87		23 31,64		+	4,23	19,085
142	3 8	30,33	1 8	30,27			62 8 30,32		8 31,16		—	0,84	19,069
143	7 21	18,45	3 21	18 43			45 21 18,45		21 11,24		+	7,21	19,052
144	5 9	8,75					89 9 8,75		9 9,39		—	0,64	19,011
145			5 19	48,96			91 19 48,96		19 47,47		+	1,49	19,010
146	6 44	58,73	3 44	59,26			22 44 58,91	45 1,67	45 2,29	—2,76	—	3,38	19,006
147	6 38	29,52	5 38	28,74			30 38 29,16		38 25,79		+	3,37	18,986
148	1 52	55,81	4 52	56,69			98 52 56,51		52 53,92		+	2,59	18,965
149	5 3	6,39			2 3	8,80	99 3 7,08		3 7,25		—	0,17	18,964
150			7 42	15,69			71 42 15,69		42 12,35		+	3,34	18,919
151	5 22	5,77			1 22	8,83	132 22 6,28		22 9,01		—	2,73	18,918
152	5 28	32,62	3 28	32,00			105 28 32,39		28 26,62		+	5,77	18,915
153			5 37	56,66			71 37 56,66		37 55,11		+	1,55	18,907
154	3 16	25,24			2 16	25,07	91 16 25,17						18,900
155					5 55	54,73	103 55 54,73		55 56,71		—	1,98	18,879
156					5 30	58,50	85 30 58,50		30 53,20		+	5,30	18,868
157			5 47	30,58			73 47 30,58		47 31,57		—	0,99	18,856
158					5 54	40,69	82 54 40,69		54 42,07		—	1,38	18,850
159			5 34	29 53			83 34 29,53		34 29,06		+	0,47	18,829
160	5 30	51,82					72 30 51,82		30 54,23		—	2,41	18,813
161	5 10	49,87	1 10	50,89			134 10 50,04		10 45,91		+	4 13	18,805
162	4 43	32,04			6 43	32,09	84 43 32,07	43 23,74	43 33,89	+8,33	—	1,82	18,795
163			4 29	59,68	1 30	0,46	112 29 59,83		30 0,62		—	0,79	18,790
164	1 29	20,02	3 29	19,88			116 29 19,91		29 18,88		+	1,03	18,785
165			1 4	40,11	4 4	39,84	117 4 39,89		4 40,02		—	0,13	18,762
166	6 31	23,26	5 31	25,36	4 31	24,06	75 31 24,17	31 22,61	31 20,08	+1,56	+	4,09	18,761
167	5 56	56,23	3 56	56,78			139 56 56,44		56 40,27		+	16,17	18,706
168	5 39	17,65					82 39 17,65		39 18,96		—	1,31	18,699
169	5 23	57,69					72 23 57,69		23 53,57		+	4,12	18,660
170			5 18	13,19			78 18 13,19		18 12,05		+	1,14	18,653
171			5 32	22,60			106 32 22,60		32 22,58		+	0,02	18,638
172			5 12	0,14			76 12 0,14		11 57,60		+	2,54	18,626
173			2 25	41,35	3 25	42,29	73 25 41,91		25 44,59		—	2,68	18,625
174	5 26	18,21					49 26 18,21		26 15,89		+	2,32	18,621
175					5 13	0,17	83 13 0,17		13 1,36		—	1,19	18,611
176	5 13	35,35			3 13	36,15	42 13 35,65	13 34,61	13 34,35	+1,04	+	1,30	18,596
177			5 15	43,04			106 15 43,04		15 38,10		+	4,94	18,594
178	5 43	9,33					78 43 9,33	43 14,98	43 11,35	—5,65	—	2,02	18,580
179			5 16	3,82			100 16 3,82		16 3,24		+	0,58	18,546
180			4 34	8,71	1 34	7,39	76 34 8,45		34 9,14		—	0,69	18,511

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
			s.	s.	s.				s.	s.	s.	s.	
181	6	105 Piscium		4 37,79	5 37,78	1 30	37,81	37,71	37,67	+0,10	+0,14	+3,211	
182	1	Eridani α	5 27,19	3 27,31	3 27,39	1 31	27,23		26,51		+0,72	2,235	
183	7	Piscium		5 44,73		1 31	44,74		43,94		+0,80	3,140	
184	5	106 Piscium γ	6 41,57	6 41,90	6 41,90	1 32	41,79	41,86	41,60	-0,07	+0,19	3,111	
185	5	54 Androm	5 10,53			1 33	10,53		10,36		+0,17	3,693	
186	5.6	107 Piscium	4 23,42	5 23,56		1 33	23,51		23,29		+0,31	3,255	
187	6.7	109 Piscium		6 46,12		1 35	46,14		45,72		+0,42	3,257	
188	3.4	52 Ceti τ	5 15,98	7 16,06		1 36	16,01	16,01	15,64	0,00	+0,37	2,779*	
189	5	110 Piscium σ	6 31,85	4 31,81	3 31,93	1 36	31,86	31,82	31,70	+0,04	+0,16	3,148	
190	6	Ceti		5 33,71		1 37	33,71		33,27		+0,44	3,004	
191	5	App Sculp ϵ	6 46,78	1 46,78		1 37	46,78		46,01		+0,77	2,800	
192	6.7	4 Arietis		5 4,99		1 39	5,01		4,81		+0,20	3,230	
193	6	Arietis		5 52,60		1 40	52,62		52,13		+0,49	3,291	
194	5	53 Ceti χ^2	5 20,30	1 20,35		1 41	20,31		19,40		+0,91	2,952	
195	6	54 Ceti	1 57,53	5 57,89		1 41	57,85		56,76		+1,09	3,171	
196	3.4	45 Cassiopeae ϵ	6 24,11			1 42	24,11	23,49	23,47	+0,62	+0,64	4,191	
197	3	55 Ceti ζ	6 10,25	1 10,46		1 43	10,28	10,35	9,82	-0,07	+0,46	2,953	
198	3.4	2 Trianguli α	6 31,59	1 31,48	5 31,50	1 43	31,56	31,52	31,23	+0,04	+0,33	3,388	
199	4.5	5 Arietis γ^1	5 19,56	3 19,56	4 19,65	1 44	19,60	19,58	19,51	+0,02	+0,09	3,264	
200	5.6	111 Piscium ξ		5 52,00		1 44	52,00		51,79		+0,21	3,092	
201	3	6 Arietis β		12 22,54	16 22,52	1 45	22,55	22,55	21,77	0,00	+0,78	3,283	
202	6	7 Arietis		5 29,93		1 46	29,95		29,45		+0,50	3,319	
203	7	Piscium		5 13,24		1 47	13,24		12,92		+0,32	3,079	
204	5	Phœnicis ϕ	6 23,78			1 47	23,78		23,77		+0,01	2,499	
205	6	8 Arietis ι		6 11,23	4 11,25	1 48	11,26	11,24	11,16	+0,02	+0,10	3,253	
206	5	48 Cassiopeae	4 18,15			1 48	18,15		18,17		-0,02	4,744	
207	5.6	9 Arietis λ		5 35,05	1 35,01	1 48	35,06	34,98	35,17	+0,08	-0,11	3,324	
208	6	56 Ceti ν^1			5 48,23	1 48	48,21		47,30		+0,91	2,804	
209	4.5	50 Cassiopeae	4 15,21	2 14,79		1 49	15,13	15,46	14,23	-0,33	+0,90	4,908	
210	4	Eridani χ	6 25,12			1 49	25,12		23,86		+1,26	2,270	
211	6	Arietis			5 17,14	1 50	17,16		16,48		+0,68	3,296	
212	7	Piscium			5 26,91	1 50	26,93		26,50		+0,43	3,194	
213	4.5	Hydri η^2	2 41,32	2 41,17		1 50	41,19		40,73		+0,46	1,495	
214	7	Ceti		4 10,93		1 51	10,93		10,45		+0,48	3,125	
215	6	112 Piscium		3 25,44	2 25,71	1 51	25,55		25,20		+0,35	3,098	
216	6	57 Ceti ι		4 52,26		1 51	52,24		51,92		+0,32	2,819	
217	4.5	59 Ceti ν^3	6 5,50			1 52	5,50	5,36	4,99	+0,14	+0,51	2,816	
218	5	113 Piscium α	6 21,68	1 21,80	2 21,70	1 53	21,70	21,65	21,73	+0,05	-0,03	3,090	
219	3	Hydri α	3 28,77	2 28,65		1 53	28,69		28,87		-0,18	1,854	
220	3.4	57 Androm γ		7 37,11	2 37,06	1 53	37,12	37,10	36,71	+0,02	+0,41	3,630	
221	7	Arietis			6 0 78	1 54	0,80		0,31		+0,49	3,183	
222	6	Arietis Λ		2 30,66	3 30,03	1 54	30,84		30,33		+0,51	3,269	
223	6	60 Ceti		1 35,29	4 35,14	1 54	35,17		35,29		-0,12	3,060	
224	5	Phœnicis χ	6 57,98			1 54	57,98		58,34		-0,36	2,414	
225	6	12 Arietis π	1 10,96	4 10,95		1 57	10,96		10,43		+0,53	3,330	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N P D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.	
181			5	26 58,70			74 26 58,70	26 58,50	26 55,71	+0,20	+ 2,99	+18,499
182	7	5 30,61	6	5 30,27	3	5 30,75	148 5 30,49		5 35,18		+ 4,69	18,471
183	3	5 37,89					82 5 37,89		5 38,18		+ 0,29	18,462
184	5	21 59,47	4	21 58,03	5	21 58,14	65 21 58,58	21 55,67	21 55,29	+2,91	+ 3,29	18,429
185	5	9 44,47					40 9 44,47		9 40,43		+ 4,04	18,413
186	4	33 4,46	1	33 6,31			70 33 4,88		32 58,88		+ 5,95	17,835*
187	3	45 31,92	2	45 33,16			70 45 32,42		45 29,66		+ 2,76	18,322
188	5	49 27,29	5	49 27,23			106 49 27,26	49 29,75	49 24,77	-2,49	+ 2,49	19,144*
189	5	41 26,30	5	41 25,94	7	41 25,71	81 41 25,95	41 26,67	41 25,66	-0,72	+ 0,29	18,295
190			6	34 34,31			96 34 34,31		34 34,60		+ 0,29	18,258
191	5	53 40,46	1	53 41,78			115 53 40,68		53 41,21		+ 0,53	18,250
192	4	52 59,63			1	53 1,73	73 53 0,07		53 0,30		+ 0,23	18,203
193	1	33 38,70	4	33 40,02			68 33 39,76		33 48,08		+ 3,32	18,137
194	5	31 13,53	5	31 11,94			101 31 12,73		31 18,87		+ 1,14	18,119
195	5	47 33,14					79 47 33,14		47 30,92		+ 2,22	18,096
196	6	9 42,79			5	9 43,59	27 9 43,15	9 43,98	9 44,25	-0,78	+ 1,10	18,081
197	5	10 4,07			5	10 5,31	101 10 4,69	10 6,40	10 9,49	-1,71	+ 4,80	18,050
198	5	14 35,14	6	14 34,89	2	14 33,72	61 14 34,81	14 33,90	14 36,82	+0,91	+ 2,01	18,037
199	2	31 58,67	3	31 58,71	1	31 59,56	71 31 58,73	32 0,83	31 55,20	-2,10	+ 3,53	18,006
200	3	38 33,32	2	38 39,52			87 38 38,80		38 44,50		+ 5,70	17,985
201	5	1 2,84	6	1 3,29	11	1 3,48	70 1 3,28	0 59,91	0 56,81	+3,57	+ 6,47	17,966
202	2	14 57,21	4	14 57,90			67 14 57,67		14 57,09		+ 0,58	17,922
203			5	59 10,45			88 59 10,45		59 14,57		+ 4,12	17,893
204	5	19 21,76	2	19 21,48	2	19 23,86	133 19 22,16		19 25,90		+ 3,74	17,885
205			1	0 19,80	7	0 18,94	73 0 18,99	0 21,66	0 21,64	-2,67	+ 2,65	17,855
206	4	54 51,19					19 54 51,19		54 47,87		+ 3,32	17,852
207	3	13 37,10	1	13 33,82	5	13 36,02	67 13 36,14	13 37,67	13 33,27	-1,53	+ 2,87	17,839
208			2	20 57,52	3	20 58,33	113 20 58,01		21 1,82		+ 3,81	17,830
209	5	23 48,34	1	23 47,19			18 23 48,14	23 49,41	23 50,50	-1,27	+ 2,36	17,815
210	5	26 47,82	2	26 47,03			142 26 47,85		26 58,47		+ 10,62	17,805
211	1	45 41,26	3	45 41,08			69 45 41,12		45 37,56		+ 3,56	17,771
212					5	31 22,49	78 31 22,49		31 21,03		+ 1,46	17,764
213	5	28 24,88					158 28 24,88		28 34,93		+ 10,05	17,753
214					6	47 1,54	84 47 1,54		46 57,00		+ 4,54	17,735
215			5	42 34,23			87 42 34,23		42 35,77		+ 1,54	17,725
216	2	38 34,54	3	38 36,68			111 38 35,82		38 37,51		+ 1,69	17,706
217	4	53 41,09	3	53 40,63			111 53 40,89	53 51,98	53 38,09	-14,09	+ 2,80	17,697
218	5	3 0,91	3	3 1,63	2	3 0,60	88 3 1,06	3 4,32	3 0,44	-3,26	+ 0,62	17,645
219	4	23 18,88					152 23 18,88		23 9,83		+ 9,05	17,638
220	5	28 47,23					48 28 47,23	28 49,93	28 50,74	-2,70	+ 3,51	17,635
221			5	47 45,54			79 47 45,54		47 39,19		+ 6,35	17,618
222			2	33 24,21	4	33 24,96	72 33 24,71		33 26,63		+ 1,92	17,597
223					5	41 8,27	90 41 8,27		41 2,42		+ 6,15	17,593
224	3	31 29,77	1	31 30,59			185 31 29,96		31 39,06		+ 10,00	17,576
225			5	9 18,30			68 9 18,30		9 18,44		+ 0,14	17,484

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831			No. 1832					Green.	A. S.	
			s.	s.	s.	h.	m.	s.					
226	6	Arietia		5 12,27		1 57	12,29			12,11		+0,18	+3,373
227	3	13 Arietis	α 10 43,13	5 43,18	46 43,22	1 57	43,22	43,17	42,80	+0,05	+0,42	3,342	
228	4	4 Trianguli	β 6 34,35	5 34,40		1 59	34,39	34,34	34,49	+0,05	-0,10	3,520	
229	5.6	14 Arietis		6 52,70		1 59	52,70		52,47		+0,23	3,381	
230	6.7	62 Ceti		3 55,23	2 55,53	2 0	55,35		55,07		+0,28	3,108	
231	6	15 Arietis		4 19,66	2 19,61	2 1	19,67		19,09		+0,57	3,296	
232	6.7	64 Ceti		5 29,56		2 2	29,56		29,42		+0,14	3,161	
233	5.6	6 Trianguli		5 38,74	1 38,98	2 2	38,81		38,53		+0,28	3,453	
234	6	63 Ceti		6 4,50		2 3	4,50		3,71		+0,79	3,037	
235	6	17 Arietis	γ 3 24,71	2 24,61		2 3	24,68		24,11		+0,57	3,323	
236	7	19 Arietis		7 54,30		2 3	54,34	54,24	53,62	+0,10	+0,72	3,245	
237	5	65 Ceti	ξ^1 7 6,40	6 6,43	7 6,48	2 4	6,44	6,47	5,84	-0,03	+0,60	3,165	
238	6	67 Ceti	F	5 36,62		2 8	36,62		36,18		+0,44	2,978	
239	6	22 Arietis	θ^1 2 47,62	4 47,83	3 47,84	2 8	47,82	47,80	47,39	+0,02	+0,43	3,315	
240	6	Ceti		6 18,10		2 9	18,10		17,41		+0,69	3,080	
241	4	Eridani	ϕ 6 30,55	3 30,30		2 10	30,46		30,11		+0,35	2,136	
242	5	9 Persei	i 6 42,23		3 42,23	2 10	42,27		41,92		+0,35	4,100	
243	Var.	68 Ceti			6 52,10	2 10	52,10		51,80		+0,30	3,021	
244	6	69 Ceti		5 20,70		2 13	20,70		19,76		+0,94	3,063	
245	6	70 Ceti		1 39,26	4 39,37		2 13	39,35		38,82		+0,53	3,047
246	6	Fornacis	κ		5 51,50	2 14	51,48		50,42		+1,06	2,729	
247	4.5	Cassiopeae		4 20,50	5 20,38	10 19,69	2 15	20,13	20,22	20,48	-0,09	-0,35	4,788
248	6.7	Ceti		2 32,57	4 32,49		2 15	32,51		32,35		+0,16	3,185
249	6	24 Arietis	ξ^1		5 49,38		2 15	49,38		49,13		+0,25	3,197
250	6	71 Ceti			5 29,44		2 16	29,44		29,28		+0,16	3,022
251	6	Arietis		2 45,59	2 45,75	2 45,62	2 17	45,63		45,44		+0,22	3,198
252	5	72 Ceti	ρ 6 50,33			2 17	50,33		50,13		+0,20	2,893	
253	6	12 Trianguli	c		1 20,44	5 20,39	2 18	20,43		20,15		+0,28	3,487
254	4	Hydri	δ 4 46,56	2 47,45		2 18	47,06		46,02		+1,04	1,041	
255	5	73 Ceti	ξ^2		12 14,29	12 14,29	2 19	14,29	14,25	14,11	+0,04	+0,18	3,171
256	4.5	Eridani	κ	4 49,63	4 49,52		2 20	49,56		47,60		+1,96	2,199
257	6.7	Arietis			5 53,53		2 20	53,55		53,00		+0,55	3,419
258	6.7	26 Arietis			5 14,14		2 21	14,16		13,54		+0,62	3,335
259	6	27 Arietis	\downarrow			6 36,09	2 21	36,12		35,78		+0,34	3,304
260	6	Fornacis		1 53,16	4 53,38		2 22	53,32		53,13		+0,19	2,732
261	5.6	75 Ceti	u		5 36,94		2 23	36,94		37,17		-0,23	3,044
262	6.7	29 Arietis	n			4 42,98	2 23	43,00		42,59		+0,41	3,267
263	5	76 Ceti	σ 6 7,81	1 7,53		2 24	7,77		7,54		+0,23	2,843	
264	6.7	Arietis				11 13,94	2 24	13,96		13,58		+0,38	3,325
265	6.7	Ceti			5 11,07		2 26	11,07		10,83		+0,24	3,162
266	6	77 Ceti	el		5 25,78		2 26	25,78		25,42		+0,36	2,948
267	6	Fornacis			5 29,47		2 26	29,45		29,36		+0,09	2,627
268	6.7	Ceti		3 52,63	2 52,87		2 26	52,72		48,59		+4,13	3,153
269	4.5	78 Ceti	v 6 4,00	5 3,92	7 4,01	2 27	3,98	4,02	3,53	-0,04	+0,45	3,136	
270	6	30 Arietis			2 17,58	4 17,58	2 27	17,61		16,55		+1,06	3,423

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from.		Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A. S. C	
226	3 58	33,35	2 58	33,65			64 58	33,47				-17,483
227	30 20	7,65	11 20	7,82	50 20	8,22	67 20	7,98	20 8,67	20 6,62	-0,69 +	1,36 17,461
228	6 18	41,49	5 48	41,79			55 48	41,63	48 41,93	48 37,14	-0,30 +	4,49 17,381
229			5 51	35,69			64 51	35,69		51 31,04	+ 4,65	17,368
230					6 34	0,23	86 34	0,23		33 58,34	+ 1,89	17,322
231			3 17	44,35	2 17	44,00	71 17	44,21		17 44,14	+ 0,07	17,304
232	4 13	13,02	1 13	14,28			82 13	13,27		13 12,78	+ 0,49	17,252
233					4 29	18,03	60 29	18,03		29 13,87	+ 4,16	17,246
234			3 37	6,74			92 37	6,74		37 4,79	+ 1,95	17,226
235					5 34	59,64	69 34	59,64		34 53,44	+ 6,20	17,212
236			5 30	42,75			75 30	42,75	30 41,21	30 39,57	+1,54 +	3,18 17,190
237	5 56	42,78	5 56	41,38			81 56	42,08	56 41,57	56 41,00	+0,51 +	1,08 17,180
238	5 12	0,01					97 12	0,01		11 59,24	+ 0,77	16,974
239	4 52	47,19	2 52	47,29			70 52	47,22	52 47,23	52 46,37	-0,01 +	0,85 16,966
240			5 2	23,91			89 2	23,91		2 36,85	- 12,94	16,942
241	5 17	33,24	5 17	33,14			142 17	33,19		17 33,83	- 0,64	16,883
242	4 55	48,97	5 55	49,99			34 55	49,54		55 47,79	+ 1,75	16,877
243							93 44			44 35,16		16,868
244	5 22	35,49					90 22	35,49		22 32,30	+ 3,19	16,750
245	5 30	10,89					91 39	10,89		39 11,69	- 0,80	16,735
246			5 34	58,99			114 34	58,99		34 57,91	+ 1,08	16,677
247	5 21	32,95	5 21	30,86	3 21	31,25	23 21	31,75	21 34,08	21 36,73	-2,33 -	4,98 16,656
248			5 3	0,30			81 3	0,30		2 57,20	+ 3,10	16,644
249			4 9	19,38			80 9	19,38		9 14,75	+ 4,63	16,630
250	6 32	37,29					93 32	37,29		32 37,97	- 0,68	16,597
251	4 11	45,28					80 11	45,28		11 41,06	+ 4,22	16,535
252	5 3	3,96	5 3	4,18			103 3	4,07		3 2,80	+ 1,27	16,531
253			5 5	7,08			61 5	7,08		5 2,98	+ 4,10	16,507
254	5 25	35,45					159 25	35,45		25 36,10	- 0,65	16,481
255	6 17	49,27			5 17	49,56	82 17	49,41	17 48,68	17 50,54	+0,73 -	1,13 16,461
256	5 27	36,78	5 27	35,28			138 27	36,03		27 43,84	- 7,81	16,382
257			5 30	50,09			65 30	50,09		30 48,04	+ 2,05	16,379
258	5 53	41,69					70 53	41,69		53 37,39	+ 4,30	16,362
259	5 2	34,14					73 2	34,14		2 32,32	+ 1,82	16,343
260	2 17	34,48	3 17	35,67			113 17	35,19		17 35,08	+ 0,11	16,277
261			5 46	49,86			91 46	49,86		46 50,41	- 0,55	16,240
262			1 42	51,07	4 42	49,67	75 42	49,95		42 47,63	+ 2,32	16,235
263	5 59	9,24	5 59	8,84			105 59	9,04		59 1,81	+ 7,23	16,213
264			5 51	54,51			71 51	54,51		51 52,87	+ 1,64	16,209
265			5 15	49,63			83 15	49,63		15 45,80	+ 3,83	16,107
266	5 35	45,14					98 35	45,44		35 45,39	+ 0,05	16,094
267	5 53	21,09					118 53	24,09		53 25,05	- 0,96	16,090
268			1 55	5,86	4 55	9,39	83 55	8,08		55 54,64	- 45,96	16,075
269	5 8	43,96	1 8	43,00	5 8	42,97	85 8	43,42	8 38,36	8 36,24	+5,06 +	7,18 16,062
270					10 5	17,99	66 5	17,99		5 19,00	- 1,01	16,052

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832	Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion	
			No. 1831	No. 1832	No. 1833				Green.	A. S.		
			s	s	s	h. m. s.	s.	s.	s.	s.	s.	
271	6.7	Arietis		2 20,23	3 20,50	2 27 20,42		19,98		+0,44	+3,423	
272	6	31 Arietis	<i>v</i> 2 28,92		6 28,99	2 27 28,98		28,72		+0,26	3,234	
273	6.7	Ceti	5 41,68			2 27 41,68		41,52		+0,16	3,166	
274	6	80 Ceti	<i>e</i> ²		4 44,30	2 2 44,30		44,01		+0,29	2,947	
275	5.6	81 Ceti	<i>d</i> ³	4 14,30		2 29 14,30		14,41		-0,11	3,010	
276	5.6	32 Arietis	<i>v</i>		6 17,62	2 29 17,64		17,19		+0,45	3,382	
277	6	33 Arietis			4 53,13	2 30 53,16		52,59		+0,57	3,472	
278	4	82 Ceti	<i>δ</i> 6 52,81	6 52,77		2 30 52,79	52,81	52,77	-0,02	+0,02	3,062	
279	7	Ceti		3 25,01	1 25,30	2 31 25,23		24,20		+1,03	3,145	
280	4.5	83 Ceti	<i>ε</i> 6 26,47	5 26,57		2 31 26,52	26,59	26,41	-0,07	+0,11	2,885	
281	6	84 Ceti			5 38,17	2 3 38,17		37,37		+0,80	3,048	
282	4	13 Persei	<i>θ</i>	3 46,00	1 46,09	2 32 46,07	45,86	45,64	-0,21	+0,43	4,046*	
283	6	34 Arietis	<i>μ</i>		5 54,69	2 32 54,71		53,61		+1,10	3,357	
284	7	Arietis			5 58,69	2 32 58,71		57,55		+1,16	3,211	
285	5	Eridani		5 23,78		2 33 23,75		23,78		-0,03	2,278	
286	6	85 Ceti			3 27,00	2 33 27,01		26,59		+0,42	3,214	
287	4	35 Arietis	<i>α</i>	5 36,79		2 33 36,81	36,75	36,11	+0,06	+0,70	3,490	
288	4.5	Eridani	<i>ι</i>	5 2,48		2 34 2,46		1,57		+0,89	2,356	
289	3	86 Ceti	<i>γ</i> 6 36,11			2 34 36,11	36,26	35,98	-0,15	+0,13	3,105	
290	7	36 Arietis			3 57,54	2 34 57,56		56,96		+0,60	3,324	
291	6.7	37 Arietis	<i>ο</i>		3 18,39	2 35 18,41		17,77		+0,64	3,286	
292	5.6	38 Arietis	<i>μ</i> 1 48,09		7 49,14	2 35 49,13		48,41		+0,72	3,242	
293	4	87 Ceti	<i>π</i> 6 52,30	5 52,24		2 35 52,27	52,23	51,66	+0,04	+0,61	3,207	
294	4	89 Ceti	<i>π</i> 6 7,86	2 7,95		2 36 7,89	7,79	7,46	+0,10	+0,43	2,849	
295	5	Hydri	<i>ε</i>			2 36		51,00			0,868	
296	5	Hydri	<i>ξ</i> 1 2,03	3 2,55	6 2,39	2 37 2,29		0,65		+1,64	0,866	
297	5.6	1 Eridani	<i>τ</i> ¹		4 16,30	2 37 16,28		15,65		+0,63	2,772	
298	4	39 Arietis	<i>β</i>	6 55,41		2 37 55,44		55,26		+0,18	3,530	
299	5	Persei		4 29,51	2 29,76	2 38 29,65		29,55		+0,10	4,292	
300	6.7	16 Trianguli		2 0,99	2 0,86	2 39 0,96		0,19		+0,77	3,457	
301	6	40 Arietis			7 7,90	2 39 7,92		7,31		+0,61	3,339	
302	5	42 Arietis	<i>π</i>	4 55,85	2 55,73	2 39 55,92		55,03		+0,79	3,326	
303	4.5	16 Persei	<i>p</i> ¹	6 0,38		2 40 0,42	0,31	0,47	+0,11	-0,05	3,729	
304	3	41 Arietis	<i>c</i> 3 6,77	4 6,81		2 40 6,80	6,76	6,63	+0,04	+0,17	3,497	
305	5	Fornacis	<i>ν</i> 5 55,51			2 41 55,54		55,74		-0,23	2,388	
306	5	Fornacis	<i>β</i>	5 3,74		2 42 3,72		3,36		+0,36	2,502	
307	6	43 Arietis	<i>σ</i> 1 14,00	1 13,79	2 14,11	2 42 14,01		13,01		+1,00	3,291	
308	5	18 Persei	<i>τ</i> 6 23,77	1 23,53	1 23,61	2 42 23,74	23,54	22,99	+0,20	+0,75	4,182	
309	6	Fornacis	<i>γ</i> ¹		5 24,63	2 42 24,60		24,45		+0,15	2,658	
310	5	Hydri	<i>ζ</i>	1 59,13	4 59,21	2 42 59,07		58,63		+0,44	0,874	
311	4.5	2 Eridani	<i>τ</i> ²	1 25,27	6 25,24	7 25,33	2 43 25,27	25,41	25,02	-0,14	+0,25	2,720
312	7	Arietis		1 51,26	4 51,25		2 43 51,26	50,77		+0,49	3,316	
313	6	45 Arietis	<i>ρ</i> ²	1 23,03	4 22,84		2 46 22,90	22,35		+0,55	3,350	
314	6	46 Arietis	<i>ρ</i> ³	1 58,12	2 57,84	5 57,95	2 46 57,96	57,92	57,86	+0,04	+0,10	3,346
315	6.7	Arietis		1 15,03	2 15,49	3 15,33	2 47 15,34	15,24		+0,10	3,188	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession
	No.	1831	No.	1832	No.	1833	Green.	A. S. C.	
271	—	—	—	—	66	—	5	20,40	—16,048
272	—	—	—	—	78	17 3,81	17	2,98	+ 0,83 16,040
273	—	—	—	—	83	0 18,04	0	18,81	— 0,77 16,028
274	—	—	—	—	98	33 57,28	33	52,84	+ 4,44 16,026
275	—	—	5	7 36,91	94	7 36,91	7	35,82	+ 1,09 15,947
276	—	—	5	46 13,53	68	46 13,53	46	11,91	+ 1,62 15,945
277	—	—	5	39 51,92	63	39 51,92	39	51,52	+ 0,40 15,860
278	5	24 4,86	3	24 3,96	1	24 5,79	24	3,52	+ 2,47 + 0,95 15,859
279	3	36 57,15	2	36 58,86	84	36 57,83	36	56,40	+ 1,43 15,831
280	5	35 20,08	4	35 18,86	102	35 19,54	35	19,43	+ 7,81 + 0,11 15,829
281	—	—	3	24 53,23	2	24 51,93	24	48,49	+ 4,24 15,766
282	4	29 15,63	—	—	5	29 17,63	41	29 16,74	+ 0,03 + 0,65 15,760
283	—	—	—	—	5	42 31,23	70	42 31,23	+ 2,17 15,752
284	—	—	—	—	5	10 42,50	80	10 34,76	+ 7,74 15,747
285	5	36 53,83	—	—	133	36 53,83	36	53,92	— 2,09 15,723
286	—	—	—	—	7	58 50,43	58	38,07	+ 12,36 15,722
287	4	0 42,14	5	0 44,01	63	0 43,17	0	45,32	— 3,23 — 2,15 15,713
288	4	34 40,94	—	—	130	34 40,94	34	38,47	+ 2,47 15,688
289	5	28 34,63	—	—	87	28 34,63	28	36,38	— 1,27 — 1,75 15,658
290	—	—	5	57 1,71	72	57 1,71	57	5,05	— 3,34 15,640
291	—	—	—	—	5	24 20,15	24	11,62	— 8,53 15,621
292	3	15 52,51	—	—	2	15 55,75	15	53,70	+ 0,11 15,593
293	5	36 2,08	5	36 0,49	5	36 1,52	80	36 1,36	+ 2,54 + 7,34 15,590
294	5	31 30,30	5	34 28,73	104	34 29,51	34	28,58	+ 0,93 + 12,17 15,574
295	—	—	—	—	158	—	58	49,90	— 15,528
296	—	—	—	—	5	59 20,50	59	17,78	+ 2,72 15,522
297	—	—	5	17 16,07	109	17 16,07	17	15,79	+ 0,28 15,511
298	5	27 22,64	4	27 20,49	4	27 20,82	61	27 21,42	+ 0,03 + 1,16 15,476
299	6	43 32,77	—	—	34	48 32,77	48	30,91	+ 1,86 15,446
300	—	—	5	31 6,28	65	31 6,28	31	3,60	+ 2,68 15,416
301	—	—	2	25 10,43	72	25 10,43	25	8,12	+ 2,31 15,409
302	5	14 18,16	5	14 19,43	73	14 18,60	14	18,69	— 0,09 15,364
303	—	—	5	22 44,17	52	22 44,17	22	40,43	+ 1,77 + 3,74 15,360
304	—	—	1	26 11,10	9	26 11,60	63	26 11,55	— 0,85 — 0,50 15,354
305	—	—	—	—	5	6 23,31	128	6 23,31	— 3,17 15,249
306	3	6 52,17	1	6 53,84	123	6 52,59	7	2,16	— 9,57 15,242
307	3	36 51,03	3	36 56,37	75	36 55,20	36	51,89	+ 3,31 15,234
308	5	53 52,31	—	—	37	55 51,86	55	57,78	— 2,44 — 5,92 15,227
309	5	15 19,65	—	—	115	15 19,65	15	13,42	+ 6,23 15,222
310	5	19 22,34	—	—	158	19 22,34	19	15,49	+ 6,85 15,187
311	5	42 2,77	5	42 0,69	111	42 1,73	41	56,62	+ 2,73 + 5,11 15,165
312	5	12 24,83	—	—	74	12 24,83	12	22,52	+ 2,31 15,142
313	3	21 14,04	2	21 14,41	72	21 14,19	21	9,12	+ 5,07 14,996
314	5	39 6,05	—	—	72	39 6,05	39	5,78	+ 0,75 + 0,27 14,961
315	5	17 55,56	—	—	82	17 55,56	17	54,51	+ 1,05 14,944

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.		Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
				No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
s.	s.	s.	s.	s.	s.	s.	s.	s.	s.	s.	s.	s.		
316	3	3 Eridani	η	6 13,45	4 13,60	2 13,50	2 48	13,51	13,57	13,61	-0,06	-0,10	+2,917	
317	6	47 Arietis				5 29,25	2 48	29,27		27,87		+1,40	3,394	
318	7	Arietis			3 16,53	3 16,18	2 49	16,37		15,61		+0,76	3,412	
319	5	48 Arietis	ε	6 37,30	6 37,30	5 37,27	2 49	37,30	37,27	36,98	+0,03	+0,32	3,408	
320	5.6	4 Eridani				6 55,75	2 49	55,73		55,56		+0,17	2,656	
321	5.6	6 Eridani				4 37,53	2 50	37,51		37,41		+0,10	2,660	
322	5.6	91 Ceti	λ			3 43,36	2 50	43,36		42,56		+0,80	3,199	
323	6	5 Eridani	Z^1			3 12,62	2 51	12,62		12,57		+0,05	3,018	
324	5	Horologii	β				2 51			18,98			1,222	
325	4.5	Eridani	θ^1		5 53,78		2 51	53,68		53,86		-0,18	2,277	
326	6	49 Arietis				3 1,30	2 52	1,33		1,07		+0,26	3,508	
327	6	Fornacis	ζ			3 12,37	2 52	12,35		12,17		+0,18	2,624	
328	7	51 Arietis				2 29,57	2 52	29,60		28,48		+1,12	3,512	
329	4	23 Persei	γ	6 40,78	1 40,89		2 52	40,80	40,60	40,28	+0,20	+0,52	4,273	
330	5.6	8 Eridani	ρ^1	1 54,81		5 54,88	2 52	54,86		54,64		+0,22	2,934	
331	5	Persei			5 58,33		2 52	58,39		58,41		-0,02	4,426	
332	2.3	92 Ceti	α	9 30,35		14 30,36	2 53	30,36	30,32	30,15	+0,04	+0,21	3,123	
333	6	Fornacis	ε			4 23,27	2 54	23,24		22,36		+0,88	2,563	
334	4	25 Persei	ρ	5 26,23	2 26,28		2 54	26,26	26,27	25,77	-0,01	+0,49	3,792	
335	5	9 Eridani	ρ^2	3 27,73	6 27,86		2 54	27,82		27,60		+0,22	2,933	
336	4	11 Eridani	E		3 59,33	3 59,24	2 54	59,26		59,15		+0,11	2,651	
337	6	Fornacis					2 55			0,29			2,663	
338	6.7	52 Arietis	h		3 36,59	1 36,72	2 55	36,65		35,61		+1,04	3,492	
339	5	10 Eridani	ρ^3		3 1,80	2 1,81	2 56	1,80		1,43		+0,37	2,933	
340	4	Persei			5 59,42	1 59,28	2 56	59,41	58,76	54,63	+0,65	+4,78	4,138	
341	2.3	26 Persei	β	5 16,03	3 15,87	1 16,10	2 57	16,00	15,97	15,43	+0,03	+0,57	3,559	
342	6	53 Arietis				5 58,81	2 57	58,83		58,61		+0,22	3,358	
343	5	27 Persei	α	6 11,99	4 12,09		2 58	12,01		11,53		+0,48	3,979	
344	6.7	54 Arietis				5 50,71	2 58	50,73		49,85		+0,88	3,376	
345	7	Arietis				6 43,01	2 59	43,03		42,59		+0,44	3,413	
346	6.7	Arietis			1 29,77	4 29,51	3 0	29,58		25,30		+4,28	3,535	
347	6	Fornacis	α		4 40,39		3 0	40,37		39,82		+0,55	2,554	
348	4	57 Arietis	δ	6 2,16	6 2,18	6 2,16	3 2	2,18	2,09	2,03	+0,09	+0,15	3,398	
349	5	Hydri	θ^1		5 58,68		3 1	58,57		57,45		+1,12	0,034	
350	6.7	Ceti				6 9,12	3 2	9,14		8,89		+0,25	3,278	
351	6	56 Arietis	i		2 14,82	3 14,94	3 2	14,91		13,93		+0,98	3,546	
352	5.6	94 Ceti	k^1		6 12,36		3 4	12,36		12,08		+0,28	3,037	
353	3.4	12 Eridani		6 56,20	2 56,40	2 56,32	3 4	56,26	56,41	56,59	-0,15	-0,33	2,561*	
354	5	58 Arietis	ζ	2 15,50	12 15,51	9 15,60	3 5	15,56	15,55	15,01	+0,01	+0,55	3,427	
355	4	13 Eridani	ζ	5 40,67	7 40,68	3 40,59	3 7	40,66	40,67	40,48	-0,01	+0,18	2,906	
356	6	14 Eridani				5 27,89	3 8	27,89		27,05		+0,84	2,899	
357	5.6	95 Ceti	k^2		5 47,13		3 9	47,13		47,17		-0,04	3,041	
358	6.7	59 Arietis				5 54,84	3 9	54,86		54,25		+0,61	3,568	
359	5.6	Tauri			4 11,58	1 11,59	3 10	11,60		10,71		+0,89	3,601	
360	6	96 Ceti	α^1			6 33,61	3 10	33,61		33,13		+0,48	3,115	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from			Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A.	S. C.	
316	4	34 19,53	5	34 17,49			99 34 18,40	34 16,16	34 10,68	+2,24	+	7,72	-14,887
317			5	0 41,40			70 0 41,40		0 30,76		+	10,64	14,874
318			4	3 32,35			69 3 32,35						14,827
319	5	20 11,98	5	20 13,26			69 20 12,62	20 13,09	20 9,02	-0,47	+	3,60	14,806
320			5	32 28,15			114 32 28,15		32 20,66		+	7,49	14,786
321	5	17 11,18					114 17 11,18		17 7,08		+	4,10	14,745
322	2	45 59,08					81 45 59,08		46 0,73		-	1,65	14,741
323					5	8 16,66	93 8 16,66		8 16,04		+	0,62	14,711
324							153		48 0,39		-		14,701
325	5	58 53,13					130 58 53,13		58 54,04		-	0,91	14,669
326			3	12 28,53			64 12 28,53		12 28,36		+	0,17	14,664
327					5	57 6,41	115 57 6,41		57 7,46		-	1,05	14,651
328					5	3 3,00	64 3 3,00		3 6,14		-	3,14	14,637
329	5	9 32,30	5	9 31,23			37 9 31,76	9 31,07	9 31,64	+0,69	+	0,12	14,627
330	2	19 46,07	5	19 45,47	3	19 45,90	98 19 45,72		19 44,09		+	1,63	14,610
331	5	57 39,88					33 57 39,88		57 43,70		-	3,82	14,609
332	15	34 25,68	9	34 27,48	4	34 26,91	86 34 26,43	34 27,70	34 25,80	-1,27	+	0,63	14,575
333						6 44 17,10	118 44 17,10		44 7,64		+	9,46	14,521
334	4	49 2,19					51 49 2,19	49 0,11	48 59,60	+2,08	+	2,59	14,520
335	3	21 1,54	2	20 58,70	1	20 59,86	98 21 0,31		21 4,58		-	4,27	14,517
336	2	17 14,19			3	17 13,57	114 17 13,82	17 14,71	17 10,05	-0,89	+	3,77	14,484
337					2	38 21,58	113 38 21,58		38 46,58		-	25,00	14,483
338			5	24 16,71			65 24 16,71		24 14,28		+	2,43	14,449
339	1	15 44,91	2	15 42,95			98 15 43,60		15 44,87		-	1,27	14,432
340	5	2 7,51	5	2 8,34			41 2 7,92	2 8,21	2 8,23	-0,29	-	0,31	14,370
341	12	41 55,98	5	41 55,43			49 41 55,79	41 52,93	41 40,84	+2,86	+	14,95	14,349
342			4	46 25,86			72 46 25,86		46 26,30		-	0,44	14,304
343	5	47 8,51	3	47 8,78			45 47 8,61		47 9,76		-	1,15	14,292
344					5	51 19,66	71 51 19,66		51 16,84		+	2,82	14,251
345	2	53 13,11			4	53 16,13	69 53 15,12		53 12,68		+	2,44	14,197
346					5	45 3,81	63 45 3,81				-		14,153
347	4	28 42,21					118 28 42,21		28 48,92		-	6,71	14,136
348	4	54 52,34	6	54 53,70	6	54 52,29	70 54 52,84	54 51,33	54 49,93	+1,51	+	2,91	14,053
349					1	33 29,13	162 33 29,13		33 19,60		+	9,53	14,051
350	2	35 37,37	3	35 37,10			77 35 37,21		35 39,98		-	2,77	14,046
351			1	22 53,39	4	22 54,09	63 22 53,95		22 54,13		-	0,18	14,041
352	5	49 48,04	1	49 44,34			91 49 47,42		49 46,48		+	0,94	13,916
353	5	39 15,73	4	39 14,95			119 39 15,38	39 12,80	39 8,29	+2,58	+	7,09	14,689
354	5	35 2,61	9	35 3,53	5	35 4,49	69 35 3,54	35 1,70	34 59,11	+1,84	+	4,43	13,851
355	5	26 58,06	5	26 55,20			99 26 56,63	26 55,61	26 53,17	+1,02	+	3,46	13,696
356	5	46 55,14					99 46 55,14		46 51,90		+	3,24	13,646
357	5	32 49,39					91 32 49,39		32 51,69		-	2,30	13,561
358	2	33 28,00	4	33 29,19			63 33 28,79		32 29,33		-	0,54	13,554
359			2	33 58,83	3	33 59,64	61 33 59,32		33 57,56		+	1,76	13,537
360					5	15 6,41	87 15 6,41		15 7,94		-	1,53	13,512

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832	Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833				Green.	A. S.	
			s	s	s	h. m. s.	s.	s.	s.	s.	s.
361	5.6	15 Eridani			5 56,66	3 10 56,64		56,62		+0,02	+2,646
362	6	61 Arietis	τ ¹		3 32,39	3 11 32,41		32,42		-0,01	3,439
363	3.4	16 Eridani		1 2,81	6 2,80	1 2,70	3 12 2,78	2,95	2,51	-0,17	+0,27
364	6	62 Arietis			5 7,79	3 12 7,81		7,16		+0,65	3,574
365	2.3	33 Persei	α	8 22,05	5 22,11	2 21,87	3 12 22,05	22,14	21,77	-0,09	+0,28
366	6	97 Ceti	κ ²			5 20,00	3 12 20,00		19,97		+0,03
367	7	63 Arietis	τ ²			5 6,09	3 13 6,11	5,90	5,24	+0,21	+0,87
368	4	Eridani	ε	6 13,19	4 13,31	2 13,72	3 13 13,30		4,55		
369	5.6	64 Arietis	g			5 24,09	3 14 24,11		24,04		+0,07
370	6	65 Arietis			14 45,66		3 14 45,68		44,87		+0,81
371	4	Camelopard		6 31,97			3 15 31,97	31,50	31,53	+0,47	+0,44
372	4.5	1 Tauri	ο	2 47,02	5 46,72		3 15 46,80	47,00	46,66	-0,20	+0,14
373	4.5	Camelopard			4 33,55		3 16 33,55	33,51	33,23	+0,04	+0,32
374	7	Tauri			1 28,30	4 28,59	3 17 28,55		28,40		+0,15
375	4	2 Tauri	ζ		6 4,49	10 4,53	3 18 4,52	4,51	4,15	+0,01	+0,37
376	6.7	66 Arietis				5 38,29	3 18 38,31		38,13		+0,18
377	5	35 Persei	σ	6 45,99			3 18 45,99		46,60		-0,61
378	6	4 Tauri	s		5 14,15		3 21 14,16		13,91		+0,25
379	5.6	5 Tauri	f			15 36,69	3 21 36,71	36,66	36,18	+0,05	+0,53
380	4.5	17 Eridani		6 17,23	9 17,28	2 17,35	3 22 17,27	17,31	17,18	-0,04	+0,09
381	6.7	6 Tauri	t			5 31,18	3 23 31,20		30,71		+0,49
382	5	Eridani	π	3 14,40	5 14,56		3 24 14,48		14,42		+0,06
383	6	7 Tauri			3 30,41	3 30,45	3 24 30,45		29,60		+0,85
384	5	37 Persei	↓	5 35,35	6 35,37		3 24 35,39		34,59		+0,80
385	4	18 Eridani	ε		7 1,39	6 1,27	3 25 1,32	1,49	1,22	-0,17	+0,10
386	4	19 Eridani	ι ²	6 22,16	2 22,28	4 22,41	3 26 22,26	22,26	21,97	0,00	+0,29
387	6	9 Tauri			5 6,10		3 27 6,11		6,08		+0,03
388	5	10 Tauri	E	4 18,51	7 18,34		3 28 18,40		18,42		-0,02
389	6	20 Eridani	F			6 38,36	3 28 38,34		38,08		+0,26
390	7	Tauri			4 56,25	1 56,37	3 29 56,28		55,86		+0,42
391	6	21 Eridani			3 43,06	3 43,84	3 30 43,90		43,35		+0,55
392	6	11 Tauri			5 45,06		3 30 45,08		44,78		+0,30
393	3.4	39 Persei	δ	6 59,87	6 59,93		3 30 59,92	59,84	59,76	+0,08	+0,16
394	5	Eridani	γ	5 4,14	1 4,22		3 31 4,15		4,21		-0,06
395	6	12 Tauri				4 6,72	3 31 6,72		6,50		+0,27
396	6	Fornacis	τ			5 48,63	3 31 48,61		48,62		-0,01
397	5.6	22 Eridani				5 19,71	3 32 19,71		19,34		+0,37
398	6.7	13 Tauri	F ¹		3 38,25	1 38,34	3 32 38,29		38,01		+0,28
399	4.5	41 Persei	η	5 48,50	4 48,57		3 33 48,54		47,49		+1,05
400	4	Persei			5 48,04		3 33 48,06	48,43	48,13	-0,37	-0,07
401	7	14 Tauri	F ²			3 5,19	3 34 5,22		4,58		+0,64
402	5.6	16 (Pleiadum g)				4 49,88	3 34 49,90	50,11	49,48	-0,21	+0,42
403	4.5	17 (Pleiadum b)		3 55,01	6 54,79		3 34 54,87	54,75	54,59	+0,12	+0,28
404	7	18 (Pleiadum m)				5 9,21	3 35 9,24		8,60		+0,64
405	5	19 (Pleiadum c)		6 13,42	1 13,71		3 35 13,47	13,38	12,87	+0,09	+0,60

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession	
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.		
361	—	—	5 7 45,57	113 7 45,57	—	7 44,74	—	+	0,83	13,485
362	—	—	5 27 52,71	69 27 52,71	—	27 49,71	—	+	3,00	13,448
363	5 22 24,07	5 22 24,04	—	112 22 24,05	22 27,35	22 27,58	—3,30	—	3,53	13,414
364	—	—	5 0 5,10	63 0 5,10	—	0 4,27	—	+	0,83	13,411
365	29 44 41,29	6 44 40,08	2 44 40,76	40 44 41,08	44 39,81	44 36,33	+1,27	+	4,75	13,397
366	5 56 5,20	—	—	86 56 5,20	—	56 3,53	—	+	1,67	13,396
367	—	1 51 52,68	4 51 55,57	69 51 54,99	51 52,61	51 54,14	+2,38	+	0,85	13,348
368	4 42 57,22	5 42 57,83	—	133 42 57,56	—	43 25,88	—	+	28,32	13,346
369	—	—	5 52 37,11	65 52 37,11	—	52 30,66	—	+	6,45	13,262
370	3 47 56,69	8 47 57,53	—	69 47 57,30	—	47 50,13	—	+	7,17	13,239
371	5 39 16,27	5 39 15,23	—	39 39 15,75	39 14,58	39 15,52	+1,17	+	0,23	13,191
372	—	6 34 3,80	5 34 3,75	81 34 3,78	34 4,28	34 2,02	—0,50	+	1,76	13,171
373	5 42 44,86	5 42 43,78	—	31 42 44,32	42 45,88	42 45,71	—1,56	—	1,39	13,123
374	—	1 50 14,59	4 50 13,84	71 50 13,99	—	50 15,09	—	—	1,10	13,059
375	5 51 31,83	5 51 31,93	—	80 51 31,88	51 29,75	51 28,47	+2,13	+	3,41	13,019
376	5 46 48,68	—	—	67 46 48,68	—	46 48,85	—	—	0,17	12,982
377	5 35 29,89	2 35 28,41	—	42 35 29,47	—	35 33,92	—	—	4,45	12,974
378	3 14 46,39	2 14 45,06	—	79 14 45,86	—	14 39,07	—	+	6,79	12,808
379	—	2 33 39,31	6 38 38,74	77 38 38,88	38 40,25	38 39,50	—1,37	—	0,62	12,783
380	4 39 25,93	6 39 24,22	—	95 39 24,90	39 23,86	39 22,98	+1,04	+	1,92	12,736
381	5 11 59,93	—	—	81 11 59,93	—	11 58,42	—	+	1,51	12,654
382	4 56 25,83	3 56 27,69	—	131 56 26,63	—	56 16,93	—	+	9,70	12,602
383	5 6 18,15	—	—	66 6 18,15	—	6 18,40	—	—	0,31	12,588
384	5 22 25,27	5 22 25,32	—	42 22 25,30	—	22 30,52	—	—	5,22	12,584
385	5 1 58,93	5 1 58,21	—	100 1 58,57	1 55,34	1 55,55	+3,23	+	3,02	12,550
386	5 12 5,07	3 12 2,72	—	112 12 4,19	12 3,74	12 3,07	+0,45	+	1,12	12,458
387	6 21 2,72	—	—	67 21 2,72	—	20 59,48	—	+	3,24	12,409
388	8 8 15,91	5 8 16,40	—	90 8 16,10	—	8 8,18	—	+	7,92	12,325
389	—	—	—	108 —	—	1 33,81	—	—	—	12,302
390	1 0 53,16	4 0 56,50	—	74 0 55,83	—	0 54,88	—	+	0,95	12,214
391	—	5 10 12,55	—	96 10 12,55	—	10 8,37	—	+	4,28	12,158
392	—	1 13 15,29	4 13 16,26	65 13 16,07	—	13 12,74	—	+	3,33	12,158
393	5 45 26,20	5 45 25,59	12 45 25,76	42 45 25,82	45 27,03	45 29,39	—1,21	—	3,57	12,142
394	5 49 48,86	5 49 48,25	—	130 49 48,55	—	49 47,64	—	—	0,91	12,132
395	—	—	5 29 41,79	87 29 41,79	—	29 38,41	—	+	3,38	12,131
396	—	1 29 43,36	4 29 44,45	118 29 44,23	—	29 47,08	—	—	2,85	12,081
397	—	1 45 32,49	4 45 33,15	95 45 33,02	—	45 30,67	—	+	2,35	12,046
398	1 50 35,93	3 50 38,14	—	70 50 37,89	—	50 36,18	—	+	1,71	12,026
399	5 57 31,42	4 57 29,45	—	47 57 30,55	57 35,23	57 33,68	—4,67	—	3,13	11,946
400	5 15 0,79	5 15 1,64	—	58 15 1,22	—	15 2,49	—	—	1,27	11,944
401	—	1 52 18,63	4 52 20,64	70 52 20,24	—	52 16,90	—	+	3,34	11,924
402	—	—	3 14 43,54	66 14 43,54	14 44,55	14 42,42	—1,01	+	1,12	11,872
403	4 25 15,65	7 25 16,02	—	66 25 15,89	25 16,45	25 11,26	—0,56	+	4,63	11,866
404	—	—	7 41 42,10	65 41 42,10	—	41 38,41	—	+	3,69	11,850
405	4 3 56,95	—	5 3 57,68	66 3 57,36	4 0,15	3 54,45	—2,79	+	2,91	11,845

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^h Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	Green.	A. S.						
			s.	s.	s.	h.	m.	s.	s.	s.	s.	s.	
406	3.4	23 Eridani δ		5 12,42		3 35	12,41		12,26	12,45	+0,15	-0,04	+2,871
407	6	Eridani			5 32,78	3 35	32,77			32,48		+0,29	2,858
408	5	Fornacis δ		5 34,22		3 35	34,19			34,37		-0,18	2,381
409	5	20 (Pleiadum <i>c</i>)		2 50,71	2 50,46	3 35	50,59			50,25		+0,34	3,545
410	5	23 (Pleiadum <i>d</i>)		5 22,05		3 36	22,07		22,05	22,06	+0,02	+0,01	3,537
411	5	Eridani <i>h</i>			5 36,72	3 36	36,74			35,93		+0,81	2,227
412	6	29 Tauri <i>u</i> ¹			5 45,45	3 36	45,45			44,93		+0,52	3,173
413	7	(Pleiadum)			3 30,38	3 37	30,40			30,17		+0,23	3,546
414	3	25 Tauri <i>u</i>	3 30,76	1 30,66	1 30,65	3 37	30,73		30,65	30,27	+0,08	+0,46	3,542
415	5	26 Eridani π		6 12,35		3 38	12,34			12,17		+0,17	2,824
416	7	Tauri			5 24,79	3 38	24,82			24,73		+0,09	3,528
417	6	30 Tauri <i>e</i>		5 4,13		3 39	4,15			3,11		+1,04	3,273
418	5	27 (Pleiadum <i>f</i>)	3 10,98	6 11,17		3 39	11,12			10,72		+0,40	3,543
419	5.6	28 (Pleiadum <i>h</i>)			5 12,28	3 39	12,30			11,65		+0,65	3,545
420	6	Fornacis <i>e</i>			5 36,87	3 39	36,83			36,62		+0,21	2,440
421	5	27 Eridani <i>m</i> ¹	6 37,44	3 37,40		3 39	37,42			37,31		+0,11	2,587
422	7	Tauri		4 3,20	1 3,55	3 40	3,31			3,06		+0,25	3,504
423	6.7	(Pleiadum)			5 14,08	3 40	14,11			13,34		+0,77	3,580
424	5	28 Eridani <i>m</i> ²		5 26,50		3 40	26,47			26,96		-0,49	2,571
425	4	Reticuli β		4 7,20		3 42	7,16			6,56		+0,60	0,668
426	5	Eridani		6 24,07		3 42	24,06			23,71		+0,35	2,202
427	6	31 Tauri <i>u</i> ²		5 3,24		3 43	3,24			2,52		+0,72	3,184
428	5	Eridani <i>g</i>	5 9,94			3 43	9,94			10,50		-0,56	2,244
429	7	Tauri		5 34,25		3 43	34,25			33,40		+0,85	3,402
430	3.4	44 Persei ζ	6 35,36	2 35,33	13 35,36	3 43	35,37		35,35	35,07	+0,02	+0,30	3,742
431	6	30 Eridani			5 24,18	3 44	24,18			23,70		+0,48	2,954
432	5	32 Eridani		5 51,69		3 45	51,69			51,65		+0,04	3,001
433	3.4	45 Persei ϵ		12 36,19	5 36,03	3 46	36,19		36,18	36,03	+0,01	+0,16	3,988
434	5.6	33 Eridani <i>l</i>			5 34,31	3 47	34,28			33,68		+0,60	2,545
435	6	32 Tauri			5 57,39	3 47	57,41			56,77		+0,64	3,519
436	6.7	33 Tauri		5 6,88		3 47	6,90			6,39		+0,51	3,535
437	5	Eridani <i>i</i>	5 14,82	4 15,00		3 47	14,89			15,03		-0,14	2,278
438	5	46 Persei ξ	6 5,15	4 5,08		3 48	5,13			4,37		+0,76	3,861
439	3	Hydri γ		4 57,00	1 57,41	3 49	56,94			55,50		+1,44	-1,068
440	2.3	34 Eridani γ ¹	1 11,89	6 11,71	12 11,76	3 50	11,74		11,73	11,53	+0,01	+0,21	+2,787
441	6.7	Tauri		5 8,62		3 51	8,63			8,26		+0,37	3,429
442	7	34 Tauri		4 20,47	1 20,65	3 51	20,51			18,96		+1,55	3,473
443	4	35 Tauri λ	6 22,97	2 22,95	7 22,82	3 51	22,90		22,86	22,36	+0,02	+0,54	3,309
444	5	36 Eridani <i>k</i>	4 46,08	1 45,83		3 52	46,03			45,68		+0,35	2,551
445	5	35 Eridani		6 1,68		3 53	1,68			1,58		+0,10	3,028
446	5	38 Tauri <i>\nu</i>		6 13,64		3 54	13,64			13,60		+0,04	3,178
447	6.7	36 Tauri		5 19,54		3 54	19,55			19,32		+0,23	3,567
448	5	37 Tauri <i>A</i> ¹	6 46,42	7 46,58	5 46,50	3 54	46,51		46,48	46,12	+0,03	+0,39	3,520
449	6.7	39 Tauri <i>A</i> ²		2 24,24	3 24,42	3 55	24,37			23,99		+0,38	3,519
450	5	Reticuli δ		5 6,41		3 56	6,31			5,87		+0,44	0,925

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precessi- on.			
	No.	1831	No.				1832	No.		1833	Green.	A. S. C.
406	5	20 17,16	5	20 18,50		100 20 17,83	20 19,43	20 13,19	-1,60	+	4,64	11,243*
407					5	1 23,25		1 21,53		+	1,72	11,820
408	5	28 44,61	5	28 45,78		122 28 45,19		28 44,09		+	1,10	11,817
409	1	9 46,07			4	9 49,13		9 46,70		+	2,02	11,801
410					7	34 52,10	34 54,15	34 42,51	-2,05	+	9,59	11,763.
411			5	50 49,97		127 50 49,97		50 51,80			1,83	11,744.
412			1	28 58,45	4	28 55,30		28 56,18			0,25	11,735
413			4	14 13,97		66 14 13,97		14 12,24		+	1,73	11,683
414	5	25 12,74	4	25 13,43		66 25 13,05	25-15,35	25 14,50	-2,30		1,45	11,682.
415	4	37 59,78			1	37 59,01		38 0,89			1,26	11,631
416			5	6 6,06		67 6 6,06		6 2,32		+	3,74	11,618
417	2		3	22 47,91		79 22 47,91		22 44,89		+	3,02	11,572
418	4	27 59,19	5	27 59,24		66 27 59,22		28 0,02			0,80	11,563
419			5	22 58,05		66 22 58,05		22 59,47			1,42	11,562
420			5	51 56,75	119	51 56,75		51 54,52		+	2,23	11,530
421	5	44 59,81				113 44 59,81		45 3,52			3,71	10,939*
422			5	16 23,32		68 16 23,32		16 22,08		+	1,24	11,501
423	1	56 7,92			4	56 8,02		55 59,42		+	8,58	11,489
424	5	24 1,21				114 24 1,21		23 57,14		+	4,07	11,470
425			5	20 13,78		155 20 13,78		20 20,21			6,43	11,346.
426			5	8 18,42		128 8 18,42		8 13,25		+	5,17	11,329
427			5	58 30,49		83 58 30,49		58 32,01			1,52	11,285
428	5	42 45,84	5	42 48,38		126 42 47,11		42 45,02		+	2,09	11,273
429			7	10 45,05		73 10 45,05		10 45,19			0,14	11,248
430	5	37 17,80	7	37 18,32	5	37 17,91	37 19,36	37 22,78	-1,32		4,74	11,247
431			5	52 7,20		95 52 7,20		52 3,52		+	3,68	11,186
432	5	27 23,63	5	27 24,47		93 27 24,05		27 24,37			0,32	11,080
433	5	29 2,46	5	29 2,59	5	29 3,08	29 0,65	28 59,54	+2,05	+	3,16	11,028
434			5	6 55,56		115 6 55,56		6 51,98		+	3,58	11,027
435			4	0 42,95	1	0 42,60		0 42,00		+	0,88	11,002
436			5	19 7,75		67 19 7,75		19 7,75			0,00	10,990
437	5	14 4,04	5	14 4,88		125 14 4,46		13 59,48		+	4,98	10,976
438	5	42 2,65	5	41 59,35		54 42 1,00		41 58,44		+	2,56	10,920
439			1	45 40,02		164 45 40,02		45 11,90		+	28,12	10,772
440	7	59 28,25	5	59 28,25	5	59 28,98	59 30,53	59 28,38	-2,04	+	0,11	10,762
441	5	17 9,35	5	17 9,99		72 17 9,97		17 8,89		+	1,08	10,693
442			5	16 44,03		70 16 44,03		16 40,30		+	3,73	10,680
443	5	59 21,69	6	59 23,29	6	59 22,52	59 25,63	59 19,81	-3,09	+	2,73	10,676
444	4	29 51,08	5	29 53,40		114 29 52,37		29 47,30		+	5,07	10,571
445	5	1 36,04	5	1 35,88		92 1 35,96		1 35,21		+	0,75	10,552
446	5	28 57,68	5	29 0,99		84 28 59,33		28 54,85		+	4,48	10,463
447			4	21 46,34		66 21 46,34		21 46,73			0,30	10,457
448	5	22 58,15	8	22 59,07	3	22 59,64	23 2,68	23 4,04	-3,79	+	5,15	10,424
449	5	27 0,20	2	27 2,13		68 27 0,75		27 1,46			,071	10,376
450	5	52 34,78	5	52 35,37		151 52 35,07		52 18,39		+	16,68	10,318

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832	Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833				Green.	A. S.	
			s	s	s	h. m. s.	s.	s.	s.	s.	s.
451	6	41 Tauri			5 18,99	3 56 19,01		18,96		+0,05	+3,655
452	5	48 Persei	c	4 29,80	2 29,99	3 56 29,88		29,18		+0,70	4,308
453	5.6	42 Tauri	ψ		5 38,16	3 56 38,18		37,92		+0,26	3,692
454	6	Tauri		5 22,75	1 22,83	3 58 22,78		22,46		+0,32	3,418
455	5	Reticuli	γ	5 29,41	3 29,49	3 58 29,43		27,32		+2,11	0,841
456	6	Eridani	A		4 42,36	3 58 42,22		41,59		+0,63	2,452
457	6	43 Tauri	ω ¹		5 23,55	3 59 23,57		23,29		+0,28	3,469
458	6.7	Tauri			6 39,39	3 59 39,41		38,83		+0,58	3,334
459	6.7	44 Tauri	P		6 37,02	4 0 37,04		36,49		+0,55	3,634
460	5.6	37 Eridani		6 11,20		4 2 11,19		10,89		+0,30	2,918
461	6	45 Tauri		5 24,22		4 2 24,23		23,82		+0,41	3,171
462	4.5	51 Persei	μ	5 35,48	5 35,49	4 2 35,41	35,45	35,34	-0,04	+0,07	4,360
463	7	Tauri		4 54,27	2 54,52	4 2 54,36		54,11		+0,25	3,538
464	4.5	38 Eridani	o	6 40,16	6 40,18	4 3 40,22	40,19	39,60	+0,03	+0,62	2,919
465	6	46 Tauri			5 30,86	3 4 30,86		30,36		+0,50	3,217
466	5.6	47 Tauri		1 48,60	4 48,81	4 4 48,77		48,42		+0,35	3,250
467	5	Persei	b	4 38,47	4 38,54	4 5 38,49		38,02		+0,47	4,459
468	6	48 Tauri		1 14,63	5 14,52	4 6 14,55		14,14		+0,41	3,382
469	5	49 Tauri	μ	1 25,03	5 25,09	4 6 25,09		24,88		+0,21	3,243
470	5	39 Eridani	A		5 24,45	4 6 24,45		24,27		+0,18	2,846
471	5.6	50 Tauri	ω ²		5 25,62	4 7 25,63		25,23		+0,40	3,500
472	5	40 Eridani	d		6 32,51	4 7 32,51		32,18		+0,33	2,757*
473	7	51 Tauri		2 27,40	3 27,48	4 8 27,47		26,98		+0,49	3,525
474	5	Horologii	α	5 26,32	3 26,66	4 8 26,52		25,98		+0,54	1,978
475	6.7	53 Tauri		5 32,54		4 9 32,56		32,03		+0,53	3,516
476	6.7	56 Tauri			5 40,75	4 9 40,77		40,29		+0,48	3,531
477	6	52 Tauri	Φ		5 2,08	4 10 2,10	2,08	2,12	+0,02	-0,02	3,670
478	3.4	54 Tauri	γ	6 14,61	11 14,50	4 10 14,55	14,42	14,23	+0,13	+0,32	3,390
479	6	57 Tauri	h ¹		5 30,69	4 10 30,71		30,60		+0,11	3,355
480	6	58 Tauri	h ²	2 5,31	3 5,28	4 11 5,31		4,42		+0,89	3,379
481	6.7	Tauri			5 26,27	4 11 26,29		26,14		+0,15	3,352
482	3.4	41 Eridani	X	5 32,38	6 32,55	4 11 32,47	32,42	31,63	+0,05	+0,84	2,259
483	4	Doradus	γ	2 38,17	2 38,14	4 11 38,14		37,10		+1,04	1,550
484	6	59 Tauri	χ		5 22,15	4 12 22,17	22,05	21,81	+0,12	+0,36	3,629
485	3.4	Reticuli	α		5 17,04	4 12 16,96		16,50		+0,46	0,741
486	7	Tauri			5 30,53	4 12 30,55		30,10		+0,45	3,511
487	7	60 Tauri	h ³		3 36,00	4 12 36,03		35,37		+0,66	3,358
488	4	61 Tauri	δ ¹	5 15,30	5 15,28	4 13 15,38	15,31	14,88	+0,07	+0,50	3,436
489	5	Reticuli	ε		4 35,94	4 13 35,90		35,83		+0,07	1,023
490	6	63 Tauri		4 47,24	1 47,15	4 13 47,22		46,95		+0,27	3,419
491	7	62 Tauri			3 52,62	4 13 52,64		52,71		-0,07	3,598
492	4.5	64 Tauri	δ ²		3 25,21	4 14 25,23	25,15	25,11	+0,08	+0,12	3,435
493	6	Eridani	o ²			3 33,17	4 14 33,13	32,97		+0,16	2,481
494	5.6	66 Tauri	r			3 42,82	4 14 42,85	41,71		+1,14	3,259
495	6	42 Eridani	ξ			5 19,35	4 15 19,35	18,86		+0,49	2,981

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession	
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.		
451	5 51 33,26	4 51 34,15	—	62 51 33,66	—	51 34,49	—	0,83	10,308	
452	5 44 39,34	5 44 37,56	—	42 44 38,45	—	44 43,60	—	5,15	10,297	
453	—	5 27 36,04	—	61 27 36,04	—	27 30,89	+	5,15	10,285	
454	—	1 6 56,47	4 6 55,29	73 6 55,53	—	6 56,16	—	0,63	10,153	
455	5 37 46,32	5 37 44,07	—	152 37 45,20	—	37 43,82	+	1,38	10,140	
456	—	—	5 6 57,00	118 6 57,00	—	7 2,85	—	5,85	10,126	
457	—	—	5 50 31,44	70 50 31,44	—	50 21,34	+	10,10	10,076	
458	3 3 10,56	1 3 11,53	—	77 3 10,80	—	3 9,69	+	1,11	10,056	
459	5 57 50,87	—	—	63 57 50,87	—	57 55,58	—	4,71	9,984	
460	5 22 7,81	6 22 6,74	—	97 22 7,24	—	22 6,27	+	0,97	9,863	
461	—	5 55 19,34	—	84 55 19,34	—	55 14,22	+	5,12	9,847	
462	5 1 36,44	5 1 35,84	5 1 36,19	42 1 36,16	1 34,82	1 38,39	+1,34	—	2,23	9,836
463	1 2 27,21	4 2 29,23	—	68 2 28,83	—	1 30,55	—	1,72	9,810	
464	5 16 54,00	5 16 52,35	—	97 16 53,17	16 54,52	16 52,82	-1,35	+	0,35	9,750
465	—	—	5 43 9,56	82 43 9,56	—	43 8,29	+	1,27	9,686	
466	—	5 10 8,17	—	81 10 8,17	—	10 5,03	+	3,14	9,663	
467	5 7 40,57	5 7 41,94	—	40 7 41,25	—	7 36,12	+	5,13	9,603	
468	—	5 1 38,54	—	75 1 38,54	—	1 26,93	+	11,61	9,554	
469	4 32 5,77	4 32 5,22	—	81 32 5,50	—	32 4,14	+	1,36	9,540	
470	5 40 46,58	5 40 46,97	—	100 40 46,77	—	40 42,05	+	4,72	9,540	
471	5 50 33,53	5 50 34,37	—	69 50 33,95	—	50 27,22	+	6,73	9,463	
472	5 55 7,48	5 55 8,34	—	97 55 7,91	—	55 6,70	+	1,21	5,852*	
473	5 50 16,05	—	—	68 50 16,05	—	50 16,58	—	0,53	9,384	
474	5 42 41,21	5 42 44,10	—	132 42 42,65	—	42 38,14	+	4,51	9,381	
475	1 16 14,17	4 16 15,69	—	69 16 15,39	—	16 15,40	—	0,01	9,300	
476	—	3 38 18,35	3 38 18,57	68 38 18,46	—	—	—	—	9,289	
477	—	—	5 3 28,41	63 3 28,41	3 30,92	3 30,53	-2,51	—	2,12	9,261
478	5 47 7,80	11 47 8,57	3 47 9,15	74 47 8,54	47 4,78	47 4,92	+3,76	+	3,62	9,245
479	—	—	5 22 36,55	76 22 36,55	—	22 27,82	+	8,73	9,224	
480	—	7 18 53,33	—	75 18 53,33	—	18 45,85	+	7,48	9,180	
481	3 32 36,71	2 32 39,62	—	76 32 37,87	—	32 34,43	+	3,44	9,152	
482	5 12 46,93	5 12 47,03	—	124 12 46,98	12 47,90	12 46,64	-0,92	+	0,34	9,142
483	5 54 49,95	5 54 49,31	—	141 54 49,63	—	55 9,83	—	20,20	9,133	
484	—	4 46 31,29	1 46 30,96	64 46 31,22	46 27,95	46 26,68	+3,27	+	4,54	9,080
485	4 53 42,89	5 53 42,76	—	152 53 42,82	—	53 28,30	+	14,52	9,080	
486	—	—	5 35 3,55	69 35 3,55	—	34 58,32	+	5,23	9,069	
487	—	—	5 19 35,63	76 19 35,63	—	19 31,27	+	4,36	9,062	
488	5 51 28,24	5 51 28,07	—	72 51 28,15	51 30,36	51 24,03	-2,21	+	4,12	9,011
489	5 42 30,66	5 42 31,93	—	149 42 31,30	—	42 30,11	+	1,19	8,977	
490	1 37 16,99	—	6 37 16,35	73 37 16,44	—	37 12,61	+	3,83	8,969	
491	—	—	5 5 50,57	66 5 50,57	—	5 50,42	+	0,15	8,962	
492	5 57 4,21	5 57 6,25	—	72 57 5,23	57 7,96	57 3,70	-2,73	+	1,53	8,919
493	—	—	5 7 43,66	116 7 43,66	—	7 40,52	+	3,14	8,906	
494	—	1 56 15,58	4 56 13,40	80 56 13,84	—	56 10,95	+	2,89	8,897	
495	—	—	5 8 23,83	94 8 23,83	—	8 21,31	+	2,52	8,848	

No.	Mag	Names.		Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^h Catal.	A. S. Catal.	Difference from		Annual Preces- sion
				No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
496	5.6	65 Tauri	κ^1	—	1 21,78	—	4	15	21,80	21,99	21,51	-0,19	+0,29	+3,550
497	6.7	Tauri		—	—	5 25,38	4	15	25,41	—	25,10	—	+0,31	3,790
498	6.7	67 Tauri	κ^2	—	4 25,21	5 25,18	4	15	25,21	25,22	25,01	-0,01	+0,20	3,548
499	5	68 Tauri	δ^3	7 46,92	—	5 46,69	4	15	46,84	46,78	46,09	+0,06	+0,75	3,447
500	5	Reticuli	θ	—	4 48,78	—	4	15	48,72	—	46,89	—	+1,83	0,643
501	7	70 Tauri		—	—	5 2,61	4	16	2,63	—	2,02	—	+0,61	3,402
502	5	69 Tauri	ν^1	—	5 15,88	—	4	16	15,89	15,66	15,27	—	+0,62	3,564
503	5.6	71 Tauri		—	—	4 47,04	4	16	47,04	—	46,02	—	+1,02	3,395
504	5	73 Tauri	π	6 7,35	6 7,53	1 7,15	4	17	7,40	—	7,19	—	+0,21	3,375
505	6	72 Tauri	ν^2	—	—	5 15,29	4	17	15,32	—	14,93	—	+0,39	3,569
506	4.5	43 Eridani		—	3 43,82	—	4	17	43,80	—	43,54	—	+0,26	2,242
507	4	74 Tauri	ε	3 48,93	12 49,02	6 48,80	4	18	48,93	48,93	48,63	0,00	+0,30	3,479
508	6	75 Tauri		—	5 50,65	—	4	18	50,65	—	50,69	—	-0,04	3,414
509	7	76 Tauri		—	1 52,94	4 52,93	4	18	52,95	—	52,08	—	+0,87	3,377
510	5	77 Tauri	θ^1	6 59,14	—	—	4	18	59,14	59,13	58,68	+0,01	+0,46	3,405
511	5.6	78 Tauri	θ^2	2 4,76	—	6 4,67	4	19	4,71	4,76	4,67	-0,05	+0,04	3,403
512	6	79 Tauri	b	—	—	4 25,98	4	19	25,99	—	25,59	—	+0,40	3,340
513	5.6	44 Eridani	k^1	—	—	5 51,47	4	19	51,47	—	51,09	—	+0,38	3,089
514	5	Reticuli	η	—	4 5,94	—	4	20	5,88	—	5,48	—	+0,40	0,608
515	6	80 Tauri		—	—	11 34,38	4	20	34,40	—	34,01	—	+0,39	3,399
516	5.6	Tauri		—	—	3 57,23	4	20	57,25	—	56,89	—	+0,36	3,412
517	5.6	81 Tauri		—	—	2 4,49	4	21	4,51	—	4,18	—	+0,33	3,400
518	6	83 Tauri		—	6 10,49	—	4	21	10,49	—	10,01	—	+0,48	3,356
519	7	84 Tauri		—	—	5 35,68	4	21	35,70	—	35,27	—	+0,43	3,387
520	6	85 Tauri		—	3 16,64	2 16,50	4	22	16,59	—	16,03	—	+0,56	3,405
521	6	45 Eridani	k^2	—	4 17,28	1 17,35	4	23	17,29	—	16,92	—	+0,37	3,059
522	7	Tauri		—	—	6 8,00	4	24	8,03	—	7,50	—	+0,53	3,734
523	5	86 Tauri	ρ	6 19,64	6 19,31	—	4	24	19,48	—	19,05	—	+0,43	3,383
524	6	46 Eridani		—	—	6 43,88	4	25	43,88	—	43,47	—	+0,41	2,915
525	5	Caeli Scalp	δ	6 41,39	6 41,78	—	4	25	41,57	—	41,33	—	+0,24	1,830
526	6	Eridani		—	—	5 4,04	4	26	4,04	—	3,73	—	+0,31	2,913
527	5	47 Eridani		6 6,37	6 6,51	—	4	26	6,54	—	6,24	—	+0,30	2,883
528	1	87 Tauri	α	12 17,35	23 17,28	49 17,32	4	26	17,31	17,36	16,94	-0,05	+0,37	3,423
529	5	88 Tauri	d	4 25,76	—	—	4	26	25,76	—	25,47	—	+0,29	3,280
530	4	48 Eridani	ν^2	2 56,00	7 55,80	—	4	27	55,85	55,71	55,49	+0,14	+0,36	2,988
531	7	89 Tauri		—	—	5 38,07	4	28	33,09	—	32,70	—	+0,39	3,414
532	6	49 Eridani	k^3	—	—	4 34,60	4	28	34,60	—	34,21	—	+0,39	3,082
533	5	90 Tauri	c^1	2 46,58	3 46,63	—	4	28	46,62	—	46,35	—	+0,27	3,333
534	3	52 Eridani	ν^2	—	6 1,48	—	4	29	1,46	1,47	1,42	-0,01	+0,04	2,330
535	5.6	51 Eridani	c	—	—	4 9,13	4	29	9,13	—	8,86	—	+0,27	3,007
536	5.6	91 Tauri	σ^1	—	—	4 34,13	4	29	34,15	—	33,98	—	+0,17	3,409
537	5.6	92 Tauri	σ^2	—	—	6 40,36	4	29	40,38	—	40,54	—	-0,16	3,412
538	3	Doradus	α	—	3 22,78	3 22,92	4	30	22,78	—	22,04	—	+0,74	1,278
539	4	53 Eridani		—	6 29,43	—	4	30	29,42	29,53	29,16	-0,11	+0,26	2,745
540	5	93 Tauri	c^2	6 42,62	6 42,71	—	4	30	42,67	—	42,31	—	+0,36	3,327

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.	
496	—	—	—	—	5	5 51,08	68 5 51,08	5 51,78	5 51,28	-0,70	- 0,20	- 8,846
497	—	—	—	—	56	53,10	58 56 53,10	—	56 49,12	+	3,98	8,842
498	1 11 23,85	—	—	—	5 11 26,84	—	68 11 26,34	11 28,98	11 27,55	-2,64	- 1,21	8,841
499	4 27 46,92	—	5 27 46,25	—	1 27 46,42	—	72 27 46,54	27 48,44	27 46,14	-1,90	+ 0,40	8,813
500	5 39 46,96	—	5 39 45,89	—	1	—	153 39 46,93	—	39 47,53	—	0,60	8,805
501	—	—	5 27 1,94	—	—	—	74 27 1,94	—	26 54,75	+	7,19	8,792
502	5 34 25,64	—	4 34 24,17	—	—	—	67 34 24,88	—	34 28,34	—	3,46	8,775
503	—	—	—	—	5 46 15,33	—	74 46 15,33	—	46 10,02	+	5,31	8,735
504	5 40 25,26	—	5 40 24,95	—	—	—	75 40 25,10	—	40 20,37	+	4,73	8,707
505	—	—	—	—	5 23 21,67	—	67 23 21,67	—	23 22,29	—	0,62	8,697
506	5 24 42,84	—	5 24 42,46	—	—	—	124 24 42,65	24 40,45	24 42,16	+ 2,20	+ 0,49	8,656
507	5 11 56,71	—	8 11 57,79	—	—	—	71 11 57,37	11 57,42	11 55,70	- 0,05	+ 1,67	8,574
508	—	—	6 1 21,56	—	—	—	74 1 21,56	—	1 21,90	—	0,34	8,571
509	—	—	—	—	5 38 25,83	—	75 38 25,83	—	38 24,49	+	1,34	8,569
510	5 25 4,00	—	5 25 5,09	—	—	—	74 25 4,54	25 4,08	24 58,57	+ 0,46	+ 5,97	8,560
511	—	—	2 30 33,40	—	5 30 35,12	—	74 30 34,63	30 32,08	30 24,21	+ 2,55	+ 10,42	8,552
512	5 19 53,62	—	—	—	—	—	77 19 53,62	—	19 53,53	+	0,09	8,525
513	—	—	—	—	5 59 51,36	—	88 59 51,36	—	59 47,39	+	3,97	8,490
514	5 47 6,22	—	5 47 5,98	—	—	—	153 47 6,10	—	47 9,25	—	3,15	8,465
515	—	—	—	—	—	—	74	—	44 5,31	—	—	8,434
516	2 10 42,17	—	3 10 41,89	—	—	—	74 10 42,00	—	10 38,91	+	3,09	8,404
517	—	—	3 40 51,48	—	—	—	74 40 51,48	—	40 46,03	+	5,45	8,394
518	—	—	—	—	5 38 51,72	—	76 38 51,72	—	38 49,12	+	2,60	8,387
519	—	—	—	—	5 15 55,74	—	75 15 55,74	—	15 48,88	+	6,86	8,353
520	5 31 0,98	—	4 31 0,13	—	—	—	74 31 0,60	—	30 52,41	+	8,19	8,299
521	—	—	—	—	5 24 42,94	—	90 24 42,94	—	24 39,30	+	3,64	8,218
522	—	—	—	—	5 23 52,69	—	61 23 52,69	—	23 49,69	+	3,00	8,152
523	5 30 58,80	—	5 30 58,87	—	—	—	75 30 58,83	—	30 49,59	+	9,24	8,136
524	5 5 51,25	—	5 5 51,88	—	—	—	97 5 51,56	—	5 50,42	+	1,14	8,022
525	5 19 7,80	—	4 19 7,07	—	—	—	135 19 7,48	—	19 10,19	—	2,71	8,022
526	—	—	—	—	3 11 36,92	—	97 11 36,92	—	11 31,84	+	5,08	7,995
527	5 35 15,67	—	5 35 18,14	—	—	—	98 35 16,90	—	35 18,47	—	1,57	7,991
528	44 50 5,41	—	37 50 6,39	—	65 50 6,34	—	73 50 6,08	50 7,77	50 3,73	-1,69	+ 2,35	7,979
529	5 11 25,17	—	5 11 28,38	—	—	—	80 11 26,78	—	11 28,06	—	1,28	7,967
530	—	—	5 42 4,43	—	—	—	93 42 4,43	42 8,59	42 6,61	-4,16	- 2,18	7,845
531	—	—	—	—	5 18 38,64	—	74 18 38,64	—	18 35,19	+	3,45	7,797
532	5 20 54,10	—	—	—	—	—	89 20 54,10	—	20 48,32	+	5,78	7,794
533	5 49 58,74	—	5 49 59,20	—	—	—	77 49 58,97	—	49 58,79	+	0,18	7,778
534	7 54 41,04	—	5 54 44,69	—	—	—	120 54 42,56	54 43,40	54 41,38	-0,84	+ 1,18	7,755
535	—	—	—	—	4 48 54,84	—	92 48 54,84	—	48 52,83	+	2,01	7,747
536	—	—	—	—	5 32 20,14	—	74 32 20,14	—	32 16,15	+	3,99	7,714
537	—	—	—	—	5 25 20,99	—	74 25 20,99	—	25 17,83	+	3,16	7,705
538	5 23 46,59	—	5 23 45,42	—	—	—	145 23 46,01	—	23 33,75	+	12,26	7,644
539	5 38 18,18	—	4 38 17,17	—	—	—	104 38 17,73	38 16,66	38 12,21	+ 1,07	+ 5,52	7,638
540	5 8 15,55	—	5 8 16,13	—	—	—	78 8 15,84	—	8 20,74	—	4,90	7,622

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832	Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833				Green.	A. S.	
			s	s	s	h. m. s.	s.	s.	s.	s.	s.
541	6.7	Tauri	—	4 49,45	2 49,70	4 30 49,55	—	49,14	—	+0,41	+3,733
542	6	Eridani	—	—	5 36,45	4 31 36,43	—	36,11	—	+0,32	2,743
543	5	Tauri	1 10,49	6 10,28	—	4 32 10,33	10,40	10,08	-0,07	+0,25	3,584
544	7	95 Tauri	—	—	4 4,11	4 33 4,14	—	3,51	—	+0,63	3,614
545	4	54 Eridani	6 5,82	6 5,86	6 5,86	4 33 5,84	5,86	5,60	-0,02	+0,24	2,616
546	6	Eridani	—	—	5 7,97	4 33 7,94	—	7,76	—	+0,18	2,494
547	6	Tauri	—	5 7,64	—	4 35 7,65	—	7,05	—	+0,60	3,306
548	4.5	Cœli Scalp α	6 9,09	6 9,26	—	4 35 9,15	—	9,54	—	-0,39	1,939
549	5	Cœli Scalp β	5 7,37	4 7,40	—	4 36 7,40	—	7,09	—	+0,31	2,111
550	6	Tauri	—	6 28,74	—	4 36 28,76	—	28,31	—	+0,45	3,484
551	5	57 Eridani	4 6,65	6 6,42	—	4 37 6,51	—	6,05	—	+0,46	2,990
552	4.5	Camelopardi	—	3 24,49	6 24,29	4 37 24,47	24,17	24,02	+0,30	+0,45	5,881
553	6	Eridani	—	5 43,52	—	4 39 43,50	—	43,32	—	+0,18	2,390
554	6	58 Eridani	—	—	6 3,99	4 40 3,96	—	3,57	—	+0,39	2,678
555	6	96 Tauri	—	5 7,86	—	4 40 7,85	—	7,26	—	+0,59	3,419
556	4	1 Orionis	6 43,56	6 43,54	8 43,63	4 40 43,58	43,66	43,79	-0,08	-0,21	3,251*
557	6	59 Eridani	—	—	5 59,35	4 40 59,33	—	59,51	—	-0,18	2,692
558	5	2 Orionis	6 27,75	6 27,82	3 27,82	4 41 27,80	27,73	27,59	+0,07	+0,21	3,258
559	5.6	97 Tauri	—	2 33,21	5 33,21	4 41 33,23	—	32,69	—	+0,54	3,490
560	4	3 Orionis	5 15,68	6 15,96	—	4 42 15,83	15,97	16,12	-0,14	-0,29	3,185
561	7	Aurigæ	—	—	5 18,02	4 42 18,05	—	17,42	—	+0,63	3,727
562	6	60 Eridani	—	—	8 37,81	4 42 37,79	—	36,89	—	+0,90	2,694
563	5	4 Orionis	5 2,34	6 2,16	—	4 43 2,24	—	1,62	—	+0,62	3,382
564	5	7 Camelop.	—	5 50,51	—	4 43 50,55	—	50,60	—	-0,05	4,773
565	6	5 Orionis	—	1 37,17	2 37,65	4 44 37,49	—	37,01	—	+0,48	3,117
566	5	61 Eridani	—	6 38,77	—	4 44 38,77	—	38,50	—	+0,27	2,941
567	6	6 Orionis	—	—	5 28,36	4 45 28,38	—	27,49	—	+0,89	3,317
568	4.5	8 Orionis	1 30,31	4 30,33	3 30,44	4 45 30,37	30,39	29,54	-0,02	+0,83	3,116
569	5.6	7 Orionis	—	—	5 39,22	4 45 39,23	—	38,51	—	+0,72	3,288
570	4	3 Aurigæ	4 3,81	5 3,89	5 3,85	4 46 3,86	3,88	0,61	-0,02	+3,25	3,887
571	5	9 Orionis	6 56,05	6 56,02	—	4 46 56,04	—	55,46	—	+0,58	3,367
572	6.7	Tauri	—	—	5 37,61	4 47 37,63	—	37,34	—	+0,29	3,625
573	6.7	Tauri	—	—	5 40,50	4 47 40,51	—	40,66	—	-0,15	3,453
574	5	4 Aurigæ	6 51,73	6 51,93	—	4 47 51,84	—	51,63	—	+0,21	4,047
575	6	98 Tauri	—	—	5 53,00	4 47 53,02	—	52,12	—	+0,90	3,654
576	6	62 Eridani	—	—	5 8,13	4 48 8,13	—	7,73	—	+0,40	2,947
577	4.5	10 Camelop.	2 30,34	1 30,11	3 30,36	4 48 30,37	30,45	30,49	-0,08	-0,12	5,286
578	7	Tauri	—	5 27,66	—	4 49 27,67	—	27,85	—	-0,18	3,392
579	5.6	10 Orionis	—	—	5 50,85	4 49 50,85	—	50,63	—	+0,22	3,100
580	4	7 Aurigæ	4 55,67	5 55,70	4 55,68	4 49 55,72	55,76	55,32	-0,04	+0,40	4,280
581	7	101 Tauri	—	1 6,20	4 6 14	4 50 6,16	—	5,96	—	+0,20	3,425
582	4	8 Aurigæ	—	6 44,97	3 44,89	4 50 44,98	45,04	44,84	-0,06	+0,14	4,170
583	5	63 Eridani	1 53,79	6 53,68	—	4 51 53,70	—	53,75	—	-0,05	2,831
584	6	64 Eridani	—	—	5 7,81	4 52 7,80	—	6,94	—	+0,86	2,778
585	4.5	102 Tauri	6 3,77	7 3,76	7 3,76	4 53 3,78	3,76	3,80	+0,02	+0,48	3,568

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession	
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.		
541	—	—	5 43 6,16	61 43 6,16	—	43 4,58	+	1,58	7,614	
542	4 41 29,02	—	—	104 41 29,02	—	41 22,14	+	6,88	7,548	
543	5 22 20,10	4 22 20,23	5 22 20,85	67 22 20,43	22 21,26	22 20,13	—0,83	+	0,30	7,504
544	—	5 14 13,17	—	66 14 13,17	—	14 10,52	+	2,65	7,432	
545	4 0 2,09	4 0 4,27	—	110 0 3,18	59 58,97	59 54,49	+4,21	+	8,69	7,426
546	5 49 2,36	1 49 1,56	—	114 49 2,23	—	48 55,62	+	6,61	7,423	
547	1 10 24,40	5 10 25,76	—	79 10 25,53	—	10 25,53	—	0,00	7,264	
548	5 11 19,58	5 11 21,27	3 11 18,59	132 11 20,00	—	11 16,60	+	3,40	7,257	
549	5 28 34,61	5 28 35,70	—	127 28 35,16	—	28 43,47	—	8,31	7,179	
550	—	5 34 35,54	—	71 34 35,54	—	34 31,24	+	4,30	7,154	
551	5 34 4,04	5 34 5,10	—	93 34 4,57	—	34 4,46	+	0,11	7,101	
552	5 57 18,09	5 57 18,67	—	23 57 18,38	57 22,09	57 20,69	—3,71	—	2,31	7,084
553	5 23 45,18	5 23 44,65	—	118 23 44,91	—	23 44,71	+	0,20	6,884	
554	—	5 14 51,81	—	107 14 51,81	—	14 48,70	+	3,11	6,857	
555	—	2 23 48,45	2 23 48,33	74 23 48,39	—	23 45,54	+	2,85	6,854	
556	5 20 17,62	5 20 20,08	6 20 19,37	83 20 19,04	20 20,81	20 21,38	—1,77	—	2,34	6,804
557	—	—	5 37 58,12	106 37 58,12	—	37 57,36	+	0,76	6,781	
558	5 23 42,48	4 23 41,75	5 23 42,85	81 23 42,41	23 42,53	23 41,40	—0,12	+	1,01	6,744
559	—	—	5 27 11,79	71 27 11,79	—	27 8,09	+	3,70	6,737	
560	5 41 23,60	3 41 25,52	5 41 23,73	84 41 24,10	41 20,43	41 17,57	+3,67	+	6,53	6,677
561	—	—	5 23 29,36	62 23 29,36	—	23 27,33	+	2,03	6,677	
562	—	1 30 51,18	4 30 53,97	106 30 53,41	—	30 51,43	+	1,98	6,647	
563	5 2 11,92	5 2 11,04	—	76 2 11,48	—	2 10,44	+	1,04	6,615	
564	5 31 39,06	5 31 37,44	—	86 31 38,25	—	31 40,22	—	1,97	6,551	
565	—	4 46 32,82	1 46 32,63	87 46 32,72	—	46 24,90	+	7,82	6,483	
566	4 44 27,39	5 44 24,84	—	95 44 26,11	—	44 19,82	+	6,29	6,480	
567	1 51 17,31	1 51 16,33	4 51 17,93	78 51 17,56	—	51 19,18	—	1,62	6,414	
568	5 50 26,39	3 50 27,06	—	87 50 26,64	50 29,32	50 25,07	—2,68	+	1,57	6,410
569	—	—	5 7 29,05	80 7 29,05	—	7 26,39	+	2,66	6,398	
570	5 6 29,91	5 6 32,14	—	57 6 31,02	—	6 26,77	+	4,25	6,369	
571	5 45 28,65	5 45 30,92	—	76 45 29,78	—	45 25,33	+	4,45	6,292	
572	—	—	6 19 16,52	66 19 16,52	—	19 16,41	+	0,11	6,235	
573	—	—	5 7 0,82	73 7 0,82	—	7 1,07	—	0,25	6,230	
574	5 22 20,35	5 22 21,07	—	52 22 20,71	—	22 18,70	+	2,01	6,216	
575	—	—	5 13 3,26	65 13 3,26	—	13 1,20	+	2,06	6,215	
576	—	5 26 40,73	—	95 26 40,73	—	26 34,47	+	6,26	6,191	
577	5 48 57,25	5 48 58,62	—	29 48 57,93	48 56,36	48 54,17	+1,57	+	3,76	6,166
578	1 43 15,32	—	—	75 43 15,32	—	43 14,88	+	0,44	6,081	
579	—	—	5 33 0,33	88 33 0,33	—	33 0,82	—	0,49	6,049	
580	5 26 4,82	6 26 3,83	5 26 3,89	46 26 4,16	26 5,50	26 4,35	—1,34	—	0,19	6,045
581	—	1 20 37,91	4 20 39,22	74 20 38,96	—	20 32,36	+	6,60	6,028	
582	5 10 43,38	6 10 42,64	6 10 42,90	49 10 42,95	10 44,13	10 43,45	—1,18	—	0,50	5,976
583	5 30 55,27	4 30 56,69	—	100 30 55,90	—	30 54,36	+	1,54	5,877	
584	—	2 47 24,26	3 47 26,19	102 47 25,42	—	47 24,03	+	1,39	5,858	
585	5 39 24,25	5 39 23,97	4 39 23,58	68 39 23,96	39 27,48	39 25,94	—3,52	—	1,98	5,782

xxviii *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	1832					Green.	A. S.	
						s.	s.	s.					
586	5	65 Eridani ↓	3 17,81	6 17,76	—	4 53	17,78	—	—	17,61	—	+0,17	+2,901
587	7	Tauri	—	4 21,29	2 21,35	4 54	21,32	—	—	21,10	—	+0,22	3,561
588	4	10 Aurigæ η	5 44,71	5 44,84	5 44,72	4 54	44,79	44,75	44,47	+0,04	+0,32	4,182	
589	5	11 Orionis γ ¹	3 58,44	3 58,42	—	4 54	58,43	—	—	58,16	—	+0,27	3,416
590	5.6	Leporis	—	—	5 20,13	4 55	20,10	—	—	19,76	—	+0,34	2,428
591	6	1 Leporis	—	—	5 39,94	4 55	39,92	—	—	39,56	—	+0,36	2,522
592	5	104 Tauri m	1 31,95	7 31,80	—	4 57	31,82	31,66	31,77	+0,16	+0,05	3,542*	
593	5.6	106 Tauri l ¹	—	5 52,24	1 52,12	4 57	52,24	—	—	51,86	—	+0,38	3,541
594	6	Tauri	—	—	5 52,73	4 57	52,76	—	—	52,66	—	+0,10	3,642
595	6	105 Tauri	—	—	5 53,13	4 57	53,15	53,01	53,47	+0,14	—0,32	3,574	
596	7	Tauri	—	—	5 2,60	4 58	2,63	—	—	2,22	—	+0,41	3,754
597	4	2 Leporis ε	5 21,14	6 21,16	—	4 58	21,15	21,27	20,40	—0,12	+0,75	2,532	
598	5	Cœli Scalp γ ¹	1 22,20	6 22,12	—	4 58	22,11	—	—	21,72	—	+0,39	2,142
599	6	66 Eridani	—	—	5 27,57	4 58	27,57	—	—	27,43	—	+0,14	2,958
600	6	Leporis	—	—	5 27,35	4 58	27,32	—	—	26,81	—	+0,51	2,429
601	6	14 Orionis i	—	—	4 44,37	4 58	44,38	—	—	44,41	—	—0,03	3,255
602	7	107 Tauri l ²	—	—	2 56,07	4 58	56,09	—	—	55,81	—	+0,28	3,528
603	3	67 Eridani β	6 35,69	6 35,73	1 35,88	4 59	35,72	36,01	35,58	—0,29	+0,14	2,948	
604	5	15 Orionis γ ²	2 5,49	6 5,45	—	5 0	5,47	—	—	5,22	—	+0,25	3,423
605	6	16 Orionis h	—	3 5,24	2 5,56	5 0	5,38	—	—	5,17	—	+0,21	3,286
606	6	68 Eridani	—	—	5 24,42	5 0	24,42	—	—	24,12	—	+0,30	2,962
607	4	69 Eridani λ	1 6,32	5 6,64	—	5 1	6,58	6,66	6,41	—0,08	+0,17	2,864	
608	5	11 Aurigæ μ	—	5 56,39	—	5 1	56,41	—	—	56,34	—	+0,07	4,088
609	6.7	Orionis γ ³	—	—	4 3,18	5 2	3,20	—	—	2,58	—	+0,62	3,435
610	5	Doradus ζ	1 38,24	6 38,52	—	5 2	38,45	—	—	39,71	—	—1,26	1,021
611	1	13 Aurigæ α	17 17,46	19 17,45	33 17,16	5 4	17,36	17,43	17,11	—0,07	+0,25	4,402	
612	5	14 Aurigæ α	—	3 28,09	—	5 4	28,11	—	—	28,78	—	—0,67	3,894
613	4.5	3 Leporis i	—	6 27,83	—	5 4	27,82	27,81	27,50	+0,01	+0,32	2,791	
614	5	17 Orionis ρ ¹	4 30,79	1 30,72	—	5 4	30,78	—	—	30,46	—	+0,32	3,128
615	7	108 Tauri	—	6 22,14	—	5 5	22,15	—	—	21,53	—	+0,62	3,595
616	5	5 Leporis μ	6 23,26	4 23,28	—	5 5	23,27	—	—	22,94	—	+0,33	2,686
617	4	Orionis	—	—	6 29,10	5 5	29,09	28,94	28,57	+0,15	+0,52	2,878	
618	5	4 Leporis κ	—	—	6 28,50	5 5	28,49	—	—	28,36	—	+0,13	2,765
619	1	19 Orionis β	10 28,07	7 28,09	11 28,08	5 6	28,08	28,05	27,88	+0,03	+0,20	2,876	
620	6	18 Orionis	—	—	5 44,45	5 6	44,47	—	—	44,17	—	+0,30	3,324
621	5	15 Aurigæ λ	—	4 19,90	—	5 7	19,92	—	—	19,16	—	+0,76	4,157
622	6	Columbæ	—	—	5 40,42	5 8	40,39	—	—	40,10	—	+0,29	2,400
623	5.6	109 Tauri n	—	—	4 11,24	5 9	11,27	—	—	10,48	—	+0,79	3,592
624	7	Tauri	—	—	6 18,77	5 9	18,79	—	—	18,70	—	+0,09	3,541
625	4	20 Orionis τ	7 27,10	6 27,21	—	5 9	27,15	27,12	27,21	+0,03	—0,06	2,907	
626	6	Leporis	—	—	5 57,52	5 9	57,50	—	—	—	—	—	2,750
627	7	Tauri	—	6 24,31	—	5 10	24,32	—	—	23,87	—	+0,45	3,527
628	6	21 Orionis	—	6 25,60	—	5 10	25,60	—	—	25,61	—	—0,01	3,123
629	6.7	Aurigæ	—	2 31,90	4 31,84	5 10	31,88	—	—	31,76	—	+0,12	3,803
630	5	Columbæ o	6 25,68	5 25,75	—	5 11	25,70	—	—	25,32	—	+0,38	2,151

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from			Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A.	S. C	
586	5 25	34,23	5 25	36,10	—	—	97 25 35,17	—	25 33,52	—	+	1,65	5,760
587	—	—	5 57	53,10	—	—	68 57 53,10	—	57 55,21	—	—	2,11	5,673
588	3 0	6,78	5 0	5,95	5 0	6,22	49 0 6,24	0 7,83	0 7,54	-1,59	—	1,30	5,642
589	5 50	17,18	5 50	18,43	—	—	74 50 17,80	—	50 11,48	—	+	6,32	5,621
590	3 31	5,05	4 31	4,66	—	—	116 31 4,83	—	31 2,65	—	+	2,18	5,588
591	—	—	4 2	25,33	1 2	24,62	113 2 25,19	—	2 31,02	—	—	5,83	5,560
592	5 35	16,40	5 35	17,06	7 35	15,66	71 35 16,29	35 16,93	35 13,95	-0,64	+	2,34	5,406
593	—	—	5 48	41,10	—	—	69 48 41,10	—	48 38,05	—	+	3,05	5,377
594	—	—	4 57	50,91	1 57	51,77	65 57 51,08	—	57 53,14	—	—	2,06	5,377
595	—	—	—	—	5 31	26,22	68 31 26,22	31 31,38	31 28,50	-5,16	—	2,28	5,375
596	—	—	—	—	5 57	18,99	61 57 18,99	—	57 21,08	—	—	2,09	5,364
597	5 36	5,93	5 36	5,32	—	—	112 36 5,62	36 10,05	36 2,33	-4,43	+	3,29	5,335
598	5 43	4,96	5 43	8,31	—	—	125 43 6,63	—	43 1,23	—	+	5,40	5,331
599	—	—	—	—	5 53	16,59	94 53 16,59	—	53 10,01	—	+	6,58	5,326
600	—	—	—	—	5 23	4,09	116 23 4,09	—	23 0,64	—	+	3,45	5,325
601	—	—	—	—	5 43	39,58	81 43 39,58	—	43 36,41	—	+	3,17	5,303
602	—	—	—	—	5 22	0,51	70 22 0,51	—	21 56,02	—	+	4,49	5,288
603	5 18	38,69	5 18	40,08	—	—	95 18 39,39	18 36,52	18 33,96	+2,87	+	5,43	5,230
604	5 37	31,37	6 37	31,30	—	—	74 37 31,33	—	37 22,61	—	+	8,72	5,190
605	—	—	1 23	43,56	4 23	45,75	80 23 45,31	—	23 33,91	—	+	11,40	5,189
606	3 40	54,30	—	—	2 40	56,49	94 40 55,17	—	40 48,04	—	+	7,13	5,162
607	5 58	32,39	5 58	31,63	—	—	98 58 31,96	58 32,10	58 31,85	-0,14	+	0,11	5,102
608	5 43	26,15	5 43	24,95	—	—	51 43 25,55	—	43 29,97	—	—	4,42	5,035
609	—	—	2 10	9,86	4 10	12,22	74 10 11,47	—	10 7,83	—	+	3,64	5,024
610	2 42	13,59	5 42	15,70	—	—	147 42 14,81	—	41 33,18	—	+	41,63	4,965
611	40 10	57,39	25 10	57,57	47 10	57,80	44 10 57,61	10 56,14	10 58,03	+1,47	—	0,42	4,837
612	—	—	—	—	—	—	57 —	—	30 54,16	—	—	—	4,819
613	4 4	38,27	5 4	40,30	—	—	102 4 39,24	4 38,93	4 33,58	+0,31	+	5,66	4,818
614	—	—	5 20	44,52	—	—	87 20 44,52	—	20 41,09	—	+	3,43	4,815
615	—	—	—	—	5 54	52,25	67 54 52,25	—	54 54,34	—	—	2,09	4,744
616	5 24	35,74	1 24	37,07	—	—	106 24 35,96	—	24 34,50	—	+	1,46	4,739
617	5 21	5,47	—	—	—	—	98 21 5,47	21 7,68	—	-2,21	—	—	4,732
618	—	—	5 8	44,12	—	—	103 8 44,12	—	8 45,54	—	—	1,42	4,732
619	29 24	5,06	14 24	4,51	23 24	5,43	98 24 5,07	24 7,78	24 5,40	-2,71	—	0,33	4,647
620	—	—	5 51	17,14	—	—	78 51 17,14	—	51 13,91	—	+	3,23	4,626
621	5 3	39,48	5 3	39,48	—	—	50 3 39,48	—	3 32,20	—	+	7,28	4,578
622	—	—	—	—	5 8	13,99	117 8 13,99	—	8 10,78	—	+	3,21	4,459
623	—	—	—	—	5 5	4,75	68 5 4,75	—	5 2,75	—	+	2,00	4,419
624	—	—	—	—	5 3	1,77	70 3 1,77	—	2 56,71	—	+	5,06	4,407
625	5 1	55,65	4 1	56,38	—	—	97 1 55,97	1 57,62	1 56,11	-1,65	—	0,14	4,393
626	2 42	13,70	—	—	3 42	14,56	103 42 14,22	—	42 15,79	—	—	1,57	4,352
627	—	—	—	—	5 36	8,66	70 36 8,66	—	36 6,18	—	+	2,48	4,314
628	—	—	—	—	5 35	5,36	87 35 5,36	—	35 3,22	—	+	2,14	4,310
629	—	—	—	—	5 36	35,09	60 36 35,09	—	36 30,85	—	+	4,24	4,304
630	5 3	55,89	5 3	58,53	—	—	125 3 57,21	—	3 36,48	—	+	20,73	4,223

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.		Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832		Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
				No. 1831	No. 1832	No. 1833					Green.	A. S.	
							s	s	s	h. m. s.			s.
631	4.5	6 Leporis	λ	5 50,16	5 50,32	—	5 11 50,23	50,34	49,90	-0,11	+0,33	+2,758	
632	5.6	7 Leporis	ν	1 11,75	6 11,57	—	5 12 11,61	—	11,27	—	+0,34	2,778	
633	6	Columbæ		—	—	5 42,35	5 12 42,32	—	41,53	—	+0,79	2,386	
634	7	22 Aurigæ		—	—	5 44,68	5 12 44,71	—	44,49	—	+0,22	3,786	
635	5.6	22 Orionis	o	—	—	—	5 13 —	—	10,74	—	—	3,055	
636	7	Aurigæ		—	—	5 49,09	5 13 49,12	—	48,92	—	+0,20	3,856	
637	7	Aurigæ		—	—	4 49,32	5 13 49,35	—	49,28	—	+0,07	3,854	
638	7	110 Tauri		—	—	6 55,83	5 13 55,85	—	55,47	—	+0,38	3,457	
639	5	23 Orionis	m	5 0,33	6 0,54	—	5 14 0,44	—	0,37	—	+0,07	3,145	
640	6	111 Tauri		—	—	6 37,55	5 14 37,57	—	36,78	—	+0,79	3,474	
641	6	Eridani		—	4 52,70	2 53,18	5 14 52,94	—	52,51	—	+0,43	2,459	
642	2	112 Tauri	β	12 40,69	15 40,61	—	5 15 40,66	40,70	40,53	-0,04	+0,13	3,779	
643	6	8 Leporis	ξ	—	—	3 49,12	5 15 49,10	—	49,00	—	+0,10	2,739	
644	5.6	29 Orionis	e	—	—	4 51,64	5 15 51,63	—	51,31	—	+0,32	2,884	
645	5.6	27 Orionis	p	—	—	5 56,69	5 15 56,69	—	56,55	—	+0,14	3,044	
646	5.6	25 Orionis	ψ	—	—	5 1,93	5 16 1,93	—	1,27	—	+0,66	3,107	
647	4.5	28 Orionis	η	6 2,00	6 2,03	—	5 16 2,01	2,03	1,86	-0,02	+0,15	3,009	
648	2	24 Orionis	γ	1 7,36	8 7,49	—	5 16 7,48	7,40	7,42	+0,08	+0,06	3,210	
649	6	113 Tauri		—	—	5 23,58	5 16 23,60	—	23,02	—	+0,58	3,458	
650	5	24 Aurigæ	ϕ	1 31,08	5 31,09	—	5 16 31,10	—	31,72	—	-0,62	3,964	
651	5.6	115 Tauri		—	1 22,53	3 22,46	5 17 22,49	—	22,15	—	+0,34	3,490	
652	5	114 Tauri	o	3 33,15	6 32,95	—	5 17 33,02	32,96	32,78	+0,06	+0,24	3,593	
653	5	30 Orionis	ψ	6 2,37	6 2,42	—	5 18 2,40	2,34	2,08	+0,06	+0,32	3,136	
654	6	116 Tauri		—	—	5 6,65	5 18 6,66	—	6,33	—	+0,31	3,438	
655	6	117 Tauri		—	—	5 16,87	5 18 16,88	—	16,49	—	+0,39	3,472	
656	7	Tauri		—	—	5 28,41	5 18 28,42	—	28,32	—	+0,10	3,452	
657	7	118 Tauri		—	—	6 56,14	5 18 56,16	—	56,27	—	-0,11	3,681	
658	6	Leporis		—	3 15,32	2 15,62	5 19 15,42	—	14,07	—	+1,35	2,787	
659	4	9 Leporis	β	6 2,96	6 2,94	5 3,03	5 21 2,97	3,00	2,96	-0,03	+0,01	2,565	
660	5	31 Orionis	t	4 12,26	6 12,28	—	5 21 12,27	—	11,43	—	+0,84	3,040	
661	5	25 Aurigæ	α	6 47,99	6 47,94	—	5 21 47,96	—	39,75	—	—	3,893	
662	5	32 Orionis	λ	—	4 47,90	—	5 21 47,90	—	47,51	—	+0,39	3,202	
663	5.6	119 Tauri		—	3 22,03	2 22,08	5 22 22,07	—	21,65	—	+0,42	3,508	
664	6	33 Orionis	n	—	—	5 25,95	5 22 25,95	—	25,53	—	+0,42	3,141	
665	2	34 Orionis	δ	6 25,54	16 25,63	1 25,72	5 23 25,63	25,69	25,55	-0,06	+0,08	3,058	
666	6.7	Tauri		—	—	6 39,81	5 23 39,83	—	39,90	—	-0,07	3,557	
667	6	120 Tauri		—	—	5 41,33	5 23 41,35	—	40,75	—	+0,60	3,507	
668	5	36 Orionis	ν	1 48,49	4 48,54	—	5 23 48,53	—	48,25	—	-0,32	2,806	
669	6	10 Leporis	o	—	—	5 56,68	5 23 56,66	—	56,12	—	+0,54	2,562	
670	7	35 Orionis	u	—	—	5 21,69	5 24 21,71	—	21,02	—	+0,69	3,402	
671	6	121 Tauri		—	—	4 11,82	5 25 11,84	—	11,48	—	+0,36	3,654	
672	4	Columbæ	ϵ	1 14,94	5 15,03	—	5 25 15,01	15,00	14,80	+0,01	+0,21	2,122	
673	3.4	11 Leporis	α	1 19,19	5 19,41	—	5 25 19,36	19,45	19,21	-0,09	+0,15	2,640	
674	6.7	Aurigæ		—	—	5 23,26	5 25 23,28	—	23,15	—	+0,13	3,757	
675	6	38 Orionis		—	—	5 26,01	5 25 26,61	—	26,17	—	+0,44	3,152	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession	
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.		
631	5 21 21,79	5 21 20,79	—	103 21 21,29	21 23,18	21 21,05	-1,89	+	0,24	4,189
632	1 29 33,95	6 29 37,24	—	102 29 36,77	—	29 37,02	—	—	0,25	4,159
633	—	1 32 45,87	5 32 46,13	117 32 46,09	—	32 46,79	—	—	0,70	4,115
634	—	—	5 13 55,04	61 13 55,04	—	13 53,71	—	+	1,33	4,114
635	—	—	5 33 19,66	90 33 19,66	—	33 10,05	—	+	9,61	4,075
636	—	—	5 56 27,95	58 56 27,95	—	56 27,09	—	+	0,86	4,023
637	—	—	5 1 17,95	59 1 17,95	—	1 19,21	—	—	1,26	4,022
638	—	—	5 27 58,29	73 27 58,29	—	27 59,87	—	—	1,58	4,012
639	5 37 27,38	5 37 27,09	—	86 37 27,23	—	37 26,69	—	+	0,54	4,004
640	—	—	5 46 46,80	72 46 46,80	—	46 48,75	—	—	1,95	3,953
641	—	—	5 56 34,07	114 56 34,07	—	56 26,43	—	+	7,64	3,928
642	32 32 32,59	23 32 33,83	14 32 33,74	61 32 33,22	32 33,29	32 34,31	-0,07	—	1,09	3,863
643	—	—	4 5 27,05	104 5 27,05	—	5 25,57	—	+	1,48	3,848
644	—	—	5 58 5,50	97 58 5,50	—	58 5,69	—	—	0,19	3,845
645	—	—	5 3 34,02	91 3 34,02	—	3 31,01	—	+	3,01	3,838
646	—	—	3 18 50,62	88 18 50,62	—	18 50,40	—	+	0,22	3,831
647	5 33 28,48	5 33 28,81	—	92 33 28,65	33 30,84	33 29,95	-2,19	—	1,30	3,830
648	6 48 29,80	5 48 31,36	5 18 32,59	83 48 31,16	48 34,21	48 35,25	-3,05	—	4,09	3,823
649	—	—	1 27 23,83	73 27 23,83	—	27 24,82	—	—	0,99	3,801
650	5 40 36,68	5 40 37,12	—	55 40 36,90	—	40 37,79	—	—	0,89	3,790
651	—	—	5 11 24,06	72 11 24,06	—	11 24,90	—	—	0,84	3,717
652	5 12 50,08	5 12 49,13	—	68 12 49,60	12 51,38	12 47,88	-1,78	+	1,72	3,702
653	5 3 23,41	3 3 24,58	—	87 3 23,90	3 25,40	3 22,39	-1,50	+	1,51	3,658
654	—	1 16 31,89	4 16 32,45	74 16 32,34	—	16 26,24	—	+	6,10	3,653
655	—	—	5 54 28,21	72 54 28,21	—	54 26,51	—	+	1,70	3,639
656	—	—	5 42 23,86	73 42 23,86	—	—	—	—	—	3,622
657	—	—	5 59 41,76	64 59 41,76	—	59 39,12	—	+	2,64	3,582
658	2 2 55,28	2 2 54,79	—	102 2 55,03	—	2 52,46	—	+	2,57	3,554
659	5 53 58,45	5 53 57,48	—	110 53 57,96	53 56,80	53 54,03	+1,16	+	3,93	3,397
660	5 13 53,43	5 13 53,98	—	91 13 53,71	—	13 50,93	—	+	2,78	3,387
661	5 56 24,55	5 56 24,37	—	57 56 24,46	—	56 28,97	—	—	4,51	3,337
662	5 11 13,67	5 11 14,43	—	84 11 14,05	—	11 9,87	—	+	4,18	3,335
663	1 32 15,50	3 32 17,42	7 32 17,41	71 32 17,22	—	32 17,41	—	—	0,19	3,287
664	—	—	6 50 33,19	86 50 33,19	—	50 35,88	—	—	2,69	3,280
665	5 25 52,80	14 25 51,95	—	90 25 52,17	25 50,10	25 49,95	+2,07	+	2,22	3,194
666	—	—	5 39 13,32	69 39 13,32	—	39 9,31	—	+	4,01	3,175
667	—	—	—	71 35 —	—	35 10,19	—	—	—	3,173
668	2 25 53,45	2 25 52,06	—	97 25 52,75	—	25 55,52	—	—	2,77	3,160
669	1 59 37,99	4 59 38,15	—	110 59 38,12	—	59 52,38	—	—	14,26	3,148
670	—	—	6 49 13,05	75 49 13,05	—	49 8,83	—	+	4,22	3,115
671	—	—	5 4 48,26	66 4 48,26	—	4 50,21	—	—	1,95	3,043
672	5 35 56,03	—	—	125 35 56,03	—	35 50,54	—	+	5,49	3,034
673	6 56 51,61	5 56 53,11	—	107 56 52,29	56 54,00	56 54,19	-1,71	—	1,90	3,029
674	—	—	5 27 17,86	62 27 17,86	—	27 15,42	—	+	2,44	3,026
675	—	—	5 21 17,96	86 21 17,96	—	21 16,26	—	+	1,70	3,020

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
			s.	s.	s.				s.	s.	s.	s.	s.
676	4.5	37 Orionis ϕ^1	2 36,19	4 36,09	—	5 25 36,12	36,04	35,67	+0,08	+0,45	+3,286		
677	4	39 Orionis λ	—	6 53,33	—	5 25 53,33	53,41	53,00	-0,08	+0,33	3,297		
678	7	Tauri	—	1 39,66	5 39,51	5 26 39,56	—	39,19	—	+0,37	3,736		
679	6	41 Orionis θ^1	—	—	—	5 27 —	—	1,52	—	—	2,941		
680	5	42 Orionis c^1	5 6,10	6 6,09	—	5 27 6,09	—	5,53	—	+0,56	2,953		
681	6	43 Orionis θ^2	—	—	12 8,08	5 27 8,08	—	7,72	—	+0,36	2,940		
682	3.4	44 Orionis ι	2 13,00	3 13,11	—	5 27 13,07	13,15	13,48	-0,08	-0,41	2,928		
683	6	122 Tauri	—	—	4 19,16	5 27 19,18	—	18,66	—	+0,52	3,471		
684	3.4	123 Tauri ζ	6 36,56	6 36,53	—	5 27 36,55	36,51	35,81	+0,04	+0,74	3,577		
685	5	40 Orionis ϕ^2	—	6 40,80	—	5 27 40,80	—	40,28	—	+0,52	3,282		
686	2.3	46 Orionis ϵ	2 41,50	10 41,50	—	5 27 41,50	41,50	41,35	0,00	+0,15	3,038		
687	5	26 Aurigæ ι	—	—	6 50,15	5 27 50,17	—	50,85	—	-0,68	3,844		
688	6	125 Tauri	—	—	5 19,69	5 29 19,71	19,73	19,03	-0,02	+0,68	3,708		
689	6	Columbæ	—	—	3 36,28	5 29 36,25	—	36,07	—	+0,18	2,339		
690	4	48 Orionis σ	11 18,86	6 18,92	—	5 30 18,88	18,95	18,57	-0,07	+0,31	3,005		
691	6	47 Orionis ω	—	—	6 19,24	5 30 19,24	—	24,20	—	—	3,161		
692	6	Columbæ ν^1	—	—	5 38,71	5 30 38,68	—	38,06	—	+0,62	2,364		
693	5	49 Orionis δ	1 45,19	6 45,55	—	5 30 45,50	—	45,68	—	-0,18	2,898		
694	6	Orionis	—	—	5 9,16	5 31 9,16	—	8,85	—	+0,31	2,983		
695	6	Columbæ ν^2	—	6 11,39	—	5 31 11,38	—	11,25	—	+0,13	2,339		
696	5.6	126 Tauri	—	6 35,32	—	5 31 35,33	—	34,66	—	+0,67	3,459		
697	4	Doradus β	—	6 10,70	—	5 32 10,64	—	10,18	—	+0,46	0,509		
698	3	50 Orionis ζ	6 16,92	17 17,09	2 17,12	5 32 17,02	17,09	17,12	-0,07	-0,10	3,021		
699	2	Columbæ α	7 34,14	6 34,11	12 34,26	5 33 34,15	34,17	33,81	-0,02	+0,34	2,167		
700	6	51 Orionis δ	—	4 47,56	2 47,52	5 33 47,55	—	47,35	—	+0,20	3,100		
701	7	Tauri	—	—	6 26,06	5 34 26,08	—	26,11	—	-0,03	3,401		
702	6	12 Leporis	1 10,20	5 9,99	—	5 35 10,02	—	9,08	—	+0,94	2,519		
703	6	128 Tauri M	—	6 12,65	—	5 35 12,66	—	11,75	—	+0,91	3,449		
704	6	129 Tauri	—	1 5,92	5 6,00	5 37 6,01	—	5,52	—	+0,49	3,443		
705	4	13 Leporis γ	15 27,72	6 27,76	—	5 37 27,73	27,79	27,32	-0,06	+0,41	2,517		
706	6	130 Tauri N	—	—	5 38,74	5 37 38,76	—	38,49	—	+0,27	3,491		
707	6	131 Tauri O	—	—	6 39,12	5 37 39,14	—	39,30	—	-0,16	3,410		
708	6	133 Tauri	—	—	5 11,40	5 38 11,42	—	11,20	—	+0,22	3,396		
709	5	132 Tauri B	5 42,55	6 42,56	1 42,47	5 38 42,56	42,70	41,87	-0,14	+0,69	3,674		
710	6	52 Orionis	—	—	4 58,89	5 38 58,89	—	58,50	—	+0,39	3,217		
711	4.5	14 Leporis ζ	5 20,69	6 20,82	2 20,67	5 39 20,75	20,84	20,24	-0,09	+0,51	2,714		
712	5	Columbæ μ	—	4 45,64	—	5 39 45,62	—	45,24	—	+0,38	2,224		
713	3	53 Orionis κ	2 47,38	6 47,44	—	5 39 47,43	47,40	47,20	+0,03	+0,23	2,840		
714	5	32 Aurigæ ν	—	6 50,91	—	5 39 50,93	—	50,63	—	+0,30	4,148		
715	5	31 Camelopard.	—	6 55,50	—	5 39 55,54	—	54,77	—	+0,77	5,358		
716	5.6	134 Tauri P	—	—	5 6,86	5 40 6,88	—	6,14	—	+0,74	3,365		
717	7	Tauri	—	—	5 23,10	5 40 23,13	—	22,87	—	+0,26	3,773		
718	5	30 Aurigæ ξ	1 46,25	5 46,34	—	5 40 46,36	—	46,28	—	+0,08	5,017		
719	6	135 Tauri	—	4 55,68	2 55,69	5 40 55,69	—	54,84	—	+0,85	3,406		
720	7	Tauri	—	—	5 14,84	5 41 14,86	—	15,09	—	-0,23	3,410		

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A. S. C	
676	5 37	56,66	5 37	55,84			80 37 50,25		37 53,08	+	3,17	— 3,007
677	5 11	12,99	5 11	12,20	5 11	12,44	80 11 12,54	11 8,42	11 4,05	+ 4,12	+ 8,49	2,982
678					5 11	18,16	63 11 18,16		11 19,34	—	1,18	2,917
679	1 30	25,04			4 30	27,93	95 30 26,63		30 22,32	+	4,31	2,882
680	5 57	24,45	5 57	26,26			94 57 25,35		57 16,49	+	8,86	2,877
681			2 32	1,85			95 32 1,85		31 55,59	+	6,26	2,873
682	4 1	34,26	4 1	35,12			96 1 34,69	1 36,98	1 29,85	— 2,29	+ 4,84	2,865
683					5 4	14,63	73 4 14,63		4 16,55	—	1,92	2,859
684	6 58	0,92	4 58	0,62	6 58	2,27	68 58 1,36	58 3,69	58 1,84	— 2,33	— 0,48	2,835
685	3 48	27,31	5 48	30,42			80 48 29,25		48 27,68	+	1,57	2,827
686	10 18	57,47	9 18	57,76			91 18 57,61	18 58,10	18 57,02	— 0,49	+ 0,59	2,825
687	5 37	0,86					59 37 0,86		36 49,72	+	11,14	2,814
688	1 12	18,16			4 12	20,33	64 12 19,90	12 19,34	12 16,00	+ 0,56	+ 3,90	2,886
689					5 49	2,88	118 49 2,88		49 5,84	—	2,96	2,657
690	5 42	11,14	5 42	13,62			92 42 12,39	42 13,76	42 9,10	— 1,37	+ 3,29	2,598
691			6 58	53,96			85 58 53,96		58 50,04	+	3,92	2,590
692			5 58	25,75			117 58 25,75		58 25,29	+	0,46	2,568
693	5 18	47,11	4 18	46,12			97 18 46,67		18 44,27	+	2,40	2,558
694					5 39	52,08	93 39 52,08		39 53,05	—	0,97	2,525
695					5 47	42,96	118 47 42,96		47 46,54	—	3,58	2,520
696					6 33	37,09	73 33 37,09		33 35,29	+	1,80	2,489
697	4 36	1,70	5 36	1,62			152 36 1,61		36 0,50	+	1,14	2,429
698	4 2	15,61	16 2	18,36			92 2 17,81	2 17,94	2 16,64	— 0,13	+ 1,17	2,427
699	40 10	5,11			3 10	5,12	124 10 5,12	10 7,40	10 5,56	— 2,28	— 0,44	2,313
700			5 36	47,78			88 36 47,78		36 46,82	+	0,96	2,296
701					4 54	35,48	75 54 35,48					2,241
702			1 27	39,42			112 27 39,42		27 38,09	+	1,33	2,176
703			5 59	35,54			73 59 35,54		59 34,25	+	1,29	2,175
704			5 15	2,06			74 15 2,06		14 57,31	+	4,75	2,010
705	5 30	29,28	5 30	29,05	3 30	28,51	112 30 29,01	30 31,05	30 30,59	— 2,04	— 1,58	1,976
706			7 20	29,10			72 20 29,10		20 25,66	+	3,44	1,962
707					6 34	55,42	75 34 55,42		34 52,86	+	2,56	1,961
708					4 10	9,32	76 10 9,32		10 3,26	+	6,06	1,915
709	4 29	50,04	4 29	49,68	6 29	50,08	65 29 49,95	29 50,75	29 46,92	— 0,80	+ 3,03	1,871
710					6 36	41,92	83 36 41,92		36 42,66	—	0,74	1,845
711	5 53	29,35	5 53	30,94			104 53 30,14	53 27,10	53 23,45	+ 3,04	+ 6,69	1,812
712	5 22	30,39	5 22	29,86			122 22 30,12		22 29,25	+	0,87	1,775
713	5 44	11,24	4 44	11,59			99 44 11,40	44 8,61	44 4,28	+ 2,79	+ 7,12	1,774
714	5 54	37,51	2 54	36,75			50 54 37,29		54 37,90	—	0,61	1,772
715	5 9	47,31					30 9 47,31		9 42,39	+	4,92	1,770
716			3 24	31,61	2 24	32,79	77 24 32,14		24 27,00	+	5,14	1,748
717					5 5	29,57	62 5 29,57		5 28,14	+	1,43	1,725
718	4 20	40,59					34 20 40,59		20 35,61	+	4,98	1,694
719					6 45	5,43	75 45 5,43		45 55,31	+	10,12	1,677
720					5 36	48,91	75 36 48,91		36 44,13	+	4,73	1,648

xxxiv *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^h Catal.	A. S. Catal.	Difference from		Annual Preces- sion				
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.					
			s.	s.	s.				s.	s.	s.	s.	s.				
721	7	Tauri			4	19,06	5	41	19,08		17,66		+1,42	+3,400			
722	4.5	136 Tauri C	13	46,29	5	46,29		5	42	46,29	46,31	46,01	-0,02	+0,28	3,763		
723	6	137 Tauri D				5	49,98	5	42	50,00		49,69	+0,31	3,403			
724	6	Leporis				5	52,90	5	42	52,87		52,36	+0,51	2,502			
725	6	55 Orionis				5	15,54	5	43	15,53		15,22	+0,31	2,891			
726	5.6	56 Orionis				5	43,37	5	43	43,37		43,04	+0,33	3,110			
727	6.7	Aurigæ			7	4,73	5	44	4,76		4,87		-0,11	3,890			
728	5	15 Leporis δ	4	5,89	5	5,92		5	44	5,90		5,67	+0,23	2,559			
729	5	54 Orionis χ ¹	5	26,34	6	26,08		5	44	26,20	26,27	25,82	-0,07	+0,38	3,559		
730	5	Doradus δ				6	29,22		5	44	29,15		28,16	+0,99	0,102		
731	6	57 Orionis χ ²			4	0,11	5	44	0,13	0,03	0,30	+0,10	-0,17	3,546			
732	3	Columbæ β	3	2,60	6	2,49		5	45	2,51	2,32	2,33	+0,19	+0,18	2,105		
733	3.4	33 Aurigæ δ				4	41,92		5	45	41,96	41,82	41,24	+0,14	+0,72	4,921	
734	1	58 Orionis α	7	4,67	19	4,71	54	4,75	5	46	4,74	4,39	4,66	-0,05	+0,08	3,241	
735	2	34 Aurigæ β	5	12,36	1	12,44			5	47	12,38	12,40	12,25	-0,02	+0,13	4,398	
736	5	35 Aurigæ α				6	28,21		5	47	28,23		27,92	+0,31	4,445		
737	5.6	139 Tauri			5	34,35		5	47	34,38		34,12	+0,26		3,717		
738	4	37 Aurigæ δ	14	15,95	6	16,05			5	48	15,99	15,92	15,63	+0,07	+0,36	4,081	
739	4	16 Leporis η	6	45,56		6	45,38			5	48	45,47	45,50	45,06	-0,03	+0,41	2,730
740	6	59 Orionis				6	40,98		5	49	40,98		40,54	+0,44		3,110	
741	5	Doradus ε			5	4,35		5	50	4,28		2,74	+1,54	-0,069			
742	6	60 Orionis B			6	11,50			5	50	11,50		11,01	+0,49	+3,080		
743	7	Aurigæ				5	27,12	5	50	27,15		26,90	+0,25		3,765		
744	5.6	2 Monocer A ²				6	5,90	5	51	5,89		5,58	+0,31		2,843		
745	6	141 Tauri Q ²				8	33,00	5	51	33,08		32,63	+0,40		3,618		
746	4	Columbæ γ	9	34,86	6	34,99		6	51	34,94	34,86	34,80	+0,08	+0,14		2,122	
747	5	61 Orionis μ	6	8,55	6	8,49	6	8,65	5	53	8,57	8,59	7,85	-0,02	+0,72		3,295
748	5.6	64 Orionis χ ⁴				6	30,74		5	53	30,76		30,94	-0,18		3,546	
749	5	1 Geminor. H	6	54,69	6	54,74			5	53	54,73	54,63	54,32	+0,10	+0,41		3,042
750	5	62 Orionis χ ³	3	56,55		6	56,65		5	53	56,63		56,67	-0,04		3,558	
751	5.6	3 Monocerotis				6	56,36		5	53	56,35		55,92	+0,43		2,818	
752	6	66 Orionis C			6	5,89			5	56	5,89		5,53	+0,36		3,165	
753	5.6	Leporis				6	29,77	5	56	29,74		29,19	+0,55		2,408		
754	6.7	2 Geminorum				6	34,17	5	56	34,29		33,98	+0,22		3,653		
755	7	Orionis				5	3,17	5	57	3,19		2,87	+0,32		3,440		
756	5.6	17 Leporis ρ				5	29,54	2	29,59	5	57	29,55		29,12	+0,43		2,673
757	4.5	67 Orionis υ	19	58,92	4	58,93	8	58,87	5	57	58,91	58,85	58,45	+0,06	+0,46		3,421
758	4.5	18 Leporis θ	1	33,10	7	33,28	6	33,28	5	58	33,26	33,24	33,28	+0,02	-0,02		2,712
759	6.7	Tauri				4	24,73	2	24,71	5	59	24,74		24,73	+0,01		3,614
760	6	3 Geminorum				8	31,89		5	59	31,90		31,54	+0,36		3,639	
761	5	Camelopardi				6	19,13		6	0	19,21		19,01	+0,20		6,616	
762	7	4 Geminorum				3	18,50		6	0	18,51		17,94	+0,57		3,636	
763	6	19 Leporis τ				6	23,26	6	0	23,24		22,77	+0,47		2,604		
764	5	40 Camelopardi	1	34,37	5	34,76			6	0	34,76		34,43	+0,33		5,385	
765	6	4 Monocer D ²				2	33,35	6	0	33,34						2,805	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession
	No. 1881	No. 1832	No. 1833				Green.	A. S. C.	
721	—	5 11 1,42	—	70 11 1,42	—	—	—	—	1,644
722	5 26 7,12	4 26 7,85	7 26 7,69	62 26 7,56	26 8,60	—	-1,04	—	1,517
723	—	6 52 43,78	—	75 52 43,78	—	52 42,39	—	+ 1,39	1,510
724	—	—	4 1 39,36	113 1 39,36	—	1 43,84	—	- 4,48	1,504
725	—	—	5 33 27,69	97 33 27,69	—	34 9,99	—	—	1,472
726	—	—	5 11 33,57	88 11 33,57	—	11 33,51	—	+ 0,06	1,432
727	—	—	5 19 55,91	58 19 55,91	—	19 52,58	—	+ 3,33	1,402*
728	5 53 56,66	5 53 56,26	—	110 53 56,46	—	53 56,09	—	+ 0,37	0,777
729	5 45 48,04	6 45 48,79	5 45 48,43	69 45 48,43	45 45,67	45 45,24	+2,76	+ 3,19	1,371
730	6 47 55,78	—	—	155 47 55,78	—	47 54,13	—	+ 1,65	1,357
731	—	5 17 29,80	—	70 17 29,80	17 26,90	17 22,49	+2,90	+ 7,31	1,321
732	5 50 12,17	4 50 10,63	—	125 50 11,49	—	50 20,58	—	— 9,09	1,314
733	5 44 24,71	—	—	35 44 24,71	44 21,46	44 23,42	+3,25	+ 1,29	1,265
734	45 37 52,16	24 37 52,54	49 37 52,79	82 37 52,50	37 53,70	37 53,42	-1,20	- 0,92	1,226
735	6 4 50,55	5 4 51,02	—	45 4 50,77	4 45,67	4 46,38	+5,10	+ 4,39	1,131
736	5 5 16,61	—	—	44 5 16,61	—	5 17,61	—	- 1,00	1,109
737	—	—	—	64 —	—	4 31,13	—	—	1,097
738	5 48 27,83	5 48 27,73	2 48 27,60	52 48 27,75	48 29,38	48 26,94	-1 63	+ 0,81	1,038
739	5 12 13,50	5 12 15,01	—	104 12 14,26	12 17,10	12 10,23	-2,84	+ 4,03	0,991
740	—	—	5 11 13,88	88 11 13,88	—	11 9,25	—	+ 4,63	0,912
741	5 56 35,25	4 56 32,70	—	156 56 34,12	—	56 52,04	—	- 17,92	0,870
742	—	5 28 12,33	—	89 28 12,33	—	28 9,52	—	+ 2,81	0,867
743	—	4 26 38,72	1 26 39,71	62 26 38,92	—	26 40,66	—	- 1,74	0,846
744	—	—	5 34 36,44	99 34 36,44	—	34 30,94	—	+ 5,50	0,787
745	—	—	5 36 41,12	67 36 41,12	—	36 38,49	—	+ 2,63	0,750
746	5 18 24,55	5 18 27,30	—	125 18 25,92	—	18 21,86	—	+ 4,06	0,742
747	5 21 40,54	5 21 40,27	5 21 40,02	80 21 40,28	21 35,33	21 37,32	+4,95	+ 2,96	0,610
748	—	5 18 54,90	—	70 18 54,90	—	18 48,24	—	+ 6,66	0,577
749	5 44 7,60	6 44 7,59	5 44 7,61	66 44 7,60	44 8,77	44 6,63	-1,17	+ 0,97	0,543
750	5 52 0,45	4 51 57,74	—	69 51 59,25	—	51 56,05	—	+ 3,20	0,540
751	4 36 24,61	—	—	100 36 24,61	—	36 23,32	—	+ 1,29	0,539
752	—	6 50 20,40	—	85 50 20,40	—	50 19,86	—	+ 0,54	0,351
753	—	4 17 21,52	—	116 17 21,52	—	17 21,36	—	+ 0,16	0,314
754	—	4 21 15,28	—	66 21 15,28	—	21 6,84	—	+ 6,44	0,311
755	—	5 27 44,41	—	74 27 44,41	—	26 40,66	—	+ 3,75	0,268
756	—	—	5 28 44,63	106 28 44,63	—	28 48,06	—	- 3,43	0,228
757	11 13 12,25	5 13 13,56	11 13 12,87	75 13 12,75	13 7,21	13 2,83	+5,54	+ 9,92	0,187
758	7 55 37,34	4 55 39,42	—	104 55 38,10	55 35,48	55 39,58	+2,62	- 1,48	0,134
759	—	5 47 24,68	—	67 47 24,68	—	47 27,85	—	- 3,17	0,062
760	—	5 52 1,35	—	66 52 1,35	—	52 1,73	—	- 0,38	0,052
761	5 38 12,01	5 38 12,08	—	20 38 12,04	—	38 6,44	—	+ 5,60	+ 0,009
762	—	—	5 58 46,12	66 58 46,12	—	58 45,15	—	+ 0,97	0,016
763	—	—	5 9 7,12	109 9 7,12	—	9 6,13	—	+ 0,99	0,026
764	4 58 7,02	5 58 5,58	—	29 58 6,22	—	58 1,07	—	+ 5,15	0,034
765	—	—	4 7 38,77	101 7 38,77	—	7 38,35	—	+ 0,42	0,038

xxvi *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	1832					Green.	A. S.	
			s.	s.	s.	h.	m.	s.	s.	s.	s.	s.	
766	7	5 Geminorum			6 13,96	6	1	13,98		13,90		+0,08	+3,676
767	5	Columbæ θ	5 46,24	6 46,15		6	1	46,18		45,68		+0,50	2,053
768	6	68 Orionis E^1			4 4,42	6	2	4,44		3,78		+0,66	3,550
769	6.7	6 Geminorum			5 7,76	6	2	7,78		7,24		+0,54	3,634
770	5	1 Lyncis α	4 24,85	2 25,04		6	2	24,94		24,69		+0,25	5,535
771	6	69 Orionis f^1			5 22,12	6	2	22,14		21,51		+0,63	3,455
772	5	70 Orionis ξ	8 23,28	6 23,27		6	2	23,28		23,13		+0,15	3,407
773	6	Canis Maj.		6 53,74		6	3	53,72		53,25		+0,47	2,384
774	4	44 Aurigæ α	5 40,46	1 40,28		6	4	40,43	40,34	39,66	+0,09	+0,77	3,825
775	4.5	7 Geminor. η	2 44,18	5 44,16	7 44,20	6	4	44,20	44,24	43,82	-0,04	+0,38	3,623
776	4.5	2 Lyncis b		4 47,81	2 47,50	6	4	47,78	47,51	47,31	+0,27	+0,47	5,297
777	5.6	71 Orionis E^2	1 57,76	5 57,72		6	4	57,74		58,02		-0,28	3,533
778	6	72 Orionis f^2		5 44,03		6	5	44,04		43,56		+0,48	3,456
779	7	8 Geminor.			5 2,96	6	6	2,99		2,72		+0,27	3,663
780	6	73 Orionis k^1			6 18,79	6	6	18,81		18,44		+0,37	3,367
781	4.5	5 Monocer α	18 39,74	6 39,80	14 39,80	6	6	39,77	39,79	39,49	-0,02	+0,28	2,922
782	7	9 Geminorum		5 43,77		6	6	43,78		43,26		+0,52	3,657
783	5.6	74 Orionis k^2			5 0,65	6	7	0,67		0,32		+0,05	3,360
784	7	Aurigæ		4 49,05	2 48,91	6	7	49,01		48,90		+0,11	3,756
785	6	75 Orionis l			5 51,51	6	7	51,51		51,25		+0,26	3,303
786	7	11 Geminorum		5 5,69	3 5,61	6	9	5,67		5,14		+0,53	3,649
787	4.5	Columbæ α	16 34,56	6 34,61		6	10	34,57	34,74	34,56	-0,17	+0,01	2,130
788	6	7 Monocerotis		5 37,32		6	11	37,32		37,60		-0,28	2,886
789	5	46 Aurigæ d	3 57,31	5 57,27		6	11	57,30		57,00		+0,30	4,623
790	3	13 Geminor μ	8 47,66	7 47,82	7 47,71	6	12	47,75	47,83	47,44	-0,08	+0,31	3,623
791	3	1 Canis Maj. ζ	6 51,94	6 51,95	6 51,96	6	13	51,94	52,01	51,95	-0,07	-0,01	2,298
792	7	Geminorum		6 22,78		6	14	22,79		22,60		+0,19	3,694
793	6	Monocerotis		6 27,27		6	14	27,27		27,09		+0,18	3,158
794	5.6	8 Monocer b		6 52,00		6	14	52,00		51,82		+0,18	3,177
795	7	Geminorum		5 19,30		6	15	19,31		18,82		+0,49	3,648
796	7	Geminorum			6 20,08	6	15	20,11		19,87		+0,24	3,645
797	2.3	2 Canis Maj. β	7 18,10	6 18,15	20 18,25	6	15	18,19	18,21	17,94	-0,02	+0,25	2,638
798	4	3 Canis Maj λ	2 58,63	6 58,52		6	15	58,54	58,47	58,29	+0,07	+0,25	2,191
799	6	15 Geminorum			5 45,75	6	17	45,77		45,37		+0,40	3,576
800	6	48 Aurigæ z			4 46,16	6	17	46,19		45,96		+0,23	3,856
801	6	16 Geminorum			5 57,20	6	17	57,22		56,81		+0,41	3,569
802	6	77 Orionis D^1			5 36,23	6	18	36,23		36,33		-0,10	3,077
803	6	78 Orionis D^2			6 40,61	6	18	40,61		40,40		+0,21	3,064
804	5	15 Geminorum v	18 59,26	7 59,24	7 59,08	6	18	59,21	59,17	58,76	+0,04	+0,45	3,561
805	7	17 Geminorum		5 45,69		6	17	45,70		9,12			3,588
806	6	10 Monocerotis		6 39,98		6	19	39,98		39,84		+0,14	2,959
807	1	Argus α	12 13,22		12 13,42	6	20	13,28		13,23		+0,05	1,327
808	7	Geminorum		2 29,29	5 29,32	6	21	29,34		29,04		+0,30	3,918
809	6.7	19 Geminorum			7 57,75	6	21	57,77		57,36		+0,41	3,450
810	5	Canis Maj. D^1	5 56,98	6 56,70		6	21	56,82		56,67		+0,15	2,221

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in					Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession.	
	No.	1831	No.	1832	No.				1833	Green.		A. S. O
766					5 33	5,06	65 33 5,06	33 2,17		+	2,89	+0,097
767	4 14	1,76	5 14	3,08			127 14 2,49	14 2,90		-	0,41	0,148
768			1 10	52,67	4 10	52,89	70 10 52,85	10 44,01		+	8,84	0,170
769			5 3	41,49			67 3 41,49	3 39,94		+	1,55	0,175
770	4 26	32,57	5 26	33,01			28 26 32,82	26 38,73		-	5,91	0,195
771			6 50	19,95			73 50 19,95	50 16,88		+	3,07	0,196
772	4 45	43,73	5 45	40,14			75 45 41,74	45 40,74		+	1,00	0,199
773			5 7	20,80			117 7 20,80	7 19,50		+	1,30	0,333
774	5 26	56,85	5 26	56,09	5 26	57,21	60 26 56,72	26 57,63	+3,14	-	0,91	0,396
775	10 27	5,65	4 27	6,47	5 27	6,63	67 27 6,08	27 7,90	-3,39	-	1,82	0,403
776	7 56	27,19	5 56	27,62	5 56	26,66	30 56 27,16	56 26,68	+0,48	+	1,01	0,403
777					5 47	41,77	70 47 41,77	47 32,65		+	9,12	0,424
778					5 48	44,34	73 48 44,34	48 39,13		+	5,21	0,491
779			5 59	0,79			65 59 0,79	58 59,86		+	0,93	0,518
780					5 24	12,72	77 24 12,72	24 15,62		-	2,90	0,542
781	5 13	48,75	9 13	47,85			96 13 48,17	13 43,75	-0,21	+	4,42	0,574
782					5 12	36,69	66 12 36,69	12 39,37		-	2,68	0,577
783	5 41	17,61			5 41	18,29	77 41 17,95	41 15,88		+	2,07	0,603
784			5 43	57,05			62 43 57,05	43 56,15		+	0,90	0,672
785			5 0	19,48			80 0 19,48	0 13,23		+	6,25	0,677
786			5 28	19,93			66 28 19,93	28 18,89		+	1,04	0,784
787	5 5	26,03	5 5	25,68			125 5 25,85	5 22,00		+	3,85	0,918
788			5 45	30,52			97 45 30,52	45 29,17		+	1,35	1,008
789	5 38	15,33	5 38	14,11			40 38 14,72	38 16,08		-	1,36	1,008
790	20 24	27,86	5 24	26,69	18 24	27,56	67 24 27,59	24 27,46	-2,08	+	0,13	1,107
791	5 59	42,83	5 59	43,71			119 59 43,27	59 44,18	+5,57	-	0,91	1,205
792			6 52	19,95			64 52 19,95	52 16,25		+	3,70	1,246
793	3 9	28,02	2 9	29,67			86 9 28,68	9 26,56		+	2,12	1,254
794			1 19	47,25	4 19	47,58	85 19 47,52	19 36,16		+	11,36	1,290
795			7 28	24,84			66 28 24,84	28 26,70		-	1,86	1,328
796			3 35	17,21			66 35 17,21	35 17,35		-	0,14	1,329
797	27 52	40,11	5 52	39,92	5 52	40,29	107 52 40,08	52 41,98	-1,90	-	8,28	1,329
798	5 21	20,55	5 21	19,03			123 21 19,79	21 26,02	-2,71	-	6,23	1,389
799			5 6	54,99			60 6 54,99	6 55,01		-	0,02	1,541
800			5 24	44,47			59 24 44,47	24 39,22		+	5,25	1,541
801			5 24	40,35			69 24 40,35	24 36,28		+	4,07	1,558
802					6 36	28,13	89 36 28,13	36 24,30		+	3,83	1,616
803					4 11	0,40	90 11 0,40	10 53,91		+	6,49	1,622
804	5 41	24,20	6 41	22,38	5 41	24,32	69 41 23,68	41 18,67	+2,29	+	5,01	1,648
805					5 7	1,90	69 7 1,90	7 3,86		-	1,96	1,663
806			5 39	57,98			94 39 57,98	39 56,51		+	1,47	1,709
807	59 36	22,19	15 36	23,38	13 36	21,78	142 36 22,33	36 31,02		-	8,69	1,762
808			5 26	2,67			57 26 2,67	26 1,62		+	1,05	1,865
809			5 59	10,15			73 59 10,15	59 7,24		+	2,91	1,907
810	6 28	44,84	5 28	42,47			122 28 43,76	28 47,17		-	3,41	1,910

xxxviii *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Greenh Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
811	7	21 Geminorum			5 30,10	6 22 30,12		s.	30,32	s.	-0,20	+3,497	
812	6	12 Monocer <i>e</i>		6 24,19		6 23 24,19			24,22		-0,03	3,184	
813	5	13 Monocer <i>f</i>	6 49,18	5 49,12		6 23 49,15			49,04		+0,11	3,242	
814	6.7	Geminorum		6 3,84		6 24 3,86			3,50		+0,36	3,406	
815	6	Canis Maj. <i>C</i>		5 7,37		6 24 7,35			7,61		-0,26	2,372	
816	6	Canis Maj.		1 32,15	4 32,09	6 24 32,08			32,01		+0,07	2,638	
817	6	49 Aurigæ <i>c</i>			5 36,91	6 24 36,94			37,45		-0,51	3,779	
818	5.6	4 Canis Maj. ξ^1			4 51,58	6 24 51,55			50,95		+0,60	2,496	
819	6	14 Monocer <i>g</i>			5 40,53	6 25 40,54			40,23		+0,31	3,248	
820	3	24 Geminor. <i>\gamma</i>	3 0,06	4 0,34	2 0,19	6 28 0,23		-0,29	59,93	-0,06	+0,30	3,462	
821	5	5 Canis Maj. ξ^2	4 1,26	2 1,01		6 28 1,17			0,74		+0,43	2,510	
822	6	54 Aurigæ		6 57,33		6 28 57,35			57,03		+0,32	3,785	
823	5	7 Canis Maj. ν^2	4 21,39	6 21,48		6 29 21,44			21,32		+0,12	2,609	
824	5.6	8 Canis Maj. μ^3		6 30,20		6 30 30,19			29,92		+0,27	2,635	
825	7	25 Geminorum		3 45,50	2 45,31	6 30 45,45			44,84		+0,61	3,782	
826	5	55 Aurigæ	2 50,99	4 50,83		6 30 50,91			50,86		+0,05	4,377	
827	6	15 Monocer <i>h</i>		4 43,49	2 43,60	6 31 43,54			43,40		+0,14	3,302	
828	5.6	26 Geminor <i>\mu</i>			7 37,18	6 32 37,20		37,25	37,13	-0,05	+0,07	3,493	
829	3	Argus <i>\nu</i>	4 37,24	6 37,39		6 32 37,32			37,32		0,00	1,832	
830	5	42 Camelopardi	5 23,39			6 33 23,39			23,12		+0,27	6,299	
831	3	27 Geminor <i>\epsilon</i>	5 35,69	4 35,62	8 35,52	6 33 35,62		35,63	35,28	0 01	+0,34	3,693	
832	6	28 Geminorum		4 6,61	2 6,48	6 34 6,59		6,33	6,05	+0,26	+0,54	3,805	
833	5.6	30 Geminor ξ^1		6 30,92		6 34 30,93			29,95		+0,98	3,383	
834	5	Camelopardi		5 26,75		6 35 26,88			26,36		+0,52	3,868	
835	5	43 Camelop. <i>g</i>		6 32,76		6 35 32,84			34,81			6,520	
836	4	31 Geminor ξ^2	6 51,75	5 51,54		6 35 51,66		51,53	51,57	+0,13	+0,09	3,375	
837	6	16 Monocerotis		6 22,66		6 37 22,66			22,02		+0,64	3,271	
838	1	9 Canis Maj. <i>\alpha</i>	21 44,62	10 44,59	77 44,67	6 37 44,63		44,55	44,56	+0,08	+0,07	2,643*	
839	5	17 Monocer <i>i</i>	4 12,47	4 12,43		6 38 12,45			12,03		+0,42	3,258	
840	5	18 Monocer <i>k</i>	1 5,77	5 6,09		6 39 6,05			5,81		+0,24	3,128	
841	6	11 Canis Maj. \downarrow^2		6 11,33		6 39 11,32			10,78		+0,54	2,734	
842	6	33 Geminor <i>G</i>		6 9,52		6 40 9,53			8,56		+0,97	3,455	
843	6	35 Geminorum			6 56,40	6 40 56,42			56,22		+0,20	3,386	
844	6.7	36 Geminor <i>d</i>		6 28,89		6 41 28,99			28,62		+0,28	3,598	
845	5	Arginup <i>x</i>	7 36,40	6 36,38		6 41 36,38			36,43		-0,05	2,051	
846	5	34 Geminor <i>\beta</i>	3 42,62	5 42,43		6 41 42,52			42,14		+0,38	3,960	
847	5	15 Lyncis <i>e</i>	4 42,39	1 42,44		6 42 42,34			41,78		+0,56	5,222	
848	4	13 Canis Maj. ν^2	6 34,06	6 34,13	7 34,11	6 43 34,09		34,13	33,91	-0,04	+0,18	2,238	
849	5	Canis Maj	7 45,69	5 45,83		6 44 45,74			45,70		+0,04	2,178	
850	6	37 Geminorum		5 58,54	2 58,47	6 44 58,53			58,01		+0,52	3,695	
851	5.6	38 Geminor <i>el</i>			5 9,78	6 45 9,89			9,65		+0,15	3,389	
852	4	Argus <i>\sigma</i>		6 46,24	1 45,93	6 45 46,16			45,85		+0,31	1,484	
853	5.6	15 Canis Maj. π^1			6 17,08	6 46 17,06			16,84		+0,22	2,591	
854	5	14 Canis Maj. <i>\beta</i>		6 23,37		6 46 23,36			23,01		+0,35	2,794	
855	7	Geminorum		6 30,24		6 46 30,25			29,90		+0,35	3,492	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N P D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
811	—	5 6 19,49	—	72 6 19,49	—	6 17,37	—	+ 1,62	+1,955
812	—	4 1 57,15	1 1 56,04	85 1 56,93	—	1 47,73	—	+ 9,20	2,034
813	5 33 4,08	5 33 0,58	—	82 33 2,33	—	33 6,48	—	— 4,15	2,070
814	—	—	5 43 26,80	75 43 26,80	—	43 20,57	—	+ 6,23	2,090
815	—	5 39 25,37	—	117 39 25,37	—	39 27,03	—	— 1,66	2,099
816	—	4 56 46,34	—	107 56 46,34	—	56 49,57	—	— 3,23	2,134
817	—	5 51 18,68	—	61 51 18,68	—	51 20,12	—	— 1,44	2,138
818	—	5 17 9,11	—	113 17 9,11	—	18 10,44	—	— 1,33	2,162
819	—	5 18 15,65	—	82 18 15,65	—	18 16,32	—	— 0,67	2,231
820	10 27 50,90	5 27 51,74	16 27 51,43	73 27 51,31	27 53,66	27 51,35	—2,35	— 0,04	2,432
821	5 50 11,08	5 50 10,88	—	112 50 10,98	—	50 7,83	—	+ 3,15	2,436
822	—	8 35 48,62	—	61 35 48,62	—	35 50,69	—	— 2,07	2,514
823	5 7 4,24	5 7 3,68	—	109 7 3,96	—	7 3,72	—	+ 0,24	2,553
824	—	5 5 50,72	—	108 5 50,72	—	5 49,18	—	+ 1,54	2,652
825	—	2 39 24,37	—	61 39 24,37	—	39 22,45	—	+ 1,92	2,670
826	5 19 27,37	5 19 28,14	—	45 19 27,75	—	19 24,34	—	+ 3,41	2,677
827	5 57 27,21	3 57 27,45	—	79 57 27,33	—	57 22,25	—	+ 5,08	2,756
828	—	5 11 53,32	—	72 11 53,32	11 51,84	11 51,21	+1,48	+ 2,11	2,833
829	5 3 8,02	5 3 5,48	—	133 3 6,75	—	3 10,64	—	— 3,89	2,838
830	5 15 26,34	5 15 24,94	—	22 15 25,64	—	15 26,56	—	— 0,92	2,891
831	16 42 40,30	6 42 42,83	23 42 41,68	64 42 41,33	42 39,04	42 36,57	+2,29	+ 4,76	2,916
832	—	5 52 4,35	—	60 52 4,35	52 2,39	52 0,70	+1,96	+ 3,65	2,960
833	—	1 36 34,87	4 36 31,92	76 36 32,51	—	36 34,91	—	— 2,40	2,996
834	5 49 39,46	5 49 40,82	—	12 49 40,14	—	49 40,70	—	— 0,56	3,061
835	5 55 51,48	5 55 51,95	—	20 55 51,71	—	55 49,66	—	+ 2,05	3,080
836	5 55 49,01	5 55 48,57	1 55 48,65	76 55 48,77	55 49,24	55 45,24	—0,47	+ 3,53	3,113
837	—	5 14 32,79	—	81 14 32,79	—	14 29,35	—	+ 3,44	3,244
838	52 29 30,49	24 29 30,08	54 29 30,74	106 29 30,46	29 31,08	29 27,58	—0,62	+ 2,88	4,418*
839	5 47 18,42	5 47 18,22	—	81 47 18,32	—	47 17,85	—	+ 0,47	3,316
840	5 24 37,24	5 24 37,78	—	87 24 37,51	—	24 31,34	—	+ 6,17	3,394
841	—	5 15 6,70	—	104 15 6,70	—	15 0,70	—	+ 6,00	3,402
842	—	5 36 47,15	—	73 36 47,15	—	36 45,75	—	+ 1,40	3,483
843	—	5 24 4,46	—	76 24 4,46	—	24 1,48	—	+ 2,98	3,551
844	—	5 2 51,89	—	68 2 51,89	—	2 51,28	—	+ 0,61	3,597
845	5 44 53,96	5 44 51,86	—	127 44 52,91	—	44 56,30	—	— 3,39	3,613
846	5 50 42,31	5 50 44,38	—	55 50 43,35	—	50 43,43	—	— 0,06	3,615
847	5 22 9,30	5 22 6,90	—	31 22 8,10	—	22 11,50	—	— 3,40	3,697
848	5 19 9,35	4 19 9,69	—	122 19 9,50	19 9,20	19 8,20	+0,30	+ 1,30	3,781
849	5 10 24,22	5 10 25,96	—	124 10 25,09	—	10 27,88	—	— 2,79	3,883
850	—	5 25 21,22	—	64 25 21,22	—	25 17,72	—	+ 3,50	3,897
851	5 36 55,81	—	1 36 57,74	76 36 56,13	—	36 55,14	—	+ 0,99	3,914
852	5 25 4,84	5 25 4,86	—	140 25 4,85	—	24 59,70	—	+ 5,15	3,971
853	5 1 23,22	2 1 24,89	—	110 1 23,70	—	1 20,12	—	+ 3,58	4,013
854	—	—	—	101 —	—	50 3,72	—	—	4,021
855	—	5 3 10,94	—	72 3 10,94	—	3 8,28	—	+ 2,66	4,029

xl *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. Greenh January 1, 1832			A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h	m.	s.		Green.	A. S.	
856	4	Equal Pict. α	2 28,05	4 28,04	—	6 46	28,01	—	27,74	+0,27	+0,631	
857	4	16 Canis Maj. α^1	5 9,84	6 9,91	—	6 47	9,87	9,92	9,65	+0,22	2,486	
858	6	17 Canis Maj. π^2	—	2 47,64	4 47,64	6 47	47,62	—	47,47	+0,15	2,587	
859	7	Geminorum	—	—	4 55,72	6 47	55,74	—	55,48	+0,26	3,496	
860	5.6	19 Canis Maj. π^3	—	—	5 20,62	6 48	20,60	—	20,03	+0,57	2,594	
861	6.7	39 Geminor. γ^1	—	—	11 25,76	6 48	25,79	—	25,07	+0,72	3,714	
862	5.6	18 Canis Maj. μ	—	—	6 24,91	6 48	24,90	—	24,28	+0,62	2,716	
863	4.5	20 Canis Maj. ι	10 38,81	5 38,78	3 38,90	6 48	38,81	38,76	38,45	+0,36	2,673	
864	6.7	40 Geminor. γ^2	—	—	5 5,27	6 49	5,30	—	4,95	+0,35	3,709	
865	7	Geminorum	—	2 11,61	2 11,41	6 50	11,53	—	11,19	+0,34	3,446	
866	6.7	41 Geminorum	—	6 36,40	—	6 50	36,41	—	35,98	+0,43	3,450	
867	6	Canis Maj.	—	5 38,08	—	6 50	38,07	—	37,79	+0,28	2,476	
868	6	Canis Maj.	—	6 43,03	—	6 51	43,02	—	42,72	+0,30	2,455	
869	2.3	21 Canis Maj. ϵ	11 1,65	10 1,53	6 1,59	6 52	1,58	1,59	1,29	+0,29	2,354	
870	6	42 Geminor. ω^1	—	—	6 10,16	6 52	10,18	—	10,05	+0,13	3,660	
871	6.7	Geminorum	—	1 49,58	4 49,22	6 52	49,30	—	48,78	+0,52	3,808	
872	4	43 Geminorum ζ	7 8,47	4 8,39	12 8,45	6 54	8,45	8,42	8,33	+0,12	3,562	
873	5.6	19 Monocer. δ	—	6 34,38	—	6 54	34,38	—	33,78	+0,60	2,977	
874	4.5	Camelopardi	4 14,18	5 15,36	—	6 55	14,99	15,27	14,68	+0,31	13,217	
875	3.4	22 Canis Maj. σ	6 1,72	5 1,83	—	6 55	1,76	1,81	1,53	+0,23	2,387	
876	6.7	44 Geminor. ω^2	—	6 11,31	1 10,99	6 55	11,28	—	10,76	+0,52	3,616	
877	4	24 Canis Maj. α^2	4 0,64	6 0,76	—	6 56	0,70	0,79	0,38	+0,32	2,502	
878	4	23 Canis Maj. γ	7 9,50	9 9,53	8 9,54	6 56	9,51	9,46	9,21	+0,30	2,711	
879	6	45 Geminor. ϕ	—	6 43,74	—	6 58	43,75	—	43,56	+0,19	3,444	
880	5	63 Aurigæ	6 5,36	5 5,32	1 5,31	7 0	5,32	—	5,58	+0,26	4,135	
881	5	46 Geminor. τ	5 26,21	5 26,33	—	7 0	26,29	—	26,02	+0,27	3,829	
882	6	47 Geminorum	—	6 57,58	—	7 0	57,60	—	57,25	+0,35	3,729	
883	3.4	25 Canis Maj. δ	5 33,50	7 33,76	6 33,78	7 1	33,66	33,69	33,52	+0,14	2,436	
884	5.6	20 Monocerotis	—	6 53,04	—	7 1	53,04	—	52,96	+0,08	2,979	
885	6	48 Geminor. m	—	6 13,73	2 13,45	7 2	13,69	—	13,22	+0,47	3,652	
886	5.6	Canis Maj.	—	4 47,85	2 47,81	7 2	47,82	—	47,74	+0,08	2,469	
887	4.5	22 Monocer. m	7 17,00	5 17,08	7 17,16	7 3	17,08	17,08	17,12	+0,04	3,063	
888	5	51 Geminorum	5 43,26	1 43,15	6 43,14	7 3	43,20	43,29	43,15	+0,05	3,447	
889	7	52 Geminor. n	—	—	7 24,93	7 4	24,95	—	24,81	+0,14	3,671	
890	6	26 Canis Maj.	—	6 19,91	—	7 5	19,89	—	19,94	+0,05	2,452	
891	6	53 Geminor. π	—	—	6 27,17	7 5	27,20	—	26,73	+0,47	3,755	
892	5	64 Aurigæ	5 20,55	4 20,58	—	7 6	20,58	—	20,16	+0,42	4,188	
893	7	Geminorum	—	6 6,09	—	7 7	6,11	—	5,94	+0,17	3,446	
894	4.5	27 Canis Maj. ϵ^1	9 24,48	6 24,55	—	7 7	24,49	—	24,33	+0,16	2,443	
895	5	Arg. in pup I	5 46,33	6 46,33	—	7 7	46,31	—	46,36	+0,05	1,722	
896	6	28 Canis Maj. ω	—	5 59,73	—	7 7	59,70	—	59,12	+0,58	2,431	
897	5	Arg in pup L	1 12,17	4 11,85	4 11,92	7 8	11,90	—	11,41	+0,49	1,795	
898	4.5	54 Geminor. λ	4 26,20	6 26,18	8 26,03	7 8	26,12	25,98	26,13	+0,14	3,455	
899	6	Canis Maj.	—	6 51,15	—	7 9	51,14	—	50,95	+0,19	2,402	
900	3.4	55 Geminor. δ	6 5,05	2 5,16	12 4,97	7 10	5,02	5,11	4,82	+0,20	3,590	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from			Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A. S.	C	
856	5 45	44,37	1 45	44,39	—	—	151 45 44,37	—	45 47,25	—	—	2,88	+ 4,034
857	5 58	43,43	5 58	41,52	—	—	113 58 42,48	58 46,53	58 43,51	-4,05	—	1,03	4,088
858	—	—	4 11	50,38	—	—	110 11 50,38	—	11 45,57	—	+	4,81	4,142
859	—	—	—	—	5 53	3,06	71 53 3,06	—	53 1,09	—	+	1,97	4,151
860	—	—	4 55	45,26	—	—	109 55 45,26	—	55 37,57	—	+	7,69	4,188
861	—	—	—	—	3 42	19,73	63 42 19,73	—	—	—	—	—	4,192
862	—	—	5 49	54,38	—	—	103 49 54,38	—	49 54,21	—	+	0,17	4,194
863	6 50	31,38	5 50	33,53	—	—	106 50 32,36	50 32,50	50 28,11	-0,14	+	4,25	4,214
864	—	—	1 51	54,23	4 51	54,69	63 51 54,60	—	51 54,13	—	+	0,47	4,249
865	—	—	—	—	3 50	9,21	73 50 9,21	—	50 7,82	—	+	1,39	4,344
866	—	—	5 41	45,46	1 41	45,78	73 41 45,51	—	41 41,89	—	+	3,62	4,379
867	—	—	2 25	3,23	2 25	0,43	114 25 1,83	—	25 1,24	—	+	0,59	4,385
868	—	—	4 11	36,27	—	—	115 11 36,27	—	11 30,20	—	+	6,07	4,477
869	35 44	51,48	6 44	50,00	17 44	50,29	118 44 50,98	44 54,37	44 51,80	-3,39	—	0,82	4,504
870	—	—	5 33	11,42	—	—	65 33 11,42	—	33 7,31	—	+	4,11	4,512
871	—	—	5 23	23,61	—	—	60 23 23,61	—	22 58,32	—	+	25,29	4,567
872	5 11	26,04	8 11	25,23	25 11	26,76	69 11 26,35	11 27,39	11 28,60	-1,04	—	2,25	4,681
873	—	—	5 0	6,64	—	—	94 0 6,64	—	0 0,45	—	+	6,19	4,718
874	5 17	33,08	5 17	33,12	—	—	7 17 33,10	17 32,10	17 31,49	+1,00	+	1,61	4,747
875	6 41	56,18	5 41	57,00	—	—	117 41 56,55	41 56,80	41 59,66	-0,25	—	3,41	4,750
876	—	—	5 7	8,38	—	—	67 7 8,38	—	7 6,43	—	+	1,95	4,769
877	5 35	31,46	5 35	31,11	—	—	113 35 31,29	35 37,86	35 36,12	-6,57	—	4,83	4,842
878	5 23	29,60	5 23	29,91	—	—	105 23 29,75	23 28,63	23 23,78	+1,12	+	5,97	4,854
879	—	—	6 48	27,84	—	—	73 48 27,84	—	48 26,82	—	+	1,02	5,070
880	5 24	55,02	5 24	55,09	—	—	50 24 55,05	—	24 48,43	—	+	6,62	5,184
881	4 29	19,18	5 29	18,60	—	—	59 29 18,86	—	29 12,34	—	+	6,52	5,213
882	4 52	27,77	—	—	—	—	62 52 27,77	—	52 30,51	—	—	2,73	5,257
883	5 7	53,46	5 7	51,59	—	—	116 7 52,52	7 54,22	7 52,59	-1,70	—	0,07	5,312
884	5 58	50,06	—	—	—	—	93 58 50,06	—	58 47,44	—	+	2,62	5,338
885	5 35	53,27	—	—	—	—	65 35 53,27	—	35 52,25	—	+	1,02	5,364
886	—	—	5 57	56,99	—	—	114 57 56,99	—	57 51,77	—	+	5,22	5,416
887	5 13	19,33	4 13	18,68	—	—	90 13 19,04	13 16,55	13 15,08	+2,49	+	3,96	5,456
888	5 33	44,45	5 33	44,13	10 33	44,83	73 33 44,56	33 46,06	33 44,79	-1,50	—	0,23	5,491
889	—	—	5 49	55,81	—	—	64 49 55,81	—	49 51,26	—	+	4,55	5,519
890	3 40	1,25	—	—	—	—	115 40 1,25	—	39 53,05	—	+	8,20	5,630
891	—	—	—	—	5 49	5,64	61 49 5,64	—	49 2,90	—	+	2,74	5,635
892	5 49	34,01	5 49	33,93	—	—	48 49 33,97	—	49 38,42	—	—	4,45	5,709
893	—	—	4 33	53,34	3 33	52,93	73 33 53,17	—	33 54,85	—	—	1,68	5,775
894	5 4	4,16	5 4	3,71	—	—	116 4 3,93	4 5,33	4 1,68	-1,40	+	2,25	5,803
895	5 28	55,43	6 28	54,45	—	—	136 28 54,90	—	28 58,59	—	—	3,69	5,836
896	5 29	9,14	—	—	5 29	9,42	116 29 9,28	—	29 7,08	—	+	2,20	5,852
897	5 53	44,39	5 53	43,43	—	—	134 53 43,91	—	53 33,75	—	+	10,16	5,871
898	5 9	44,69	5 9	48,32	10 9	46,30	73 9 46,40	9 49,56	9 47,46	-3,16	—	1,06	5,887
899	—	—	5 35	20,45	—	—	117 35 20,45	—	35 21,76	—	—	1,31	6,003
900	5 42	51,86	10 12	51,26	8 12	55,71	67 42 51,89	42 57,28	42 56,32	-2,39	—	1,43	6,024

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h. m. s.	s.	s.			Green.	A. S.	
			s.	s.	s.				s.	s.	s.	s.	s.
901	5	Piscis Vol γ	2 8,27	4 8,82	—	7 10 8,72			s.	8,33		+0,40	—0,475
902	5	65 Aurigæ	5 48,38	4 48,49	—	7 10 48,44				47,66		+0,78	+4,080
903	3.4	Argus π	2 12,39	6 12,57	4 12,95	7 11 12,63				11,81		+0,82	2,116
904	6	29 Canis Maj.	—	6 40,80	—	7 11 40,78				40,15		+0 63	2,495
905	6	30 Canis Maj. δ	—	—	5 44,64	7 11 44,61				44,64		—0,03	2,485
906	5.6	56 Geminor. q	—	7 1,64	—	7 12 1,65		1,77		1,76	—0,12	—0,11	3,550
907	6	57 Geminor. A	—	4 13,60	1 13 80	7 13 13,66				13,58		+0,08	3,670
908	7	58 Geminorum	1 22,07	6 22,15	1 21,96	7 13 22,13				21,28		+0,85	3,613
909	6.7	59 Geminorum	—	6 5,75	—	7 14 5,76				5,48		+0,28	3,741
910	6	Canis Maj.	—	6 10,51	—	7 14 10,50				9,91		+0,59	2,462
911	4	60 Geminor ϵ	12 17,12	7 17,18	13 16,95	7 15 17,05		17,04		16,94	+0,01	+0,11	3,744
912	6	1 Canis Min.	—	—	6 37,87	7 15 37,88				37,90		—0,02	3,337
913	6	2 Canis Min. ϵ	—	6 27,76	—	7 16 27,76				27,44		+0,32	3,282
914	5	Piscis Vol δ	5 53,32	1 53,61	—	7 16 53,36				53,50		—0,14	0,000
915	3	31 Canis Maj. η	6 27,15	6 27,16	3 27,27	7 17 27,18		27,22		26,37	—0,04	+0,81	2,370
916	6	63 Geminor η	—	6 45,70	3 45,73	7 17 45,72		45,67		45,61	+0,05	+0,11	3,572
917	8	3 Canis Min. β	3 2,40	6 2,18	21 2,29	7 18 2,29		2,21		1,73	+0,08	+0,56	3,259
918	5	62 Geminor ρ	4 17,87	3 18,02	—	7 18 17,94				17,21		+0,73	3,858
919	5.6	64 Geminor δ^1	—	2 51,84	4 51,68	7 18 51,75				51,38		+0,37	3,750
920	6	5 Canis Min. η	—	—	6 59,73	7 18 59,73				59,92		—0,19	3,229
921	5.6	4 Canis Min. γ	—	6 0,79	—	7 19 0,79				0,68		+0,11	3,273
922	5.6	65 Geminor δ^2	—	—	5 21,18	7 19 21,20				20,79		+0,41	3,744
923	5.6	6 Canis Min. ϕ	—	6 26,56	—	7 20 26,57				25,83		+0,74	3,343
924	6	Argus	—	8 19,22	—	7 21 19,21				19,12		+0,09	2,379
925	6	7 Canis Min. δ^1	—	5 22,19	—	7 23 22,19				21,98		+0,21	3,118
926	7	67 Geminorum	—	—	6 49,42	7 23 49,43				49,31		+0,12	3,426
927	3	66 Geminor α	30 51,96	15 52,13	60 52,11	7 23 52,10		52,18		52,00	—0,02	+0,10	3,856
928	4	Argus π	5 51,21	5 54,10	—	7 23 51,14				53,69		+0,45	1,906
929	5	68 Geminor k	5 1,13	5 0,99	—	7 24 1,07				0,80		+0,27	3,430
930	5.6	8 Canis Min. δ^2	—	9 23,17	—	7 24 23,17				22,67		+0,50	3,148
931	7	Geminorum	—	—	6 27,49	7 24 27,53				27,57		—0,04	3,827
932	6	9 Canis Min. δ^3	—	1 26,85	2 26,90	7 25 26,86				26,20		+0,66	3,149
933	5	69 Geminor v	—	4 33,76	6 33,72	7 25 33,76		33,76		33,74	0,00	+0,02	3,709
934	7	Geminorum	—	7 12,45	1 12,44	7 27 12,46				12,09		+0,37	3,533
935	6	Arg. in pup n^1	—	6 12,74	—	7 27 12,73				12,63		+0,10	2,589
936	6	Arg. in pup n^2	—	—	5 13,58	7 27 13,56				13,73		—0,17	2,539
937	5.6	Arg. in pup p	—	—	5 38,28	7 28 38,26				38,34		—0,08	2,410
938	6	25 Monocerotis	—	5 55,51	—	7 28 55,51				54,95		+0,56	2,987
939	7	Geminorum	—	2 8,89	3 8,61	7 29 8,75				—		—	3,853
940	6	74 Geminor f	—	—	5 46,12	7 29 46,15		46,20		46,16	—0,05	—0,01	3,471
941	1.2	10 Canis Min. α	41 30,27	16 30 29	48 30,29	7 30 30,29		30,35		30,14	—0,06	+0,15	3,143*
942	6	Arg. in pup m	—	6 18,60	—	7 31 18,59				18,08		+0,51	2,494
943	6	75 Geminor σ	—	5 48,13	—	7 32 48,14				47,81		+0,33	3,757
944	4.5	26 Monocer n	5 13,11	6 13,35	—	7 33 13,24		13,30		13,02	—0,06	+0,22	2,870
945	7	Geminorum	—	6 21,35	2 21,39	7 33 21,35				21,02		+0,33	3,534

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession	
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.		
901	3 13 32,65	5 13 32,41	—	160 13 32,50	—	13 31,32	+	1,18	+ 6,040	
902	5 55 53,20	5 55 51,94	—	52 55 52,57	—	55 50,40	+	2,17	6,082	
903	5 48 2,49	5 47 59,41	—	126 48 0,95	—	48 1,26	—	0,31	6,121	
904	5 15 25,37	5 15 26,78	—	114 15 26,08	—	15 25,87	+	0,21	6,159	
905	5 39 12,78	—	—	114 39 12,78	—	39 10,51	+	2,27	6,165	
906	2 14 45,90	—	5 14 48,21	69 14 47,55	14 48,09	14 46,38	—0,54	+	1,17	6,186
907	—	5 38 4,17	—	61 28 4,17	—	38 1,16	+	3,01	6,285	
908	—	—	4 44 19,86	66 44 19,86	—	44 20,79	—	0,93	6,296	
909	—	10 2 43,28	—	62 2 43,28	—	2 43,66	—	0,38	6,357	
910	—	5 34 56,83	—	115 34 56,83	—	34 53,91	+	2,92	6,367	
911	5 52 34,93	10 52 33,97	9 52 32,98	61 52 33,81	52 32,91	52 28,65	+0,90	+	5,16	6,456
912	—	—	4 0 28,71	78 0 28,71	—	0 30,05	—	1,34	6,486	
913	—	5 24 0,91	—	80 24 0,91	—	23 57,53	+	3,38	6,551	
914	4 38 54,03	5 38 51,98	—	157 38 52,89	—	38 51,80	+	1,09	6,599	
915	13 58 46,76	5 58 45,42	—	118 58 46,38	58 49,38	58 48,85	—3,00	—	2,47	6,638
916	—	—	5 13 5,16	68 13 5,16	13 5,88	13 4,75	—0,72	+	0,41	6,661
917	8 22 44,25	9 22 44,29	—	81 22 44,27	22 44,24	22 40,03	+0,03	+	4,24	6,684
918	5 53 21,35	3 53 18,69	—	57 53 20,35	—	53 20,59	—	0,24	6,703	
919	7 32 35,42	—	—	61 32 35,42	—	32 35,62	—	0,20	6,751	
920	—	5 43 20,42	—	82 43 20,42	—	43 14,77	+	5,65	6,764	
921	1 44 30,66	4 44 30,45	—	80 44 30,51	—	44 28,04	+	2,47	6,765	
922	—	4 44 41,79	—	61 44 41,79	—	44 36,92	+	4,87	6,791	
923	—	5 39 9,40	—	77 39 9,40	—	39 6,59	+	2,81	6,881	
924	—	6 49 4,34	—	118 49 4,34	—	49 5,66	—	1,32	6,957	
925	—	5 44 5,80	—	87 44 5,80	—	44 3,00	+	2,80	7,122	
926	—	6 0 26,62	—	74 0 26,62	—	0 21,81	+	4,81	7,159	
927	83 45 3,91	23 45 3,61	77 45 3,65	57 45 3,71	45 4,22	45 3,45	—0,51	+	0,26	7,161
928	5 57 53,50	5 57 49,24	—	132 57 51,37	—	57 58,76	—	7,39	7,169	
929	5 49 5,48	5 49 4,57	—	73 49 5,02	—	49 2,76	+	2,26	7,174	
930	6 21 29,32	—	—	86 21 29,32	—	21 27,44	+	1,88	7,205	
931	—	5 40 54,18	—	58 40 54,18	—	40 54,73	—	0,55	7,210	
932	6 16 13,47	—	—	86 16 13,47	—	16 10,30	+	3,17	7,291	
933	5 44 16,03	5 44 15,93	—	62 44 15,98	44 17,52	44 13,36	—1,54	+	2,62	7,300
934	—	5 28 19,21	—	69 28 19,21	—	28 13,55	+	5,66	7,434	
935	—	5 6 46,47	—	113 6 46,47	—	6 44,26	+	2,21	7,437	
936	—	5 6 44,89	—	113 6 44,89	—	6 47,81	—	2,92	7,439	
937	—	2 0 7,98	4 0 7,62	118 0 7,31	—	0 6,93	+	0,38	7,553	
938	—	5 44 26,37	—	93 44 26,37	—	44 32,55	—	6,18	7,574	
939	—	5 36 46,18	—	57 36 46,18	—	36 42,85	+	3,33	7,591	
940	—	6 57 1,22	—	71 57 1,22	56 59,14	56 57,33	+2,08	+	3,89	7,642
941	60 21 3,78	33 21 3,78	75 21 3,95	84 21 3,85	21 2,91	20 57,47	+0,94	+	6,38	8,682*
942	—	4 59 24,41	—	114 59 24,44	—	59 18,10	+	6,31	7,768	
943	—	5 43 5,54	—	60 43 5,54	—	43 0,59	+	5,15	7,845	
944	4 9 51,82	—	—	99 9 51,82	9 54,80	9 51,10	—2,98	+	0,72	7,921
945	—	5 12 39,39	—	67 12 39,39	—	12 41,33	—	1,94	7,930	

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Greenh Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
			s.	s.	s.				s.	s.	s.	s.	
946	6	76 Geminor. c		3 51,68	3 51,24	7 33	51,48			51,29	+0,19	+3,671	
947	4	77 Geminor. x	5 18,01	5 17,91		7 34	17,97	17,81	17,05	+0,16	+0,92	3,634	
948	2	78 Geminor. β	24 1,62	17 1,57	63 1,50	7 35	1,56	1,60	1,14	-0,04	+0,42	3,682*	
949	7	79 Geminorum		6 17,38		7 35	17,39		17,38		+0,01	3,530	
950	6	1 Argus			5 52,09	7 35	52,07		51,82		+0,25	2,474	
951	6	81 Geminor. g			8 23,42	7 36	23,44	23,61	23,08	-0,17	+0,36	3,486	
952	5.6	Argus		6 45,56		7 36	45,54		45,04		+0,50	2,420	
953	6	11 Canis Min π		6 1,07		7 37	1,08		0,80		+0,28	3,309	
954	5	3 Argus	4 3,91	6 3,91		7 37	3,91		3,67		+0,24	2,405	
955	5.6	4 Argus		4 12,73		7 38	12,72		12,27		+0,45	2,761	
956	7	82 Geminor. B		6 30,49	2 30,43	7 38	30,49		29,79		+0,70	3,598	
957	4	Arg in pup c	6 16,32	4 16,27		7 39	16,29		16,42		-0,13	2,135	
958	5.6	Arg in pup o		6 6,27		7 41	6,26		5,87		+0,39	2,491	
959	5.6	6 Argus		6 5,95		7 42	5,94		6,78		-0,84	2,704	
960	7	Geminorum		5 10,08	1 9,86	7 42	10,05		9,94		+0,11	3,501	
961	4	7 Argus ξ	7 13,99	6 13,93		7 42	13,95	13,90	13,73	+0,05	+0,22	2,520	
962	5.6	13 Canis Min ζ		6 59,13		7 42	59,13		58,78		+0,35	3,114	
963	5	83 Geminor. Φ	7 12,35	6 12,29		7 43	12,34	12,37	11,88	-0,03	+0,46	3,686	
964	5	9 Argus	5 59,50	1 60,00	5 59,71	7 43	59,64		59,21		+0,43	2,781	
965	4.5	Arg in pup P	4 7,32		2 7,53	7 44	7,38		7,36		+0,02	1,827	
966	6	10 Argus		5 35,10	2 34,93	7 44	35,04		34,54		+0,50	2,760	
967	6.7	85 Geminor. l		5 51,17	4 51,11	7 45	51,16		51,08		+0,08	3,511	
968	6	Canis Min		6 23,54		7 46	23,54		23,57		-0,03	3,264	
969	5	Arg in pup b	6 42,04	3 42,07		7 46	42,04		41,65		+0,39	2,121	
970	6	1 Cancri		5 26,83		7 47	26,84		26,36		+0,48	3,415	
971	5	Arg in pup R	6 21,95	6 21,82		7 48	21,86		22,08		-0,22	1,762	
972	7	Cancri		6 56,01		7 48	56,02		55,72		+0,30	3,431	
973	6	14 Canis Min		6 37,89		7 49	37,89		37,67		+0,22	3,123	
974	5.6	11 Argus		6 38,43		7 49	38,41		38,39		+0,02	2,578	
975	7	Cancri		6 11,97		7 50	11,98		11,70		+0,28	3,357	
976	6	2 Cancri ω ¹			5 45,19	7 50	45,22		44,81		+0,41	3,641	
977	6	Argus		3 58,55	3 58,50	7 50	58,50		57,73		+0,77	2,388	
978	6	3 Cancri	1 9,20	5 9,35	1 9,33	7 51	9,33	9,33	8,94	0,00	+0,39	3,447	
979	6.7	4 Cancri ω ²			6 35,21	7 51	35,23		34,89		+0,34	3,633	
980	6	12 Argus			6 53,61	7 51	53,59		52,70		+0,89	2,571	
981	6	5 Cancri r		6 55,35		7 51	55,37		54,80		+0,57	3,427	
982	3	Argus χ	5 30,11	3 30,24		7 52	30,14		30,34		-0,20	1,530	
983	5.6	28 Monocer p		5 40,55		7 52	40,55		39,79		+0,76	3,049	
984	5.6	6 Cancri		6 11,34		7 53	11,36		10,89		+0,47	3,701	
985	5	13 Argus	8 31,43	5 31,49		7 53	31,45		31,31		+0,14	3,125	
986	6	8 Cancri		6 42,65		7 55	42,67		42,44		+0,23	3,351	
987	5	27 Lynce.s k	7 47,27	3 46,99		7 55	47,18		46,99		+0,19	4,564	
988	5	55 Camelopardi	5 59,12	1 59,30		7 55	59,18		58,19		+0,99	6,107	
989	6	9 Cancri μ ¹		6 20,57		7 56	20,58	20,57	20,32	+0,01	+0,26	3,567	
990	3	Argus ζ	8 40,92	9 40,90	2 41,15	7 57	40,93		40,74		+0,19	2,108	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession
	No. 1831		No. 1832		No. 1833					Green.	A. S. C.	
946			5 49 22,44				63 49 22,44		49 18,87	+	3,57	+7,970
947	5 12 25,06		5 12 25,56				65 12 25,31	12 22,54	12 22,70	+2,77	+ 2,61	8,005
948	33 34 29,70		29 34 30,08	69 34 29,98			61 34 29,93	34 30,39	34 30,86	-0,46	- 0,93	8,064
949			5 17 16,11				69 17 16,11		17 15,10	+	1,01	8,086
950			5 57 27,40				115 57 27,40		57 23,05	+	4,35	8,135
951			4 5 14,12				71 5 14,12	5 13,03	5 10,69	+1,09	+ 3,43	8,174
952			5 0 55,02				118 0 55,02		0 55,65	-	0,63	8,206
953			5 49 42,62				78 49 42,62		49 38,04	+	4,58	8,224
954	5 33 24,86		5 33 23,38				118 33 24,12		33 26,95	-	2,53	8,230
955			5 9 39,44				104 9 39,44		9 36,20	+	3,24	8,320
956	1 26 58,98		5 26 57,88				66 26 58,06		27 0,49	-	2,43	8,341
957	5 33 52,36		5 33 49,63				127 33 51,00		33 54,77	-	3,77	8,407
958	9 31 32,20						115 31 32,20		31 27,76	+	4,44	8,551
959	5 48 20,07						106 48 20,07		48 17,80	+	2,27	8,630
960			5 15 9,37				70 15 9,37		15 8,48	+	5,89	8,632
961	5 26 37,02		5 26 35,08				114 26 36,05	26 35,83	26 33,47	+0,22	+ 2,58	8,640
962			5 48 36,56				87 48 36,56		48 38,92	-	2,36	8,698
963	5 48 21,53		5 48 21,61	16 48 22,10			62 48 21,90	48 23,92	48 24,92	-2,02	- 3,02	8,713
964	5 27 24,61		5 27 23,74				103 27 24,17		27 28,44	-	4,27	8,778
965	5 57 12,83		5 57 13,52				135 57 13,17		57 12,25	+	0,92	8,791
966			5 25 13,94				104 25 13,94		25 6,34	+	7,60	8,824
967	1 40 45,47		4 40 46,95				69 40 46,65		40 42,73	+	3,92	8,922
968	6 41 52,84						80 41 52,84		41 48,39	+	4,45	8,965
969	5 25 51,23						128 25 51,23		25 52,51	-	1,28	8,992
970	7 46 0,62						73 46 0,62		45 58,67	+	1,95	9,047
971	5 40 1,25		5 40 0,57				137 40 0,91		40 7,91	-	7,00	9,123
972	2 2 4,96		5 2 3,38				73 2 4,17		2 7,22	-	3,05	9,163
973			4 19 59,46				87 19 59,46		20 1,71	-	2,25	9,218
974			5 26 11,96				112 26 11,96		26 8,31	+	3,65	9,220
975			5 18 26,41				76 18 26,41		18 24,82	+	1,59	9,261
976				4 9 15,08			64 9 15,08		9 14,63	+	0,45	9,303
977			5 53 19,38				119 53 19,38		53 13,97	+	5,41	9,323
978	4 14 14,98		3 14 15,64				72 14 15,26	14 13,64	14 13,13	+1,62	+ 2,13	9,335
979			5 27 20,75				64 27 20,75		27 16,58	+	4,17	9,368
980			5 51 29,39				112 51 29,39		51 24,07	+	5,32	9,393
981			2 5 14,53				73 5 14,53		5 13,78	+	0,75	9,394
982	15 32 3,87						142 32 3,87		32 9,53	-	5,66	9,445
983			5 55 54,78				90 55 54,78		55 54,31	+	0,47	9,453
984	1 14 29,02		1 44 28,94	6 44 30,70			61 44 30,27		44 30,05	+	0,22	9,491
985	5 12 36,43		5 12 35,39				87 12 35,91		12 31,48	+	4,43	9,519
986			5 24 31,09				76 24 34,09		24 27,33	+	6,76	9,686
987	5 1 2,46		5 1 2,41				38 1 2,45		1 10,38	-	7,93	9,689
988	5 2 34,34		5 2 34,84				21 2 34,59					9,699
989			5 55 29,08				66 55 29,08	53 28,57	53 26,06	+0,51		9,734
990	12 32 4,42		9 32 3,59	20 32 4,07			129 32 4,06		32 0,49	+	3,57	9,840

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. Greenh January 1, 1832			A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.		Green.	A. S.	
991	6.7	10 Cancrī	—	6 52,23	2 52,14	7	57	52,23	—	—	—	
992	7	11 Cancrī	—	—	2 32,25	7	58	32,28	51,84	—	+0,39	
993	6	12 Cancrī	1 18,66	—	2 18,67	7	59	18,68	32,51	—	+0,23	
994	5.6	29 Monocerotis	—	5 8,91	—	8	0	8,91	18,61	—	+0,07	
995	3.4	15 Argus	6 23,33	5 23,45	—	8	0	23,38	8,73	—	+0,16	
996	5.6	16 Argus	—	6 31,77	—	8	1	31,76	22,94	—0,17	+0,44	
997	7	Cancrī	—	—	—	8	2	—	—	—	+1,38	
998	6	16 Cancrī	—	—	1 34,29	8	2	34,31	30,38	—	+1,38	
999	6	15 Cancrī	—	—	2 43,33	8	2	43,36	6,32	—	+0,37	
1000	6	18 Argus	—	—	2 52,62	8	2	52,60	33,94	—	+0,37	
1001	6	19 Argus	—	6 23,35	—	8	3	23,35	42,53	—	+0,83	
1002	5	Argus	14 18,87	4 18,91	—	8	4	18,87	52,74	—	—0,14	
1003	2	Argus	16 21,19	6 21,48	4 21,47	8	4	21,29	—	—	+0,53	
1004	7	Cancrī	1 33,78	3 33,70	—	8	4	33,72	18,89	—	—0,02	
1005	5	20 Argus	5 36,94	6 36,77	—	8	5	36,84	21,50	—	—0,21	
1006	5	Argus	5 45,83	1 45,78	5 45,81	8	5	45,79	33,46	—	+0,26	
1007	5	Arg in pup	6 9,14	—	7 9,43	8	7	9,29	36,43	—	+0,41	
1008	4	17 Cancrī	7 24,04	6 24,10	6 24,02	8	7	24,05	45,06	—	+0,73	
1009	5	Piscis Vol	—	6 21,58	—	8	7	21,52	9,04	—	+0,25	
1010	6	21 Argus	—	5 41,05	—	8	9	41,04	23,56	+0,05	+0,49	
1011	6	18 Cancrī	—	6 50,95	—	8	9	50,97	21,12	—	+0,40	
1012	6	19 Cancrī	—	6 32,15	—	8	10	32,17	40,75	—	+0,29	
1013	6.7	Cancrī	1 32,92	5 32,61	2 32,50	8	10	32,63	50,37	—	+0,60	
1014	5	31 Lyncis	9 18,48	1 18,22	—	8	11	18,45	31,73	—	+0,44	
1015	4.5	Arg in pup	6 16,43	5 16,33	—	8	12	16,37	31,90	—	+0,73	
1016	6	20 Cancrī	—	7 44,36	1 44,24	8	13	44,35	17,99	—	+0,46	
1017	7	21 Cancrī	—	6 43,65	—	8	14	43,66	16,56	—	—0,19	
1018	6	22 Argus	—	5 53,13	—	8	14	53,13	44,44	—	—0,09	
1019	6	Argus	—	6 44,14	—	8	15	44,13	43,15	—	—0,51	
1020	4.5	1 Ursæ Maj	5 14,30	2 14,27	—	8	16	14,29	52,96	—	+0,17	
1021	6	1 Hydræ	—	5 12,65	—	8	16	12,65	44,01	—	+0,12	
1022	6.7	22 Cancrī	—	4 13,76	2 13,75	8	16	13,84	13,47	—0,09	+0,82	
1023	6	25 Cancrī	1 18,72	—	5 18,81	8	16	18,80	11,86	—	+0,79	
1024	6	23 Cancrī	—	—	—	8	16	—	13,35	—	+0,49	
1025	7	24 Cancrī	—	—	6 39,55	8	16	39,57	18,34	—	+0,46	
1026	6	Cancrī	—	—	—	8	16	—	36,45	—	—	
1027	5.6	30 Monocer	—	—	6 53,88	8	16	53,88	39,63	—	—0,06	
1028	6.7	27 Cancrī	—	—	6 15,99	8	17	15,99	—	—	+0,06	
1029	6	Argus	—	6 48,83	6 26,20	8	17	26,20	53,82	—	+0,39	
1030	6	2 Hydræ	—	—	3 3,49	8	18	3,49	15,60	—	+0,39	
1031	6.7	28 Cancrī	—	8 38,59	1 38,47	8	18	38,58	25,81	—	+0,39	
1032	2	Argus	12 3,65	1 3,39	10 3,56	8	19	3,55	48,02	—	+0,85	
1033	6	29 Cancrī	—	6 14,49	—	8	19	14,50	3,25	—	+0,24	
1034	6.7	30 Cancrī	—	4 33,89	—	8	21	33,91	—	—	—	
1035	5.6	31 Cancrī	1 0,52	6 0,56	1 0,58	8	22	0,57	37,86	—	+0,72	
									3,63	—	—0,08	
									14,09	—	+0,41	
									33,56	—	+0,35	
									59,84	+0,18	+0,73	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from			Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A.	S. O.	
991	2 56	9,21	2 56	9,67			67 56 9,44		56 10,48		—	1,04	+ 9,850
992					3 2	16,08	62 2 16,08		2 14,19		+	1,89	9,901
993					2 52	37,00	75 52 37,00		52 31,54		+	5,46	9,960
994	3 29	59,07	5 29	57,97			92 29 58,38		29 59,26		—	0,88	10,025
995	5 49	26,26	5 49	23,32			113 49 24,79	49 20,34	49 24,77	+ 4,45	+	0,02	10,044
996	5 45	27,06	3 45	27,00			108 45 27,04		45 30,42		—	3,38	10,128
997					2 41	15,10	79 41 15,10		41 9,47		+	5,63	10,172
998					2 51	8,28	71 51 8,28		51 5,12		+	3,16	10,206
999							59		50 48,65				10,216
1000					1 18	34,90	103 18 34,90		18 31,32		+	3,58	10,232
1001	2 25	59,81	3 26	2,49			102 26 1,42		26 0,10		+	1,32	10,269
1002	5 51	10,81					136 51 10,81		51 12,66		—	1,85	10,342
1003			5 50	38,05			136 50 38,05		50 43,67		—	5,62	10,345
1004			4 49	26,82			71 49 26,82		49 25,67		+	1,15	10,356
1005	5 17	17,73	5 17	17,42			105 17 17,57		17 8,72		+	8,85	10,436
1006	5 29	22,56	5 29	21,78			132 29 22,17		29 22,25		—	0,08	10,449
1007	5 23	50,93	5 23	47,99			125 23 49,16		23 44,43		+	5,03	10,552
1008	8 18	12,41	6 18	11,46	14 18	13,06	80 18 12,53	18 9,30	18 7,07	+ 3,23	+	5,46	10,568
1009							158		7 29,56				10,572
1010	1 46	10,95	4 46	12,35			105 46 12,07		46 12,74		—	0,67	10,738
1011			4 14	40,63			62 14 40,63		14 39,98		+	0,65	10,748
1012			5 27	17,78			65 27 17,78		27 18,11		—	0,33	10,799
1013			5 43	40,28			68 43 40,28		43 40,67		—	0,39	10,799
1014	5 16	49,39	5 16	48,62			46 16 49,00		16 48,00		+	1,00	10,854
1015	5 8	35,39	5 8	31,99			126 8 33,69		8 34,07		—	0,38	10,931
1016	5 8	4,64	5 8	1,57			71 8 3,10		8 4,46		+	1,36	11,035
1017	2 49	53,52	5 49	54,53			78 49 54,24		49 51,89		+	2,35	11,107
1018	2 31	7,72	3 31	8,54			102 31 8,21		31 9,78		—	1,57	11,120
1019			5 48	55,23			115 48 55,23		48 50,87		+	4,36	11,182
1020	5 43	43,10	6 43	43,83	12 43	43,18	26 43 43,34	43 44,74	43 47,26	— 1,40	—	3,92	11,212
1021			5 12	40,91			93 12 40,91		12 40,18		+	0,73	11,215
1022			5 33	33,23			61 33 33,23		33 34,19		—	0,96	11,215
1023			5 24	20,83			72 24 20,83		24 22,03		—	1,20	11,222
1024							62		31 22,41				11,243
1025					7 55	16,53	64 55 16,53		55 13,43		+	3,10	11,247
1026			4 53	39,18			81 53 39,18		53 37,25		+	1,93	11,265
1027			2 21	44,68	2 21	47,01	93 21 45,84		21 45,13		+	0,71	11,292
1028			5 47	49,75			76 47 49,75		47 48,11		+	1,64	11,303
1029			5 30	18,88			113 30 18,88		30 20,63		—	1,75	11,332
1030			3 26	24,91			93 26 24,91		26 23,41		+	1,50	11,349
1031			5 18	14,79			65 18 14,79		18 13,24		+	1,55	11,389
1032							148		58 22,79				11,426
1033			5 13	24,52			75 13 24,52		14 15,13		+	9,39	11,433
1034			4 21	33,72			65 21 33,72		21 28,61		+	5,11	11,599
1035	3 20	34,63	5 20	36,02			71 20 35,50	20 36,93	20 34,94	— 1,43	+	0,56	11,630

xlvi *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832		Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h. m. s.	s.			Green.	A. S.	
			s.	s.	s.			s.	s.	s.	s.	s.
1036	5	Chameel <i>a</i>	—	—	—	8 22	Invisible	—	43,88	—	—	-1,411
1037	6	33 Cancrī <i>u</i>	—	7 59,06	—	8 22	59,07	58,98	58,77	+0,09	+0,30	+3,485
1038	6.7	34 Cancrī <i>h</i>	—	6 31,25	—	8 23	31,26	—	30,57	—	+0,69	+3,271
1039	5	Piscis Vol <i>u</i>	7 30,88	—	—	8 23	30,88	—	30,28	—	+0,60	-0,441
1040	5	Piscis Vol <i>β</i>	6 53,46	2 53,38	—	8 23	53,43	—	44,93	—	+8,50	+0,686
1041	6	Monocerotis	—	5 58,17	—	8 23	58,16	—	57,48	—	+0,68	+2,696
1042	5	4 Ursæ Maj <i>π</i> ²	7 26,08	2 26,26	—	8 25	26,13	—	26,08	—	+0,05	+5,368
1043	5	Chameel <i>θ</i>	—	—	—	8 25	Invisible	—	31,02	—	—	-1,566
1044	6	Hydræ	—	6 54,85	—	8 26	54,85	—	54,63	—	+0,22	+3,204
1045	7	36 Cancrī <i>c</i> ¹	—	5 58,67	—	8 27	58,67	—	58,53	—	+0,14	3,261
1046	4	4 Hydræ <i>δ</i>	11 45,32	6 45,60	9 45,55	8 28	45,46	45,48	45,00	-0,02	+0,46	3,185
1047	5	5 Hydræ <i>σ</i>	6 58,66	3 58,61	5 58,57	8 29	58,61	—	58,06	—	+0,55	3,141
1048	7	38 Cancrī <i>o</i>	—	6 2,92	—	8 30	2,93	—	2,77	—	+0,16	3,462
1049	7	Cancrī	—	4 11,97	1 11,86	8 30	11,96	—	11,41	—	+0,55	3,457
1050	6	39 Cancrī	—	6 26,36	2 26,06	8 30	26,28	—	25,63	—	+0,65	3,466
1051	6	40 Cancrī	—	2 31,30	2 31,25	8 30	31,29	—	31,17	—	+0,12	3,465
1052	7	Cancrī	—	4 43,06	—	8 30	43,07	—	42,64	—	+0,43	3,459
1053	6	Pixid Naut <i>u</i>	—	5 41,83	—	8 30	41,82	—	41,50	—	+0,32	2,560
1054	6.7	41 Cancrī <i>ε</i>	—	—	2 48,09	8 30	48,11	—	—	—	—	3,456
1055	6.7	Cancrī	—	3 48,40	6 48,22	8 30	48,30	—	48,24	—	+0,06	3,456
1056	5	Arg in Vel <i>c</i> ¹	8 44,82	6 44,51	—	8 31	44,40	—	44,37	—	+0,03	2,106
1057	5.6	6 Hydræ	—	—	6 4,05	8 32	4,05	—	3,52	—	+0,53	2,847
1058	7	Cancrī	—	—	7 10,49	8 32	10,50	—	10,14	—	+0,36	3,464
1059	6	Pixid Naut <i>ζ</i>	—	—	5 44,38	8 32	44,37	—	44,03	—	+0,34	2,487
1060	5	43 Cancrī <i>γ</i>	8 33,08	7 33,26	6 33,15	8 33	33,17	33,20	32,83	-0,03	+0,34	3,493
1061	5	Pixid Naut <i>β</i>	8 31,78	—	6 31,95	8 33	31,84	—	31,14	—	+0,70	2,342
1062	6.7	45 Cancrī <i>Δ</i> ¹	—	6 56,40	—	8 33	56,41	—	56,05	—	+0,36	3,315
1063	6	9 Hydræ	—	6 55,73	—	8 33	55,72	—	55,39	—	+0,33	2,781
1064	5	7 Hydræ <i>u</i>	8 26,53	1 26,49	—	8 34	26,53	—	26,16	—	+0,37	3,141
1065	5	Arg. in Vel <i>b</i>	6 3,32	6 3,27	—	8 35	3,28	—	3,28	—	0,00	1,987
1066	4.5	47 Cancrī <i>δ</i>	5 7,75	2 7,64	6 7,81	8 35	7,78	7,78	7,35	0,00	+0,43	3,422
1067	4	Argus <i>o</i>	4 28,89	2 28,87	—	8 35	28,87	—	29,16	—	-0,29	1,721
1068	6.7	49 Cancrī <i>b</i>	—	5 37,62	—	8 35	37,63	—	36,93	—	+0,70	3,264
1069	5.6	48 Cancrī <i>i</i>	—	5 31,01	—	8 36	31,02	—	30,69	—	+0,33	3,652
1070	4.5	Pixid Naut <i>α</i>	6 50,85	—	5 50,85	8 36	50,84	50,92	50,65	-0,08	+0,19	2,406
1071	5	Arg in Car <i>d</i>	—	4 54,05	—	8 36	54,01	—	54,05	—	-0,04	1,334
1072	6	50 Cancrī <i>Δ</i> ²	1 42,89	6 43,23	—	8 37	43,19	—	42,50	—	+0,69	3,301
1073	4	11 Hydræ <i>ε</i>	4 52,56	5 52,39	5 52,54	8 37	52,50	52,56	52,25	-0,06	+0,25	3,195
1074	6	12 Hydræ	—	6 26,52	—	8 38	26,52	—	25,88	—	+0,64	2,832
1075	6	Hydræ	—	6 43,70	—	8 38	43,70	—	44,02	—	-0,32	3,045
1076	5	13 Hydræ <i>ρ</i>	8 31,62	4 32,03	—	8 39	31,78	—	31,50	—	+0,28	3,184
1077	3	Argus <i>δ</i>	5 3,76	3 3,96	3 4,29	8 40	3,92	—	3,91	—	+0,01	1,655
1078	5	Arg in Vel <i>a</i>	9 20,01	—	6 20,31	8 40	20,13	—	20,06	—	+0,07	2,030
1079	5.6	14 Hydræ <i>B</i>	—	5 55,15	—	8 40	55,15	—	54,43	—	+0,72	3,018
1080	7	Cancrī	—	6 9,00	—	8 41	9,01	—	8,53	—	+0,48	3,412

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from			Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A. S.	C	
1036	—	—	—	—	—	—	166 Invisible	—	23 16,59	—	—	—	+11,694
1037	—	—	5 59	36,03	—	—	68 59 36,03	59 38,42	59 38,53	-2,39	-	2,50	11,700
1038	—	—	5 22	14,24	—	—	79 22 14,24	—	22 9,73	+	+	4,51	11,738
1039	5 51	21,43	—	—	—	—	162 51 21,43	—	51 31,99	—	—	10,56	11,747
1040	6 34	37,42	5 34	34,91	—	—	155 34 36,28	—	34 28,14	+	+	8,14	11,761
1041	—	—	5 0	53,91	—	—	109 0 53,91	—	0 52,28	+	+	1,63	11,771
1042	3 5	45,19	4 5	41,25	—	—	25 5 41,65	—	5 42,01	+	+	2,64	11,869
1043	—	—	—	—	—	—	166 Invisible	—	56 26,18	—	—	—	11,891
1044	1 47	54,77	5 47	51,87	—	—	82 47 51,85	—	47 50,95	+	+	3,96	11,978
1045	—	—	4 15	55,28	—	—	79 45 55,28	—	15 58,16	-	-	2,88	12,053
1046	5 42	55,67	7 42	51,46	12 42	54,91	83 42 54,92	42 57,02	42 52,30	-2,10	+	2,62	12,107
1047	5 4	26,02	3 4	28,59	—	—	86 4 26,98	—	4 25,13	+	+	1,85	12,192
1048	—	—	5 38	10,12	—	—	69 38 10,12	—	38 9,13	+	+	0,99	12,196
1049	—	—	5 52	4,43	—	—	69 52 4,43	—	52 26,13	-	-	16,00	12,206
1050	—	—	5 24	19,98	—	—	69 24 19,98	—	24 16,56	+	+	4,42	12,223
1051	—	—	5 36	31,13	—	—	69 36 31,13	—	26 25,34	+	+	5,79	12,229
1052	—	—	5 14	33,48	—	—	69 14 33,48	—	44 33,46	+	+	0,02	12,242
1053	—	—	—	—	6 40	17,54	113 40 17,54	—	40 15,18	+	+	2,36	12,243
1054	—	—	—	—	7 52	4,63	69 52 4,63	—	52 1,58	+	+	3,25	12,247
1055	—	—	—	—	—	—	69	—	51 59,80	—	—	—	12,240
1056	5 24	17,38	4 21	16,78	—	—	132 24 17,06	—	24 16,57	+	+	0,49	12,317
1057	—	—	5 53	11,22	—	—	101 53 11,82	—	53 10,92	+	+	0,90	12,337
1058	—	—	5 32	0,30	—	—	69 32 0,30	—	31 58,53	+	+	1,77	12,343
1059	—	—	5 37	59,31	—	—	118 37 59,31	—	57 58,64	+	+	0,67	12,384
1060	6 55	55,15	—	—	7 55	53,89	67 55 56,21	55 58,08	55 55,22	-1,81	+	1,02	12,438
1061	5 43	2,49	6 43	0,47	—	—	124 43 1,39	—	42 57,86	+	+	3,53	12,439
1062	—	—	5 43	19,16	—	—	76 43 19,16	—	43 18,18	+	+	0,98	12,465
1063	—	—	5 20	42,85	—	—	105 20 42,85	—	20 55,14	+	+	7,71	12,465
1064	5 0	13,51	5 0	12,45	10 0	12,43	86 0 12,71	—	0 12,36	+	+	0,35	12,499
1065	6 3	16,47	5 3	17,97	—	—	136 3 17,15	—	3 13,63	+	+	3,52	12,544
1066	5 14	0,06	—	—	4 14	1,06	71 14 0,51	14 0,73	14 0,00	-0,22	+	0,51	12,546
1067	3 19	39,21	5 19	43,03	—	—	142 19 42,07	—	19 42,51	-	-	0,44	12,574
1068	—	—	5 18	57,19	—	—	79 18 57,19	—	18 51,57	+	+	2,62	12,580
1069	—	—	5 37	51,67	—	—	60 37 54,67	—	37 51,97	+	+	2,70	12,640
1070	5 35	4,82	4 35	2,63	—	—	122 35 3,85	35 4,83	35 0,29	-0,98	-	2,44	12,665
1071	—	—	4 9	45,47	—	—	149 9 45,47	—	9 53,30	-	-	7,83	12,671
1072	—	—	5 16	43,22	—	—	77 16 43,22	—	16 38,59	+	+	4,63	12,722
1073	—	—	6 58	9,48	—	—	82 58 9,48	58 12,61	58 13,57	-3,13	-	4,09	12,733
1074	3 55	13,03	2 56	13,98	—	—	102 56 13,41	—	56 17,33	-	-	3,92	12,771
1075	—	—	5 17	9,64	—	—	91 17 9,64	—	17 10,61	-	-	0,97	12,791
1076	6 32	47,09	5 32	45,38	—	—	83 32 46,31	—	32 46,93	-	-	0,62	12,844
1077	6 5	44,49	4 5	41,25	—	—	144 5 43,05	—	5 51,99	-	-	8,94	12,884
1078	4 25	51,51	5 25	51,01	—	—	135 25 51,24	—	25 48,64	+	+	2,60	12,901
1079	—	—	5 19	26,01	—	—	92 49 26,01	—	49 23,68	+	+	2,93	12,937
1080	—	—	5 22	38,00	—	—	71 22 38,00	—	22 38,28	-	-	0,28	12,952

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^h Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m	s.			Green.	A. S.	
			s.	s	s				s.	s.	s.	s.	s.
1081	7	Canceri		4 10,90	1 10,67	8 41	10 88			10,89		-0,01	+ 3,428.
1082	6.7	54 Canceri	1 39,60		5 39,78	8 41	39,76			38,98		+ 0,78	3,359
1083	6	55 Canceri ρ^2		5 34,57		8 42	34,58			34,21		+ 0,37	3,630
1084	6	Pixid Naut		4 0,04		8 43	0,03			59,33		+ 0,70	2,511
1085	6	Pixid Naut γ		5 24,32		8 43	24,31			24,42		-0,11	2,551
1086	7	Canceri	1 43,37	6 43,39		8 43	43,40			43,28		+ 0,12	3,396.
1087	6	58 Canceri ρ^4		6 34,88		8 45	34,89			34,50		+ 0,39	3,614
1088	7	Canceri	1 54,44	5 54,64	2 54,63	8 45	54,63			54,33		+ 0,30	3,391
1089	4	16 Hydræ ζ	18 30,80	6 30,50	5 30,54	8 46	30,69	30,52		30,98	+ 0,17	-0,29	3,183
1090	6	60 Canceri α^1		6 44,66		8 46	44,67	44,74		44,50	-0,07	+ 0,17	3,285
1091	5	Chamæel η				8 46	Invisible			50,17			-1,767
1092	3 4	9 Ursæ Maj	7 40,05	2 40,09	3 40,02	8 47	40,09	40,07		39,55	+ 0,02	+ 0,54	+ 4,131*
1093	6	62 Canceri ϕ^1		4 52,35		8 47	52,36			51,74		+ 0,62	3,352
1094	6	63 Canceri ϕ^2		5 11,96		8 48	11,97			11,07		+ 0,90	3,357
1095	6	Pixid Naut δ		4 19,42		8 48	19,40			18,63		+ 0,77	+ 2,562
1096	5	Chamæel				8 48	Invisible			43,79			-1,775
1097	5	65 Canceri α^2	7 17,56	1 17,54	6 17,60	8 49	17,58	17,50		17,24	+ 0,08	+ 0,34	+ 3,287
1098	7	Canceri		5 40,93	1 40,52	8 49	40,87			40,63		+ 0,24	3,404
1099	4.5	Ursæ Maj. κ	6 7,23	2 7,05	5 6,99	8 52	7,14	7,19		7,29	-0,05	-0,15	4,147
1100	6	69 Canceri ν	4 54,35	4 54,35		8 52	54,36			53,80		+ 0,56	3,525
1101	5	Arg. in car b^1	9 51,83	3 51,83		8 52	51,82			51,67		+ 0,15	1,474
1102	5	Arg. in car b^2	8 16,63		6 16,59	8 55	16,70			17,10		-0,40	1,498
1103	6	Lyncis	7 49,22		5 48,96	8 55	49,14			48,88		+ 0,26	3,851
1104	6	18 Hydræ ω	2 7,51	6 7,72		8 57	7,67			7,31		+ 0,36	3,165
1105	6	Arg. in Vel c	14 22,03	6 21,87		8 58	21,98			22,26		-0,28	2,068
1106	5.6	76 Canceri κ		6 38,72		8 58	38,73	38,37		39,22	+ 0,36	-0,49	3,259
1107	6.7	75 Canceri		5 53,21		8 58	53,22			52,89		+ 0,33	3,559
1108	7	78 Canceri	1 36,61	6 36,77	3 36,63	8 59	36,73			36,03		+ 0,70	3,379
1109	5.6	77 Canceri ξ	2 41,36	5 41,36		8 59	41,36	41,26		41,14	+ 0,10	+ 0,22	3,465
1110	5	Piscis Vol α	7 46,71			8 59	46,71			46,25		+ 0,46	0,966
1111	6	79 Canceri		6 41,31		8 59	41,32			40,81		+ 0,51	3,462
1112	5.6	Pixid Naut		6 40,45		9 0	40,44			40,14		+ 0,30	2,625
1113	6	20 Hydræ ι^2		4 22,91		9 1	22,91			22,35		+ 0,56	2,934
1114	3.4	Argus λ	10 49,71		2 49,32	9 1	49,64			49,47		+ 0,17	2,201
1115	6	Pixid Naut ϵ			5 49,68	9 2	49,66			49,34		+ 0,32	2,536
1116	6.7	81 Canceri π^1	1 5,45	7 5,56	3 5,46	9 3	5,52			5,38		+ 0,14	3,293*
1117	6	Canceri		5 0,78		9 4	0,80			0,39		+ 0,41	3,443
1118	5	18 Ursæ Maj. ϵ	8 2,82	3 2,60		9 4	2,77			2,88		-0,11	4,380
1119	6	21 Hydræ K^1		5 8,08		9 4	8,08			7,61		+ 0,47	2,964
1120	5	Arg. in car G		5 39,65	4 39,50	9 4	39,47			38,51		+ 0,96	0,233
1121	4.5	22 Hydræ θ	10 37,36		6 37,32	9 5	37,35	37,19		37,03	+ 0,16	+ 0,32	3,117
1122	6	82 Canceri π^2	1 56,80	4 56,85	2 56,73	9 5	56,82			56,57		+ 0,25	3,326
1123	5	Arg. in car a	5 33,05		2 33,26	9 6	33,10			32,55		+ 0,55	1,584
1124	5	Arg. in car i	5 27,03		5 26,85	9 7	26,89			27,43		-0,54	1,376
1125	4	38 Lyncis p	8 22,00	1 22,00	2 21,92	9 8	22,00	22,07		21,45	-0,07	+ 0,55	3,767

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich. Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession			
	No.	1831	No.				1832	No.		1833	Green.	A. S. C.
1081	—	—	4 32 50,09	—	70 32 50,09	—	32 47,36	+	2,73	+ 12,955		
1082	—	—	3 1 52,62	—	74 1 52,62	—	1 45,26	+	7,36	12,986		
1083	—	—	5 1 59,65	—	61 1 59,65	—	2 0,07	—	0,42	13,046		
1084	2 50 25,01	—	3 50 26,88	—	118 50 26,13	—	50 29,71	—	3,58	13,077		
1085	5 5 27,76	—	1 5 27,42	—	117 5 27,70	—	5 26,80	+	0,90	13,104		
1086	—	—	5 0 8,64	—	72 0 8,64	—	0 4,79	+	3,85	13,123		
1087	—	—	5 26 11,34	—	61 26 11,34	—	26 12,18	—	0,84	13,245		
1088	—	—	5 8 6,02	—	72 8 6,02	—	8 3,90	+	2,12	13,267		
1089	5 25 10,11	—	11 25 11,17	13 25 9,78	83 25 10,37	25 12,61	25 9,81	—2,24	+	0,56	13,307	
1090	—	—	5 44 11,43	—	77 44 11,43	44 13,26	44 12,60	—1,83	—	1,17	13,322	
1091	—	—	—	—	168 Invisible	—	21 9,78	—	—	—	13,339	
1092	6 18 18,23	—	4 18 15,44	11 18 17,63	41 18 17,38	18 16,41	18 17,50	+0,97	—	0,12	13,380	
1093	—	—	5 2 16,49	—	74 2 16,49	—	2 19,01	—	2,52	—	13,395	
1094	3 46 42,08	—	—	—	73 46 42,08	—	46 46,92	—	4,89	—	13,416	
1095	5 2 20,65	—	2 2 22,54	—	117 2 21,19	—	2 17,40	+	3,79	—	13,426	
1096	—	—	—	—	168 Invisible	—	27 15,74	—	—	—	13,462	
1097	5 29 48,17	—	3 29 47,45	11 29 47,35	77 29 47,58	29 49,34	29 49,69	—1,76	—	2,11	13,487	
1098	4 12 57,60	—	1 12 56,92	—	71 12 57,54	—	12 54,77	+	2,77	—	13,512	
1099	5 11 9,85	—	5 11 9,31	8 11 8,70	42 11 9,19	11 8,32	11 11,48	+0,87	—	2,29	13,608	
1100	5 53 33,85	—	—	—	64 53 33,85	—	53 26,80	+	7,05	—	13,719	
1101	5 34 57,41	—	6 34 56,67	—	148 34 57,01	—	34 59,70	—	2,69	—	13,721	
1102	4 26 31,64	—	5 26 32,20	—	148 26 32,00	—	26 37,91	—	5,91	—	13,875	
1103	5 52 56,76	—	5 52 57,05	—	50 52 56,91	—	52 52,91	+	4,00	—	13,903	
1104	5 14 28,74	—	—	—	84 14 28,74	—	14 28,57	+	0,17	—	13,987	
1105	5 25 55,86	—	5 25 55,70	—	136 25 55,78	—	26 0,43	—	4,65	—	14,067	
1106	—	—	6 39 34,39	—	78 39 34,39	39 38,06	39 39,50	—3,67	—	5,11	14,082	
1107	—	—	5 40 50,69	—	62 40 50,69	—	40 51,76	—	1,07	—	14,096	
1108	—	—	5 51 16,31	—	71 51 16,31	—	51 11,34	+	4,97	—	14,141	
1109	5 16 46,61	—	—	—	67 16 46,61	16 48,47	16 44,68	—1,86	+	1,93	14,146	
1110	5 43 38,07	—	5 43 33,15	—	155 43 35,61	—	43 38,21	—	2,60	—	14,156	
1111	—	—	4 19 33,38	—	67 19 33,38	—	19 32,65	+	0,73	—	14,207	
1112	—	—	—	—	115 11	—	11 3,78	—	—	—	14,208	
1113	—	—	4 6 32,13	—	98 6 32,13	—	6 32,85	—	0,72	—	14,251	
1114	5 45 27,36	—	5 45 28,03	—	132 45 27,70	—	45 23,98	+	3,72	—	14,280	
1115	5 41 3,51	—	2 41 3,55	—	119 41 3,52	—	40 59,77	+	3,75	—	14,341	
1116	1 19 56,79	—	4 19 55,04	—	74 19 55,39	—	19 47,95	+	7,44	—	14,355	
1117	—	—	5 1 43,21	—	68 1 43,21	—	1 42,16	+	1,05	—	14,411	
1118	5 17 31,26	—	6 17 31,35	—	35 17 31,30	—	17 27,17	+	4,13	—	14,412	
1119	1 25 33,32	—	4 25 32,53	—	96 25 32,69	—	25 28,63	+	4,06	—	14,419	
1120	5 55 37,78	—	5 55 37,28	—	161 55 37,53	—	55 41,61	—	4,08	—	14,456	
1121	5 58 54,01	—	6 58 52,81	8 58 53,89	86 58 53,58	58 52,50	58 52,25	+1,08	+	1,33	14,509	
1122	—	—	5 21 59,09	—	74 21 59,09	—	21 53,71	—	5,38	—	14,528	
1123	5 16 50,61	—	—	5 16 49,07	148 16 49,84	—	17 6,50	—	16,66	—	14,568	
1124	4 37 42,60	—	4 37 42,89	—	151 37 42,74	—	37 52,91	—	10,17	—	14,623	
1125	5 29 30,43	—	2 29 30,01	6 29 30,35	52 29 30,33	29 30,27	29 24,00	+0,06	+	6,33	14,672	

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
			s.	s.	s.				s.	s.	s.	s.	s.
1126	6	23 Hydræ <i>K</i> ²	—	6 21,19	—	9	8	21,19	—	20,90	—	+0,29	+2,978
1127	6	24 Hydræ	—	5 27,18	—	9	8	27,18	—	27,53	—	—0,35	2,940
1128	7	Leonis	—	6 44,06	—	9	8	44,07	—	43,71	—	+0,36	3,265
1129	5	Arg. in vel <i>l</i>	6 59,80	6 60,07	—	9	8	59,92	—	59,64	—	+0,28	2,363
1130	6	83 Cancri <i>g</i>	—	6 35,74	2 35,66	9	9	35,73	—	35,48	—	+0,25	3,369
1131	4.5	40 Lyncis <i>r</i>	7 47,99	—	6 47,84	9	10	47,94	48,13	47,89	—0,19	+0,05	3,701
1132	7	Leonis	—	5 23,39	—	9	11	23,41	—	25,09	—	—1,68	3,523
1133	2	Argus <i>β</i>	4 19,45	1 19,80	7 19,73	9	11	19,59	—	20,46	—	—0,87	0,729
1134	5.6	26 Hydræ <i>M</i> ²	—	5 41,07	—	9	11	41,07	—	40,54	—	+0,53	2,890
1135	5	Draconis	—	2 26,26	5 25,55	9	12	26,46	—	29,24	—	—2,78	9,478
1136	5.6	27 Hydræ	—	—	5 16,98	9	12	16,98	—	16,63	—	+0,35	2,929
1137	2	Argus <i>r</i>	5 35,64	4 36,16	6 36,01	9	12	35,81	—	33,38	—	+1,93	1,609
1138	5	Pixid Naut <i>θ</i>	10 3,75	4 3,69	—	9	14	3,73	—	3,34	—	+0,39	2,650
1139	7	Hydræ	—	6 49,98	—	9	14	49,98	—	49,25	—	+0,73	3,160
1140	5	1 Leonis <i>π</i>	9 51,40	1 51,49	—	9	14	51,41	—	51,25	—	+0,16	3,516
1141	7	Leonis	—	6 17,46	—	9	15	17,47	—	17,94	—	—0,47	3,397
1142	5.6	Pixid Naut <i>λ</i>	—	5 56,52	—	9	15	56,50	—	56,32	—	+0,18	2,599
1143	7	Leonis	—	6 13,16	—	9	16	13,17	—	13,12	—	+0,05	3,341
1144	3	Argus <i>π</i>	6 55,04	—	4 55,23	9	16	55,09	—	55,01	—	+0,08	1,854
1145	6	28 Hydræ <i>A</i>	—	5 0,21	—	9	17	0,21	—	59,37	—	+0,84	3,001
1146	4	23 Ursæ Maj <i>h</i>	8 11,57	—	3 11,43	9	18	11,56	11,74	10,80	—0,18	+0,76	4,831
1147	2	30 Hydræ <i>α</i>	15 19,91	26 19,97	50 20,08	9	19	20,01	19,97	19,59	+0,04	+0,42	2,948
1148	5	24 Ursæ Maj <i>d</i>	5 28,50	—	5 27,30	9	19	28,00	—	29,37	—	—1,37	5,512
1149	6.7	2 Leonis <i>ω</i>	—	4 27,32	—	9	19	27,33	27,38	26,60	—0,05	+0,73	3,217
1150	6.7	3 Leonis	—	7 32,18	—	9	19	32,18	—	31,76	—	+0,42	3,203
1151	5.6	31 Hydræ <i>τ</i> ¹	—	6 37,41	—	9	20	37,41	—	36,59	—	+0,82	3,038
1152	3	25 Ursæ Maj <i>θ</i>	5 34,44	2 34,45	—	9	21	34,46	34,58	33,90	—0,12	+0,56	4,057*
1153	4.5	4 Leonis <i>λ</i>	5 7,62	—	6 7,43	9	22	7,52	7,45	7,29	+0,07	+0,23	3,441
1154	5	5 Leonis <i>ξ</i>	2 53,06	4 53,04	6 53,04	9	22	53,05	53,09	52,98	—0,04	+0,07	3,249
1155	6	6 Leonis <i>h</i>	—	6 56,90	—	9	22	56,90	—	55,95	—	+0,95	3,224
1156	5	Arg. in car <i>n</i>	4 5,21	1 5,28	4 5,70	9	23	5,38	—	8,36	—	—3,03	1,320
1157	6	32 Hydræ <i>τ</i> ²	1 24,68	6 25,11	—	9	23	25,05	—	24,82	—	+0,23	3,062
1158	5	10 Leonis Min <i>b</i>	—	3 54,43	6 54,38	9	23	54,45	54,54	54,48	—0,09	—0,03	3,706
1159	4.5	Argus <i>λ</i>	4 5,99	1 5,72	5 5,61	9	24	5,75	—	5,71	—	+0,04	2,369
1160	5	Arg. in vel <i>N</i>	8 7,42	3 7,29	—	9	26	7,36	—	5,86	—	+1,50	1,822
1161	6	33 Hydræ	—	5 9,81	—	9	26	9,81	—	9,14	—	+0,67	2,993
1162	6.7	7 Leonis	2 41,49	6 41,55	1 41,41	9	26	41,55	—	41,19	—	+0,36	3,292
1163	6.7	8 Leonis	—	7 45,97	1 45,99	9	27	45,99	—	45,61	—	+0,38	3,323
1164	7	9 Leonis	—	6 12,34	—	9	28	12,36	—	11,65	—	+0,71	3,459
1165	5.6	10 Leonis	—	6 20,34	—	9	28	20,34	20,27	19,67	+0,07	+0,67	3,178
1166	7	11 Leonis	—	5 50,70	—	9	28	50,71	—	50,50	—	+0,21	3,289
1167	5	Arg. in car <i>h</i>	10 34,61	—	2 34,74	9	29	34,62	—	34,62	—	—0,00	1,738
1168	5.6	2 Sextantis <i>b</i>	—	6 41,34	—	9	29	41,34	—	41,02	—	+0,32	3,145
1169	5	35 Hydræ	10 16,71	—	3 16,46	9	31	16,70	—	16,03	—	+0,67	3,063
1170	6	13 Leonis	—	6 57,64	—	9	31	57,65	—	57,28	—	+0,37	3,473

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precessi- on.	
	No.		No.		No.					Green.	A. S. C		
	1831		1832		1833								
1126	3 30 24,41		2 39 23,96		—		95 39 24,23		39 21,45	+	2,78	+14,673	
1127	—		5 2 49,17		—		98 2 49,17		2 48,17	+	1,00	14,680	
1128	—		5 17 56,20		—		77 47 56,20		47 57,32	—	1,12	14,695	
1129	4 52 23,13		—		—		127 52 23,13		52 28,79	—	5,66	14,713	
1130	—		5 35 13,37		—		71 35 13,37		35 9,65	+	3,72	14,746	
1131	5 54 13,75		3 54 13,00		7 54 11,93		54 54 12,75	54 8,31	54 5,01	+4,44	+ 7,74	14,817	
1132	—		5 7 22,29		—		64 7 22,29		—	—	—	14,854	
1133	5 1 29,66		—		—		159 1 29,66		1 45,81	—	16,15	14,855	
1134	—		5 16 11,12		—		101 16 11,12		16 7,61	+	3,51	14,870	
1135	—		—		7 56 27,48		7 56 27,48		56 34,30	—	6,82	14,904	
1136	—		5 50 48,06		—		98 50 48,06		50 42,96	+	5,10	14,905	
1137	2 34 20,50		5 34 19,78		—		148 34 19,98		34 24,37	—	4,39	14,924	
1138	5 15 18,89		2 15 16,58		—		115 15 18,20		15 19,17	—	0,97	15,009	
1139	2 3 52,39		3 3 51,69		—		84 3 51,97		3 53,14	—	1,17	15,052	
1140	—		8 5 55,70		2 5 54,97		63 5 55,55		5 56,45	—	0,90	15,054	
1141	—		3 29 33,58		—		69 29 33,58		29 17,26	+	16,32	15,089	
1142	—		5 7 5,24		—		118 7 5,24		7 8,68	—	3,44	15,118	
1143	—		5 41 38,47		—		72 41 38,47		41 38,04	+	0,43	15,133	
1144	5 17 45,69		2 17 47,57		—		144 17 46,23		17 51,37	—	5,14	15,175	
1145	—		5 23 50,75		—		94 23 50,75		23 45,13	+	5,62	15,177	
1146	7 12 32,72		2 12 35,01		—		26 12 37,12	12 37,52	12 32,93	—0,40	+	4,19	15,242
1147	10 56 1,76		42 56 0,43		66 56 0,78		97 56 0,74	56 3,26	56 1,40	—2,52	—	0,66	15,310
1148	5 26 21,25		—		—		19 26 21,24		26 19,20	+	2,04	15,314	
1149	—		5 13 1,08		—		80 13 1,08	12 57,35	12 52,12	+3,73	+	8,96	15,316
1150	—		5 5 0,60		—		81 5 0,60		4 53,85	+	6,75	15,321	
1151	—		5 2 20,05		—		92 2 20,05		2 15,48	+	4,57	15,382	
1152	3 33 41,97		5 33 43,11		—		37 33 42,66	33 44,37	33 46,31	—1,71	—	3,65	16,034*
1153	2 17 44,73		5 17 41,89		—		66 17 42,69	17 44,76	17 40,55	—2,07	—	2,14	15,466
1154	1 57 35,18		6 57 35,40		7 57 33,68		77 57 34,52	57 36,06	57 33,61	—1,54	+	0,91	15,508
1155	2 32 53,36		3 32 54,10		—		79 32 53,80		32 48,58	+	5,22	15,511	
1156	2 12 11,20		3 12 12,16		—		154 12 11,78		12 19,17	—	7,39	15,526	
1157	—		6 26 54,90		—		90 26 54,90		26 51,91	+	2,99	15,538	
1158	5 51 38,91		—		5 51 39,12		52 51 39,01	51 41,58	51 35,48	—2,57	+	3,58	15,564
1159	5 44 8,98		3 44 7,30		—		129 44 8,35		44 7,51	+	0,34	15,577	
1160	9 17 45,43		4 17 44,49		—		146 17 45,15		17 48,45	—	3,30	15,687	
1161	1 10 14,20		4 10 12,54		—		95 10 12,87		10 4,91	+	7,96	15,688	
1162	1 52 32,55		4 52 32,59		—		74 52 32,58		52 25,78	+	6,80	15,717	
1163	—		5 48 46,88		—		72 48 46,88		48 44,52	+	2,36	15,775	
1164	—		5 34 48,31		—		64 34 48,31		34 43,99	+	4,32	15,798	
1165	2 24 55,71		3 24 52,97		—		82 24 54,14	24 53,79	24 50,79	+6,35	+	3,35	15,806
1166	—		5 53 54,57		—		74 53 54,57		53 50,49	+	4,08	15,833	
1167	5 28 56,13		3 28 56,38		—		148 28 56,22		29 2,97	—	6,75	15,875	
1168	5 35 48,42		1 35 47,76		—		84 35 48,31		35 44,06	+	4,25	15,878	
1169	5 23 7,11		—		7 23 4,97		90 23 5,99		23 1,36	+	4,63	15,963	
1170	3 19 31,99		2 19 33,54		—		63 19 32,61		19 37,97	—	5,36	15,998	

No.	Mag	Names.		Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
				No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
				s.	s.	s.				s.	s.	s.	s.	
1171	4	14 Leonis	<i>o</i>	8 10,66	4 10,71	6 10,78	9 32 10,72	10,73	10,18	-0,01	+0,54	+3,219		
1172	5	38 Hydræ	<i>x</i>	5 15,34	—	6 15,42	9 32 15,38	—	15,21	—	+0,17	2,874		
1173	7	Leonis		—	5 57,64	2 57,52	9 33 57,62	—	56,87	—	+0,75	3,373		
1174	6	16 Leonis	<i>ψ</i>	3 34,50	4 34,56	—	9 34 34,53	—	34,28	—	+0,25	3,277		
1175	3	17 Leonis	<i>ε</i>	14 18,06	2 18,12	14 18,12	9 36 18,11	18,21	17,73	-0,10	+0,38	3,426		
1176	6	Antl. Pneum	<i>θ</i>	—	5 43,14	—	9 36 43,12	—	42,95	—	+0,17	2,669		
1177	6	18 Leonis		—	5 19,90	—	9 37 19,91	—	19,57	—	+0,34	3,242		
1178	7	19 Leonis		—	6 23,71	—	9 38 23,72	—	23,34	—	+0,38	3,238		
1179	4.5	29 Ursæ Maj	<i>υ</i>	10 58,46	1 58,35	5 58,16	9 38 58,40	58,46	59,06	-0,06	-0,66	4,356*		
1180	7	20 Leonis		2 25,18	4 25,25	1 24,90	9 40 25,19	—	25,00	—	+0,19	3,377		
1181	5	30 Ursæ Maj.	<i>Φ</i>	7 37,13	—	6 37,07	9 40 37,15	—	37,79	—	-0,64	4,153		
1182	5	Arg. in car	<i>l</i>	5 37,67	—	6 38,39	9 40 38,00	—	36,40	—	+1,60	1,648		
1183	6	4 Sextantis	<i>s</i>	—	5 45,50	—	9 41 45,50	—	43,59	—	+1,91	3,136		
1184	6	22 Leonis	<i>g</i>	—	5 19,96	—	9 42 19,97	—	19,14	—	+0,83	3,424		
1185	6	6 Sextantis	<i>t</i>	—	6 46,11	—	9 42 46,11	—	45,86	—	+0,25	3,023		
1186	3.4	Argus	<i>υ</i>	5 54,01	1 54,31	2 54,34	9 42 54,08	—	54,07	—	+0,01	1,505		
1187	3	24 Leonis	<i>μ</i>	6 11,59	—	6 11,59	9 43 11,60	11,77	11,02	-0,17	+0,58	3,448		
1188	5	39 Hydræ	<i>υ</i> ^l	6 24,04	—	4 24,10	9 43 24,06	—	24,09	—	-0,03	2,880		
1189	7	7 Sextantis	<i>A</i>	—	6 32,14	—	9 43 32,14	—	31,80	—	+0,34	3,111		
1190	6	8 Sextantis	<i>d</i>	—	6 11,54	—	9 44 11,54	—	11,43	—	+0,11	2,972		
1191	7	9 Sextantis		—	6 19,73	—	9 45 19,73	—	19,30	—	+0,43	3,143		
1192	6	10 Sextantis		—	6 31,35	—	9 47 31,35	—	31,32	—	+0,03	3,193		
1193	5.6	27 Leonis	<i>υ</i>	—	8 10,76	1 10,87	9 49 10,78	10,77	10,44	+0,01	+0,34	3,238		
1194	6	11 Sextantis		—	6 13,33	—	9 49 13,33	—	12,90	—	+0,43	3,184		
1195	6.7	Sextantis		—	6 0,06	—	9 51 0,06	—	59,92	—	+0,14	3,120		
1196	4	Argus	<i>Φ</i>	5 58,78	2 58,90	6 58,58	9 50 58,63	—	58,59	—	+0,04	2,095		
1197	4.5	29 Leonis	<i>π</i>	7 19,77	—	6 19,83	9 51 19,81	19,90	19,68	-0,09	+0,13	3,179		
1198	6.7	Leonis		—	6 26,12	—	9 53 26,13	—	25,97	—	+0,16	3,362		
1199	6	Hydræ		—	6 24,80	—	9 51 24,80	—	24,61	—	+0,16	2,914		
1200	7	Leonis		—	8 8,36	1 8,20	9 55 8,35	—	7,92	—	+0,43	3,221		
1201	7	13 Sextantis	<i>e</i>	—	5 26,15	—	9 55 26,15	—	25,63	—	+0,52	3,117		
1202	7	Leonis		1 33,46	6 33,50	—	9 56 33,50	—	33,27	—	+0,23	3,272		
1203	5.6	40 Hydræ	<i>υ</i> ²	—	3 56,85	—	9 56 56,84	—	56,70	—	+0,14	2,920		
1204	5	21 Leonis Min	<i>d</i>	10 30,12	—	2 29,54	9 57 30,03	—	29,56	—	+0,47	3,564		
1305	6	14 Sextantis	<i>C</i>	—	2 0,14	—	9 58 0,14	—	58,47	—	+0,67	3,145		
1206	3.4	30 Leonis	<i>η</i>	8 10,08	3 10,15	2 9,92	9 58 10,07	9,93	9,52	+0,14	+0,55	3,283		
1207	5	31 Leonis	<i>A</i>	5 59,20	3 59,04	4 59,02	9 58 59,11	58,99	58,74	+0,12	+0,37	3,197		
1208	5	15 Sextantis	<i>f</i>	2 20,19	4 20,34	6 20,38	9 59 20,33	—	21,82	—	-1,49	3,073		
1209	1	32 Leonis	<i>α</i>	7 25,19	36 25,08	40 25,09	9 59 25,11	25,14	24,73	-0,03	+0,38	3,221		
1210	6	16 Sextantis		—	6 26,52	—	10 0 26,53	—	25,83	—	+0,70	3,150		
1211	6	17 Sextantis	<i>g</i> ¹	—	—	4 46,85	10 1 46,85	—	46,99	—	-0,14	2,980		
1212	4.5	41 Hydræ	<i>λ</i> ²	11 24,06	3 24,26	—	10 2 24,09	24,13	23,60	+0,04	+0,49	2,934		
1213	6	18 Sextantis	<i>g</i> ²	—	—	6 34,86	10 2 34,86	—	34,66	—	+0,20	2,981		
1214	6	34 Leonis		—	6 35,80	—	10 2 35,82	—	35,23	—	+0,59	3,233		
1215	6	Sextantis		—	6 54,51	—	10 2 54,51	—	—	—	—	2,994		

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
1171	7 20 51,93	1 20 50,18	13 29 51,60	79 20 51,64	20 50,14	20 48,11	+1,50	+ 3,53	+16,010
1172	5 34 22,51	3 34 19,27	—	103 34 21,30	—	34 25,77	—	— 4,47	16,015
1173	1 2 32,74	4 2 31,78	—	69 2 31,98	—	2 34,01	—	— 2,03	16,103
1174	5 12 52,03	—	—	75 12 52,03	—	12 49,76	—	+ 2,27	16,135
1175	9 27 24,28	10 27 23,33	10 27 22,59	65 27 23,40	27 22,44	27 19,47	+0,96	+ 3,93	16,224
1176	5 0 11,81	—	—	117 0 11,81	—	0 10,91	—	+ 0,90	16,247
1177	—	5 25 10,80	—	77 25 10,80	—	25 5,51	—	+ 5,29	16,277
1178	2 39 27,39	3 39 29,62	—	77 39 28,73	—	39 29,21	—	— 0,48	16,331
1179	5 10 40,08	3 10 38,27	5 10 38,62	30 10 39,10	10 34,06	10 37,42	+5,04	+ 1,68	16,359
1180	1 2 25,16	4 2 26,84	—	68 2 26,51	—	2 29,90	—	— 3,39	16,433
1181	7 9 24,15	—	5 9 24 11	35 9 24,14	—	9 22,00	—	+ 2,14	16,443
1182	5 44 4,62	—	6 44 3,35	151 44 4,03	—	44 8,53	—	+ 4,50	16,446
1183	—	5 52 29,47	—	84 52 29,47	—	52 15,19	—	+ 14,28	16,499
1184	3 48 50,35	2 48 52,98	—	64 48 51,40	—	48 47,85	—	+ 3,55	16,528
1185	2 27 31,81	3 27 32,17	—	93 27 32,03	—	27 30,18	—	+ 1,85	16,550
1186	6 17 40,52	—	—	154 17 40,52	—	17 38,42	—	+ 2,10	16,560
1187	5 12 19,22	5 12 18,06	11 12 19,03	63 12 18,84	12 21,52	12 19,23	—2,68	— 0,39	16,570
1188	5 3 40,14	1 3 39,70	—	104 3 40,07	—	3 37,85	—	+ 2,22	16,582
1189	—	5 45 57,33	—	86 45 57,33	—	45 54,61	—	+ 1,72	16,588
1190	—	5 19 1,68	—	97 19 1,68	—	19 4,70	—	— 3,02	16,621
1191	—	5 16 1,08	—	84 16 1,08	—	15 55,08	—	+ 6,00	16,675
1192	1 16 32,56	4 16 30,36	—	80 16 30,80	—	16 21,89	—	+ 8,91	16,781
1193	3 45 26,72	2 45 26,10	—	76 45 26,47	45 26,75	45 21,55	—0,28	+ 4,92	16,860
1194	5 53 16,96	5 53 16,37	—	80 53 16,37	—	53 14,08	—	+ 2,59	16,862
1195	—	—	—	85 49 —	—	48 54,70	—	—	16,946
1196	5 46 12,74	1 46 9,72	5 46 10,01	143 46 11,23	—	46 16,53	—	— 5,30	16,946
1197	5 9 12,76	—	5 9 12,15	81 9 12,45	9 11,49	9 9,61	+0,96	+ 2,84	16,961
1198	—	5 14 37,26	—	67 14 37,26	—	14 36,64	—	+ 0,62	17,058
1199	1 29 23,21	3 29 22,71	—	102 29 22,83	—	29 24,85	—	— 2,02	17,103
1200	—	5 33 42,34	—	77 33 42,34	—	33 41,68	—	+ 0,66	17,136
1201	—	5 59 4,70	—	85 59 4,70	—	59 3,00	—	+ 0,80	17,149
1202	—	5 25 42,44	—	73 25 42,44	—	25 42,23	—	+ 0,21	17,200
1203	—	5 15 10,82	—	102 15 10,82	—	15 6,14	—	+ 4,68	17,218
1204	3 56 24,50	2 56 23,06	—	53 56 23,93	—	56 22,11	—	+ 1,82	17,241
1205	—	5 37 18,20	—	83 37 18,20	—	34 17,25	—	+ 0,95	17,264
1206	1 25 17,04	4 25 14,36	2 25 14,83	72 25 14,87	25 17,44	25 16,64	—2,57	— 1,77	17,271
1207	4 10 55,15	—	—	79 10 55,15	10 55,67	10 53,15	—0,52	+ 2,00	17,308
1208	—	—	3 33 15,61	89 33 15,61	—	33 11,33	—	+ 4,28	17,325
1209	10 12 55,92	52 12 53,08	56 12 54,05	77 12 53,78	12 52,46	12 49,82	+1,32	+ 3,96	17,327
1210	5 0 28,81	—	—	83 0 28,81	—	0 27,01	—	+ 1,80	17,372
1211	1 34 58,25	8 35 7,91	—	97 34 58,25	—	35 0,90	—	— 2,65	17,431
1212	5 31 35,70	2 31 36,25	—	101 31 35,86	31 37,00	31 33,81	—1,14	+ 2,05	17,457
1213	1 35 23,03	—	—	97 35 23,93	—	35 24,94	—	— 1,91	17,465
1214	—	5 49 8,36	—	75 49 8,36	—	—	—	—	17,465
1215	—	5 29 28,57	—	96 29 28,57	—	29 24,44	—	+ 4,13	17,478

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
1216	7	19 Sextantis	—	7 3,74	—	10	4	3,74	—	3,24	—	+0,50	+3,130
1217	7	Leonis	—	6 14,33	—	10	5	14,35	—	14,23	—	+0,12	3,328
1218	6	21 Sextantis	5 46,18	—	—	10	5	46,18	—	46,12	—	+0,06	2,988
1219	3.4	33 Ursæ Maj. λ	9 55,97	5 56,09	—	10	6	56,02	56,12	55,91	-0,10	+0,11	3,675
1220	6	Leonis	—	5 6,58	1 6,57	10	7	6,60	—	5,84	—	+0,76	3,281
1221	4.5	36 Leonis ϵ	6 20,00	—	13 20,02	10	7	20,03	20,02	19,67	+0,01	+0,36	3,358
1222	6	37 Leonis	—	5 39,24	1 39,16	10	7	39,24	—	39,29	—	-0,05	3,232
1223	4	Arg. in vel g	9 42,10	—	3 41,77	10	7	42,01	—	42,11	—	-0,10	2,516
1224	6	22 Sextantis z	—	6 17,06	—	10	9	17,06	—	16,99	—	+0,07	2,989
1225	4.5	Argus ω	6 44,34	—	2 44,41	10	9	44,31	—	43,72	—	+0,59	1,440
1226	6	Antl. Pneum	—	6 26,20	—	10	10	26,18	—	25,88	—	+0,35	2,739
1227	6	40 Leonis	—	6 35,02	—	10	10	35,04	—	34,57	—	+0,47	3,296
1228	2	41 Leonis γ	6 41,99	4 41,93	16 42,05	10	10	42,03	41,96	41,61	+0,07	+0,42	3,300
1229	5	Arg. in car q	4 29,23	2 28,93	6 29,43	10	11	29,22	—	27,62	—	+1,60	1,991
1230	3	34 Ursæ Maj μ	7 17,48	—	6 17,31	10	12	17,44	17,53	17,43	-0,09	+0,01	3,620
1231	6	23 Sextantis h	—	7 21,49	—	10	12	21,49	—	21,44	—	+0,05	3,101
1232	6	42 Leonis	3 47,78	3 47,87	—	10	12	47,83	—	47,52	—	+0,31	3,239
1233	6	43 Leonis z	—	—	—	10	14	—	—	12,73	—	—	3,145
1234	5	Arg. in vel T	8 40,67	5 40,77	—	10	14	40,69	—	38,89	—	+1,80	2,215
1235	4.5	Arg. in vel r	6 8,14	—	5 8,18	10	15	8,13	—	8,17	—	-0,04	2,558
1236	4.5	30 Leonis Min f	6 15,89	—	4 15,57	10	16	15,79	15,91	14,90	-0,12	+0,89	3,473
1237	6	44 Leonis b^1	1 23,92	6 23,88	—	10	16	23,89	—	23,49	—	+0,40	3,167
1238	4	42 Hydræ μ	7 58,86	—	4 58,28	10	17	58,32	58,31	57,66	+0,01	+0,66	2,903
1239	6	26 Sextantis i	—	5 2,66	—	10	18	2,66	—	2,12	—	+0,54	3,067
1240	4.5	31 Leonis Min g	5 8,76	—	6 8,66	10	18	8,74	8,82	7,33	-0,08	+1,41	3,511
1241	6	27 Sextantis	2 17,90	5 17,75	—	10	18	17,79	—	17,62	—	+0,17	3,033
1242	6	45 Leonis	—	6 46,41	—	10	18	46,43	—	46,14	—	+0,29	3,175
1243	4.5	Antl. Pneum α	4 28,54	—	6 28,61	10	19	28,56	28,48	28,61	+0,08	-0,05	2,737
1244	5	36 Ursæ Maj	6 49,10	4 49,18	2 49,01	10	19	49,15	49,07	50,16	+0,08	-1,01	3,935
1245	6	Sextantis g	2 13,19	4 13,42	—	10	20	13,31	—	13,83	—	-0,52	3,040
1246	6	28 Sextantis k	—	5 56,05	—	10	20	56,05	—	56,32	—	-0,27	3,050
1247	5	Arg. in car I	—	6 3,03	—	10	21	2,91	—	0,76	—	+2,15	1,218
1248	6	30 Sextantis l	—	5 42,34	—	10	21	42,34	—	42,02	—	+0,32	3,070
1249	5.6	Antl. Pneum	—	—	6 44,09	10	21	44,05	—	43,85	—	+0,20	2,762
1250	7	31 Sextantis u	—	—	6 50,26	10	21	50,26	—	49,45	—	+0,81	3,097
1251	6	Antl. Pneum δ	—	—	6 52,04	10	21	52,00	—	51,76	—	+0,24	2,751
1252	6	46 Leonis i	1 13,23	5 13,32	—	10	23	13,31	—	13,37	—	-0,06	3,215
1253	7	32 Sextantis x	—	6 34,84	—	10	23	34,84	—	34,29	—	+0,55	3,121
1254	4	47 Leonis ρ	14 57,63	4 57,74	5 57,71	10	23	57,67	57,61	57,47	+0,06	+0,20	3,166
1255	5	37 Ursæ Maj. m	5 16,72	—	5 16,61	10	24	16,73	16,96	16,71	-0,23	+0,02	3,935
1256	5.6	48 Leonis	5 2,02	2 2,22	—	10	26	2,08	1,94	1,56	+0,14	+0,52	3,141
1257	6	44 Hydræ n	—	5 2,10	—	10	26	2,08	—	1,61	—	+0,47	2,843
1258	4	Arg. in car p	7 4,24	—	4 4,08	10	26	4,15	—	4,79	—	-0,64	2,114
1259	6	49 Leonis	—	6 13,31	—	10	26	13,31	—	12,76	—	+0,55	3,157
1260	6	1 Hyd & Crat	—	6 4,92	—	10	28	4,90	—	4,70	—	+0,20	2,924

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession.			
	No.	1831	No.				1832	No.		1833	Green.	A. S. C.
1216	—	—	4 33	30,96	—	—	84 33 30,96	33 24,97	+	5,99	17,528	
1217	—	—	5 59	53,40	—	—	67 59 53,40	0 0,85	—	7,45	17,577	
1218	3 9	47,07	2 9	45,91	—	—	97 9 46,61	9 38,96	+	7,65	17,600	
1219	6 15	1,46	13 14	59,91	8 14	59,02	46 14 59,99	15 1,36	—0,91	1,37	17,647	
1220	—	—	5 25	34,66	—	—	71 25 34,66	25 33,47	+	1,19	17,655	
1221	6 44	55,96	—	—	7 44	56,44	65 44 56,22	44 58,76	44 49,87	—2,54	6,35	17,664
1222	2 26	14,31	3 26	15,12	—	—	75 26 14,80	26 11,71	—	3,09	17,678	
1223	5 17	32,76	—	—	5 17	29,02	131 17 30,89	17 25,05	—	5,84	17,681	
1224	—	—	5 13	57,59	—	—	97 13 57,59	13 55,34	—	2,25	17,745	
1225	5 12	16,09	—	—	—	—	159 12 16,09	12 28,09	—	12,00	17,765	
1226	—	—	5 9	14,40	—	—	118 9 14,40	9 14,54	—	0,14	17,792	
1227	—	—	5 40	49,26	—	—	69 40 49,26	40 41,10	—	8,16	17,797	
1228	6 18	42,29	11 18	40,07	8 18	41,35	69 18 41,00	18 41,80	18 40,22	—0,80	0,78	17,802
1229	4 29	41,48	—	—	4 29	43,23	159 29 42,35	29 47,65	—	5,30	17,834	
1230	5 39	31,21	—	—	6 39	30,46	47 39 30,80	39 33,02	39 28,95	—2,22	1,85	17,865
1231	—	—	5 52	6,27	—	—	86 52 6,27	51 58,48	—	7,79	17,868	
1232	2 10	45,57	5 10	47,89	—	—	74 10 47,16	10 41,83	—	5,33	17,885	
1233	—	—	5 36	25,47	—	—	82 36 25,47	36 23,56	—	1,94	17,941	
1234	5 12	1,78	—	—	5 12	0,22	145 12 1,00	11 58,62	—	2,38	17,959	
1235	5 48	26,43	—	—	6 48	26,19	130 48 26,30	48 22,69	—	3,61	17,978	
1236	4 21	4,12	13 21	7,28	8 21	7,04	55 21 6,70	21 4,01	21 3,29	+2,69	3,41	18,019
1237	1 21	51,24	4 21	54,48	—	—	80 21 53,83	21 47,43	—	6,40	18,025	
1238	5 58	53,03	—	—	5 58	52,49	105 58 52,76	58 52,34	58 50,37	+0,42	2,39	18,085
1239	—	—	5 8	15,18	—	—	90 8 15,18	8 10,55	—	4,63	18,089	
1240	5 26	5,86	—	—	5 26	5,55	52 26 5,71	26 4,77	26 3,63	+0,94	2,08	18,090
1241	—	—	5 32	6,04	—	—	93 32 6,04	32 7,13	—	1,69	18,097	
1242	—	—	5 23	1,81	—	—	79 23 1,81	22 59,59	—	2,22	18,115	
1243	5 12	56,66	2 12	55,37	5 12	55,38	120 12 55,91	12 51,67	12 52,02	+4,24	3,89	18,112
1244	5 9	37,73	—	—	8 9	38,45	33 9 38,17	9 41,63	9 37,66	—3,46	0,51	18,154
1245	—	—	4 53	5,40	—	—	92 53 5,40	—	—	—	—	18,170
1246	—	—	5 52	53,75	—	—	91 52 53,75	52 52,37	—	1,38	18,196	
1247	4 10	37,87	—	—	—	—	163 10 37,87	11 5,40	—	27,53	18,201	
1248	3 46	41,76	2 46	43,82	—	—	89 46 42,58	46 35,24	—	7,34	18,223	
1249	—	—	5 48	21,67	—	—	118 48 21,67	48 22,48	—	0,81	18,225	
1250	—	—	5 59	23,80	—	—	86 59 23,80	59 17,10	—	6,40	18,228	
1251	—	—	5 44	59,59	—	—	119 44 59,59	44 56,94	—	2,65	18,230	
1252	—	—	4 0	14,48	—	—	75 0 14,48	0 8,25	—	6,23	18,278	
1253	—	—	4 29	44,96	—	—	84 29 44,96	29 38,16	—	6,80	18,291	
1254	5 49	58,31	—	—	5 49	57,31	79 49 57,81	49 52,80	49 50,25	+5,01	7,56	18,305
1255	5 3	20,46	—	—	6 3	19,81	32 3 20,10	3 20,02	3 18,08	+0,08	2,02	18,315
1256	—	—	5 11	3,32	—	—	82 11 3,32	11 2,30	10 59,69	+1,02	3,63	18,378
1257	—	—	5 52	51,15	—	—	112 52 51,15	52 51,16	—	0,01	18,378	
1258	6 49	21,96	6 49	21,53	—	—	150 49 21,74	49 24,98	—	3,24	18,381	
1259	—	—	4 29	4,61	—	—	80 29 4,64	28 58,00	—	6,64	18,384	
1260	3 28	37,07	2 28	37,61	—	—	105 28 37,29	28 30,97	—	6,32	18,440	

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832	Green ^h Catal.	A. S. Catal.	Difference from		Annual Preces- sion	
									Green.	A. S.		
			No. 1831	No. 1832	No. 1833							
			s.	s.	s.	h. m.	s.	s.	s.	s.	s.	
1261	4	37 Leonis Min <i>l</i>	9 14,74	1 14,89	3 14,83	10 29	14,79	14,86	14,58	—0,07	+0,21	+3,401
1262	6	Antl. Pucum	—	5 21,20	—	10 29	21,17	—	21,14	—	+0,03	2,811
1263	6.7	50 Leonis	—	4 53,45	1 53,47	10 29	53,48	—	53,26	—	+0,22	3,225
1264	5	Arg in vel <i>p</i>	6 15,96	—	6 15,62	10 30	15,75	—	15,79	—	—0,04	2,514
1265	5	2 Hyd & Crat <i>Q</i>	7 21,15	—	4 24,27	10 30	24,19	—	24,27	—	—0,08	2,922
1266	5	Ursæ Maj.	1 54,76	3 54,98	5 54,44	10 30	54,61	—	54,89	—	—0,28	4,459
1267	6	33 Sextantis <i>m</i>	—	6 51,63	—	10 32	51,63	—	50,95	—	+0,68	3,061
1268	5	Chamæl <i>y</i>	—	—	—	10 33	Invisible	—	23,66	—	—	0,801
1269	5.6	40 Leonis Min	5 47,60	2 47,48	—	10 33	47,57	—	47,01	—	+0,56	3,321
1270	6	34 Sextantis	1 57,34	6 56,98	—	10 33	57,03	—	55,33	—	+1,70	3,106
1271	5.6	41 Leonis Min <i>m</i>	—	6 16,22	—	10 34	16,24	—	15,53	—	+0,71	3,287
1272	7	35 Sextantis	—	5 37,36	—	10 34	37,36	—	36,39	—	+0,37	3,116
1273	5	Argus <i>θ</i>	5 18,13	—	3 17,90	10 36	18,00	—	15,97	—	+2,03	2,106
1274	4.5	42 Leonis Min <i>n</i>	8 30,30	1 30,54	3 30,35	10 36	30,34	30,37	29,64	—0,03	+0,70	3,361
1275	6	36 Sextantis <i>n</i>	—	4 30,39	—	10 36	30,39	—	29,61	—	+0,78	3,096
1276	2.3	Argus <i>θ</i> ²	15 58,96	—	3 59,41	10 36	59,02	—	57,15	—	+1,87	2,117
1277	6	37 Sextantis <i>α</i>	1 21,97	6 20,85	2 20,58	10 37	20,82	20,60	20,04	+0,22	+0,78	3,128
1278	6	51 Leonis <i>m</i> ²	—	6 21,04	—	10 37	21,06	—	20,93	—	+0,13	3,238
1279	6	52 Leonis <i>k</i>	—	6 31,01	1 30,92	10 37	31,01	—	30,66	—	+0,35	3,195
1280	7	38 Sextantis <i>α</i> ²	—	1 34,81	—	10 38	34,81	34,75	33,92	+0,06	+0,89	3,127
1281	2	Argus <i>η</i>	6 34,11	—	6 34,17	10 38	34,09	—	31,60	—	—0,51	2,300
1282	6	3 Hyd & Crat <i>b</i> ¹	—	6 38,68	—	10 38	38,67	—	38,28	—	+0,39	2,931
1283	3	Argus <i>μ</i>	7 33,72	—	4 33,96	10 39	33,82	—	33,50	—	+0,32	2,548
1284	6	53 Leonis <i>ε</i>	1 24,69	5 25,26	2 25,37	10 40	25,22	—	25,07	—	+0,15	3,160
1285	6	44 Leonis Min	—	1 38,86	5 38,63	10 40	38,70	—	37,66	—	+1,04	3,318
1286	6	40 Sextantis <i>p</i>	—	1 46,30	5 46,37	10 40	46,36	—	45,48	—	+0,88	3,043
1287	4	4 Hyd & Crat <i>v</i>	2 20,50	3 20,60	3 20,45	10 41	20,50	20,49	20,01	+0,01	+0,49	2,945
1288	6	41 Sextantis <i>r</i>	—	5 52,65	—	10 41	52,65	—	52,40	—	+0,25	3,005
1289	4.5	46 Leonis Min <i>o</i>	8 53,76	—	4 53,83	10 43	53,80	53,69	53,47	+0,20	+0,33	3,375
1290	5	Chamæl <i>δ</i> ²	—	—	—	10 44	Invisible	—	5,82	—	—	0,689
1291	5	45 Ursæ Maj <i>ω</i>	8 16,93	—	4 16,59	10 44	16,84	—	16,38	—	+0,46	3,488
1292	5.6	6 Hyd & Crat <i>δ</i> ³	1 16,61	2 16,82	—	10 45	16,74	—	16,63	—	+0,11	2,919
1293	4.5	54 Leonis	8 30,29	—	5 30,22	10 46	30,28	30,36	30,16	—0,08	+0,12	3,271
1294	5	Arg. in car <i>u</i>	6 42,05	—	5 42,11	10 46	42,03	—	43,13	—	—1,10	2,396
1295	6	55 Leonis <i>μ</i>	—	5 3,93	—	10 47	3,93	3,75	3,39	+0,18	+0,54	3,080
1296	7	56 Leonis	—	5 17,95	—	10 47	17,95	17,84	17,60	+0,11	+0,35	3,120
1297	6	50 Leonis Min	—	5 26,77	—	10 47	26,79	—	26,07	—	+0,72	3,275
1298	7	57 Leonis	—	—	5 33,46	10 47	33,46	—	33,34	—	+0,12	3,078
1299	5	Antl. Pneum	7 54,23	—	5 54,42	10 48	54,29	—	54,41	—	—0,12	2,769
1300	4	7 Hyd & Crat <i>α</i>	6 35,65	—	6 35,88	10 51	35,76	35,83	35,23	—0,07	+0,53	2,905*
1301	2	48 Ursæ Maj. <i>β</i>	5 39,04	1 39,23	5 38,84	10 51	39,03	39,03	39,16	—0,00	—0,13	3,680
1302	5	58 Leonis <i>d</i>	6 52,96	—	5 53,02	10 51	52,98	52,89	52,68	+0,09	+0,30	3,099
1303	5.6	59 Leonis <i>c</i>	—	7 2,27	—	10 52	2,27	2,23	1,95	+0,04	+0,32	3,116
1304	5.6	61 Leonis <i>s</i>	—	6 15,71	—	10 53	15,71	—	14,96	—	+0,75	3,058
1305	1.2	50 Ursæ Maj. <i>α</i>	6 17,49	19 17,35	21 17,20	10 53	17,37	17,46	17,38	—0,09	—0,01	3,811

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N P D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
1261	5 9 14,62	2 9 13,18	6 9 14,21	57 9 14,21	9 12,05	9 10,55	+2,16	+	+18,488
1262	—	5 32 37,15	—	116 32 37,15	—	32 36,67	+	+	18,492
1263	—	5 59 58,79	—	72 59 58,79	—	0 0,49	—	—	18,510
1264	4 21 16,74	1 21 18,98	—	187 21 17,19	—	21 22,17	—	—	18,523
1265	5 0 24,89	—	6 0 24,44	106 0 24,65	—	0 19,23	+	+	18,527
1266	5 2 59,12	—	—	20 2 59,12	—	2 53,20	+	+	18,543
1267	3 51 40,12	2 51 38,30	—	90 51 39,40	—	51 35,88	+	+	18,608
1268	—	—	—	167 Invisible	—	44 15,04	—	—	18,628
1269	—	5 47 36,80	—	62 47 36,80	—	47 40,09	—	—	18,638
1270	—	5 32 31,48	—	85 32 31,48	—	32 25,34	+	+	18,642
1271	—	5 56 2,76	—	65 56 2,76	—	56 1,50	+	+	18,653
1272	—	5 22 23,20	—	84 22 23,20	—	22 17,72	+	+	18,664
1273	5 35 16,14	—	—	153 35 16,14	—	35 25,70	—	—	18,718
1274	6 26 2,68	7 26 3,58	8 26 4,30	58 26 3,60	26 6,46	26 3,52	-2,86	+	18,723
1275	—	5 37 49,04	—	86 37 49,04	—	37 45,50	+	+	18,724
1276	5 30 53,58	—	5 30 52,17	153 30 52,87	—	30 52,86	+	+	18,739
1277	1 44 33,75	9 44 35,77	—	82 44 35,57	44 37,10	44 35,54	-1,53	+	18,750
1278	—	—	—	70 —	—	13 25,95	—	—	18,750
1279	—	—	—	74 —	—	55 9,48	—	—	18,755
1280	—	—	—	82 —	46 8,90	46 5,96	—	—	18,787
1281	5 48 6,43	—	—	148 48 6,43	—	48 13,26	—	—	18,789
1282	—	5 21 45,81	—	106 24 45,81	—	24 41,11	+	+	18,790
1283	6 31 59,47	—	—	138 31 59,47	—	31 45,50	+	+	18,818
1284	—	5 34 0,31	—	78 34 0,34	—	33 58,62	+	+	18,843
1285	1 8 25,70	4 8 27,25	—	61 8 26,94	—	8 28,80	—	—	18,849
1286	—	4 8 12,26	—	98 8 12,26	—	8 11,08	+	+	18,853
1287	5 19 1,95	—	—	105 19 1,95	18 59,30	18 56,20	+2,65	+	18,871
1288	—	5 0 31,92	—	98 0 31,92	—	0 32,17	—	—	18,886
1289	5 52 59,77	—	7 52 57,92	54 52 58,69	52 53,03	52 51,03	+5,66	+	18,944
1290	—	—	—	Invisible	—	39 20,61	—	—	18,953
1291	3 55 8,86	2 55 3,62	—	45 55 3,77	—	55 2,60	+	+	18,955
1292	—	5 14 9,10	—	109 14 9,10	—	13 59,07	+	+	18,984
1293	5 21 23,52	5 21 22,43	5 21 22,15	64 21 22,70	21 22,56	21 17,92	+0,14	+	19,018
1294	5 57 42,71	—	—	147 57 42,71	—	57 48,17	—	—	19,025
1295	—	5 22 7,05	—	88 22 7,05	22 9,22	22 4,70	-2,17	+	19,033
1296	—	5 55 8,92	—	82 55 8,92	55 12,21	55 7,37	-3,29	+	19,040
1297	—	—	5 36 13,30	63 36 13,30	—	36 16,40	—	—	19,043
1298	—	—	3 40 17,70	88 40 17,70	—	40 18,40	—	—	19,047
1299	5 14 11,41	—	—	126 14 11,41	—	14 3,66	+	+	19,084
1300	5 24 19,85	—	—	107 24 19,85	24 21,37	24 19,00	-1,52	+	19,154
1301	1 43 7,35	7 43 7,20	2 43 7,14	32 43 7,20	43 8,92	43 6,90	-1,72	+	19,155
1302	5 28 59,19	—	—	85 28 59,19	28 56,18	28 50,71	+3,01	+	19,161
1303	—	5 59 50,20	—	82 59 50,20	59 52,01	59 49,45	-1,81	+	19,165
1304	4 34 50,89	4 34 53,96	—	91 34 52,42	—	34 51,49	+	+	19,196
1305	5 20 39,41	22 20 37,41	39 20 38,31	27 20 38,06	20 37,23	20 38,45	+0,83	—	19,196

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832	Green ^h Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833				Green.	A. S.	
			s.	s.	s.	h. m. s.	s.	s.	s.	s.	s.
1306	5	60 Leonis <i>b</i>	7 21,07	—	4 21,06	10 53 21,07	—	20,62	—	+0,45	+3,216
1307	6	8 Hyd & Crat <i>v</i>	—	6 17,28	—	10 54 17,26	—	16,58	—	+0,68	2,884
1308	7	Leonis	—	6 39,18	—	10 54 39,18	—	38,90	—	+0,28	3,069
1309	6	62 Leonis <i>p</i> ¹	—	—	2 0,68	10 55 0,68	—	0,35	—	+0,33	3,074
1310	4.5	63 Leonis <i>z</i>	7 21,11	1 21,07	3 20,94	10 56 21,03	20,95	20,42	+0,08	+0,61	3,086*
1311	5	9 Hyd & Crat <i>z</i> ¹	8 15,09	3 15,20	6 15,11	10 57 15,11	—	14,90	—	+0,21	2,889
1312	5.6	Hyd & Crat <i>z</i> ²	—	3 49,61	—	10 57 49,59	—	49,66	—	—0,07	2,890
1313	5.6	65 Leonis <i>p</i> ²	6 19,94	—	1 20,07	10 58 19,96	—	19,68	—	+0,28	3,086
1314	6	67 Leonis	—	6 47,58	—	10 59 47,61	—	47,36	—	+0,25	3,234
1315	3.4	52 Ursæ Maj <i>↓</i>	8 11,17	4 11,39	—	11 0 11,26	11,40	11,59	—0,14	—0,33	3,419
1316	5	10 Hyd & Crat	6 37,21	—	6 37,01	11 0 37,10	—	37,06	—	+0,04	2,892
1317	7	66 Leonis <i>p</i> ³	1 39,45	6 39,14	—	11 0 39,18	—	38,86	—	+0,32	3,066
1318	7	Leonis	—	6 54,81	—	11 2 54,82	—	54,74	—	+0,08	3,158
1319	4	11 Hyd & Crat <i>β</i>	6 24,50	—	6 24,45	11 3 24,46	24,40	24,48	+0,06	+0,02	2,937
1320	3	68 Leonis <i>δ</i>	4 10,11	7 10,18	1 9,96	11 5 10,15	9,98	9,50	+0,17	+0,65	3,193
1321	5.6	69 Leonis <i>p</i> ⁴	9 10,25	—	—	11 5 10,25	—	9,44	—	+0,81	3,073
1322	6.7	Leonis	2 18,05	6 17,95	1 17,91	11 5 17,97	—	17,51	—	+0,46	3,118
1323	3	70 Leonis <i>θ</i>	7 25,01	—	6 25 12	11 5 25,08	25,14	24,61	—0,06	+0,47	3,161
1324	5.6	72 Leonis <i>ι</i>	—	6 15,50	—	11 6 15,52	—	14,36	—	+1,16	3,207
1325	5.6	73 Leonis <i>π</i>	—	5 4,21	—	11 7 4,22	—	3,78	—	+0,44	3,146
1326	6	Leonis	—	6 11,01	1 11,01	11 7 11,03	—	10,80	—	+0,23	3,143
1327	5	74 Leonis <i>φ</i>	7 7,47	—	6 7,01	11 8 7,26	—	6,73	—	+0,53	3,054
1328	5.6	75 Leonis <i>q</i>	—	6 38,70	1 38,73	11 8 38,70	38,73	38,24	—0,03	+0,46	3,083
1329	4	53 Ursæ Maj. <i>ξ</i>	6 12,38	—	6 12,22	11 9 12,33	12,43	11,67	—0,10	+0,66	3,221*
1330	4	54 Ursæ Maj. <i>ν</i>	3 23,19	3 23,06	6 23,11	11 9 23,15	23,22	23,08	—0,07	+0,07	3,266
1331	5	55 Ursæ Maj. <i>p</i>	3 57 19	4 57,24	6 57,14	11 9 57,20	—	56,84	—	+0,36	3,304
1332	6	76 Leonis	1 17,66	6 17,75	—	11 10 17,73	17,67	17,06	+0,06	+0,67	3,081
1333	3.4	12 Hyd & Crat <i>δ</i>	2 57,12	5 56,95	6 56,91	11 10 56,94	56,87	56,73	+0,07	+0,21	2,998
1334	4	77 Leonis <i>σ</i>	5 28,61	3 28,41	2 28,38	11 12 28,50	28,36	27,91	+0,14	+0,59	3,071
1335	4	Centauri <i>π</i>	4 22,49	1 22,87	6 22,80	11 13 22,63	—	21,80	—	+0,83	2,702
1336	7	Leonis	7 41,91	—	—	11 14 41,91	—	41,71	—	+0,20	3,073
1337	6	13 Hyd & Crat <i>λ</i>	1 2,70	5 2,73	—	11 15 2,71	—	2,70	—	+0,01	2,984
1338	4	78 Leonis <i>ι</i>	9 9,97	—	4 9,74	11 15 9,90	9,72	9,38	+0,18	+0,52	3,121
1339	5.6	79 Leonis <i>κ</i>	—	6 25,16	1 25,13	11 15 25,16	25,13	24,65	+0,03	+0,51	3,079
1340	5	14 Hyd & Crat <i>ε</i>	7 7,87	—	5 7,95	11 16 7,93	—	7,80	—	+0,13	3,023
1341	6.7	Leonis	—	6 15,89	—	11 16 15,90	—	15,73	—	+0,17	3,124
1342	4	15 Hyd & Crat <i>γ</i>	3 29,88	2 30,17	5 29,91	11 16 29,94	29,77	29,26	+0,17	+0,68	2,992
1343	6	81 Leonis	—	6 50,66	—	11 16 50,66	—	50,55	—	+0,11	3,147
1344	7	82 Leonis	—	5 1,13	—	11 17 1,13	—	0,92	—	+0,21	3,087
1345	7	80 Leonis	—	5 12,00	—	11 17 12,00	—	11,60	—	+0,40	3,089
1346	6	16 Hyd & Crat <i>κ</i>	—	6 42,29	—	11 18 42,28	—	41,67	—	+0,61	3,020
1347	4	84 Leonis <i>τ</i>	9 18,04	1 18,00	4 17,83	11 19 17,98	17,92	17,48	+0,06	+0,50	3,084
1348	7	Leonis	—	5 19,04	—	11 19 19,04	—	18,68	—	+0,36	3,065
1349	6	85 Leonis	2 56,49	6 56,51	—	11 20 56,52	—	55,60	—	+0,92	3,135
1350	3.4	1 Draconis <i>λ</i>	—	5 19,87	6 19,87	11 21 20,01	20,28	20,57	—0,24	—0,53	3,695

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precessi- on.
	No.	1831	No.	1832	No.	1833			Green.	A. S. C.	
1306	5 55	11,22					68 55	11,22	55 10,38	+ 0,84	+ 19,198
1307			5 55	25,93			115 55	25,93	55 20,96	+ 4,97	19,222
1308			5 50	45,10			89 50	45,10	50 34,55	+ 10,55	19,231
1309			5 5	52,89			89 5	52,89	5 47,99	+ 4,90	19,240
1310	5 45	26,74	10 45	24,99			81 45	25,57	45 23,43	-1,86	+ 19,272
1311	4 23	18,01					116 23	18,01	23 16,16	+ 1,85	19,294
1312	1 22	52,66	3 22	51,53			116 22	51,81	22 49,24	+ 2,57	19,307
1313	5 8	3,13					87 8	3,13	7 57,68	+ 5,45	19,319
1314			5 26	2,14			64 26	2,14	25 57,44	+ 4,70	19,352
1315	5 35	32,29					44 35	32,29	35 28,81	+ 2,54	+ 19,361
1316	5 10	16,92					117 10	16,92	10 14,29	+ 2,63	19,371
1317			5 25	29,63			90 25	29,63	25 23,05	+ 6,58	19,372
1318	5 41	19,84					74 41	19,84	41 14,52	+ 5,32	19,422
1319	5 54	34,77			5 54	35,09	111 54	34,91	54 33,02	-0,43	+ 19,433
1320	5 33	22,64	16 33	20,12	5 33	21,72	68 33	20,91	33 21,88	-3,97	- 19,469
1321			5 9	23,76			89 9	23,76	9 19,99	+ 3,77	19,469
1322			5 1	16,76			81 1	16,76	1 12,66	+ 4,10	19,472
1323	5 39	7,77			5 39	8,88	73 39	8,32	39 8,15	-3,72	+ 19,475
1324			5 59	23,56			65 59	23,56	59 23,42	+ 0,14	19,498
1325			5 47	37,67			75 47	37,67	46 31,41	+ 6,26	19,508
1326			5 14	12,05			76 14	12,05	14 12,20	- 0,15	19,511
1327	5 44	4,93			1 44	4,54	92 44	4,86	43 57,28	+ 7,58	19,529
1328			5 4	2,33			87 4	2,33	4 0,96	+ 3,35	19,539
1329	4 31	34,00	2 31	32,95	5 31	34,48	57 31	34,03	31 36,54	-2,51	- 20,190*
1330	1 59	26,29	4 59	24,64	5 59	25,58	55 59	25,27	59 22,83	+ 2,44	+ 19,554
1331	2 53	41,12	3 53	39,08			50 53	39,90	53 33,85	+ 6,05	19,564
1332	2 25	45,85	3 25	45,87			87 25	45,86	25 42,63	+ 3,23	19,571
1333	2 52	13,31	4 52	8,58			103 52	10,16	52 14,40	-4,24	+ 19,583
1334	5 3	1,01			5 3	0,63	83 3	0,82	3 4,71	-3,89	- 19,611
1335	5 34	15,92			5 34	14,51	143 34	15,21	34 23,97	- 8,76	19,627
1336			4 56	47,89			88 56	47,89	56 46,06	+ 1,83	19,650
1337			4 51	25,53			107 51	25,53	51 23,27	+ 2,26	19,657
1338	4 32	44,24	7 32	41,61	5 32	42,09	78 32	42,35	32 46,97	-4,62	+ 19,658
1339			5 40	15,36			87 40	15,36	40 16,04	-0,68	+ 19,663
1340	5 56	24,15	1 56	21,95			99 56	23,78	56 13,41	+ 10,37	19,675
1341	1 38	49,61	5 38	48,36			77 38	48,57	38 47,81	+ 1,26	19,677
1342	7 45	42,08			2 45	40,90	106 45	41,82	45 39,54	-2,00	+ 19,681
1343			6 37	12,59			82 37	12,59	37 10,84	+ 1,75	19,687
1344			5 46	30,44			85 46	30,44	46 22,02	+ 8,42	19,689
1345			4 13	0,33	1 13	0,89	85 13	0,44	12 52,64	+ 7,80	19,692
1346			5 26	3,40			101 26	3,40	26 1,28	+ 2,12	19,716
1347	6 13	9,80	1 13	9,24	6 13	10,68	86 13	10,17	13 10,19	-0,02	+ 19,726
1348	1 46	33,35	4 46	35,13			90 46	34,77	46 32,41	+ 2,36	19,726
1349			5 39	30,42			73 39	30,42	39 32,19	+ 1,77	19,750
1350			5 44	36,85	5 44	36,73	19 44	36,79	44 35,72	+ 1,07	+ 19,756

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
											Green.	A. S.	
			No. 1831	No. 1832	No. 1833								
			s.	s.	s.	h. m. s.	s.	s.	s.	s.	s.	s.	
1351	6	86 Leonis	—	6 42,72	—	11 21 42,74	—	—	—	41,61	—	+1,13	+3,146
1352	4.5	87 Leonis <i>e</i>	7 44,03	—	5 44,04	11 21 44,03	—	44,03	—	43,97	-0,00	+0,06	3,060
1353	7	Hyd & Crat	5 23,94	2 24,20	—	11 23 24,01	—	—	—	23,86	—	+0,15	3,047
1354	5.6	17 Hyd & Crat	—	6 57,65	—	11 23 57,63	—	—	—	58,56	—	-0,93	2,955
1355	7	Hyd & Crat	—	5 15,80	—	11 24 15,80	—	—	—	15,16	—	+0,64	3,043
1356	4	19 Hyd & Crat ξ	7 45,51	—	5 45,38	11 24 45,44	—	45,41	—	44,66	+0,03	+0,78	2,945
1357	6	89 Leonis <i>H</i>	2 46,06	7 46,10	1 46,27	11 25 46,11	—	—	—	45,77	—	+0,34	3,082
1358	6	90 Leonis <i>C</i>	—	4 57,51	—	11 25 57,53	—	—	—	57,19	—	+0,34	3,131
1359	6	Ursæ Min.	5 26,51	1 26,77	—	11 27 26,56	—	—	—	26,48	—	+0,08	3,172
1360	4	Centauri λ	8 4,88	—	6 4,85	11 28 4,77	—	—	—	2,89	—	+1,88	2,717
1361	4	21 Hyd & Crat θ	8 9,89	—	4 10,05	11 28 9,94	—	10,00	—	9,49	-0,06	+0,45	3,039
1362	4.5	91 Leonis <i>v</i>	6 21,07	—	6 20,98	11 28 21,03	—	21,12	—	20,65	-0,09	+0,38	3,068
1363	6.7	1 Virginis <i>u</i>	1 47,57	7 47,80	2 47,71	11 29 47,76	—	—	—	47,51	—	+0,25	3,096
1364	7	Virginis	—	6 49,37	—	11 29 49,37	—	—	—	48,93	—	+0,44	3,063
1365	5.6	24 Hyd & Crat	—	4 8,59	—	11 30 8,58	—	—	—	8,31	—	+0,27	3,030
1366	5.6	92 Leonis	3 2,36	3 2,19	—	11 32 2,28	—	—	—	2,17	—	+0,11	3,135
1367	6.7	Virgin's	7 20,51	—	—	11 35 20,51	—	—	—	20,30	—	+0,21	3,054
1368	4	27 Hyd & Crat ζ	8 15,53	4 15,52	1 15,70	11 36 15,54	—	15,49	—	14,98	+0,05	+0,56	3,025
1369	5	2 Virginis ξ^1	9 37,36	1 37,30	4 37,43	11 36 37,37	—	37,19	—	36,47	+0,18	+0,90	3,090
1370	4	63 Ursæ Maj. α	5 8,99	1 9,07	6 8,72	11 37 8,91	—	9,00	—	8,21	-0,09	+0,70	3,220
1371	4.5	3 Virginis <i>v</i>	5 13,29	4 13,29	4 13,45	11 37 13,34	—	13,43	—	13,20	-0,09	+0,14	3,086
1372	5.6	4 Virginis ξ^2	1 17,12	5 17,10	—	11 39 17,10	—	—	—	16,18	—	+0,92	3,088
1373	4	93 Leonis <i>E</i>	2 19,05	4 18,88	6 18,65	11 39 18,81	—	18,80	—	18,39	+0,01	+0,42	3,115
1374	6	Hyd & Crat	—	6 17,05	—	11 40 17,03	—	—	—	16,48	—	+0,55	3,012
1375	2.3	94 Leonis β	3 29,07	23 29,23	6 29,14	11 40 29,21	—	29,18	—	28,90	+0,03	+0,31	3,064*
1376	3.4	5 Virginis β	8 56,79	17 56,98	1 56,84	11 41 56,92	—	56,90	—	56,43	+0,02	+0,49	3,124*
1377	6	Virginis <i>B</i>	6 27,18	—	—	11 42 27,18	—	—	—	26,71	—	+0,47	3,060
1378	4	28 Hyd & Crat β	6 26,65	6 26,52	—	11 44 26,57	—	26,42	—	26,51	+0,15	+0,06	3,009
1379	2	64 Ursæ Maj γ	7 57,42	11 57,45	23 57,45	11 44 57,52	—	57,42	—	57,21	+0,10	+0,31	3,192
1380	6	6 Virginis <i>A</i>	6 25,85	2 26,08	—	11 46 25,91	—	—	—	25,60	—	+0,31	3,081
1381	6	29 Hyd & Crat	—	6 8,66	—	11 47 8,64	—	—	—	8,39	—	+0,25	3,029
1382	6	30 Hyd & Crat η	—	5 27,85	—	11 47 27,84	—	—	—	27,75	—	+0,09	3,047
1383	7	Virginis	—	6 37,42	1 37,29	11 49 37,40	—	—	—	37,09	—	+0,31	3,073
1384	5	Chamœl <i>e</i>	—	—	—	11 51 Invisible	—	—	—	19,72	—	—	2,842
1385	5.6	7 Virginis <i>b</i>	1 20,69	7 20,67	—	11 51 20,67	—	—	—	20,48	—	+0,19	3,072
1386	5	8 Virginis π	13 15,84	9 15,79	—	11 52 15,81	—	15,15	—	15,76	+0,66	+0,05	3,074
1387	5.6	31 Hyd & Crat	—	—	6 16,42	11 52 16,40	—	—	—	15,89	—	+0,51	3,053
1388	7	Virginis	—	6 26,04	—	11 52 26,04	—	—	—	25,78	—	+0,26	3,067
1389	6	1 Comæ Ber	5 7,58	1 7,57	—	11 53 7,58	—	—	—	6,71	—	+0,87	3,085
1390	7	Virginis	6 9,92	1 10,07	3 10,01	11 55 9,97	—	—	—	10,11	—	-0,14	3,071
1391	6	2 Comæ Ber	—	6 40,03	—	11 55 40,05	—	—	—	39,32	—	+0,73	3,079
1392	4.5	9 Virginis δ	15 39,12	5 39,16	—	11 56 39,13	—	39,02	—	38,85	+0,11	+0,28	3,071
1393	7	Virginis	1 24,01	3 24,08	—	11 57 24,06	—	—	—	23,81	—	+0,25	3,067
1394	4.5	Crucis η	6 10,93	—	—	11 58 10,93	—	—	—	11,33	—	-0,40	3,046
1395	3	Centauri δ	6 41,32	—	6 41,46	11 59 41,35	—	—	—	41,69	—	-0,34	3,065

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No. 1831		No. 1832		No. 1833					Green.	A. S. C.	
	"	"	"	"	"	"						
1351	4 39 57,47						70 39 57,47		39 52,76			
1352	5 4 40,05	1	4 39,62	5	4 38,95		92 4 39,51	4 39,05	4 36,76	+0,46	+ 4,71	+19,762
1353	5 32 23,44						95 32 23,44		32 20,19		+ 2,75	19,762
1354			5 20 25,61				118 20 25,61		20 24,55		+ 3,25	19,786
1355	5 54 1,79						96 54 1,79		53 59,27		+ 1,06	19,794
											+ 2,52	19,798
1356	5 55 43,98	7	55 42,52	5	55 42,22	120	55 42,89	55 41,64	55 43,61	+1,25	— 0,72	19,805
1357	2 0 24,91	4	0 26,02			86	0 26,25		0 22,93		+ 3,32	19,818
1358		5	16 30,92			72	16 30,92		16 27,90		+ 3,02	19,820
1359		5	17 25,84			61	17 25,84		17 24,01		+ 1,83	19,839
1360	5 5 28,74			2	5 25,25	152	5 27,74		5 29,78		— 1,99	19,847
1361	6 52 21,51			5	52 23,54	98	52 22,43	52 25,69	52 19,79	—3,26	+ 2,64	19,848
1362	6 53 50,85	2	53 51,85	6	53 52,52	89	53 51,70	53 49,33	53 46,61	+2,37	+ 5,09	19,850
1363	4 56 11,52					80	56 11,52		56 10,60		+ 0,92	19,868
1364	3 30 24,12	2	30 23,95			91	30 24,05		30 22,55		+ 1,50	19,868
1365		5	17 38,95			102	17 38,95		16 36,28		+ 2,67	19,872
1366	5 42 46,97					67	42 46,97		42 47,32		— 0,35	19,892
1367	1 44 37,66	4	44 37,60			95	44 37,61		44 32,05		+ 5,56	19,926
1368	5 25 0,99	15	24 58,39			107	24 59,04	25 1,87	24 59,51	—2,83	— 0,47	19,934
1369	5 48 31,78			3	48 31,03	80	48 31,50	48 29,96	48 23,29	+1,54	+ 8,21	19,937
1370	5 17 19,27					41	17 19,27	17 21,71	17 20,92	—2,44	— 1,65	19,942
1371	5 31 42,61					82	31 42,61	31 44,91	31 44,88	—2,30	+ 2,27	19,943
1372	1 49 19,20	4	49 17,75			89	49 18,04		49 13,26		+ 4,78	19,960
1373	5 50 48,45					68	50 48,45	50 52,09	50 49,32	—3,64	— 0,87	19,960
1374		5	48 58,18			115	48 58,18		48 54,84		+ 3,34	19,968
1375	7 29 19,61	13	29 20,01	22	29 20,65	74	29 20,27	29 20,38	29 15,64	—0,11	+ 4,63	19,969
1376	8 17 19,24	7	17 19,87	5	17 18,77	87	17 19,35	17 19,68	17 17,60	—0,33	+ 1,75	19,980
1377	4 23 57,85	1	23 57,45			94	23 57,77		23 53,75		+ 4,02	19,983
1378	6 58 20,90					122	58 20,90	58 24,04	58 21,95	—3,14	— 4,05	19,996
1379	7 22 18,72	21	22 19,16	21	22 20,07	35	22 18,72	22 15,55	22 18,27	+3,17	+ 0,45	19,999
1380	3 37 20,56	2	37 20,20			80	37 20,42		37 15,19		+ 5,23	20,007
1381	5 32 22,35					117	32 22,35		32 23,99		— 1,64	20,011
1382	1 12 54,25					106	12 54,25		12 50,07		+ 4,18	20,012
1383		5	34 59,78			85	34 59,78		34 53,96		+ 3,82	20,022
1384						167	Invisible		17 15,24			20,028
1385	5 24 34,43					85	24 34,43		24 30,57		+ 3,86	20,028
1386	9 26 55,08			7	26 55,32	82	26 55,18	26 50,30	26 53,79	+4,88	+ 1,39	20,031
1387	2 43 23,52					108	43 23,52		43 18,65		+ 4,87	20,031
1388		4	49 40,12			90	49 40,12		49 40,47		— 0,35	20,031
1389		4	58 7,49			66	58 7,49		58 10,00		— 2,51	20,033
1390		5	30 6,81			83	30 6,81		30 5,72		+ 1,09	20,038
1391	1 36 14,37	4	36 15,89			67	36 15,57		36 12,97		+ 2,60	20,039
1392	12 20 4,51			10	20 3,83	80	20 4,20	20 0,44	20 0,55	+3,76	+ 3,65	20,040
1393	3 11 43,60					92	11 43,60		11 39,33		+ 4,27	20,041
1394	5 40 29,26					153	40 29,26		40 37,32		— 8,06	20,042
1395	9 47 15,07	7	47 13,33			139	47 14,35		47 16,33		— 1,98	20,043

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	1832					Green.	A. S.	
						s.	s.	s.					
1396	4.5	1 Corvi	3 45,83	8 45,82	12 45,91	11	59	45,85	45,79	45,65	+0,06	+0,20	+3,067
1397	6	10 Virginis	3 4,73	4 5,18	1 5,10	12	1	5,00		4,53		+0,47	3,068
1398	4	2 Corvi	6 30,07		6 29,88	12	1	29,96	29,89	29,64	+0,07	+0,32	3,071
1399	7	11 Virginis		6 29,79	2 29,75	12	1	29,78		29,91		-0,13	3,067
1400	6	3 Corvi		5 26,07		12	2	26,05		25,54		+0,51	3,074
1401	4	Centauri	6 54,57		6 54,77	12	2	54,57		53,42		+1,15	3,088
1402	6	4 Comæ Ber		6 19,39		12	3	19,40		19,15		+0,25	3,059
1403	6	5 Comæ Ber		6 36,26		12	3	36,27		35,75		+0,52	3,060
1404	5	Draconis	1 13,20	5 13,52	3 12,10	12	4	13,47		14,00		-0,53	2,949
1405	6	12 Virginis	2 52,63	4 52,60		12	4	52,61		52,07		+0,54	3,063
1406	3	Crucis	7 16,82		6 17,31	12	6	17,00		14,77		+2,23	3,125
1407	3	69 Ursæ Maj.	8 4,40		4 4,29	12	7	4,40	4,38	3,59	+0,02	+0,81	3,003
1408	3	4 Corvi	6 10,69		9 10,68	12	7	10,69	10,69	10,37	0,00	+0,32	3,080
1409	5	6 Comæ Ber		4 28,32	6 28,05	12	7	28,17		27,68		+0,49	3,056
1410	5	7 Comæ Ber	5 50,28	1 49,99		12	7	50,23		49,88		+0,35	3,047
1411	5	Chamœl				12	8			46,03			3,313
1412	6	13 Virginis	6 3,77	6 3,74	2 3,91	12	10	3,78	3,78	3,50	0,00	+0,28	3,068
1413	6.7	14 Virginis		6 41,89		12	10	41,88		41,62		+0,26	3,077
1414	6	8 Comæ Ber		6 49,84		12	10	49,86		49,16		+0,70	3,040
1415	3.4	15 Virginis	5 18,73		5 18,41	12	11	18,57	18,69	18,77	-0,12	-0,20	3,068
1416	6	10 Comæ Ber		6 23,28		12	11	23,30		22,57		+0,73	3,031
1417	5.6	16 Virginis	1 49,34	4 49,60	5 49,27	12	11	49,42	48,47	48,47	+0,95	+0,95	3,026*
1418	5.6	5 Corvi		4 52,21		12	11	52,20		51,95		+0,25	3,095
1419	5	11 Comæ Ber	5 13,48		6 13,51	12	12	13,52		12,86		+0,66	3,044
1420	6	Corvi		1 16,01	4 15,99	12	12	15,99		15,65		+0,34	3,084
1421	4	Crucis		4 21,35	4 21,20	12	12	21,19		19,52		+1,67	3,189
1422	6	17 Virginis		6 59,74	1 59,68	12	13	59,74		58,80		+0,94	3,059
1423	5	12 Comæ Ber	9 3,18		5 2,92	12	14	3,11		2,94		+0,17	3,027
1424	5.6	6 Corvi		6 37,39		12	14	37,37		37,35		+0,02	3,106
1425	5	13 Comæ Ber	6 52,42		6 52,26	12	15	52,36		51,62		+0,74	3,021
1426	4	Crucis	1 14,71		6 14,27	12	17	14,20		12,41		+1,79	3,257
1427	1	Crucis	5 18,98	2 18,75	4 19,29	12	17	18,99		17,62		+1,37	3,258
1428	5	14 Comæ Ber	2 59,72	1 59,56	2 59,26	12	17	59,52		58,90		+0,62	3,012
1429	5	15 Comæ Ber		6 33,57		12	18	33,59		32,90		+0,69	3,008
1430	4.5	16 Comæ Ber	5 34,86		3 34,67	12	18	34,80	34,82	34,13	+0,02	+0,67	3,011
1431	5	Centauri	5 59,68	3 59,89		12	18	59,75		0,23		-0,48	3,196
1432	6.7	Virginis		4 14,83		12	19	14,83		14,55		+0,28	3,075
1433	4	Centauri	1 28,25	4 28,20		12	19	28,18		28,44		-0,26	3,156
1434	7	Virginis		6 45,10		12	19	45,11		44,63		+0,48	3,057
1435	5.6	17 Comæ Ber		2 30,83	4 30,79	12	20	30,82		30,30		+0,52	3,008
1436	6	18 Comæ Ber			6 2,32	12	21	2,35		2,02		+0,33	3,011
1437	3	7 Corvi	2 10,80	4 11,07		12	21	10,98	11,06	11,25	-0,08	-0,27	3,102
1438	6.7	Virginis			6 25,75	12	21	25,74		26,11		-0,37	3,095
1439	2.3	Crucis	5 54,05	1 54,06		12	21	54,04		54,51		-0,47	3,257
1440	6	19 Virginis			4 1,63	12	22	1,64		1,28		+0,36	3,044

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
1396	5 47 25,70	6 47 23,91	6 47 24,59	113 47 24,68	47 28,44	47 27,60	-3,76	- 2,92	+ 20,043
1397	—	5 9 31,44	—	87 9 31,44	—	9 30,44	—	+ 1,00	20,042
1398	—	—	6 41 3,90	111 41 3,90	41 4,50	41 7,18	-0,60	- 3,28	20,042
1399	—	5 15 28,92	—	83 15 28,92	—	15 23,52	—	+ 5,40	20,042
1400	—	6 39 57,44	—	112 39 57,44	—	39 55,98	—	+ 1,46	20,042
1401	5 25 56,83	—	—	141 25 56,83	—	26 7,32	—	- 10,49	20,041
1402	—	5 11 31,35	—	63 11 31,35	—	11 34,81	—	- 3,46	20,041
1403	—	5 31 13,86	—	68 31 13,86	—	31 17,91	—	- 4,05	20,040
1404	—	5 26 59,50	—	11 26 59,50	—	26 57,43	—	+ 2,07	20,039
1405	—	5 48 5,77	—	78 48 5,77	—	48 4,23	—	+ 1,54	20,038
1406	6 48 46,84	—	6 48 46,13	147 48 46,48	—	48 55,31	—	- 8,83	20,035
1407	6 2 2,70	—	6 2 0,83	32 2 1,76	2 0,22	2 4,41	+1,54	- 2,65	20,033
1408	1 36 29,53	4 36 29,14	—	106 36 29,22	36 30,42	36 25,74	-1,20	+ 3,48	20,033
1409	—	5 9 51,84	—	74 9 51,84	—	9 49,73	—	+ 2,11	20,032
1410	—	4 7 15,25	2 7 13,17	65 7 14,65	—	7 9,43	—	+ 5,12	20,031
1411	—	—	—	168 Invisible	—	22 54,24	—	—	20,028
1412	—	5 51 13,14	—	89 51 13,14	51 9,83	51 7,83	+3,31	+ 5,31	20,024
1413	—	5 58 43,54	—	97 58 43,54	—	58 43,42	—	+ 0,12	20,021
1414	—	3 1 51,23	—	66 1 51,23	—	1 42,88	—	+ 8,35	20,021
1415	7 43 59,26	8 43 57,10	7 43 59,79	89 43 58,64	43 56,93	43 53,70	+1,71	+ 4,94	20,019
1416	—	5 36 6,38	—	60 36 6,38	—	36 6,33	—	+ 0,05	20,018
1417	—	6 45 2,04	—	85 45 2,04	45 4,50	45 0,87	-2,46	+ 1,17	20,016
1418	—	5 16 50,42	—	111 16 50,42	—	16 50,69	—	- 0,27	20,017
1419	4 16 41,10	—	—	71 16 41,10	—	16 39,40	—	+ 1,70	20,015
1420	—	—	5 37 57,23	102 37 57,23	—	37 57,91	—	- 0,68	20,014
1421	5 28 21,07	—	—	149 28 21,07	—	28 24,15	—	- 3,08	20,014
1422	—	5 45 31,28	—	83 45 31,28	—	45 28,92	—	+ 2,36	20,006
1423	2 13 13,77	3 13 11,99	—	63 13 12,70	—	13 15,45	—	- 2,75	20,005
1424	—	6 54 23,67	—	113 54 23,67	—	54 23,79	—	- 0,12	20,002
1425	5 58 4,40	1 58 3,65	—	62 58 4,27	—	58 7,27	—	- 3,00	19,995
1426	—	—	—	152 11 —	—	11 32,97	—	—	19,987
1427	6 10 0,96	4 10 3,03	5 10 0,39	152 10 1,32	—	10 7,97	—	- 6,65	19,986
1428	—	5 47 59,96	—	61 47 59,96	—	47 58,53	—	+ 1,43	19,982
1429	—	5 47 47,38	—	60 47 47,38	—	47 47,15	—	+ 0,23	19,978
1430	5 14 33,38	—	11 14 34,43	62 14 34,10	14 34,62	14 31,73	-0,52	+ 2,37	19,978
1431	4 17 54,66	—	4 17 56,13	139 17 55,40	—	17 41,83	—	+ 13,57	19,975
1432	—	5 41 1,33	—	93 41 1,33	—	40 59,64	—	+ 1,69	19,973
1433	2 6 32,60	2 6 34,76	—	128 6 33,68	—	6 25,29	—	+ 8,39	19,971
1434	—	6 40 23,05	—	84 40 23,05	—	40 16,82	—	+ 6,23	19,969
1435	—	5 9 20,49	—	63 9 20,49	—	9 21,99	—	- 1,50	19,963
1436	—	4 56 41,99	—	64 56 41,99	—	57 33,76	—	- 51,77	19,959
1437	3 34 47,62	11 34 46,52	—	105 34 46,76	34 45,23	34 41,19	+1,53	+ 5,57	19,958
1438	—	5 27 36,40	—	102 27 36,40	—	27 37,84	—	- 1,41	19,956
1439	5 10 16,13	—	—	146 10 16,13	—	10 4,66	—	+ 11,47	19,952
1440	—	—	5 21 9,09	79 21 9,09	—	21 1,66	—	+ 7,43	19,951

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832	Green ^b Catal.	A S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833				Green.	A. S.	
			s.	s.	s.	h. m. s.	s.	s.	s.	s.	s.
1441	4	Muscae γ	—	1 33,22	—	12 22 33,11	—	34,34	—	-1,23	+3,452
1442	5.6	21 Comae Ber g	—	6 36,82	—	12 22 36,84	—	36,73	—	+0,11	3,066
1443	6.7	Virginis	—	5 1,24	—	12 23 1,23	—	0,87	—	+0,36	3,078
1444	4.5	8 Corvi η	6 25,62	—	—	12 23 25,62	25,45	25,47	+0,17	+0,15	3,105
1445	6	20 Virginis	—	2 32,78	3 32,63	12 24 32,70	—	32,36	—	+0,34	3,040
1446	5.6	21 Virginis q	1 6,85	5 7,03	—	12 25 7,00	—	6,79	—	+0,21	3,090
1447	6	22 Comae Ber	—	—	6 11,49	12 25 11,52	—	11,22	—	+0,30	2,999
1448	2.3	9 Corvi β	7 34,73	—	—	12 25 34,73	34,66	34,05	+0,07	+0,08	3,129
1449	4.5	8 Canum Ven d	5 44,90	—	—	12 25 44,90	44,90	44,84	0,00	+0,06	2,864*
1450	3.4	5 Draconis α	3 15,95	2 15,80	—	12 26 15,93	15,84	14,92	+0,09	+1,01	2,600*
1451	4.5	23 Comae Ber k	1 28,40	4 28,49	2 28,34	12 26 28,45	28,73	28,04	-0,28	+0,41	3,001
1452	5.6	24 Comae Ber l	—	2 41,61	3 41,87	12 26 41,79	—	41,52	—	+0,27	3,014
1453	4	Muscae α	2 16,05	4 15,77	—	12 27 15,81	—	16,19	—	-0,38	3,463
1454	6.7	25 Virginis f	2 8,78	2 8,67	—	12 28 8,72	—	8,20	—	+0,52	3,082
1455	6	25 Comae Ber	—	1 32,76	5 32,67	12 28 32,70	—	31,29	—	+0,81	3,014
1456	5	Centauri τ	5 33,27	—	5 33,12	12 28 33,16	—	33,30	—	-0,14	3,249
1457	5.6	Hyd & Crat d	—	6 48,79	—	12 28 48,77	—	48,56	—	+0,21	3,150
1458	7	Virginis	—	6 48,66	1 48,57	12 29 48,66	—	48,50	—	+0,16	3,060
1459	6.7	Virginis	—	3 5,60	2 5,50	12 30 5,55	—	5,41	—	+0,14	3,079
1460	4	26 Virginis α	—	6 35,18	—	12 30 35,17	35,01	34,51	+0,16	+0,66	3,090
1461	6	26 Comae Ber m	—	—	6 45,52	12 30 45,54	—	44,96	—	+0,58	2,996
1462	5	Centauri l	10 48,74	—	1 48,67	12 30 48,74	—	48,68	—	+0,06	3,213
1463	3	Centauri γ	7 17,58	—	—	12 32 17,58	—	18,27	—	-0,69	3,276
1464	6	27 Virginis	—	—	6 6,51	12 33 6,51	—	5,39	—	+1,12	3,030
1465	4	29 Virginis γ_1	3 9,13	6 8,97	5 9,20	12 33 9,08	9,13	8,83	-0,05	+0,25	3,022*
1466	4	Virginis γ_2	—	4 9,14	—	12 33 9,14	—	9,07	—	+0,07	3,022*
1467	6	28 Virginis	1 16,73	3 17,08	2 17,07	12 33 17,01	—	16,77	—	+0,24	3,090
1468	5	30 Virginis ρ	—	6 22,88	—	12 33 22,89	—	22,31	—	+0,58	3,030
1469	6	31 Virginis δ_1	—	—	5 26,42	12 33 26,43	—	26,15	—	+0,28	3,042
1470	6	Hyd & Crat e	—	5 4,67	—	12 35 4,65	—	4,26	—	+0,39	3,173
1471	4	Muscae β	4 4,72	3 4,68	—	12 36 4,67	—	5,19	—	-0,82	3,564
1472	6	33 Virginis	—	5 50,67	—	12 37 50,68	—	50,43	—	+0,25	3,027
1473	2	Crucis β	8 58,02	—	3 58,41	12 37 58,10	—	58,84	—	-0,74	3,430
1474	6	27 Comae Ber α	7 15,17	—	—	12 38 15,17	—	14,89	—	+0,28	2,998
1475	6	34 Virginis	2 45,95	4 46,17	—	12 38 46,10	—	46,05	—	+0,05	3,017
1476	6.7	Virginis	3 53,28	5 52,96	—	12 38 53,03	—	52,73	—	+0,30	3,089
1477	6	35 Virginis	3 18,23	4 18,41	—	12 39 18,34	—	17,98	—	+0,36	3,050
1478	6	29 Comae Ber σ	2 29,14	4 29,03	—	12 40 29,07	—	28,18	—	+0,89	3,005
1479	6	30 Comae Ber	—	5 5,81	—	12 41 5,83	—	5,57	—	+0,26	2,939
1480	6.7	Virginis	1 38,97	5 39,08	—	12 42 39,06	—	38,71	—	+0,35	3,109
1481	6	37 Virginis	—	6 4,08	—	12 43 4,09	—	3,74	—	+0,35	3,051
1482	5.6	31 Comae Ber p	—	6 30,57	—	12 43 30,59	—	30,26	—	+0,33	2,932
1483	5	Centauri η	10 9,83	—	4 9,78	12 44 9,81	—	9,54	—	+0,27	3,277
1484	6	38 Virginis	1 35,82	5 35,44	—	12 44 35,50	—	35,21	—	+0,29	3,080
1485	5	Centauri θ	7 46,87	—	4 47,88	12 44 47,21	—	47,01	—	+0,20	3,455

No.	Mean N. P. D. reduced to January 1, 1852, from Observations in						Mean N. P. D. January 1, 1852.	Greenwich Catalogue.	A. S. Catalogue.	Difference from			Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A	S. C	
1441	—	—	1 12 13,63	—	3 12 14,24	—	161 12 14,09	—	12 10 59	—	+	3,50	+19,946
1442	—	—	5 30 13,12	—	—	—	64 30 13,12	—	30 10,38	—	+	2,74	19,946
1443	—	—	—	—	5 7 28,79	—	94 7 28,79	—	7 27,31	—	+	1,48	19,943
1444	4 15 56,11	—	2 15 56,17	—	—	—	105 15 56,13	15 52,33	15 47,73	+3,80	+	8,40	19,939
1445	—	—	4 46 29,66	—	—	—	78 46 29,66	—	46 34,12	—	—	4,46	19,929
1446	—	—	6 31 23,97	—	—	—	98 31 23,97	—	31 22,75	—	+	1,22	19,923
1447	—	—	—	—	4 47 21,85	—	64 47 21,85	—	47 17,49	—	+	4,36	19,923
1448	3 27 59,83	—	3 27 59,25	—	—	—	112 27 59,54	27 58,06	27 59,40	+1,48	+	0,14	19,919
1449	—	—	5 43 39,71	—	—	—	47 43 39,71	43 42,66	43 37,95	—3,89	+	1,76	19,917
1450	6 17 5,13	—	—	—	—	—	19 17 5,13	17 4,41	17 6,63	+0,72	—	1,50	19,912
1451	1 26 37,34	—	4 26 39,35	—	—	—	66 26 38,95	26 40,75	26 38,89	—1,80	+	0,06	19,910
1452	—	—	5 41 49,36	—	—	—	70 41 49,36	—	41 46,08	—	+	3,28	19,908
1453	5 12 24,80	—	—	—	1 12 24,90	—	158 12 24,82	—	12 26,26	—	—	1,44	19,902
1454	—	—	2 54 19,92	—	3 54 21,32	—	94 54 20,76	—	54 15,94	—	+	4,82	19,893
1455	—	—	—	—	4 59 0,61	—	71 59 0,61	—	59 0,60	—	+	0,01	19,889
1456	5 36 52,32	—	—	—	—	—	137 36 52,32	—	36 49,12	—	+	3,20	19,888
1457	—	—	5 12 32,04	—	—	—	116 12 32,04	—	12 25,64	—	+	6,40	19,886
1458	—	—	—	—	6 13 10,35	—	87 13 10,35	—	13 7,08	—	+	3,27	19,874
1459	—	—	—	—	5 26 52,01	—	93 26 52,01	—	26 53,18	—	—	1,17	19,871
1460	—	—	—	—	—	—	97 —	4 12,03	4 6,44	—	—	—	19,866
1461	—	—	5 0 41,11	—	—	—	68 0 41,11	—	0 43,33	—	—	2,22	19,864
1462	3 3 39,12	—	1 3 40,40	—	—	—	129 3 39,44	—	3 36,94	—	+	2,50	19,863
1463	5 2 2,16	—	—	—	2 2 4,33	—	138 2 2,78	—	2 0,79	—	+	1,99	19,845
1464	—	—	5 38 58,91	—	—	—	78 38 58,91	—	39 1,26	—	—	2,35	19,835
1465	—	—	9 31 38,42	—	—	—	90 31 38,42	31 36,32	31 35,55	+2,10	+	2,87	19,835
1466	—	—	9 31 38,42	—	—	—	90 31 38,42	—	31 36,55	—	+	1,87	19,835
1467	—	—	5 34 28,47	—	—	—	96 34 28,47	—	34 23,49	—	+	2,98	19,833
1468	—	—	3 50 9,54	—	3 50 11,35	—	78 50 10,45	—	50 8,45	—	+	2,00	19,832
1469	—	—	—	—	5 16 12,37	—	82 16 12,37	—	46 6,11	—	—	—	19,831
1470	—	—	5 24 0,32	—	—	—	117 24 0,32	—	23 56,27	—	+	4,05	19,810
1471	6 11 13,44	—	—	—	—	—	157 11 13,44	—	11 10,39	—	+	3,05	19,796
1472	4 31 12,53	—	1 31 11,59	—	—	—	79 31 12,34	—	31 7,15	—	+	5,19	19,771
1473	6 16 2,07	—	2 46 1,53	—	—	—	148 46 1,94	—	46 2,16	—	—	0,22	19,770
1474	—	—	5 30 9,17	—	—	—	72 30 9,17	—	30 9,16	—	+	0,01	19,766
1475	—	—	5 7 20,13	—	—	—	77 7 20,13	—	7 12,28	—	+	7,85	19,758
1476	—	—	5 21 52,29	—	—	—	95 22 52,29	—	22 48,08	—	+	4,21	19,756
1477	—	—	5 30 31,92	—	—	—	85 30 31,92	—	30 28,10	—	+	3,82	19,750
1478	—	—	6 57 33,25	—	—	—	74 57 33,25	—	57 26,80	—	+	6,45	19,732
1479	—	—	5 31 50,26	—	—	—	61 31 50,26	—	31 45,59	—	+	4,67	19,723
1480	—	—	4 25 20,21	—	—	—	99 25 20,21	—	25 17,27	—	+	2,94	19,698
1481	—	—	5 1 41,36	—	—	—	86 1 41,36	—	1 37,04	—	+	4,32	19,691
1482	—	—	5 32 33,40	—	—	—	61 32 33,40	—	32 34,12	—	—	0,72	19,684
1483	4 15 48,69	—	—	—	—	—	129 15 48,69	—	15 43,01	—	+	5,68	19,674
1484	—	—	5 38 15,61	—	—	—	92 38 15,61	—	38 11,47	—	+	1,14	19,666
1485	5 15 46,82	—	—	—	—	—	146 15 46,82	—	15 44,35	—	+	2,47	19,663

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in						Mean A. R. January 1, 1832	Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion	
			No. 1831		No. 1832		No. 1833					Green.	A. S.		
			s.	s.	s.	s.	h.	m.							s.
1486	5	35 Comæ Ber <i>q</i>	5	1,14	1	1,09	5	1,10	12 45 1,13						+2,962
1487	6	41 Virginis			5	23,72			12 45 23,73					+0,32	3,006
1488	5.6	40 Virginis \downarrow			5	37,52			12 45 37,51	37,44	37,55	+0,07	-0,04		3,108
1489	3	77 Ursæ Maj. <i>e</i>	4	36,94	1	36,97			12 46 36,95	36,92	36,24	+0,03	+0,71		2,655
1490	7	42 Virginis					1	41,30	12 46 41,30		40,74		+0,56		3,027
1491	3.4	43 Virginis δ	5	8,64	5	8,78	2	8,59	12 47 8,69	8,59	8,38	+0,10	+0,31		3,004*
1492	2.3	12 Canum Ven <i>a</i>	4	9,60	1	9,83			12 48 9,65	9,58	9,11	+0,07	+0,54		2,841
1493	4.5	36 Comæ Ber <i>r</i>	6	36,67			10	36,75	12 50 36,73	36,77	36,31	-0,04	+0,42		2,971
1494	4	Muscoe δ	1	51,98	5	51,21			12 50 51,35		49,74		+1 61		3,902
1495	6	44 Virginis <i>k</i> ¹	3	0,68	3	0,62	1	0,66	12 51 0,65		0,41		+0,24		3,083
1496	6.7	46 Virginis <i>k</i> ³			6	57,30			12 51 57,30		56,91		+0,39		3,081
1497	5	37 Comæ Ber	9	13,65			4	13,52	12 52 13,62		14,14		-0,52		2,882
1498	6	38 Comæ Ber			5	50,82			12 52 50,83		50,39		+0,44		2,969
1499	3.4	47 Virginis <i>k</i> ^e	7	49,06			7	48,83	12 53 48,95	49,01	48,78	-0,06	+0,17		3,003
1500	6	48 Virginis <i>k</i> ⁴	6	15,35	2	15,43			12 55 15,37		15,05		+0,32		3,083
1501	5	Centauri ξ ²					5	8,86	12 57 8,79		9,93		-1,14		3,447
1502	6.7	Virginis			6	35,83			12 57 35,82		35,67		+0,15		3,151
1503	5	14 Canum Ven <i>f</i>							12 57		52,40				2,820
1504	5	39 Comæ Ber <i>t</i>					6	9,62	12 58 9,65		9,55		+0,10		2,932
1505	6	40 Comæ Ber					3	11,69	12 58 11,72		10,71		+1,01		2,922
1506	5.6	49 Virginis <i>g</i>					2	6,32	12 59 6,31	6,37	6,39	-0,06	-0,08		3,127
1507	4	41 Comæ Ber <i>u</i>					4	6,59	12 59 6,62	6,83	6,17	-0,21	+0,45		2,883
1508	6	Comæ Ber					6	50,73	12 59 50,76		51,29		-0,53		2,881
1509	4.5	1 Hydræ Con \downarrow	2	1,51			1	1,17	13 0 1,42	1,37	0,90	+0,05	+0,52		3,209
1510	6	50 Virginis					4	58,28	13 0 58,27		58,21		+0,06		3,126
1511	4.5	51 Virginis θ	1	15,52			3	15,64	13 1 15,60	15,67	15,54	-0,07	+0,06		3,097
1512	5	Centauri <i>w</i>					4	49,10	13 1 49,04		49,04		0,00		3,393
1513	4.5	42 Comæ Ber <i>v</i>			3	48,78			13 1 48,79	48,95	48,48	-0,16	+0,31		2,950
1514	5	53 Virginis	7	8,00					13 3 8,00		7,40		+0,60		3,167
1515	6	43 Comæ Ber <i>w</i>			5	1,69			13 4 1,71		0,48		+1,23		2,787*
1516	6	Virginis	4	11,44	2	11,25			13 4 11,38		11,27		+0,11		2,987
1517	6	55 Virginis			6	12,59			13 5 12,57		12,40		+0,17		3,197
1518	7	Virginis			5	24,21	2	24,36	13 5 24,25		24,17		+0,08		3,053
1519	6	57 Virginis	2	54,68	4	54,64			13 6 54,65		51,15		+0,59		3,201
1520	6	59 Virginis <i>e</i>					6	26,24	13 8 26,25		26,11		+0,14		2,997
1521	6	58 Virginis			6	39,63			13 8 39,62		39,43		+0,19		3,135
1522	6	60 Virginis <i>e</i>			5	7,47			13 9 7,46		7,09		+0,37		3,024
1523	4.5	61 Virginis	12	37,98			2	37,98	13 9 37,98	38,15	37,37	-0,17	+0,61		3,106*
1524	4.5	2 Hydræ Con γ	6	48,40			6	48,36	13 9 48,36	48,45	48,14	-0,09	+0,22		3,232
1525	5	20 Canum Ven <i>h</i>	5	60,00	1	59,97	3	59,80	13 9 59,94		59,40		+0,54		2,713
1526	5	21 Canum Ven	4	4,89	1	5,33			13 11 4,98		4,69		+0,29		2,573
1527	3	Centauri <i>i</i>			6	10,87	6	10,86	13 11 10,83	10,96	11,62	-0,13	-0,79		3,362
1528	7	62 Virginis			6	31,23			13 11 31,22		31,16		+0,06		3,143
1529	6	64 Virginis <i>u</i>			6	41,77			13 13 41,78		41,46		+0,32		3,023
1530	6	63 Virginis			5	2,09			13 14 2,08		1,57		+0,51		3,196

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
1486	2 50 20,10	3 50 21,95	—	67 50 21,21	—	50 21,46	—	0,25	+ 19,659
1487	—	5 40 0,41	—	76 40 0,41	—	39 55,58	+	4,83	19,653
1488	—	6 37 25,25	—	98 37 25,25	37 29,17	37 26,99	— 3,92	1,74	19,649
1489	5 7 36,10	—	—	33 7 36,10	7 36,53	7 39,47	— 0,43	3,37	19,631
1490	—	—	—	81	—	16 5,60	—	—	19,630
1491	1 41 15,89	5 41 17,59	—	85 41 17,31	41 16,10	41 13,93	+ 1,21	3,38	19,622
1492	9 46 22,80	—	—	50 46 22,80	46 22,44	46 21,21	+ 0,36	1,59	19,604
1493	6 40 57,75	—	6 40 56,65	71 40 57,20	40 59,14	40 50,56	— 1,94	6,64	19,558
1494	5 38 24,10	—	—	160 38 24,10	—	38 21,47	+	2,63	19,554
1495	—	5 54 10,55	—	92 54 10,55	—	54 9,07	+	1,48	19,550
1496	—	5 28 45,18	—	92 28 45,18	—	27 42,97	+	2,21	19,532
1497	5 19 20,92	—	—	58 19 20,92	—	18 20,59	+	0,33	19,526
1498	—	5 58 6,79	—	71 58 6,79	—	58 4,28	+	2,51	19,514
1499	4 8 7,16	2 8 6,54	7 8 6,62	78 8 6,78	8 8,96	8 5,77	— 2,18	1,01	19,495
1500	—	4 45 23,82	—	92 45 23,82	—	45 21,90	+	1,92	19,465
1501	—	—	5 0 11,97	139 0 11,97	—	0 4,43	+	7,54	19,425
1502	—	5 0 52,74	—	104 0 52,74	—	0 52,34	+	0,40	19,415
1503	1 17 57,90	4 17 58,37	—	53 17 58,28	—	18 0,88	—	2,60	19,409
1504	—	5 56 31,73	—	67 56 31,73	—	56 34,72	—	2,99	19,403
1505	—	5 28 45,28	—	66 28 45,28	—	28 47,89	—	2,61	19,402
1506	—	1 50 25,41	4 50 27,43	99 50 27,03	50 23,14	50 19,47	+ 3,89	7,56	19,382
1507	1 28 18,02	6 28 16,26	9 28 17,42	61 28 17,04	28 17,10	28 16,51	— 0,06	0,53	19,382
1508	—	—	4 32 30,38	61 32 30,38	—	32 21,77	+	8,61	19,365
1509	—	5 13 2,56	—	112 13 2,56	13 1,37	13 2,52	+ 1,19	0,04	19,362
1510	—	—	5 25 52,46	99 25 52,46	—	25 58,62	—	6,16	19,340
1511	—	4 38 24,85	—	94 38 24,85	38 23,99	38 22,75	+ 0,86	2,10	19,333
1512	5 28 12,85	—	—	132 28 12,85	—	28 12,89	—	0,04	19,320
1513	—	3 33 46,53	2 33 46,31	71 33 46,44	34 48,01	34 46,95	— 1,57	0,51	19,320
1514	3 17 27,80	2 17 27,16	—	105 17 27,54	—	17 19,61	+	7,93	19,290
1515	—	3 16 2,86	—	61 16 2,86	—	16 0,82	+	2,04	18,428*
1516	—	5 32 52,91	—	77 32 52,91	—	32 51,33	+	1,58	19,264
1517	—	4 2 43,40	—	109 2 43,40	—	2 41,48	+	1,92	19,239
1518	—	5 38 53,03	—	87 38 53,03	—	38 51,11	+	1,92	19,235
1519	2 2 47,52	3 2 46,97	—	109 2 47,19	—	2 44,08	+	3,11	19,197
1520	—	5 41 46,56	—	79 41 46,56	—	41 42,70	+	3,86	19,158
1521	—	1 39 32,58	4 39 34,41	99 39 34,04	—	39 27,10	+	6,94	19,153
1522	—	5 38 29,43	—	83 38 29,43	—	38 28,98	+	0,45	19,141
1523	5 22 25,67	—	—	107 22 25,67	22 27,38	22 25,41	— 1,71	0,26	20,208*
1524	6 16 56,26	3 16 56,18	—	112 16 56,23	16 56,96	16 52,28	— 0,73	3,95	19,123
1525	2 32 27,11	3 32 23,86	—	48 32 25,16	—	32 23,65	+	1,51	19,117
1526	4 25 58,91	1 25 54,87	—	39 25 58,11	—	25 59,43	—	1,32	19,089
1527	—	5 19 25,99	—	125 49 25,99	—	49 19,47	+	6,52	19,086
1528	—	1 25 9,64	4 25 10,27	100 25 10,15	—	25 2,56	+	7,59	19,077
1529	—	1 57 38,18	4 57 41,24	83 57 40,63	—	57 39,15	+	1,48	19,018
1530	—	5 51 9,97	—	106 51 9,97	—	51 5,85	+	4,12	19,009

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion	
			No. 1831	No. 1832	No. 1833	h.	m.	s.			s.	s.		A. S.
1531	6	65 Virginis	4 37,07	1 37,04	—	13	14	37,06	—	37,25	—	—0,19	+ 3,098	
1532	6	66 Virginis	—	6 49,08	—	13	15	49,07	—	48,71	—	+ 0,36	3,100	
1533	1	67 Virginis	15 21,29	9 21,32	40 21,19	13	16	21,25	21,14	21,00	+ 0,11	+ 0,25	3,147	
1534	3	79 Ursæ Maj.	9 8,79	—	4 8,32	13	17	8,67	8,62	7,33	+ 0,05	+ 1,34	2,419	
1535	4	68 Virginis	6 51,42	—	—	13	17	51,42	51,36	50,77	+ 0,06	+ 0,65	3,161	
1536	5.6	69 Virginis	3 30,37	3 30,32	—	13	18	30,34	—	29,95	—	+ 0,39	3,189	
1537	5	80 Ursæ Maj.	—	4 28,91	—	13	18	28,95	—	28,71	—	+ 0,24	2,407	
1538	5.6	70 Virginis	—	6 12,78	—	13	20	12,79	—	12,80	—	—0,01	2,948	
1539	var.	Hydræ Con u	—	5 33,17	—	13	20	33,16	—	33,01	—	+ 0,15	3,257	
1540	7	Virginis	2 38,04	5 38,04	1 38,12	13	20	38,06	—	37,79	—	+ 0,27	3,072	
1541	6	71 Virginis	—	1 53,47	9 53,74	13	20	53,73	—	53,46	—	+ 0,27	2,972	
1542	4	Centauri	8 20,12	—	2 20,01	13	21	20,09	—	20,04	—	+ 0,05	3,437	
1543	6	73 Virginis	—	—	5 0,18	13	23	0,16	—	59,66	—	+ 0,50	3,220	
1544	6	Centauri	—	—	6 12,59	13	23	12,56	—	12,64	—	—0,08	3,327	
1545	6	74 Virginis	4 14,39	5 14,42	—	13	23	14,41	14,68	14,06	—0,27	+ 0,35	3,113	
1546	6	75 Virginis	4 53,85	2 53,85	—	13	23	53,85	—	53,38	—	+ 0,47	3,191	
1547	6	76 Virginis	—	6 7,87	—	13	24	7,86	—	7,33	—	+ 0,53	3,146	
1548	7	77 Virginis	—	1 38,46	7 38,65	13	24	38,62	—	38,34	—	+ 0,28	3,125	
1549	6	78 Virginis	1 37,58	5 37,57	—	13	25	37,57	—	36,40	—	+ 1,17	3,029	
1550	4	79 Virginis	9 8,44	1 8,43	6 8,47	13	26	8,45	8,46	8,39	—0,01	+ 0,06	3,066	
1551	6	80 Virginis	6 47,40	1 47,47	4 47,38	13	26	47,40	—	47,16	—	+ 0,24	3,107	
1552	6	Hydræ Con f	—	2 30,35	4 30,31	13	27	30,30	—	30,78	—	—0,48	3,307	
1553	6	Centauri	4 17,10	2 17,03	—	13	29	17,07	—	17,28	—	—0,21	3,345	
1554	3	Centauri	5 17,97	—	3 18,22	13	29	18,03	—	18,64	—	+ 0,61	3,731	
1555	6	1 Bootis	7 38,98	1 38,98	—	13	32	38,98	—	38,35	—	+ 0,63	2,868	
1556	5.6	82 Virginis	5 48,29	4 48,26	4 48,24	13	32	48,26	48,37	48,09	—0,11	+ 0,17	3,140	
1557	6	2 Bootis	—	6 5,37	—	13	33	5,36	—	4,87	—	+ 0,49	2,840	
1558	6	84 Virginis	—	6 37,47	—	13	34	37,47	—	36,91	—	+ 0,56	3,027	
1559	7	Virginis	—	5 10,31	—	13	35	10,31	—	10,20	—	+ 0,11	3,112	
1560	6	83 Virginis	—	6 26,86	—	13	35	26,85	—	25,79	—	+ 1,06	3,216	
1561	7	Virginis	1 8,69	1 8,94	5 9,17	13	36	9,05	—	8,90	—	+ 0,15	3,133	
1562	5	1 Centauri	9 10,11	—	—	13	36	10,11	—	10,85	—	—0,74	3,410	
1563	6	Hydræ Con g	—	—	6 15,51	13	36	15,48	—	15,60	—	—0,12	3,325	
1564	6	85 Virginis	—	—	6 33,13	13	36	33,11	—	32,62	—	+ 0,49	3,213	
1565	6	86 Virginis	—	6 59,96	—	13	36	59,96	—	59,57	—	+ 0,39	3,180	
1566	7	Solitarii	—	—	3 4,43	13	38	4,41	—	4,09	—	+ 0,32	3,252	
1567	6	87 Virginis	—	—	3 18,18	13	38	18,16	—	17,38	—	+ 0,78	3,238	
1568	6	3 Bootis	—	—	—	13	38	—	—	51,82	—	—	2,789	
1569	5	4 Bootis	6 16,70	2 16,85	—	13	39	16,82	—	16,30	—	+ 0,52	2,883	
1570	4	Centauri	—	—	—	13	39	—	—	27,83	—	—	3,553	
1571	7	88 Virginis	1 31,22	6 31,39	—	13	39	31,36	—	30,95	—	+ 0,41	3,127	
1572	4	Centauri	5 32,09	—	—	13	39	32,09	—	32,11	—	—0,02	3,567	
1573	5	2 Centauri	3 44,42	3 44,40	—	13	39	44,40	—	44,32	—	+ 0,08	3,442	
1574	5.6	89 Virginis	—	6 45,45	—	13	40	45,44	—	45,19	—	+ 0,25	3,245	
1575	2.3	85 Ursæ Maj.	2 54,68	4 54,55	16 54,49	13	40	54,59	54,71	54,08	—0,12	+ 0,51	2,353*	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from ..		Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.	
1531	—	—	5 2	32,98	—	—	94. 2 32,98	—	2 32,56	+	0,42	+ 18,992
1532	—	—	5 16	58,82	—	—	94 16 58,82	—	16 56,66	+	2,16	+ 18,959
1533	21 16 58,21	—	14 16	56,55	41 16	57,59	100 16 57,57	16 53,96	16 51,02	+ 3,61	+ 6,55	+ 18,944
1534	7 11 43,28	—	—	—	—	—	34 11 43,28	11 42,34	11 41,00	+ 0,94	+ 2,28	+ 18,921
1535	4 49 51,55	—	2 49	49,08	—	—	101 49 50,73	49 50,32	49 50,75	+ 0,41	— 0,02	+ 18,901
1536	—	—	5 6	2,69	—	—	105. 6 2,69	—	5 54,77	+	7,92	+ 18,882
1537	—	—	5 8	5,29	—	—	34. 8 5,29	—	8. 6,02	—	0,73	+ 18,881
1538	—	—	—	—	5 19	19,56	75 19 19,56	—	19 12,90	+	6,66	+ 19,360*
1539	—	—	—	—	5 24	34,68	112 24 34,68	—	24 34,83	—	0,15	+ 18,821
1540	3 27 28,12	—	—	—	—	—	90 27 28,12	—	29 18,61	+	9,51	+ 18,818
1541	—	—	5 18	27,03	—	—	78 18 27,03	—	18 27,53	—	0,50	+ 18,810
1542	5 32 10,45	—	—	—	—	—	128 32 10,45	—	32. 7,82	+	2,63	+ 18,797
1543	4 51 33,44	—	—	—	—	—	107 51 33,44	—	51 33,95	—	0,51	+ 18,746
1544	—	—	5 41	50,25	—	—	118 41 50,25	—	41 49,47	+	0,78	+ 18,739
1545	—	—	5 23	10,36	—	—	95 23 10,36	23 9,47	23 2,87	+ 0,89	+ 7,49	+ 18,739
1546	—	—	4 29	46,47	—	—	104 29 46,49	—	29 42,76	+	3,73	+ 18,718
1547	—	—	—	—	6 17	47,96	99 17 47,96	—	17 44,26	+	3,70	+ 18,711
1548	1 45 24,43	—	4 45	23,26	—	—	96 45 23,49	—	45 18,55	+	4,94	+ 18,695
1549	—	—	5 28	32,75	—	—	85 28 32,75	—	28 27,54	+	5,21	+ 18,664
1550	6 44 4,98	—	—	—	7 44	5,67	89 44 5,35	44 2,73	43 58,04	+ 2,62	+ 7,31	+ 18,647
1551	—	—	5 32	15,89	—	—	94 32 15,89	—	32 11,26	+	4,63	+ 18,626
1552	—	—	4 38	7,40	—	—	115 38 7,40	—	38 4,13	+	3,27	+ 18,603
1553	4 41 53,03	—	—	—	—	—	118 41 53,03	—	41 54,29	—	1,26	+ 18,544
1554	7 36 27,72	—	—	—	—	—	142 36 27,72	—	36 23,39	+	4,33	+ 18,514
1555	5 14 30,99	—	—	—	—	—	69 11 30,99	—	11 29,76	+	1,23	+ 18,431
1556	—	—	5 51	4,20	—	—	97 51 4,20	51 8,06	51 4,90	— 3,86	— 0,20	+ 18,425
1557	—	—	5 38	56,79	—	—	66 38 56,79	—	38 56,61	+	0,18	+ 18,415
1558	—	—	4 36	33,61	—	—	85 36 33,61	—	36 28,41	+	5,20	+ 18,362
1559	—	—	5 38	59,17	—	—	94 38 59,17	—	38 54,84	+	4,33	+ 18,343
1560	—	—	—	—	5 19	53,70	105 19 53,70	—	19 47,62	+	6,08	+ 18,334
1561	—	—	—	—	6 47	15,67	96 47 15,67	—	47 12,24	+	3,43	+ 18,308
1562	5 11 26,06	—	—	—	—	—	122 11 26,06	—	11 26,67	—	0,61	+ 18,307
1563	—	—	3 16	10,57	2 16	11,78	115 16 11,05	—	16 7,67	+	3,38	+ 18,305
1564	—	—	5 55	17,44	—	—	104 55 17,44	—	55 9,17	+	8,27	+ 18,294
1565	—	—	6 34	52,05	—	—	101 34 52,05	—	34 49,94	+	2,14	+ 18,278
1566	—	—	5 24	39,51	—	—	108 24 39,51	—	24 40,88	—	1,37	+ 18,239
1567	—	—	—	—	5 0	56,38	107 0 56,38	—	0 49,55	+	6,89	+ 18,231
1568	—	—	5 27	3,16	—	—	63 27 3,16	—	27 6,71	—	3,55	+ 18,208
1569	5 42 8,30	—	5 42	8,77	—	—	71 42 8,53	—	42 6,53	+	2,00	+ 18,195
1570	—	—	—	—	—	—	130 —	—	50 44,06	—	—	+ 18,189
1571	—	—	—	—	5 59	43,49	95 59 43,49	—	59 43,33	+	0,16	+ 18,186
1572	5 37 57,83	—	—	—	—	—	131 37 57,83	—	37 54,48	+	3,35	+ 18,186
1573	3 36 29,26	—	3 36	28,41	—	—	123 36 28,83	—	36 31,62	—	2,79	+ 18,179
1574	—	—	5 17	37,37	—	—	107 17 37,37	—	17 31,04	+	6,33	+ 18,141
1575	14 50 47,50	—	2 50	49,98	6 50	50,16	39 50 48,45	50 44,00	50 41,88	+ 4,45	+ 6,57	+ 18,134

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^d Catal.	A. S. Catal.	Difference from		Annual Preces- sion				
			No.	1831	No.	1832	No.	1833			h.	m.		s.	s.	s.	s.
s.	s.	s.	s.	s.	s.	s.	s.	s.	s.	s.	s.	s.					
1576	7	Solitarii			2	1,34	4	1,41	13	41	1,36		1,24	+0,12	+3,276		
1577	4	5 Bootis <i>v</i>	3	22,48	3	22,52	1	22,41	13	41	22,50	22,46	22,01	+0,04	+0,49	2,897	
1578	6	6 Bootis					6	45,98	13	41	46,01		46,18	-0,17		2,835	
1579	4.5	3 Centauri <i>k</i>			7	9,51	3	9,52	13	42	9,49	9,38	10,20	+0,11	-0,71	3,430	
1580	5	4 Centauri <i>h</i>	5	34,00	1	34,12			13	43	34,02		33,88	+0,14		3,419	
1581	6	Hydræ Con			5	47,55			13	44	47,64		47,75	-0,11		3,378	
1582	3	Centauri <i>z</i>	6	6,34					13	45	6,34		6,53	-0,19		3,690	
1583	6	7 Bootis					6	11,21	13	45	11,23		10,54	+0,69		2,867	
1584	6	90 Virginis <i>p</i>	2	5,17	5	4,93			13	46	5,00		5,00	0,00		3,075	
1585	7	Virginis	2	10,46	5	10,08			13	46	10,20		10,68	-0,48		3,144	
1586	4.5	10 Draconis <i>i</i>	5	31,41	1	31,42			13	46	31,42	31,36	30,23	+0,06	+1,19	1,751	
1587	3	3 Bootis <i>η</i>	6	41,25	1	41,18	9	41,21	13	46	41,24	41,35	40,90	-0,11	+0,34	2,859	
1588	5	Centauri <i>φ</i>	5	5,75	1	5,70			13	48	5,74		5,73	+0,01		3,600	
1589	5	Centauri <i>υ</i> ¹			5	20,71			13	48	20,68		20,92	-0,24		3,654	
1590	5	9 Bootis <i>l</i>	2	53,90	4	53,19			13	48	53,84		53,62	+0,22		2,739	
1591	6	3 Hydræ Con S ¹					5	6,71	13	49	6,68		5,76	+0,92		3,342	
1592	6	4 Hydræ Con S ²					6	36,73	13	50	36,70		36,88	-0,18		3,346	
1593	7	Virginis			6	7,49			13	51	7,49		7,45	+0,04		3,098	
1594	7	Virginis			5	14,14			13	51	14,13		13,70	+0,43		3,148	
1595	5	Centauri <i>υ</i> ²	6	17,32					13	51	17,32		17,32	0,00		3,686	
1596	1	Centauri <i>β</i>	5	2,70			4	2,92	13	52	2,75		3,71	-0,96		4,134	
1597	5.6	Hydræ Con <i>h</i>			6	50,93			13	52	50,91		50,86	+0,05		3,384	
1598	4.5	93 Virginis <i>τ</i>	6	6,29	1	6,14	1	6,28	13	53	6,28	6,18	6,07	+0,10	+0,21	3,042	
1599	6	11 Bootis			2	33,15	4	33,18	13	53	33,20		32,23	+0,97		2,728	
1600	6.7	Virginis	3	22,31	2	22,14			13	55	22,24		21,95	+0,29		3,230	
1601	7	Virginis	2	28,21	6	28,38			13	55	28,33		28,19	+0,14		3,164	
1602	5	Centauri <i>α</i>	6	49,55			4	49,65	13	55	49,57		49,13	+0,44		3,617	
1603	4.5	5 Hydræ Con <i>π</i>	5	49,55	1	49,52	4	49,64	13	56	49,57	49,55	49,41	+0,02	+0,16	3,384	
1604	2	5 Centauri <i>θ</i>	4	49,51	3	49,51	3	49,89	13	56	49,60	49,47	50,07	+0,13	-0,47	3,491*	
1605	6	94 Virginis			3	24,74	2	24,51	13	57	24,64		24,38	+0,26		3,161	
1606	6	95 Virginis			6	50,43			13	57	50,42		50,02	+0,40		3,166	
1607	3.4	11 Draconis <i>α</i>	4	50,64	2	50,91	7	50,06	13	59	50,47	50,72	49,82	-0,25	+0,65	1,625	
1608	6.7	96 Virginis <i>γ</i>	1	4,60	6	4,23			14	0	4,27		3,85	+0,42		3,180	
1609	5	Octantis <i>δ</i>							14	0	invisible		59,86			8,440	
1610	6	Virginis	3	40,82	3	40,90			14	1	40,85		40,22	+0,63		3,255	
1611	5.6	12 Bootis <i>d</i>			4	44,16	2	44,16	14	2	44,18		43,96	+0,22		2,737	
1612	5	6 Hydræ Con	8	9,92					14	3	9,92		9,85	+0,07		3,408	
1613	7	97 Virginis	1	36,92	6	37,13			14	3	37,09		36,49	+0,60		3,178	
1614	6	Virginis			5	46,14			14	3	46,15		45,98	+0,17		3,029	
1615	4	98 Virginis <i>κ</i>	8	56,76	1	56,68	3	56,74	14	3	56,75	56,79	56,73	-0,04	+0,02	3,183	
1616	6	14 Bootis <i>q</i>					5	0,51	14	6	0,53		0,24	+0,29		2,897	
1617	6	Virginis			2	9,66	2	9,57	14	6	9,59		9,14	+0,45		3,287	
1618	6	15 Bootis <i>v</i>			2	37,29	3	37,79	14	6	37,60		37,32	+0,28		2,933	
1619	4	99 Virginis <i>ι</i>	3	13,04	2	13,06			14	7	13,04	12,98	12,83	+0,06	+0,21	3,132	
1620	1	16 Bootis <i>κ</i>	9	0,03	9	0,03	13	0,03	14	8	0,04	0,10	59,75	-0,06	+0,29	2,731*	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession			
	No.	1831	No.				1832	No.		1833	Green.	A. S. C.
1576					5 1 56,56	110 1 56,56	1 50,94	+	5,62	+18,131		
1577	5 21	54,57				73 21 54,57	21 55,77	21 51,22	-1,20	+	3,35	18,118
1578			5 53	44,01		67 53 44,01		53 53,75		-	9,74	18,102
1579	4 9	27,74	1 9	26,94		122 9 27,58	9 22,80	9 23,87	+4,78	+	3,71	18,088
1580			5 5	38,66		121 5 38,66		5 33,97		+	4,69	18,035
1581					3 44	6,38		44 6,13		+	0,25	17,988
1582			4 27	26,69		136 27 26,69		27 20,34		+	6,35	17,976
1583					5 14	8,40		14 8,39		+	0,01	17,973
1584			5 40	22,92		90 40 22,92		40 20,32		+	2,60	17,938
1585			5 13	42,73		97 13 42,73		13 41,25		+	1,48	17,934
1586	3 26	45,42	3 26	42,62		24 26 44,02	26 41,29	26 44,69	+2,73	-	0,67	17,919
1587	5 45	26,36			5 45	25,47	45 24,10	45 21,94	+1,81	+	3,97	17,914
1588	4 16	33,38	2 16	34,45		131 16 33,73		16 27,90		+	5,83	17,859
1589	4 58	45,28	1 58	46,06		133 58 45,43		58 36,30		+	9,13	17,849
1590			5 40	53,06		61 40 53,06		40 51,15		+	1,91	17,826
1591			5 8	52,11		114 8 52,11		8 49,57		+	2,54	17,819
1592					6 11	9,98		11 7,18		+	2,80	17,758
1593					5 43	37,88		43 36,05		+	1,83	17,737
1594			2 20	23,98	3 20	26,94		20 22,73		+	3,03	17,732
1595	5 47	10,07				134 47 10,07		47 4,04		+	6,03	17,731
1596	7 33	26,79				149 33 26,79		33 20,66		+	6,13	17,700
1597			6 36	51,12		116 36 51,12		36 48,40		+	2,72	17,666
1598	2 38	18,09	3 38	19,80	5 38	19,94	38 20,11	38 18,37	-0,60	+	1,14	17,655
1599			5 47	52,98		61 47 52,98		47 54,59		-	1,61	17,637
1600			4 9	35,37	1 9	35,68		9 34,21		+	1,22	17,561
1601					5 26	47,14		26 45,84		+	1,30	17,557
1602	5 22	14,68				130 22 14,68		22 6,54		+	8,14	17,542
1603	5 52	8,76				115 52 8,76	52 5,23	52 6,33	+3,53	+	2,43	17,499
1604	5 32	24,13				125 32 24,13		32 21,94		+	2,19	17,499
1605					5 5	6,74		5 5,53		+	1,21	17,474
1606			5 30	26,53		98 30 26,53		30 23,63		+	2,90	17,456
1607	5 49	15,29			1 49	12,22	49 9,40	49 8,91	+5,39	+	5,88	17,367
1608			5 32	5,98		99 32 5,98		32 2,55		+	3,43	17,359
1609						172 Invisible		52 58,81		-		17,326
1610			2 30	15,65	4 30	17,52		30 12,86		+	4,04	17,289
1611			4 6	31,73		64 6 31,73		6 29,81		+	1,92	17,241
1612	4 27	59,17	2 27	57,77		116 27 58,74		27 53,73		+	5,01	17,223
1613					5 6	20,59		6 20,01		+	0,58	17,202
1614			4 47	43,97		86 47 43,97		47 42,39		+	1,58	17,195
1615	4 29	18,22				99 29 18,22		29 20,70		-	2,48	17,187
1616			4 14	55,86		76 14 55,86		14 54,82		+	1,04	17,093
1617			5 24	44,94		107 24 44,94		24 44,14		+	0,80	17,087
1618			3 6	15,64	2 6	16,99		6 11,69		+	4,49	17,065
1619	5 11	46,43				95 11 46,43	11 40,62	11 37,21	+5,81	+	9,22	17,038
1620	14 56	21,59	12 56	26,36	44 56	26,92	56 21,62	56 18,73	+4,74	+	7,63	18,962*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
											Green.	A. S.	
			No. 1831	No. 1832	No. 1833								
			s.	s.	s.	h.	m.	s.	s.	s.	s.	s.	s.
1621	6	Bootis			6 10,33	14	8	10,35		9,94		+0,41	+2,814
1622	4.5	Lupi	6 41,45	1 41,26		14	8	41,42		40,94		+0,48	3,786
1623	4	19 Bootis	1 59,57	4 59,71		14	9	59,70	59,51	59,03	-0,19	+0,67	2,265*
1624	4	100 Virginis	5 2,07	3 2,05		14	10	2,06	2 23	1,72	-0,17	+0,54	3,228
1625	4.5	21 Bootis		6 12,73	2 12,58	14	10	12,76	12,72	12,28	+0,04	+0,48	2,143
1626	6	102 Virginis		5 53,55		14	10	53,55		53,59		-0,04	3,087
1627	6	18 Bootis				14	11			8,01			2,891
1628	6	20 Bootis			4 48,25	14	11	48,27		47,78		+0,49	2,845
1629	6	103 Virginis			6 19,51	14	13	19,51		19,33		+0,18	3,083
1630	6	7 Hydræ Con		6 26,37		14	13	26,36		25,90		+0,46	3,442
1631	6	2 Libræ	1 24,12	3 23,91	2 23,90	14	14	23,94		23,06		+0,88	3,211
1632	6	Bootis		1 7,19	4 7,28	14	15	7,27		6,99		+0,28	2,947
1633	6	Solitarii				14	15			14,53			3,399
1634	5	1 Lupi	6 23,69			14	15	23,69		23 42		+0,27	3,797
1635	5	2 Lupi	5 25,26			14	15	25,26		24,77		+0,49	3,802
1636	5.6	Bootis		6 50,04		14	15	50,05		50,17		-0,12	2,982
1637	5.6	8 Hydræ Con		6 21,67		14	18	21,65		21,48		+0,17	3,483
1638	6.7	104 Virginis N ¹		5 35,92		14	18	35,91		35,37		+0,54	3,139
1639	4	23 Bootis	6 28,64		8 28,77	14	19	28,77	28,52	27,74	+0,25	+1,03	2,015*
1640	5	105 Virginis	8 33,35		4 33,50	14	19	33,40		33,06		+0,34	3,088
1641	6	106 Virginis N ²		5 50,61		14	19	50,60		50,26		+0,34	3,150
1642	5	Lupi	5 21,17		1 21,44	14	21	21,20		21,68		-0,48	3,979
1643	4	25 Bootis	6 35,35			14	24	35,35	35,34	35,29	+0,01	+0,06	2,592
1644	3	Centauri	4 52,49	2 52,72		14	24	52,57		52,53		+0,04	3,764
1645	6	26 Bootis			5 54,41	14	24	54,44		53,73		+0,71	2,733
1646	3.4	27 Bootis		6 18,79	2 18,74	14	25	18,80	18,72	18,59	+0,08	+0,21	2,426
1647	7	Solitarii		2 24,46	3 24,41	14	25	24,42		24,15		+0,27	3,351
1648	5	Lupi	6 38,14			14	26	38,14		39,17		-1,03	3,975
1649	4.5	Apodis				14	27	invisible		26,03			6,937
1650	5	28 Bootis	4 21,81	2 21,61		14	27	21,75		21,36		+0,39	2,597
1651	6.7	Libræ			3 4,52	14	28	4,51		6,06		-1,55	3,233
1652	4	5 Ursæ Min	1 58,45	4 58,65		14	27	58,73	58,78	59,43	-0,05	-0,70	-0,269
1653	4	Centauri		4 14,54		14	28	14,48		20,70		-6,22	+4,470
1654	1	Centauri	3 16,25			14	28	16,25		22,60		-6,35	4,470
1655	4	Circini			3 2,74	14	29	2,74		4,71		-1,97	4,742
1656	7	3 Libræ			3 41,33	14	29	41,30		40,90		+0,40	3,434
1657	3	Lupi	6 48,10			14	30	48,10		48,65		-0,55	3,933
1658	6	Bootis			5 40,57	14	32	40,59		40,39		+0,20	2,853
1659	3.4	29 Bootis	6 49,89			14	32	49,89	49,94	49,24	-0,05	+0,65	2,813
1660	3.4	30 Bootis	5 7,75	1 7,95	1 7,78	14	33	7,78	7,74	7,18	+0,04	+0,60	2,855
1661	5	Centauri	5 24,57	1 24,91		14	33	24,62		24,88		-0,26	3,636
1662	5	31 Bootis		6 24,08		14	33	24,09		23,90		+0,19	2,938
1663	7	4 Libræ		4 31,96		14	33	31,94		31,95		-0,01	3,442
1664	6	32 Bootis			2 39,79	14	33	39,80		39,68		+0,12	2,886
1665	4.5	107 Virginis	2 13,02	3 13,14	1 13,05	14	34	13,08	13,02	12,89	+0,06	+0,19	3,140

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession.
	No.	1831	No.	1832	No.	1833				Green.	A. S. C	
1621					2 18	10,14	70 18 10,14		18 5,48	+	4,66	+16,994
1622	4 16	43,08					135 16 43,08		16 34,43	+	8,65	16,971
1623	4 8	14,28	1 8	12,47			43 8 14,00	8 14,73	8 13,34	-0,73	+ 0,66	16,908
1624	1 35	34,43	5 35	34,08			102 35 34,14	35 36,66	35 33,16	-2,52	+ 0,98	16,907
1625			3 51	17,69	1 51	17,49	37 51 17,64	51 18,57	51 18,58	-0,93	- 0,94	16,897
1626					3 29	5,22	91 29 5,22		29 2,52	+	2,70	16,867
1627					1 12	54,77	76 12 54,77		12 53,27	+	1,50	16,855
1628			5 55	6,26			72 55 6,26		55 7,12	-	0,86	16,823
1629			5 12	56,68			91 12 56,68		12 55,77	+	0,91	16,751
1630					5 58	28,10	116 58 28,10		58 44,36	-	16,26	16,746
1631			5 56	33,63			100 56 33,63		56 29,91	+	3,72	16,700
1632					4 47	6,53	80 47 6,53		47 4,16	+	2,37	16,664
1633			4 2	20,09	1 2	19,94	114 2 20,05		2 18,35	+	1,71	16,659
1634	5 27	22,45					134 27 22,45		27 15,98	+	6,47	16,652
1635	4 36	55,17	3 36	57,37			134 36 56,11		36 49,25	+	6,86	16,651
1636			5 24	46,11			83 24 46,11		24 46,95	-	0,84	16,629
1637			5 43	52,40			118 43 52,40		43 52,96	-	0,56	16,506
1638			2 21	31,56	3 21	33,26	95 21 33,78		21 24,56	+	9,22	16,494
1639	5 22	13,10			4 22	11,95	37 22 12,59	22 12,17	22 13,40	+0,42	- 0,81	16,988*
1640			5 28	12,63			91 28 12,64		28 13,02	-	0,38	16,446
1641			5 8	29,17			96 8 29,17		8 23,42	+	5,75	16,431
1642	4 42	24,57					139 42 24,57		42 16,98	+	7,64	16,356
1643	5 53	14,75			6 53	15,35	58 53 15,08	53 14,57	53 15,49	+0,51	- 0,41	16,189
1644			5 24	51,02			131 24 51,02		24 48,12	+	2,90	16,176
1645			1 58	45,34	4 58	45,43	66 58 45,41		59 46,41	-	1,00	16,173
1646	4 57	12,85	3 57	13,01	1 57	11,97	50 57 12,80	57 12,86	57 9,94	-0,06	+ 2,86	16,151
1647			5 41	53,35			109 41 53,35		41 49,08	+	4,27	16,148
1648					5 41	12,91	138 41 12,91		41 13,83	-	0,92	16,084
1649							168 Invisible		19 8,64			16,049
1650	5 31	19,44					59 31 19,44		31 15,73	+	3,71	16,045
1651					5 35	8,67	101 35 8,67		35 21,03	-	12,36	16,007
1652			3 33	24,31	2 33	22,03	13 33 23,40	33 26,10	33 27,36	-2,70	- 3,96	16,007
1653			4 7	26,79			150 7 26,79		8 28,11	-	1,32	15,996
1654	3 8	8,88	5 8	8,27	1 8	8,16	150 8 8,50		8 3,11	+	5,39	15,995
1655					5 14	10,29	151 14 10,29		13 48,08	+	22,21	15,958
1656			5 17	45,12			114 17 45,12		17 44,47	+	0,65	15,924
1657			5 39	38,91			136 39 38,91		39 37,67	+	1,24	15,865
1658			2 44	22,25	3 44	23,61	75 44 23,06		44 17,10	+	5,96	15,763
1659			4 51	24,36	1 51	23,91	72 51 24,27	51 25,45	51 24,57	- 1,18	+ 0,36	15,755
1660	5 32	49,63			5 32	49,52	75 32 49,57	32 48,21	32 42,81	+ 1,36	+ 6,70	15,738
1661	5 26	43,09					124 26 43,09		26 31,17	+	11,52	15,724
1662	1 6	55,18			4 6	54,57	81 6 51,69		6 52,45	+	2,24	15,724
1663					5 16	39,29	114 16 35,29		16 32,93	+	2,33	15,717
1664							77 36		36 38,38			15,709
1665			5 55	28,34			94 55 28,31	55 22,71	55 49,97	+5,63	- 21,63	15,680

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832		Greenh Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833					Green.	A. S.	
			s.	s.	s.	h. m.	s.	s.	s.	s.	s.	s.
1666	4.5	34 Bootis	1 2,32	4 2,37	—	14 36	2,37	2,41	1,77	—0,04	+0,60	+2,635
1667	5.6	10 Hydræ Con	—	—	5 17,99	14 36	17,96	—	17,61	—	+0,35	3,455
1668	7	Libræ	—	—	4 40,42	14 36	40,40	—	40,03	—	+0,37	3,383
1669	6	5 Libræ ρ	1 42,91	—	4 42,77	14 36	42,78	—	42,70	—	+0,08	3,290
1670	4.5	35 Bootis σ	2 24,35	5 24,30	—	14 37	24,32	24,33	23,83	—0,01	+0,49	2,798
1671	5.6	11 Hydræ Con	—	—	—	14 37	—	—	36,85	—	—	3,462
1672	3	36 Bootis ϵ	6 39,00	—	1 38,98	14 37	39,00	38,97	38,52	+0,03	+0,48	2,621
1673	7	Libræ	—	—	—	14 37	—	—	41,36	—	—	3,387
1674	4	109 Virginis z	—	5 45,83	—	14 37	45,84	45,77	45,27	+0,07	+0,57	3,029
1675	5.6	12 Hydræ Con	—	1 57,50	—	14 37	57,48	—	56,30	—	+1,18	3,471
1676	6	13 Hydræ Con	—	—	—	14 38	—	—	9,00	—	—	3,481
1677	5.6	7 Libræ μ	—	5 7,44	—	14 40	7,48	7,40	7,17	+0,03	+0,26	3,273
1678	5	6 Libræ	5 26,64	1 27,00	—	14 40	26,70	—	26,41	—	+0,29	3,511
1679	5	Lupi σ	6 42,88	—	—	14 40	42,88	—	42,39	—	+0,49	3,368
1680	6	8 Libræ α^1	—	5 24,52	—	14 41	24,50	24,45	24,39	+0,05	+0,11	3,304
1681	3	9 Libræ α^2	4 35,86	2 35,99	17 36,01	14 41	35,97	35,92	35,91	+0,05	+0,06	3,305
1682	6	Libræ	—	—	3 11,96	14 42	11,94	—	11,64	—	+0,30	3,335
1683	6	11 Libræ d	—	—	4 18,74	14 42	18,74	—	18,62	—	+0,12	3,092
1684	7	10 Libræ ϵ	—	—	5 26,81	14 42	26,79	—	26,00	—	+0,79	3,345
1685	6	Bootis	—	—	3 44,43	14 42	44,47	—	43,97	—	+0,50	2,579
1686	3.4	37 Bootis ξ	6 38,51	—	—	14 43	38,51	38,59	38,22	—0,08	+0,29	2,753
1687	6	12 Libræ	—	6 35,76	—	14 44	35,74	—	35,77	—	—0,03	3,458
1688	6	13 Libræ ξ^1	1 16,25	—	—	14 45	16,25	—	15,96	—	+0,29	3,243
1689	3.4	Lupi β	6 33,97	—	—	14 47	33,97	—	34,00	—	—0,03	3,883
1690	6	Libræ	—	—	5 40,69	14 47	—	—	37,96	—	—	3,404
1691	5	15 Libræ ξ^2	4 40,01	3 39,90	2 39,99	14 47	39,96	39,96	39,08	0,00	+0,88	3,237
1692	7	14 Libræ	—	—	5 43,39	14 47	43,36	—	43,25	—	+0,11	3,479
1693	3	Centauri κ	5 16,17	—	—	14 48	16,17	—	16,12	—	+0,05	3,857
1694	5.6	16 Libræ c	—	5 25,26	—	14 48	25,26	—	25,24	—	+0,02	3,125
1695	6	15 Hydræ Con η	—	—	1 44,20	14 48	44,17	—	43,81	—	+0,34	3,524
1696	6	1 Serpentis	—	—	—	14 48	—	—	56,44	—	—	3,060
1697	7	17 Libræ	1 7,93	5 7,81	—	14 49	7,83	—	7,80	—	+0,03	3,234
1698	6	Bootis	—	—	—	14 49	—	—	21,50	—	—	2,792
1699	7	18 Libræ	—	5 49,23	—	14 49	49,22	49,18	48,98	—0,04	+0,24	3,234
1700	3	7 Ursæ Min. β	2 17,28	4 17,12	10 15,70	14 51	16,46	16,73	16,73	—0,27	—0,27	—0,286
1701	4.5	19 Libræ δ	6 0,54	—	—	14 52	0,54	0,47	0,21	+0,07	+0,33	+3,193
1702	7	Libræ	—	2 12,64	4 12,66	14 53	12,65	—	12,47	—	+0,18	3,179
1703	7	Libræ	—	—	3 33,87	14 53	33,86	—	33,85	—	+0,01	3,183
1704	5	Lupi π	4 43,43	1 43,15	—	14 53	43,37	—	43,32	—	+0,05	4,031
1705	3.4	20 Libræ γ	5 15,49	1 15,53	1 15,50	14 54	15,49	15,48	15,13	+0,01	+0,36	3,490
1706	5	110 Virginia	2 25,08	1 25,23	—	14 54	25,13	—	24,98	—	+0,15	3,024
1707	5.6	41 Bootis α	—	—	—	14 54	—	—	44,31	—	—	2,624
1708	3	42 Bootis β	1 37,05	4 37,36	2 36,86	14 55	37,21	37,11	36,74	+0,10	+0,47	2,261
1709	7	Libræ	—	—	—	14 56	—	—	27,60	—	—	3,456
1710	5	43 Bootis γ	5 14,90	—	—	14 57	14,90	—	14,25	—	+0,65	2,580

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
1666	4 45 14,91	4 45 12,70	—	62 45 13,80	45 14,41	45 12,31	-0,61	+ 1,49	+ 15,579
1667	—	—	—	114 —	—	43 24,99	—	—	15,566
1668	—	—	—	110 —	—	27 25,29	—	—	15,545
1669	—	—	—	104 —	—	44 44,28	—	—	15,543
1670	—	4 19 10,15	1 19 12,95	72 19 10,71	19 11,95	19 10,73	-1,24	- 0,02	15,504
1671	—	—	5 54 52,16	114 54 53,16	—	54 47,52	—	+ 4,64	15,493
1672	—	1 12 48,60	4 12 48,07	62 12 48,18	12 48,31	12 48,39	-0,13	- 0,21	15,490
1673	—	5 36 54,26	—	110 36 54,26	—	36 51,59	—	+ 2,62	15,489
1674	—	—	4 23 38,47	87 23 38,47	23 42,11	23 35,73	-3,64	+ 2,74	15,485
1675	—	—	1 22 43,97	115 22 43,97	—	22 40,83	—	+ 3,14	15,475
1676	—	—	—	115 55 —	—	56 9,78	—	—	15,463
1677	—	1 26 34,20	2 26 34,50	103 26 34,40	26 37,36	26 35,76	-2,96	- 1,36	15,353
1678	3 15 17,39	3 15 17,92	—	117 15 17,65	—	15 15,45	—	+ 2,20	15,335
1679	4 52 25,58	—	—	132 52 25,58	—	52 20,43	—	+ 5,15	15,321
1680	—	—	—	105 20 —	17 36,13	17 33,46	—	—	15,280
1681	8 20 20,38	6 20 23,44	13 20 23,65	105 20 22,64	20 18,23	20 14,27	+4,41	+ 8,37	15,270
1682	—	—	5 5 10,08	107 5 10,08	—	5 3,99	—	+ 6,09	15,236
1683	—	—	5 35 38,90	91 35 38,90	—	35 36,07	—	+ 2,83	15,229
1684	—	—	1 39 26,55	107 39 26,55	—	39 21,52	—	+ 5,03	15,222
1685	—	—	—	60 4 —	—	41 3,36	—	—	15,204
1686	—	5 11 55,39	—	70 11 55,39	11 54,04	11 51,96	+1,35	+ 3,43	15,152
1687	—	5 56 56,11	—	113 56 56,11	—	56 57,35	—	- 1,22	15,099
1688	—	4 12 29,17	—	101 12 29,17	—	12 20,99	—	+ 8,18	15,060
1689	7 27 1,72	—	—	132 27 1,72	—	26 57,40	—	+ 4,32	14,927
1690	—	—	5 39 9,98	110 39 9,98	—	38 11,05	—	+ 58,93	14,923
1691	5 43 36,88	—	—	100 43 36,88	43 35,98	43 31,85	+0,90	+ 5,03	14,921
1692	—	—	5 45 35,77	114 45 35,77	—	45 30,42	—	+ 5,35	14,918
1693	5 25 25,73	—	—	131 25 25,73	—	25 25,08	—	+ 0,65	14,886
1694	—	—	3 39 22,21	93 39 22,21	—	39 18,53	—	+ 3,38	14,876
1695	—	—	—	116 58 —	—	58 31,94	—	—	14,859
1696	—	—	—	89 29 —	—	29 2,63	—	—	14,845
1697	—	5 28 31,64	—	100 28 31,64	—	28 25,91	—	+ 5,73	14,835
1698	—	—	1 55 46,91	72 55 46,91	—	55 48,71	—	- 1,80	14,820
1699	—	5 27 48,77	—	100 27 48,77	27 48,27	27 47,55	+0,50	+ 1,22	14,794
1700	—	3 9 31,71	11 9 36,87	15 9 35,76	9 27,90	9 33,53	+7,86	+ 2,23	14,701
1701	—	1 50 46,30	4 50 46,25	97 50 46,26	50 50,56	50 46,27	-4,30	- 0,01	14,664
1702	—	—	2 54 26,78	96 54 26,78	—	54 20,11	—	+ 6,67	14,592
1703	—	—	—	97 10 —	—	10 19,73	—	—	14,521
1704	5 23 13,76	—	3 23 12,59	136 23 13,32	—	23 7,87	—	+ 5,45	14,563
1705	5 36 58,96	—	—	114 36 58,96	36 55,98	36 51,84	+2,98	+ 7,12	14,530
1706	1 14 38,25	4 14 37,71	—	87 14 37,81	—	14 36,45	—	+ 1,36	14,519
1707	—	—	2 —	64 19 26,09	—	19 21,23	—	+ 4,86	14,499
1708	5 56 33,45	1 56 32,79	—	48 56 33,34	56 35,03	56 33,89	-1,69	- 0,55	14,446
1709	—	—	3 —	112 39 48,06	—	39 46,49	—	+ 1,52	14,396
1710	—	6 23 25,89	—	62 23 25,89	—	23 32,55	—	- 6,66	14,347

lxxviii *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. Green ^b January 1, 1832			A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h. m. s.	s.	s.		Green.	A. S.	
1711	6	21 Libræ	1 16,30	4 16,18	2 16,11	14 57 16,17	16,24	15,29	-0,07	+0,98	+3,328	
1712	6.7	22 Libræ			5 27,30	14 57 27,28		26,51		+0,77	3,333	
1713	5	Lupi	1 33,92			14 57 33,92		34,05		-0,13	3,990	
1714	5	44 Bootis		2 15,28	1 15,20	14 58 15,25		13,87		+1,38	1,955*	
1715	5	45 Bootis	7 55,48	1 55,46		14 59 55,48		54,71		+0,77	2,617	
1716	6	Solitarii			2 4,59	15 0 4,56		4,22		+0,34	3,475	
1717	4	Lupi	4 15,60	1 15,93		15 0 15,66		16,85		-1,19	4,254	
1718	5	Lupi				15 0		18,06			4,121	
1719	6	46 Bootis				15 1		8,36			2,585	
1720	6	Bootis				15 1		16,22			2,610	
1721	5.6	24 Libræ	1 39,45	5 39,69		15 2 39,64	39,64	39,74	0,00	-0,10	3,400	
1722	3	Triang Aus		1 22,50	4 22,31	15 3 22,20		21,93		+0,27	5,444	
1723	6.7	25 Libræ			4 46,01	15 3 45,99		45,81		+0,18	3,399	
1724	5	Circini	6 26,02			15 4 26,02		27,20		-1,18	4,618	
1725	7	26 Libræ		2 5,75		15 5 5,74		5,66		+0,08	3,365	
1726	6.7	Scorpii			1 39,88	15 6 39,86		39,60		+0,26	3,456	
1727	6	3 Serpentis				15 6		50,67			2,973	
1728	5	Lupi	4 53,61	1 53,58		15 6 53,60		54,06		-0,46	4,119	
1729	6	4 Serpentis			4 16 25	15 7 16,25		15,29		+0,96	3,051	
1730	5	48 Bootis	6 27,90	1 27,84		15 7 27,89		27,50		+0,39	2,510	
1731	4.5	2 Lupi		5 38,09		15 7 38,07	37,94	37,73	+0,13	+0,34	3,620	
1732	2.3	27 Libræ	2 58,72	1 58,52		15 7 58,65	58,71	58,43	-0,06	+0,22	3,218	
1733	3.4	49 Bootis	1 44,07	2 43,83	1 43,50	15 8 43,83	43,90	43,39	-0,07	+0,44	2,408	
1734	5	Lupi			3 22,67	15 10 22,62		22,64		-0,02	3,896	
1735	5	Lupi			2 29,12	15 10 29,05		28,85		+0,20	4,137	
1736	5.6	5 Serpentis				15 10		43,65			3,026	
1737	6	Bootis				15 10		52,56			2,685	
1738	5	Lupi	2 10,33		1 10,61	15 11 10,40		10,34		+0,06	3,777	
1739	4.5	Lupi		3 18,06	1 18,08	15 11 18,03		18,52		-0,49	4,026	
1740	6	28 Libræ		2 22,99		15 11 22,98		22,99		-0,01	3,381	
1741	7	29 Libræ			2 40,52	15 11 40,50		38,70		+1,30	3,332	
1742	5	Lupi	6 27,12			15 12 27,12		27,16		-0,04	3,797	
1743	6	6 Serpentis				15 12		27,92			3,045	
1744	6	30 Libræ				15 13		40,31			3,327	
1745	6	7 Serpentis			5 26,13	15 14 26,15		25,74		+0,41	2,833	
1746	6	Libræ	1 39,65	3 39,95	1 39,96	15 14 39,89		39,69		+0,20	3,277	
1747	5.6	31 Libræ		6 6,21		15 15 6,21		6,00		-0,21	3,240	
1748	5.6	9 Serpentis			5 0,16	15 18 0,18		59,67		+0,51	2,776	
1749	4	51 Bootis	8 8,65			15 18 8,65	8,78	8,21	-0,13	+0,44	2,275	
1750	6	32 Libræ	2 47,68	3 47,61	2 47,58	15 18 47,61		47,87		-0,26	3,362	
1751	5.6	10 Serpentis			5 9,66	15 20 9,66		9,16		+0,50	3,024	
1752	7	Libræ				15 20		41,35			3,375	
1753	4	3 Cor Bor		7 54,37		15 20 54,39	54,34	54,23	+0,05	+0,16	2,483	
1754	3.4	13 Ursæ Min	1 3,03			15 21 3,03	3,81	2,76	-0,78	+0,27	-0,179	
1755	6	34 Libræ		1 12,70		15 21 12,69		12,07		+0,62	+3,363	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession.	
	No. 1831		No. 1832		No. 1833					Green.	A. S. C		
	No.	1831	No.	1832	No.	1833							
1711			1 36	1,60	2 36	1,85	105 36 1,77	35 58,50	35 55,83	+3,27	+	5,94	+14,347
1712			5 49	42,81			105 49 42,81		49 35,42		+	7,39	14,336
1713					5 37	37,33	134 37 37,33		37 29,42		+	7,91	14,330
1714					5 41	18,81	41 41 18,81		41 19,33		—	0,52	14,285
1715	5 28	20,19					64 28 20,19		28 19,63		+	0,56	14,183
1716			4 20	12,46			113 20 12,46		20 10,94		+	1,52	14,175
1717	5 27	10,61					141 27 10,61		27 8,47		+	2,14	14,164
1718	3 5	27,13	2 5	26,61			138 5 26,92		5 29,46		—	2,54	14,162
1719					3		63 2 58,66		2 58,86		—	0,20	14,107
1720					2		64 14 38,27		14 38,81		—	0,54	14,099
1721			5 8	56,41			109 8 56,41	8 58,93	8 57,99	—2,52	—	1,58	14,014
1722					5 2	54,17	158 2 54,17		2 54,01		+	0,16	13,974
1723					3		109 0 21,37		0 27,56		—	6,19	13,945
1724			5 9	53,23			148 9 53,23		9 52,39		+	0,84	13,904
1725					2		107 8 7,99		8 2,08		+	5,91	13,861
1726					3		111 46 18,71		46 16,55		+	2,16	13,762
1727			4 25	54,59			84 25 54,59		25 49,02		+	5,57	13,749
1728	3 14	58,99			1 14	59,86	137 14 59,21		14 48,18		+	11,03	13,748
1729					3 0	1,09	89 0 1,09		0 1,64		—	0,55	13,723
1730	4 12	32,02			1 12	31,67	60 12 31,95		12 19,33		+	12,62	13,709
1731					5 31	29,45	119 31 29,45	31 25,78	31 28,71	+3,67	+	0,74	13,700
1732	5 45	28,49					98 45 23,49	45 26,80	45 23,04	—3,31	+	0,45	13,678
1733			6 3	15,79			56 3 15,79	3 14,04	3 10,71	+1,75	+	5,08	13,628
1734			1 2	1,59	4 2	0,72	130 2 0,89		1 50,70		+	10,19	13,525
1735					5 18	30,89	137 18 30,89		18 29,28		+	1,61	13,518
1736					3		87 35 34,98		35 35,00		—	0,02	13,500
1737					2		68 48 24,79		48 28,00		—	3,21	13,490
1738	2 38	43,80			2 38	45,10	125 38 44,45		38 40,00		+	4,45	13,473
1739			5 4	37,56			134 4 37,56		4 33,35		+	4,21	13,465
1740							107 32		32 26,38				13,458
1741							104 56		56 2,86				13,441
1742	5 14	56,97					126 14 56,97		14 54,86		+	2,11	13,390
1743			5 40	3,25			88 40 3,25		40 2,88		+	0,37	13,387
1744					1 31	45,39	104 31 45,39		31 26,28		+	19,11	13,309
1745			4 49	33,25	2 49	31,58	76 49 32,69		49 27,35		+	5,34	13,259
1746					2 45	50,54	101 45 50,54		45 47,86		+	2,68	13,214
1747					2 42	49,15	99 42 49,15		42 39,97		+	9,18	13,216
1748			5 58	29,75			73 58 29,75		58 27,97		+	1,78	13,023
1749	5 1	49,15			1 1	47,31	52 1 48,84	1 46,87	1 41,52	+1,97	+	7,32	13,013
1750			2 7	28,86	3 7	27,46	106 7 28,02		7 20,87		+	7,15	12,971
1751					4 34	6,44	87 34 6,44		34 1,76		+	4,66	12,880
1752							106 41 18,12		41 19,76				12,844
1753	5 18	40,07					60 18 40,07	18 38,28	18 35,42	+1,79	+	4,65	12,828
1754	5 34	4,46					17 31 4,46	35 5,20	34 3,43	—0,74	+	1,03	12,813
1755			4 1	38,09			106 1 38,09		1 33,67		+	4,42	12,810

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832		Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h. m. s.	s.			Green.	A. S.	
1756	3	12 Draconis	1 12,08	4 12,24	—	15 21 12,24	12,08	12,08	11,80	+0,16	+0,44	+1,319
1757	5	Triang Aus	—	—	—	15 21 —	—	—	27,44	—	—	5,349
1758	6.7	Libræ	—	1 58,46	2 58,66	15 22 58,58	—	—	58,35	—	+0,23	3,426
1759	6	35 Libræ	—	1 26,54	2 26,71	15 23 26,63	—	26,64	25,97	-0,01	+0,66	3,370
1760	4	Lupi	3 58,73	—	—	15 23 58,73	—	—	58,67	—	+0,06	3,957
1761	6	11 Serpentis	—	—	4 19,25	15 24 19,25	—	—	18,57	—	+0,68	3,079
1762	6	36 Libræ	—	1 27,30	—	15 24 27,28	—	—	26,94	—	+0,34	3,608
1763	4	37 Libræ	7 0,43	—	—	15 25 0,43	0,37	0,37	0,02	+0,06	+0,41	3,242
1764	4.5	38 Libræ	3 8,24	3 8,35	1 8,48	15 26 8,26	8,46	8,46	8,58	-0,20	-0,32	3,333
1765	4.5	4 Cor Bor	—	2 9,65	3 9,43	15 26 9,56	9,48	9,48	8,91	+0,08	+0,65	2,416
1766	5	Lupi	—	—	2 46,11	15 26 46,05	—	—	46,01	—	+0,04	4,012
1767	3	13 Serpentis	—	—	1 47,10	15 26 47,11	47,04	47,04	46,60	+0,07	+0,51	2,862
1768	5	39 Libræ	—	—	—	15 26 —	—	—	50,46	—	—	3,615
1769	7	Scorpii	—	—	—	15 27 —	—	—	24,52	—	—	3,574
1770	2	5 Cor Bor	1 34,71	15 34,62	22 34,63	15 27 34,65	34,65	34,65	34,15	0,00	+0,50	2,526
1771	6	15 Serpentis	—	—	—	15 27 —	—	—	55,69	—	—	2,721
1772	6	14 Serpentis	—	—	—	15 27 —	—	—	56,74	—	—	3,068
1773	7	Libræ	—	—	—	15 28 —	—	—	3,90	—	—	3,619
1774	4.5	40 Libræ	6 21,56	—	—	15 28 21,56	21,68	21,68	21,20	-0,12	+0,36	3,657
1775	6	16 Serpentis	—	—	3 25,75	15 28 25,76	—	—	25,17	—	+0,59	2,871
1776	6	18 Serpentis	—	—	—	15 28 —	—	—	45,00	—	—	2,752
1777	5	6 Cor Bor	1 4,91	1 5,03	—	15 29 4,97	—	—	4,85	—	+0,12	2,195
1778	6	41 Libræ	—	—	—	15 29 —	—	—	14,91	—	—	3,427
1779	5	Lupi	—	—	—	15 29 —	—	—	40,77	—	—	4,093
1780	5.6	42 Libræ	—	3 21,76	—	15 30 21,75	22,02	22,02	21,63	-0,27	+0,12	3,524
1781	5	43 Libræ	7 16,88	—	2 17,02	15 32 16,91	16,98	16,98	16,75	-0,07	+0,16	3,438
1782	5	7 Cor Bor	4 3,32	—	—	15 33 3,32	—	—	2,77	—	+0,55	2,256
1783	6	19 Serpentis	—	—	3 15,96	15 33 15,98	—	—	15,47	—	+0,51	2,749
1784	5.6	20 Serpentis	—	—	3 53,48	15 33 53,50	—	—	52,94	—	+0,56	2,812
1785	5	21 Serpentis	6 3,93	—	—	15 34 3,93	—	—	3,13	—	+0,80	2,672
1786	6	22 Serpentis	—	—	1 21,52	15 34 21,54	—	—	20,89	—	+0,65	2,698
1787	4.5	44 Libræ	2 38,15	4 38,25	2 38,14	15 34 38,19	38,19	38,19	37,83	0,00	+0,36	3,359
1788	7	Libræ	—	2 0,55	—	15 34 0,54	—	—	—	—	—	3,446
1789	6	23 Serpentis	—	—	2 35,43	15 35 35,45	—	—	35,22	—	+0,23	3,010
1790	6	8 Cor Bor	—	—	—	15 35 —	—	—	40,48	—	—	2,522
1791	2.3	24 Serpentis	—	11 59,95	20 59,94	15 35 59,95	59,93	59,93	59,77	+0,02	+0,18	+2,936
1792	5	15 Ursæ Min.	—	—	—	15 36 —	—	—	35,25	—	—	-1,990
1793	6	26 Serpentis	—	—	4 4,37	15 37 4,39	—	—	3,29	—	+1,10	+2,720
1794	6	25 Serpentis	—	—	3 24,96	15 37 24,96	—	—	24,49	—	+0,47	3,092
1795	4.5	27 Serpentis	6 17,86	—	3 17,89	15 38 17,87	17,86	17,86	17,61	+0,01	+0,26	2,917
1796	3.4	28 Serpentis	6 26,22	—	—	15 38 26,22	26,05	26,05	25,87	+0,17	+0,35	2,757
1797	4.5	5 Lupi	4 18,28	1 18,43	—	15 40 18,30	18,22	18,22	18,21	+0,08	+0,09	3,782
1798	3	Triang Aus	1 25,63	1 25,75	—	15 40 25,66	—	—	26,22	—	+0,56	5,208
1799	3.4	32 Serpentis	—	—	5 51,75	15 40 51,75	51,66	51,66	51,61	+0,09	+0,14	3,124
1800	5	1 Scorpii	—	—	2 53,61	15 40 53,58	—	—	53,09	—	+0,49	3,585

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precessi- on.			
	No.		1831		No.					1832	No.		1833	Green.	A. S. C.
	No.	1831	No.	1832	No.	1833									
1756	5	26	37,72				30 26 37,72	26 35,58	26 35,88	+2,14	+ 1,84	+12,806			
1757					5	44	31,34		44 31,57		0,23	12,797			
1758					2		109 5 27,75		5 28,56		0,81	12,691			
1759					3		106 16 35,40	16 35,87	16 31,48	-0,47	+ 3,92	12,659			
1760	2	35	40,85	5	35	41,59	130 35 41,38		35 35,00		+ 6,38	12,624			
1761					4	36	39,57		36 37,79		+ 1,78	12,599			
1762					3		117 28 13,82		28 22,48		8,66	12,591			
1763					4	28	59,60	28 56,20	28 55,62	+3,40	+ 3,98	12,552			
1764	3	13	21,85		1	13	22,53	13 21,96	13 15,28	+0,06	+ 6,74	12,475			
1765					3	4	8,72	4 9,16	4 7,36	-0,44	+ 1,36	12,472			
1766					2	0	32,11		0 27,26		+ 4,85	12,433			
1767					3		78 53 37,36	53 39,87	53 33,96	-2,51	+ 3,40	12,430			
1768					2		117 34 15,08		34 15,86		0,78	12,427			
1769					3		115 43 3,08		42 58,70		+ 4,38	12,388			
1770	8	42	52,53	13	42	52,48	24 42 54,15	42 54,22	42 49,48	-0,84	+ 3,90	12,375			
1771					1	46	46,25		46 43,31		+ 2,94	12,351			
1772					3		89 59 57,15		59 50,84		+ 6,31	12,350			
1773							117 38		38 42,88			12,343			
1774	4	13	5,05	3	13	5,09	119 13 5,06	13 3,77	13 1,72	+1,29	+ 3,34	12,324			
1775							79 25		25 16,65			12,317			
1776							73 19		19 7,87			12,294			
1777				1	25	40,82	4 25 43,14		25 35,02		+ 7,66	12,270			
1778					3		108 44 27,25		44 28,58		1,33	12,261			
1779	1	5	48,21		2	5	49,66		5 36,60		+ 12,61	12,233			
1780					3		113 15 52,12	15 53,28	15 48,61	-1,16	+ 3,51	12,184			
1781					5	7	39,48	7 38,64	7 32,86	+0,84	+ 6,62	12,050			
1782	1	48	51,22	1	48	49,97	3 48 51,04		48 48,02		+ 2,75	11,994			
1783				1	25	37,19	5 25 38,85		25 36,47		+ 2,10	11,980			
1784					1	36	28,18		36 26,04		+ 2,14	11,937			
1785	5	47	3,11				69 47 3,11		46 58,00		+ 5,11	11,924			
1786					3		70 59 43,88		59 39,47		+ 4,41	11,904			
1787	4	7	55,06	2	7	55,89	105 7 55,34	7 51,33	7 46,92	+4,01	+ 8,42	11,885			
1788					3		104 29 52,13		29 40,71		+ 11,42	11,858			
1789					3	56	26,46		56 19,69		+ 6,77	11,817			
1790							63 10 0,63		9 56,58		+ 4,05	11,810			
1791	7	2	23,27	5	2	22,38	19 2 23,28	2 24,01	2 22,55	-0,87	+ 0,59	11,788			
1792	1	5	41,41		5	5	42,01		5 41,81		+ 0,13	11,734			
1793					3		72 12 8,99		12 2,05		+ 6,94	11,712			
1794					3		91 16 17,26		16 16,27		+ 0,99	11,688			
1795	5	6	54,83				82 6 54,83	6 53,98	6 53,26	+0,85	+ 1,57	11,625			
1796					5	2	47,97	2 49,64	2 41,14	-1,67	+ 6,83	11,615			
1797				3	6	30,10	2 6 27,18	6 24,44	6 26,67	+4,49	+ 2,26	11,483			
1798	1	51	2,06		4	54	2,88		53 51,07		+ 11,64	11,477			
1799	3	54	33,71		1	54	32,86	54 35,61	54 30,15	-2,11	+ 3,35	11,442			
1800					3		115 14 2,30		13 59,79		+ 2,51	11,441			

No.	Mag	Names.		Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832		Greenh Catal.	A. S. Catal.	Difference from		Annual Preces- sion
				No. 1831	No. 1832	No. 1833	h. m.	s.			Green.	A. S.	
				s.	s.	s.				s.	s.	s.	s.
1801	4	35 Serpentis	κ	—	—	3 11,04	15 41	11,06	10,84	10,42	+0,22	+0,64	+2,697
1802	6	34 Serpentis	ω	—	—	3 49,28	15 41	49,28	—	48,90	—	+0,38	3,016
1803	3	37 Serpentis	ε	—	—	2 26,79	15 42	26,79	26,82	26,65	-0,03	+0,14	2,972
1804	6	36 Serpentis	b	—	—	—	15 42	—	—	30,64	—	—	3,118
1805	4.5	10 Cor Bor	δ	—	—	—	15 42	—	33,11	32,54	—	—	2,516
1806	5	2 Scorpii	A^1	2 32,60	—	—	15 43	32,60	32,64	31,97	-0,04	+0,63	3,579
1807	5	45 Libræ	λ	1 35,75	—	—	15 43	35,75	35,75	35,33	0,00	+0,42	3,463
1808	6	Scorpii	f^1	—	—	—	15 43	—	—	52,77	—	—	3,561
1809	5	38 Serpentis	ρ	—	—	3 53,44	15 43	53,46	53,35	52,52	+0,11	+0,94	2,632
1810	6	Scorpii	f^2	—	—	1 57,19	15 43	57,17	—	56,84	—	+0,33	3,549
1811	4.5	46 Libræ	θ	5 16,39	—	—	15 44	16,39	16,41	16,59	-0,02	-0,20	3,390
1812	6	3 Scorpii	A^2	—	—	3 35,53	15 44	35,51	—	35,16	—	+0,35	3,579
1813	5	11 Cor Bor	κ	—	4 53,96	—	15 44	53,98	—	53,79	—	+0,19	2,256
1814	7	47 Libræ	—	—	1 18,74	2 18,62	15 45	18,64	—	18,22	—	+0,42	3,448
1815	6.7	4 Scorpii	—	—	—	3 21,91	15 45	21,91	—	21,72	—	+0,19	3,604
1816	4	5 Scorpii	ρ	2 31,89	—	2 32,16	15 46	32,01	31,88	31,66	+0,13	+0,55	3,679
1817	6	Serpentis	—	—	—	—	15 47	—	—	10,67	—	—	2,643
1818	3.4	6 Scorpii	π	5 42,31	—	—	15 48	42,31	42,46	42,24	-0,15	+0,07	3,606
1819	3	41 Serpentis	γ	—	—	3 41,34	15 48	41,36	41,85	41,79	-0,49	-0,43	2,741
1820	5	48 Libræ	\downarrow	—	—	3 47,55	15 48	47,53	47,45	47,42	+0,08	+0,11	3,313
1821	5	Lupi	η	—	—	—	15 49	—	—	0,85	—	—	3,913
1822	6	Serpentis	—	—	—	3 29,81	15 49	29,82	—	29,52	—	+0,20	2,769
1823	3	7 Scorpii	δ	5 24,79	1 24,81	—	15 50	24,79	24,80	24,85	-0,01	-0,06	+3,527
1824	4	16 Ursæ Min	ζ	—	—	—	15 50	—	13,92	13,23	—	—	-2,384
1825	4.5	13 Cor Bor	ε	4 38,11	—	—	15 50	38,11	38,18	38,08	-0,07	+0,03	+2,481
1826	5.6	49 Libræ	—	—	2 54,72	3 54,80	15 50	54,75	—	54,26	—	+0,49	3,342
1827	6	50 Libræ	—	—	—	2 44,30	15 51	44,30	—	43,89	—	+0,41	3,226
1828	6	3 Herculis	—	—	—	3 31,19	15 52	31,19	—	30,84	—	+0,35	2,971
1829	6	Scorpii	—	—	—	5 12,63	15 53	12,62	—	12,25	—	+0,37	3,607
1830	6	5 Herculis	r	—	—	4 41,59	15 53	41,61	—	41,18	—	+0,43	2,692
1831	5	Normæ	δ	2 38,50	—	1 39,11	15 54	38,77	—	39,02	—	-0,25	4,197
1832	4.5	44 Serpentis	π	—	—	2 3,42	15 55	3,45	3,92	3,19	-0,47	+0,26	2,577
1833	4.5	51 Libræ	ξ	5 8,54	—	—	15 55	8,54	8,33	8,23	+0,21	+0,31	3,288
1834	6	43 Serpentis	—	—	—	2 27,64	15 55	27,64	—	26,92	—	+0,72	2,959
1835	4	Lupi	θ	—	—	—	15 55	—	—	34,74	—	—	3,909
1836	2	8 Scorpii	β	8 40,95	6 40,78	—	15 55	40,87	40,90	40,93	-0,03	-0,06	3,469
1837	4.5	9 Scorpii	ω_1	5 59,68	—	—	15 56	59,68	59,68	59,74	0,00	-0,06	3,490
1838	4.5	10 Scorpii	ω_2	—	—	—	15 57	—	34,04	33,67	—	—	3,496
1839	5	6 Herculis	υ	—	—	—	15 57	—	33,98	33,19	—	—	1,856
1840	6	Scorpii	m	—	—	3 54,21	15 57	54,19	—	53,69	—	+0,50	3,626
1841	6	11 Scorpii	—	—	—	4 17,44	15 58	17,43	—	17,17	—	+0,26	3,319
1842	3.4	13 Draconis	θ	—	—	3 44,46	15 58	44,59	—	45,90	—	-1,31	1,147
1843	6	45 Serpentis	g^1	—	—	3 36,93	15 59	36,95	—	36,29	—	+0,66	2,857
1844	6	46 Serpentis	g^2	—	—	4 5,75	16 0	5,77	—	5,20	—	+0,57	2,853
1845	5	Triang Aus	δ	4 13,30	1 13,22	—	16 0	13,27	—	14,59	—	-1,32	5,363

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
1801	—	—	5 20 3,31	71 20 3,31	20 3,33	19 58,82	-0,02	+ 4,49	+ 11,418
1802	—	—	1 17 6,04	87 17 6,04	—	17 2,71	+	+ 3,33	11,373
1803	1 0 44,29	—	3 0 44,24	85 0 44,25	0 38,95	0 36,66	+5,30	+ 7,59	11,327
1804	—	—	3 —	92 34 31,05	—	34 29,19	+	+ 1,86	11,323
1805	5 24 42,18	—	—	63 24 42,48	24 44,02	24 39,27	-1,54	+ 3,21	11,319
1806	2 49 9,52	—	—	114 49 9,52	49 3,89	49 2,91	+5,63	+ 6,61	11,250
1807	—	—	2 39 31,83	109 39 31,83	39 29,55	39 23,72	+2,28	+ 8,11	11,246
1808	—	—	3 —	114 1 29,54	—	1 29,16	+	+ 0,38	11,225
1809	—	—	3 30 39,01	68 30 39,01	30 42,59	30 38,07	-3,58	+ 0,94	11,223
1810	—	—	3 —	113 28 10,99	—	28 10,89	+	+ 0,10	11,220
1811	—	3 13 47,89	2 13 46,58	106 13 47,37	13 45,88	13 42,46	+1,49	+ 4,91	11,196
1812	—	—	—	114 44 —	—	44 14,84	—	—	11,174
1813	2 48 59,65	—	—	53 48 59,65	—	48 57,23	+	+ 2,32	11,148
1814	—	—	3 —	108 52 45,36	—	52 43,88	+	+ 1,48	11,121
1815	—	—	—	115 45 —	—	45 45,41	—	—	11,117
1816	—	—	5 42 56,20	118 42 56,20	42 48,47	42 55,26	+7,73	+ 0,94	11,033
1817	—	—	3 11 28,85	69 11 28,85	—	11 28,92	—	- 0,07	10,983
1818	5 37 24,84	—	—	115 37 24,84	37 21,35	37 21,32	+3,49	+ 3,52	10,873
1819	6 47 1,29	—	—	73 47 1,29	47 4,47	47 1,12	-3,18	+ 0,17	12,182*
1820	—	—	5 47 13,99	103 47 13,99	—	47 13,44	+	+ 0,55	10,866
1821	—	—	4 54 24,49	127 54 24,49	—	54 24,43	+	+ 0,06	10,851
1822	—	—	3 —	75 5 56,94	—	5 55,27	+	+ 1,07	10,813
1823	6 8 12,79	—	—	112 8 12,79	8 9,35	8 3,85	+3,44	+ 8,94	10,747
1824	—	2 41 32,68	1 41 33,89	11 41 33,08	41 34,20	41 35,38	-1,12	- 2,30	10,747
1825	—	—	4 37 49,57	62 37 49,57	37 51,22	37 48,16	-1,65	+ 1,41	10,728
1826	—	—	3 —	106 1 55,47	—	1 53,83	+	+ 1,64	10,710
1827	—	—	3 —	97 55 44,80	—	55 41,40	+	+ 3,40	10,649
1828	—	—	3 —	85 5 50,89	—	5 45,70	+	+ 5,19	10,590
1829	—	—	3 —	115 23 23,91	—	23 19,53	+	+ 4,38	10,540
1830	—	—	3 12 42,98	71 42 42,98	—	42 41,96	+	+ 1,02	10,502
1831	4 42 33,13	1 42 32,49	—	134 42 33,24	—	42 27,36	+	+ 5,98	10,434
1832	5 43 21,85	—	—	66 43 21,85	43 26,97	43 21,74	-2,12	+ 3,11	10,400
1833	—	—	5 54 11,97	100 54 11,97	54 11,88	54 6,15	+0,09	+ 5,82	10,395
1834	—	—	3 —	81 32 41,90	—	32 36,62	+	+ 5,28	10,371
1835	—	1 20 11,29	5 20 13,64	126 20 13,75	—	20 10,86	+	+ 2,89	10,364
1836	2 20 19,29	1 20 17,73	2 20 18,88	109 20 18,81	20 17,76	20 14,23	+1,05	+ 4,58	10,355
1837	—	—	4 12 30,75	110 12 30,75	12 21,47	12 20,12	+5,28	+ 10,63	10,257
1838	—	—	4 24 31,62	110 24 31,62	24 23,67	24 19,54	+4,95	+ 12,08	10,214
1839	4 29 33,22	—	—	43 29 33,22	29 27,33	29 35,03	-4,11	- 1,81	10,211
1840	—	—	3 52 11,39	115 52 11,39	—	52 7,13	+	+ 4,26	10,189
1841	—	—	3 —	102 17 10,42	—	17 8,88	+	+ 1,54	10,159
1842	6 59 4,00	1 59 3,40	—	30 59 3,92	59 4,21	59 2,01	-0,29	+ 1,91	10,118
1843	—	—	4 39 13,87	79 39 13,87	—	39 3,07	+	+ 10,80	10,058
1844	—	—	—	79 27 55,48	—	27 48,27	+	+ 7,21	10,022
1845	4 14 33,27	1 14 42,01	—	153 14 33,82	—	14 36,33	+	+ 3,49	10,016

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
			s.	s.	s.				s.	s.	s.	s.	
1846	6	47 Serpentis			2 22,61	16	0	22,62		22,06		+ 0,56	+ 2,885
1847	5.6	7 Herculis	α^1			16	0			29,23			2,703
1848	6	Scorpii				16	0			37,07			3,709
1849	6	12 Scorpii	c_1		3 54,25	16	1	54,23		53,73		+ 0,50	3,685
1850	5	13 Scorpii	c^2			16	1			58,80			3,673
1851	4	14 Scorpii	ν	6 14,69		16	2	14,69	14,66	14,74	+ 0,03	- 0,05	3,469
1852	5	15 Scorpii	α	1 49,46	3 49,68	16	2	49,62		49,37		+ 0,25	3,265
1853	6	16 Scorpii				16	3			1,17			3,234
1854	6	Scorpii			2 48,70	16	3	48,69		48,69		0,00	3,515
1855	6	48 Serpentis				16	3			52,14			2,708
1856	6	10 Herculis	T			16	4			28,57			2,549
1857	6	17 Scorpii	α		3 34,07	16	4	34,06		33,80		+ 0,26	3,304
1858	6	9 Herculis	h		4 57,29	16	4	57,29		56,88		+ 0,41	2,956
1859	3	1 Ophiuchi	δ		5 33,11	13 33,00	16	5 33,03	32,95	32,60	+ 0,08	+ 0,43	3,135
1860	5	18 Scorpii	n	6 29,92		16	6	29,92		29,43		+ 0,49	3,231
1861	7	Scorpii		1 11,04		3 10,75	16	7 10,81		10,95		- 0,14	3,489
1862	5	Normæ	γ^2	5 18,44		16	7	18,44		18,08		+ 0,36	4,458
1863	5	Apodis	γ			16	7	Invis.		59,46			8,860
1864	5.6	Scorpii	d			3 53,83	16	7 53,81		53,61		+ 0,20	3,700
1865	6	Ophiuchi				4 5,70	16	8 5,70					3,141
1866	6	Scorpii	P				16	8		55,83			3,764
1867	6	17 Herculis			3 7,08	16	9	7,10		6,94		+ 0,16	2,553
1868	7	Scorpii			3 18,26	16	9	18,24		17,74		+ 0,50	3,494
1869	3	2 Ophiuchi	ϵ	5 26,38		16	9	26,38	26,32	26,16	+ 0,06	+ 0,22	3,156
1870	6	18 Cor Bor	ν			2 1,06	16	10 1,09		0,72		+ 0,37	2,395
1871	5.6	19 Scorpii	σ			3 32,54	16	10 32,52	32,59	32,20	+ 0,13	+ 0,32	3,590
1872	4	20 Scorpii	σ	1 59,56	1 59,37	1 59,30	16	10 59,40	59,42	59,31	- 0,02	+ 0,09	3,626
1873	5	50 Serpentis	σ	4 34,13		2 34,33	16	13 34,20		34,55		- 0,35	3,038
1874	5	4 Ophiuchi	ψ	6 17,12	3 17,04		16	14 17,09	17,05	17,00	+ 0,04	+ 0,09	3,495
1875	3.4	20 Herculis	γ	5 30,73		1 30,71	16	14 30,73	30,71	30,49	+ 0,02	+ 0,24	2,643
1876	4	22 Herculis	τ			5 41,47	16	14 41,52	41,73	41,60	- 0,21	- 0,08	1,797
1877	5	5 Ophiuchi	g			3 31,36	16	15 31,34	31,63	31,37	- 0,29	- 0,03	3,578
1878	7	Scorpii				2 31,56	16	15 31,54		31,61		- 0,07	3,577
1879	5	19 Cor Bor	ξ			3 33,02	16	15 33,05		33,13		- 0,08	2,339
1880	5	20 Cor Bor	ν^1			5 2,09	16	16 2,12		1,84		+ 0,28	2,252
1881	5	21 Cor Bor	ν^2				16	16		9,14			2,255
1882	5	7 Ophiuchi	α	3 17,82	3 17,91	2 18,05	16	17 17,91		17,08		+ 0,83	3,461
1883	5	51 Serpentis	ω	1 40,02			16	17 40,02		40,24		- 0,22	2,758
1884	5	3 Ophiuchi	ν			3 43,63	16	18 43,63		43,62		+ 0,61	3,237
1885	1	21 Scorpii	α		14 7,33	14 7,24	16	19 7,26	7,09	7,25	+ 0,17	- 0,09	3,659
1886	5	Apodis	β				16	19 Invisible		29,54			8,362
1887	5	25 Herculis			4 24,97	16	19 25,01			24,76		+ 0,25	2,130
1888	6	22 Scorpii	i				16	20		0,47			3,626
1889	5	Normæ	α	5 25,38			16	20 25,38		25,46		- 0,08	3,895
1890	7	Scorpii			3 4,95	16	21 4,92			4,88		+ 0,04	3,664

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession.	
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.		
1846					3		81 0 47,88		0 47,81	—	0,43	+10,001	
1847					3		72 29 56,64		29 57,37	—	0,73	9,991	
1848					3		118 57 53,90		57 48,91	+	1,99	9,984	
1849					3		117 58 16,30		58 16,88	—	0,58	9,887	
1850	2 28	55,72					117 28 55,72		28 55,61	+	0,11	9,880	
1851					5	0 55,32	109 0 55,32	0 59,03	0 59,78	—3,71	—	4,46	9,860
1852					4	37 23,39	99 37 23,39		37 16,75	+	6,64	9,815	
1853					1	6 21,91	98 6 21,91		6 18,35	+	3,56	9,800	
1854					4	57 51,16	110 57 51,16		57 48,92	+	2,24	9,740	
1855					3		72 53 34,90		53 31,77	+	2,13	9,734	
1856					3		66 3 54,83		3 55,52	—	0,69	9,687	
1857					3		101 24 6,58		24 7,55	—	0,97	9,682	
1858					3	32 38,34	84 32 38,34		32 33,59	+	4,75	9,652	
1859	6 15	16,59	1 15	16,34	6	15 17,81	93 15 17,13	15 18,17	15 13,51	—1,04	+	3,62	9,607
1860	5 55	3,12					97 55 3,12		55 0,71	+	2,41	10,064*	
1861					4	40 48,35	109 40 48,35		40 42,64	+	5,71	9,482	
1862					5	44 6,08	139 44 6,08		44 1,01	+	5,07	9,475	
1863							168 29 Invisible		29 58,87			9,433	
1864					4	11 16,50	118 11 16,50		11 11,82	+	4,68	9,427	
1865					4	31 48,91	93 31 48,91		31 51,98	—	3,07	9,410	
1866					3		120 29 28,32		29 27,31	+	1,01	9,347	
1867					3		66 27 14,40		27 10,93	+	3,47	9,330	
1868					3		109 48 5,90		48 1,43	+	4,47	9,318	
1869	5 16	33 86					94 16 33,86	16 35,50	16 29,77	—1,64	+	4,99	9,306
1870					5	25 47,71	60 25 47,71		25 40,37	+	7,34	9,260	
1871					4	45 21,06	113 45 21,06	45 22,45	45 22,50	—1,39	—	1,44	9,222
1872	5 10	58,01	1 10	58,11			115 10 58,03	10 54,35	10 49,07	+3,68	+	8,96	9,187
1873	4 34	9,63	1 34	7,61			88 34 9,23		34 8,87	+	0,36	8,984	
1874			1 38	12,68	3	38 15,22	109 38 14,59	38 11,65	38 9,22	+2,91	+	5,37	8,930
1875	2 26	50,03			4	26 51,06	70 26 50,22	26 48,81	26 43,08	+1,91	+	7,64	8,910
1876					5	16 56,82	43 16 56,82	16 58,83	17 11,25	—2,01	—	14,43	8,893
1877					5	3 7,42	113 3 7,42	3 8,68	3 2,95	—1,26	+	4,47	8,883
1878					1	0 35,91	113 0 35,91		0 35,37	+	0,54	8,893	
1879	5 42	45,41					58 42 45,41		42 45,15	+	0,26	8,897	
1880					5	18 5,07	55 48 5,07		48 0,21	+	4,86	8,790	
1881					3		55 51 3,65		54 2,51	+	1,14	8,780	
1882			1	3 59,35	4	4 2,01	108 4 1,48		3 59,39	+	2,09	8,694	
1883					4	31 28,69	75 34 28,69		34 17,76	+	10 93	8,662	
1884	5 59	15,45					97 59 15,45		59 17,51	—	2,06	8,580	
1885	5 3	4,58	10	3 5,20	13	3 4,74	116 3 4,88	3 3,03	3 1,25	+1,85	+	3,63	8,550
1886							167 8 Invisible		8 23,92			8,533	
1887	4 13	8,88			2	13 9,49	52 13 9,08		13 3,56	+	5,22	8,522	
1888					3		114 44 17,24		44 9,98	+	7,26	8,479	
1889			1 19	48,62	4	19 49,21	124 19 49,09		19 45,33	+	3,76	8,447	
1890					3		116 9 46,50		9 46,81	—	0,81	8,394	

lxxxvi *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Greenh Catal.	A. S. Catal.	Difference from		Annual Preces- sion		
			No. 1831	No. 1832	No. 1833	h.	m.	s.			s.	s.		Green.	A. S.
			s.	s.	s.				s.	s.	s.	s.	s.		
1891	4.5	8 Ophiuchi ϕ	632.08	232.03	—	16	24	32.07	31.94	32.04	+0.13	+0.03	+3.422		
1892	3	14 Draconis η	343.80	—	—	16	21	43.80	43.69	43.06	+0.11	+0.74	0.792		
1893	5	9 Ophiuchi α	—	—	311.16	16	22	11.14	11.37	11.31	-0.23	-0.17	3.537		
1894	4	10 Ophiuchi λ	—	—	326.87	16	22	26.87	26.95	26.44	-0.08	+0.43	3.018		
1895	5	21 Ursæ Min η	—	—	129.69	16	22	30.01	—	30.65	—	-0.64	-1.867		
1896	2.3	27 Herculis β	—	8 0.08	—	26	23	0.10	0.11	59.42	-0.01	+0.68	+2.579		
1897	5	30 Herculis g	2 7.38	—	1 7.45	16	23	7.43	—	7.53	—	-0.10	1.961		
1898	5.6	28 Herculis n	—	—	520.10	16	24	20.10	—	19.50	—	+0.60	2.942		
1899	4.5	29 Herculis h	—	—	444.97	16	24	44.98	44.85	44.84	+0.13	+0.14	2.811		
1900	3.4	23 Scorpii τ	626.36	—	—	16	25	26.36	26.31	26.31	+0.05	+0.05	3.715		
1901	5	12 Ophiuchi	132.66	—	432.55	16	27	32.57	—	32.01	—	+0.56	3.110		
1902	3.4	13 Ophiuchi ζ	655.03	—	255.08	16	27	55.04	55.02	54.87	+0.02	+0.17	3.290		
1903	4.5	15 Draconis d	—	—	320.13	16	28	20.31	20.80	20.66	-0.49	-0.35	-0.161		
1904	6	33 Herculis	—	—	442.41	16	28	42.41	—	41.72	—	+0.69	+2.907		
1905	4	35 Herculis σ	241.29	141.42	—	16	28	41.34	41.50	41.08	-0.16	+0.26	1.928		
1906	2	Triang Aus α	—	—	358.34	16	30	58.17	—	58.96	—	-0.79	6.239		
1907	5	24 Scorpii m	552.01	152.01	—	16	31	52.01	52.05	51.87	-0.04	+0.14	3.456		
1908	6.7	Scorpii	—	—	530.68	16	34	30.66	—	30.44	—	+0.22	3.735		
1909	3	40 Herculis ζ	657.33	157.31	—	16	34	57.32	57.33	56.86	-0.01	+0.46	2.246*		
1910	4	Aræ η	519.43	—	—	16	35	19.43	—	20.06	—	-0.63	5.119		
1911	6	25 Scorpii	—	—	434.93	16	36	34.93	—	35.32	—	-0.42	3.656		
1912	6	16 Ophiuchi l	—	—	457.95	16	37	57.95	—	57.83	—	+0.12	3.039		
1913	3	44 Herculis η	5 8.26	—	—	16	37	8.26	8.40	7.60	-0.14	+0.66	2.047		
1914	5	43 Herculis i	246.34	—	346.34	16	37	46.34	—	45.73	—	+0.61	2.872		
1915	3	26 Scorpii ϵ	—	318.10	118.14	16	39	18.08	18.51	17.83	-0.46	+0.25	3.870*		
1916	5.6	45 Herculis e	—	—	430.44	16	39	30.45	—	30.11	—	+0.34	2.946		
1917	6	18 Ophiuchi u	—	—	131.36	16	39	31.34	—	31.57	—	-0.23	3.635		
1918	5	18 Draconis g	—	—	245.69	16	39	45.85	—	45.74	—	+0.11	0.387		
1919	3.4	Scorpii μ^1	—	—	230.42	16	40	30.39	—	30.28	—	+0.11	4.041		
1920	5	20 Ophiuchi r	732.89	—	—	16	40	32.89	—	32.57	—	+0.32	3.300		
1921	4	Scorpii μ^2	—	—	—	16	40	—	—	58.39	—	—	4.040		
1922	5	47 Herculis k	510.33	—	—	16	42	10.11	—	10.11	—	0.00	2.901		
1923	6	21 Ophiuchi	—	154.08	354.11	16	42	54.10	—	53.84	—	+0.26	3.035		
1924	6.7	Scorpii	230.83	—	330.70	16	43	30.74	—	30.59	—	+0.15	3.531		
1925	5	50 Herculis s	5 5.79	—	—	16	44	5.79	—	5.15	—	+0.64	2.336		
1926	5	52 Herculis	—	—	318.94	16	44	18.98	19.35	18.70	-0.37	+0.28	1.746		
1927	6	49 Herculis	—	—	426.34	16	44	26.36	—	26.10	—	+0.26	2.723		
1928	6.7	22 Ophiuchi	—	—	242.24	16	44	42.22	—	42.01	—	+0.21	3.611		
1929	3.4	Aræ ζ	—	—	—	16	44	—	—	45.66	—	—	4.922		
1930	6	51 Herculis X^2	—	—	—	16	44	—	—	47.19	—	—	2.480		
1931	5	23 Ophiuchi q	337.33	—	—	16	45	37.33	—	37.15	—	+0.18	3.198		
1932	4	25 Ophiuchi i	—	—	3 3.84	16	46	3.85	3.69	3.59	+0.16	+0.26	2.834		
1933	4.5	Aræ ϵ	—	—	—	16	46	—	—	14.13	—	—	4.743		
		Ophiuchi	120.62	120.51	120.48	16	46	20.63	—	20.11	—	+0.52	3.444		
		Herculis	735.95	—	—	16	46	85.95	—	85.38	—	+0.57	2.276		

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession			
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.				
1891	—	—	5 14 21,66	106 14 21,66	14 20,17	14 16,56	+1,49	+ 5,10	+ 8,358			
1892	—	—	5 6 11,59	28 6 11,59	6 14,64	6 13,93	—3,05	— 2,34	8,336			
1893	—	1 5 57,65	4 5 58,37	111 5 58,23	—	5 51,01	—	+ 7,22	8,306			
1894	—	—	3 38 32,27	87 38 32,27	38 29,22	38 25,11	+3,05	+ 7,16	8,284			
1895	—	—	3 —	13 51 44,18	—	51 39,20	—	+ 4,98	8,266			
1896	6 8 17,19	6 8 16,45	1 8 16,25	68 8 16,78	8 20,18	8 18,27	—3,40	— 1,49	8,239			
1897	2 44 37,68	—	1 44 37,62	47 44 37,66	—	44 36,41	—	+ 1,25	8,227			
1898	—	—	3 —	84 6 52,52	—	6 49,94	—	+ 2,58	8,134			
1899	—	—	3 8 40,86	78 8 40,86	8 41,76	8 39,43	—0,90	+ 1,43	8,100			
1900	1 51 31,49	—	4 51 31,04	117 51 31,13	51 32,26	51 28,47	—1,13	+ 2,66	8,047			
1901	—	—	3 57 35,27	91 57 35,27	—	57 28,14	—	+ 7,13	7,877			
1902	6 13 15,72	—	—	100 13 15,72	13 11,54	13 6,65	+4,18	+ 9,07	7,847			
1903	—	—	4 52 10,44	20 52 10,44	52 7,75	52 5,00	+2,69	+ 5,44	7,803			
1904	—	1 32 34,74	3 32 41,18	82 32 41,18	—	32 35,91	—	+ 5,27	7,783			
1905	5 12 45,04	1 12 48,47	3 12 45,52	47 12 45,57	12 45,20	12 42,25	+0,37	+ 3,32	7,781			
1906	—	—	5 42 19,65	158 42 19,65	—	42 12,17	—	+ 7,48	7,607			
1907	6 24 33,15	—	—	107 24 33,15	—	24 30,18	—	+ 2,97	7,528			
1908	—	1 11 18,35	4 11 18,05	118 11 18,11	—	11 16,86	—	+ 1,25	7,314			
1909	4 5 16,01	10 5 16,55	8 5 16,38	58 5 16,38	5 19,16	5 11,97	—2,78	+ 4,41	7,275			
1910	—	—	5 43 41,41	148 43 44,41	—	43 39,24	—	+ 5,17	7,251			
1911	—	—	5 12 56,48	115 12 56,48	—	12 48,09	—	+ 8,39	7,145			
1912	—	—	5 39 48,56	88 39 48,56	—	39 50,08	—	+ 1,52	7,112			
1913	7 45 15,68	—	1 45 16,33	50 45 15,74	45 15,34	45 11,05	+0,40	+ 4,69	7,096			
1914	—	—	3 6 18,40	81 6 18,40	—	6 11,49	—	+ 6,91	7,046			
1915	5 58 45,71	—	—	123 58 45,71	—	58 46,30	—	+ 0,59	6,923			
1916	—	—	2 26 45,90	84 26 45,90	—	26 36,62	—	+ 9,28	6,904			
1917	—	1 20 7,82	—	114 20 7,82	—	20 11,68	—	+ 3,86	6,904			
1918	—	—	6 5 35,66	25 5 35,66	—	5 26,39	—	+ 9,27	6,876			
1919	—	—	5 14 59,90	127 44 59,90	—	44 55,89	—	+ 4,01	6,825			
1920	4 28 43,48	—	1 28 45,73	100 28 43,93	—	28 36,08	—	+ 7,85	6,819			
1921	—	—	3 43 17,95	127 43 17,95	—	43 15,06	—	+ 2,89	6,786			
1922	5 27 21,19	—	—	82 27 21,19	—	27 16,61	—	+ 4,58	6,684			
1923	—	—	3 29 26,35	88 29 26,35	—	29 20,69	—	+ 5,66	6,625			
1924	—	—	2 7 41,34	110 7 41,34	—	7 33,61	—	+ 7,73	6,575			
1925	4 54 10,26	1 54 10,35	—	59 54 10,28	—	54 2,02	—	+ 8,26	6,525			
1926	—	—	5 43 10,99	43 43 10,99	43 13,34	43 12,32	—2,35	— 1,33	6,504			
1927	—	—	3 —	74 44 18,80	—	44 11,34	—	+ 7,46	6,497			
1928	—	—	3 —	113 13 40,21	—	13 38,52	—	+ 1,69	6,477			
1929	5 42 51,30	—	—	145 42 51,30	—	42 45,07	—	+ 6,23	6,476			
1930	—	—	3 —	65 3 22,85	—	3 10,91	—	+ 11,94	6,467			
1931	1 52 18,40	—	4 52 20,50	95 52 20,08	—	52 15,80	—	+ 4,28	6,400			
1932	—	1 33 7,32	4 33 8,78	79 33 8,49	33 6,10	32 58,12	+2,39	+ 10,37	6,362			
1933	—	—	4 53 28,71	142 53 28,71	—	53 25,05	—	+ 3,66	6,353			
1934	—	—	3 —	106 31 49,34	—	31 53,58	—	+ 3,74	6,341			
1935	5 0 54,41	—	—	58 0 54,41	—	0 55,80	—	+ 1,39	6,317			

lxxxviii *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
			s.	s.	s.				s.	s.	s.	s.	s.
1936	6.7	24 Ophiuchi			3 40,82	16	46	40,80		40,55		+ 0,25	+ 3,603
1937	6.7	Scorpii			2 12,21	16	47	12,19		12,02		+ 0,17	3,512
1938	5.6	54 Herculis				16	47			59,07			2,638
1939	6	Ophiuchi				16	49			41,58			3,657
1940	4	27 Ophiuchi	x	5 43,40	2 43,28		16	49 43,36	43,36	43,04	0,00	+ 0,32	2,852
1941	6	26 Ophiuchi	x			2 52,93	16	49 52,90		51,81		+ 1,09	3,655
1942	7	Ophiuchi		1 58,15		4 58,18	16	49 58,16		57,66		+ 0,50	3,481
1943	6	Scorpii	p			3 1,61	16	51 1,58		1,51		+ 0,07	3,862
1944	6	29 Ophiuchi	s		1 1,83	4 2,07	16	52 2,00		2,31		- 0,31	3,499
1945	6	30 Ophiuchi	p			2 12,35	16	52 12,35		12,29		+ 0,06	3,156
1946	7	28 Ophiuchi		1 41,36			16	53 41,36		40,92		+ 0,44	3,677
1947	5	Scorpii	k	5 47,13			16	53 47,13		47,13		0,00	3,928
1948	3	58 Herculis	e	5 51,90	3 51,94	3 51,90	16	53 51,92	51,91	51,41	+ 0,01	+ 0,51	2,293
1949	7	Scorpii				3 49,87	16	54 49,84		48,57		+ 1,27	3,541
1950	5	19 Draconis	h			3 6,72	16	55 6,88		6,05		+ 0,83	0,266
1951	6	Ophiuchi				4 15,47	16	55 15,46		15,31		+ 0,15	3,314
1952	5	59 Herculis	d	1 24,15			16	55 24,15		23,61		+ 0,54	2,208
1953	5.6	32 Ophiuchi					16	55		25,94			2,740
1954	6	28 Scorpii				3 10 55	16	56 10,53		10,84		- 0,31	3,569
1955	6	34 Ophiuchi				1 14,86	16	56 14,88		14,40		+ 0,48	2,752
1956	6	Ophiuchi					16	56		52,76			3,083
1957	5	60 Herculis		4 35,30			16	57 35,30		35,35		- 0,05	2,771
1958	6.7	Ophiuchi				4 30,13	16	58 30,11		29,90		+ 0,21	3,471
1959	6	Ophiuchi				5 33,93	16	59 33,93		33,63		+ 0,30	3,087
1960	4	Scorpii	u	5 7,53			17	0 7,53		7,97		- 0,44	4,272
1961	2.3	35 Ophiuchi	u	6 45,21	1 45,06	10 45,23	17	0 45,20	45,15	45,00	+ 0,05	+ 0,20	3,426
1962	4	21 Draconis	μ	3 51,61			17	1 51,61	51,58	51,29	+ 0,03	+ 0,32	1,242
1963	5	Herculis				3 4,62	17	2 4,58		4,81		- 0,23	+ 2,123
1964	4	22 Ursæ Min	e			1	17	3 26,89	27,43	24,26	- 0,54	+ 2,63	- 6,577*
1965	6.7	29 Scorpii					17	3		47,14			+ 3,722
1966	5	37 Ophiuchi		6 32,86			17	4 32,86		32,71		+ 0,15	2,821
1967	4.5	36 Ophiuchi	Δ	3 1,68		3 1,60	17	5 1,63	1,62	1,96	+ 0,01	- 0,33	3,671*
1968	7	30 Scorpii				1 54,65	17	5 54,62		55,28		- 0,06	3,671*
1969	5.6	Scorpii	u			3 8,52	17	6 8,48		8,57		- 0,09	3,895
1970	3.4	64 Herculis	α	8 59,46	24 59,48	20 59,43	17	6 59,47	59,44	59,02	+ 0,03	+ 0,45	2,729
1971	6.7	31 Scorpii				3 13,87	17	7 13,84		13,69		+ 0,15	3,715
1972	6.7	Scorpii				3 24,80	17	7 24,76		24,30		+ 0,46	3,892
1973	5.6	39 Ophiuchi	o				17	7		46,48			3,650
1974	6	Ophiuchi					17	7		51,61			3,644
1975	4.5	41 Ophiuchi	o	3 59,70			17	7 59,70	58,99	59,65		+ 0,05	3,074
1976	4	65 Herculis	δ			3 8,10	17	8 8,13	8,07	7,06	+ 0,06	+ 1,07	2,460
1977	3	22 Draconis	ζ				17	8	19,40	18,48			0,153
1978	3.4	67 Herculis	π	5 11,99			17	9 11,99	12,06	11,74	- 0,07	+ 0,25	2,986
1979	6.7	Ophiuchi					17	10		6,83			3,481
1980	6	66 Herculis	ω			3 43,28	17	10 43,29		43,06		+ 0,23	2,813

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
1936	—	—	4 52 30,21	112 52 30,21	—	52 29,29	+	0,92	+ 6,314
1937	—	—	3 —	109 15 58,22	—	15 55,83	+	2,39	6,270
1938	—	—	3 —	71 17 30,95	—	17 27,57	+	3,38	6,202
1939	—	—	5 49 48,38	114 49 48,38	—	49 41,83	+	6,55	6,063
1940	7 21 31,47	—	5 21 31,41	80 21 31,45	21 31,32	21 21,13	+ 0,13	+ 10,32	6,058
1941	—	—	4 43 33,04	114 43 33,04	—	43 29,44	+	3,60	6,048
1942	—	—	4 —	107 58 42,17	—	58 39,36	+	2,81	6,040
1943	—	—	3 —	121 53 5,19	—	53 1,89	+	3,30	5,952
1944	—	—	3 —	108 37 46,14	—	37 45,14	+	1,00	5,866
1945	—	—	3 —	93 57 47,63	—	57 41,15	+	6,48	5,852
1946	—	—	3 27 1,97	115 27 1,97	—	26 58,16	+	3,81	5,729
1947	5 52 38,09	—	—	123 52 38,09	—	52 38,56	—	0,47	5,721
1948	5 49 14,38	2 49 13,76	4 49 14,73	58 49 14,40	49 16,17	49 12,93	-1,77	+ 1,47	5,711
1949	—	—	3 15 7,10	110 15 7,10	—	14 57,14	+	9,96	5,634
1950	5 36 31,95	—	—	24 36 31,95	—	36 25,49	+	6,46	5,601
1951	—	—	3 —	100 50 43,48	—	50 38,98	+	4,50	5,596
1952	1 11 1,32	2 11 2,15	4 11 2,21	56 11 2,08	—	10 57,74	+	4,34	5,582
1953	—	—	3 —	75 39 38,09	—	39 27,77	+	10,32	5,580
1954	—	—	3 —	111 19 22,82	—	19 22,85	—	0,03	5,519
1955	—	—	—	76 10 —	—	10 51,70	—	—	5,512
1956	—	—	5 39 17,82	99 39 17,82	—	39 12,65	+	5,17	5,459
1957	5 1 20,69	—	—	77 1 20,69	—	1 14,66	+	6,03	5,399
1958	—	—	4 22 48,59	107 22 48,59	—	22 41,07	+	7,52	5,324
1959	—	—	3 —	90 51 4,59	—	50 59,93	+	4,66	5,233
1960	4 0 21,08	—	1 0 21,96	133 0 21,25	—	0 15,74	+	8,51	5,188
1961	5 30 34,54	—	—	105 30 34,54	30 33,63	30 26,28	+ 0,91	+ 8,26	5,134
1962	5 18 24,52	—	3 18 24,87	35 18 24,65	18 22,55	18 20,86	+ 2,10	+ 3,79	5,034
1963	—	—	4 50 29,86	53 50 29,86	—	50 28,92	+	0,94	5,018
1964	—	—	5 41 58,72	7 41 58,72	41 58,96	41 55,63	-0,24	+ 3,09	4,881
1965	—	—	3 —	116 46 28,26	—	46 23,95	+	4,31	4,877
1966	—	—	5 12 17,53	79 12 17,53	—	12 12,48	+	5,05	4,810
1967	5 20 52,23	—	—	116 20 52,23	20 49,60	20 46,96	+ 2,63	+ 5,27	6,021*
1968	—	—	3 17 42,88	116 17 42,88	—	17 41,59	+	1,29	5,936*
1969	—	—	3 —	122 27 43,56	—	27 47,18	—	3,62	4,678
1970	9 24 45,13	—	—	75 24 45,13	24 43,00	24 37,70	+ 2,13	+ 7,43	4,603
1971	—	—	3 —	116 26 5,03	—	26 1,30	+	3,73	4,585
1972	—	—	—	122 21 —	—	21 38,74	—	—	4,570
1973	—	—	—	114 5 —	—	5 39,65	—	—	4,538
1974	—	—	—	113 52 —	—	52 38,93	—	—	4,531
1975	5 14 54,35	—	—	90 14 54,35	14 56,82	14 53,37	-2,47	+ 0,98	4,518
1976	—	—	5 57 30,83	64 57 30,83	57 26,35	57 20,42	+ 4,48	+ 10,41	4,506
1977	—	—	5 4 41,17	24 4 41,17	4 42,09	4 40,84	-0,92	+ 0,33	4,483
1978	1 59 49,10	—	4 59 46,42	52 59 46,95	59 49,53	59 46,62	-2,63	+ 0,33	4,413
1979	—	—	1 34 20,67	107 34 20,67	—	34 19,56	+	1,11	4,338
1980	—	—	—	78 56 —	—	56 42,84	—	—	4,285

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833						Green.	A. S.	
			s.	s.	s.	h.	m.	s.	s.	s.	s.	s.	s.
1981	4.5	40 Ophiuchi	p	5 56,43	—	2 56,52	17 10	56,48	56,39	56,05	+0,09	+0,43	+3,567
1982	4	68 Herculis	u	—	—	3 7,32	17 11	7,36	7,45	7,38	-0,09	-0,02	2,211
1983	3	Aræ	γ	—	—	—	17 11	—	—	18,46	—	—	5,019
1984	3	Aræ	β	—	—	—	17 11	—	—	20,97	—	—	4,958
1985	4.5	53 Serpentis	v	—	—	3 23,05	17 11	23,04	23,10	23,23	-0,06	-0,19	3,362
1986	3.4	42 Ophiuchi	θ	5 42,13	—	—	17 11	42,13	42,08	41,88	+0,05	+0,25	3,672
1987	4.5	69 Herculis	e	1 52,84	—	2 52,74	17 11	52,80	52,96	52,34	-0,16	+0,46	2,066
1988	6	43 Ophiuchi	y	—	—	4 47,85	17 12	47,82	47,68	47,78	+0,14	+0,04	3,762
1989	5.6	70 Herculis	a	—	—	—	17 4	—	—	58,76	—	—	2,467
1990	6	Scorpii	—	—	1 39,66	2 39,66	17 14	39,64	—	39,41	—	+0,23	3,578
1991	7	33 Scorpii	—	—	—	5 50,63	17 14	50,60	—	50,67	—	-0,07	3,654
1992	4	Aræ	δ	2 57,60	2 57,52	—	17 15	57,53	—	59,12	—	-1,59	5,389
1993	5.6	44 Ophiuchi	b	—	—	2 7,00	17 16	6,98	7,11	7,11	-0,13	-0,13	3,652
1994	5	45 Ophiuchi	d	4 38,08	2 38,32	—	17 16	38,15	—	38,09	—	+0,06	3,817
1995	6.7	Ophiuchi	—	—	—	3 55,60	17 16	55,57	—	55,17	—	+0,40	3,813
1996	6	73 Herculis	—	—	—	4 5,03	17 17	5,06	—	4,56	—	+0,50	2,507
1997	6	47 Ophiuchi	—	—	—	3 36,89	17 17	36,88	—	37,04	—	-0,16	3,356
1998	5.6	Ophiuchi	—	—	—	1 43,58	17 17	43,58	—	43,24	—	+0,34	3,181
1999	4	75 Herculis	p	6 53,45	—	4 53,30	17 17	53,39	53,50	53,63	-0,11	+0,36	2,067
2000	4.5	49 Ophiuchi	σ	5 10,93	—	—	17 18	10,93	11,10	10,89	-0,17	+0,04	2,969
2001	3	Aræ	α	—	—	1 52,32	17 18	52,25	—	52,76	—	-0,51	4,620
2002	3.4	34 Scorpii	u	—	1 20,78	1 21,13	17 19	20,92	—	21,18	—	-0,26	4,064
2003	6	Herculis	—	—	—	—	17 19	—	—	33,85	—	—	2,583
2004	6	Ophiuchi	—	—	—	2 15,84	17 20	15,84	—	15,67	—	+0,17	3,057
2005	5	51 Ophiuchi	e ²	2 10,37	3 10,45	—	17 21	10,41	10,32	10,61	+0,09	-0,20	3,649
2006	6.7	Sagittarii	—	—	—	4 18,92	17 21	18,89	—	18,82	—	+0,07	3,714
2007	3	35 Scorpii	λ	3 12,79	1 12,62	3 12,78	17 22	12,74	12,65	12,77	+0,09	-0,03	4,060
2008	6	Ophiuchi	h	—	—	5 56,18	17 22	56,18	—	56,05	—	+0,13	3,002
2009	4.5	76 Herculis	λ	6 57,41	—	1 57,11	17 23	57,11	57,12	56,93	-0,01	+0,18	2,417
2010	5	Scorpii	—	4 59,57	2 59,32	—	17 24	59,48	—	59,17	—	+0,31	4,119
2011	7	52 Ophiuchi	—	—	1 12,38	2 12,63	17 25	12,53	—	12,33	—	+0,20	3,599
2012	5	Scorpii	θ	—	—	3 15,68	17 25	15,62	—	15,37	—	+0,25	4,294
2013	6	78 Herculis	—	—	—	4 13,86	17 25	13,89	—	13,38	—	+0,51	2,350
2014	6	54 Ophiuchi	—	—	—	—	17 25	—	—	37,02	—	—	2,756
2015	6	53 Ophiuchi	f	—	—	1 38,58	17 26	38,59	—	38,32	—	+0,27	2,842
2016	2	23 Draconis	β	1 38,54	—	2 38,64	17 26	38,66	33,44	38,01	+0,22	+0,65	1,349
2017	2	55 Ophiuchi	α	4 8,27	26 8,45	16 8,43	17 27	8,42	8,39	7,97	+0,03	+0,45	2,770
2018	6.7	Serpentis	—	—	—	3 58,00	17 27	57,98	—	58,04	—	-0,06	3,434
2019	5	55 Serpentis	ε	4 58,41	1 58,03	—	17 27	58,34	—	58,11	—	+0,23	3,430
2020	6	2 Sagittarii	—	—	—	3 39,42	17 28	39,40	—	39,60	—	-0,20	3,597
2021	5	57 Ophiuchi	μ	6 43,63	—	—	17 28	43,03	43,02	42,59	+0,01	+0,44	3,254
2022	5	24 Draconis	ν ¹	—	—	—	17 28	—	—	52,14	—	—	1,156
2023	5	25 Draconis	ν ²	—	—	—	17 28	—	—	57,12	—	—	1,157
2024	7	Sagittarii	—	—	—	2 4,81	17 29	4,77	—	4,38	—	+0,39	3,898
2025	5	Pavonis	η	—	—	—	17 29	—	—	17,18	—	—	5,860

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from			Annual Precessi- on.
	No.		No.		No.					Green. A. S. C.			
	1831		1832		1833								
1981			2 55 26,66		3 55 30,68		110 55 29,07	55 28,31	55 25,25	+ 0,76	+ 3,82	+ 4,268	
1982	5 42 50,05						56 42 50,05	42 49,93	42 48,49	+ 0,12	+ 1,56	4,248	
1983	4 12 27,84						146 12 27,84		12 27,22		+ 0,62	4,241	
1984					2 21 37,65		145 21 37,65		21 27,06		+ 10,59	4,237	
1985							102 40	40 8,74	40 1,86			4,229	
1986					4 49 29,39		114 49 29,39	49 23,70	49 20,25	+ 5,69	+ 9,14	4,203	
1987	5 31 38,08						52 31 38,08	31 40,78	31 31,20	- 2,70	+ 6,88	4,184	
1988			2 58 12,36		2 58 12,15		117 58 12,25	58 14,24	58 10,83	- 1,99	+ 1,42	4,110	
1989					3 19 41,33		65 19 41,33		19 36,56		+ 4,77	4,005	
1990					4 16 34,62		111 16 34,62		16 33,70		+ 0,92	3,950	
1991							114 4		4 50,07			3,934	
1992	5 31 51,67						150 31 51,67		31 50,02		+ 1,65	3,841	
1993			4 0 41,66		1 0 43,56		114 0 42,64	0 44,33	0 38,05	- 1,69	+ 4,59	3,825	
1994	5 42 25,02						119 42 25,02		42 23,67		+ 1,45	3,781	
1995					4 34 21,31		119 34 21,31		34 8,66		+ 12,65	3,756	
1996							66 52		52 36,46			3,739	
1997							102 21		21 16,50			3,695	
1998							94 55		55 47,30			3,686	
1999	6 41 40,83						52 41 40,83	41 41,58	41 34,03	- 0,75	+ 6,80	3,668	
2000	5 42 27,30				2 42 27,99		85 42 27,50	42 25,37	42 19,15	+ 2,13	+ 8,35	3,645	
2001	1 43 56,17		5 43 57,83				139 43 57,55		43 55,90*		+ 1,65	3,590	
2002					5 9 9,06		127 9 9,06		9 4,07		+ 4,99	3,548	
2003					4 46 14,69		69 46 14,69		46 10,18*		+ 4,51	3,525	
2004					4 31 36,41		89 31 36,41		31 31,91*		+ 4,50	3,467	
2005	5 49 24,60						113 49 24,60	49 28,34	49 23,41	- 3,74	+ 1,19	3,389	
2006			3 7 55,92		2 7 57,93		116 7 56,72		7 53,50*		+ 3,22	3,378	
2007	5 58 17,32						126 58 17,32		58 10,08		+ 7,24	3,301	
2008					5 8 35,50		87 8 35,50		8 33,00*		+ 2,50	3,236	
2009	5 45 23,21		1 45 19,94		5 45 22,74		63 45 22,69	45 26,03	45 25,00	- 3,34	+ 2,31	3,147	
2010			1 30 22,50		4 30 23,94		128 30 23,65		30 14,85*		+ 8,80	3,062	
2011			3 55 19,99		1 55 21,88		111 55 20,46		55 15,89		+ 4,57	3,042	
2012	4 52 48,33				1 52 49,45		132 52 48,55		52 45,24		+ 3,31	3,039	
2013					4 27 55,38		61 27 55,38		27 54,30		+ 1,08	3,036	
2014							76		42 57,78			2,917	
2015							80		17 31,16			2,915	
2016	4 34 14,46		1 34 15,49				37 34 14,67	34 16,6	34 14,71	- 2,01	- 0,04	2,912	
2017	8 18 39,49		29 18 40,55		23 18 40,56		77 18 40,43	18 39,55	18 34,38	+ 0,88	+ 6,05	2,872	
2018							105		27 34,50*			2,802	
2019	5 17 10,19						105 17 10,19		17 0,83		+ 9,33	2,802	
2020			3 48 16,67		1 48 15,07		111 48 16,27		48 8,58		+ 7,69	2,743	
2021	3 0 29,82		1 0 27,03		1 0 28,78		98 0 29,06	0 33,16	0 27,41	- 4,10	+ 1,65	2,737	
2022					2 41 56,57		34 41 56,57		41 51,39		+ 5,18	2,717	
2023					5 42 39,72		34 42 39,72		42 35,15		+ 4,57	2,710	
2024							122		5 46,89*			2,708	
2025					1 37 49,77		154 37 49,77		37 38,89*		+ 10,88	2,695	

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Greenh Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	s.	h. m.	s.			Green.	A. S.	
2026	6	79 Herculis				2 36,06	17 30	36,09		35,37		+0,72	+2,466
2027	3	Scorpii	x	3 52,69	4 52,52		17 30	52,58		52,32		+0,26	4,139
2028	4.5	56 Serpentis	o	2 58,75	3 58,74		17 31	58,74	58,64	58,37	+0,10	+0,37	3,369
2029	7	Sagittarii				3 43,72	17 32	43,69		43,02		+0,67	3,767
2030	5	27 Draconis	f			1 38,85	17 32	39,02		38,45		+0,57	-0,290*
2031	7	Serpentis				4 2,08	17 33	2,06		1,57		+0,49	+3,435
2032	5	58 Ophiuchi	D		1 21,83	4 22,20	17 33	22,11	21,68	22,32	+0,43	-0,21	3,593
2033	7	Ophiuchi			3 16,45		17 34	16,44		16,28		+0,16	3,607
2034	6	Ophiuchi				4 26,52	17 34	26,54		26,25		+0,29	2,686
2035	4	85 Herculis		5 43,58	1 43,70		17 34	43,61	43,59	42,80	+0,02	+0,81	1,688
2036	3	60 Ophiuchi	β	5 10,59	2 10,79		17 35	10,74	10,66	10,34	+0,08	+0,40	2,960
2037	4.5	Scorpii	α	3 50,74	1 50,38		17 35	50,65		50,08		+0,57	4,185
2038	5.6	84 Herculis				4 28,02	17 36	28,05		27,51		+0,54	2,465
2039	5	3 Sagittarii	p	5 59,32	1 59,21		17 36	59,30	59,42	59,04	-0,12	+0,26	3,768
2040	7	Sagittarii				3 57,79	17 37	57,76		57,75		+0,01	3,743
2041	5	28 Draconis	ω			3 55,92	17 37	56,12		56,09		+0,03	-0,367
2042	5.6	Sagittarii			3 15,93		17 38	15,91		15,95		-0,04	+3,887
2043	4	Telescopii	γ		2 26,12	4 25,88	17 38	25,92	25,63	25,30	+0,29	+0,62	4,070
2044	7	Sagittarii				2 28,17	17 38	28,15		28,05		+0,10	3,852
2045	4	62 Ophiuchi	γ	3 28,33	2 28,43		17 39	28,37	28,36	28,01	+0,01	+0,36	3,003
2046	4	86 Herculis	μ	6 53,29			17 39	53,29	53,34	52,56	-0,05	+0,73	2,366
2047	7	Sagittarii					17 40			23,91			3,852
2048	6	87 Herculis			3 0,50	2 0,72	17 42	0,61		0,08		+0,53	2,427
2049	6.7	63 Ophiuchi	z		1 34,12	4 34,09	17 44	34,07		33,81		+0,26	3,685
2050	7	Serpentis			3 39,29	3 39,61	17 46	39,43		39,22		+0,21	3,445
2051	6	Serpentis				3 55,96	17 46	55,95		55,48		+0,47	3,162
2052	5	Sagittarii		5 18,27	4 18,38	3 18,46	17 48	18,34		18,04		+0,30	3,845
2053	5.6	89 Herculis				5 38,90	17 48	38,93		38,62		+0,31	2,415
2054	5	4 Sagittarii	b	5 32,26	1 32,38		17 49	32,28		32,27		+0,01	3,656
2055	4	64 Ophiuchi	ν	5 46,84	1 46,77		17 49	46,83	46,85	46,56	-0,02	+0,27	3,297
2056	7	5 Sagittarii	i			5 53,91	17 49	53,88		54,52		-0,64	3,670
2057	6.7	Sagittarii				4 0,85	17 50	0,83		0,42		+0,41	3,562
2058	4	91 Herculis	δ	3 29,68			17 50	29,68	29,72	28,99	-0,04	+0,69	2,052
2059	3.4	32 Draconis	ξ			3 37,33	17 50	37,43	37,66	36,81	-0,23	+0,62	1,020
2060	4	92 Herculis	ξ			4 14,25	17 51	14,29	14,31	13,92	-0,02	+0,37	2,320
2061	5	57 Serpentis	ζ		2 36,27		17 51	36,27		36,53		-0,26	3,154
2062	7	6 Sagittarii					17 51			38,15			3,480
2063	6	Sagittarii				1 43,85	17 51	43,83		43,77		+0,06	3,628
2064	5	66 Ophiuchi	n				17 51			56,49			2,970
2065	5	94 Herculis	ν				17 52			3,85			2,291
2066	4	67 Ophiuchi	o			3 14,15	17 52	14,15	14,11	13,76	+0,04	+0,39	2,999
2067	6	7 Sagittarii	a		4 33,68		17 52	33,87		32,37		+1,50	3,670
2068	5	93 Herculis	E			1 34,32	17 52	34,34		33,98		+0,36	2,666
2069	6	Sagittarii					17 52			36,14			3,573
2070	6	Tauri Pon					17 52			40,82			2,921

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No. 1831		No. 1832		No. 1833					Green.	A. S. C.	
2026							65		34 57,80			
2027	5 55 59,78						128 55 59,78		55 58,37*		+	2,572
2028	4 46 35,83	1 46 33,72					102 46 35,41	46 40,44	46 34,57	-5,03	+	2,552
2029		4 47 37,60	4 47 35,21				117 47 36,41		47 36,47*		+	2,455
2030		2 45 28,55	2 45 29,78				21 45 29,16		45 28,12		-	2,391
2031				5 28 9,01			105 28 9,01		28 4,86*		+	2,386
2032	3 35 34,24	1 35 31,88	1 35 34,52				111 35 33,82	35 34,72	35 27,48	-0,90	+	2,363
2033							112		6 35,04*		+	2,334
2034							73		57 51,39*			2,256
2035			5 54 0,95	43 54 0,95	54 2,44		53 58,83			-1,49	+	2,239
2036	7 21 24,16	1 21 23,30					85 21 24,05	21 21,66	21 16,08	+2,39	+	2,212
2037	5 3 17,21						130 3 17,21		3 3,12*		+	2,176
2038		1 35 36,09	4 35 35,26	65 35 35,43			35 32,36				+	2, 21
2039	2 45 23,71	2 45 25,77		117 45 25,74	45 25,82		45 23,77			-0,08	+	2,062
2040		2 54 19,53	2 54 21,82	116 54 20,67			54 19,37*				+	2,020
2041			4 9 55,04	21 9 55,04			9 52,14				+	1,935
2042				121			38 8,23*					1,926
2043	5 58 47,46			126 58 47,46			58 45,33*				+	1,909
2044				120 31			31 43,04*					1,896
2045	4 13 23,30		1 13 21,13	87 13 22,87	13 22,12		18 17,24			+0,75	+	1,891
2046	6 10 31,91		7 10 33,77	62 10 32,91	10 33,31		10 32,38			-0,40	+	1,802
2047		1 29 55,78	4 29 57,89	120 29 57,47			29 53,67*				+	2,604*
2048		5 18 37,03		64 18 37,03			18 54,58				+	1,723
2049		4 50 45,67	1 50 47,20	114 50 45,98			50 40,13*					1,579
2050		3 46 30,20	2 46 32,53	105 46 31,33			46 25,50					1,360
2051		1 2 58,93	4 2 59,75	94 2 59,58			2 57,14				+	1,177
2052	6 13 39,0			120 13 39,06			13 34,60				+	1,065
2053			5 55 2,63	63 55 2,63			54 58,42				+	1,034
2054	6 47 28,50			113 47 28,50	47 32,04		47 25,99			-3,54	+	1,000
2055	5 44 46,19			99 44 46,19	44 43,21		44 33,91			+2,98	+	0,925
2056			6 15 42,26	114 15 42,26			15 41,01				+	0,903
2057			6 19 8,52	110 19 8,52			19 4,23				+	0,893
2058	5 43 19,35			52 43 19,35	43 21,38		43 17,17			-2,03	+	0,884
2059		6 5 54,36		33 5 54,36	5 51,63		5 56,49			-0,27	+	0,838
2260	4 43 43,90	3 43 44,96		60 43 44,35	43 42,90		43 38,05			+1,45	+	0,824
2061			5 40 16,58	93 40 16,58			40 15,29				+	0,773
2062				107			8 27,08					0,743
2063				112			45 59,96					0,741
2064				85			48 46,88					0,734
2065			3 47 32,98	59 47 32,98			47 26,45				+	0,713
2066			5 3 13,54	87 3 13,54	3 13,31		3 6,25			+0,23	+	0,701
2067				114			16 17,19					0,688
2068				73			13 55,23					0,663
2069				110			43 36,07					0,658
2070				83			43 2,17					0,657
												0,648

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.	Green Catal.	A. S. Catal.	Difference from		Annual Preces- sion.
			No. 1831	No. 1832	No. 1833				Green	A. S.	
			s.	s.	s.	h. m. s.	s.	s.	s.	s.	s.
2071	2	33 Draconis	8 42,42	28 42,53	15 42,06	17 52 42,42	42,56	42,17	-0,14	+0,25	+1,388
2072	5.6	68 Ophiuchi	—	—	2 13,95	17 53 13,95	—	13,54	—	+0,41	3,037
2073	4	Aræ	—	—	—	17 53 —	—	34,09	—	—	4,665
2074	6.7	9 Sagittarii	—	—	—	17 53 —	—	34,50	—	—	3,673
2075	5	69 Ophiuchi	5 56,31	1 56,41	—	17 53 56,33	—	55,75	—	+0,58	3,260
2076	5	Sagittarii	—	—	3 17,67	17 54 17,63	—	17,09	—	+0,54	3,825
2077	5.6	95 Herculis	—	1 22,55	—	17 54 22,57	—	22,16	—	+0,41	2,539
2078	7	Sagittarii	—	1 52,44	2 52,58	17 54 52,52	—	52,02	—	+0,50	3,674
2079	4	10 Sagittarii	5 1,17	—	—	17 55 1,17	1,27	1,39	-0,10	-0,22	3,852
2080	5	96 Herculis	4 12,39	1 12,24	—	17 55 12,36	—	11,69	—	+0,67	2,560
2081	6	97 Herculis	—	—	3 28,91	17 55 28,93	—	28,11	—	+0,82	2,503
2082	4.5	70 Ophiuchi	5 58,07	1 58,09	3 58,25	17 56 58,13	58,02	57,94	+0,11	+0,19	3,009
2083	7	Sagittarii	—	—	—	17 57 —	—	6,87	—	—	3,593
2084	5	Draconis	—	—	—	17 57 —	—	57,12	—	—	2,710
2085	5	Sagittarii	—	5 26,55	—	17 57 26,53	—	26,50	—	+0,03	+3,792
2086	5	Telescopii	—	3 45,92	—	17 58 45,89	—	45,67	—	+0,22	4,450
2087	5.6	98 Herculis	—	—	4 57,56	17 58 57,59	—	57,07	—	+0,52	2,523
2088	6	Sagittarii	—	—	5 16,21	17 59 16,17	—	15,95	—	+0,22	3,863
2089	6	71 Ophiuchi	—	3 16,45	—	17 59 16,46	—	16,04	—	+0,42	2,863
2090	4	72 Ophiuchi	5 23,03	1 23,14	—	17 59 23,02	23,31	22,85	-0,29	+0,17	2,843
2091	4	103 Herculis	6 59,57	—	5 59,35	18 0 59,46	59,58	59,24	-0,12	-0,22	2,335
2092	6	73 Ophiuchi	—	—	3 13,04	18 1 13,05	—	12,66	—	+0,39	2,975
2093	6	Sagittarii	—	1 28,00	4 28,36	18 1 28,27	—	28,14	—	+0,13	3,655
2094	5.6	102 Herculis	—	—	4 34,65	18 1 34,65	—	33,88	—	+0,77	2,561
2095	6	101 Herculis	—	5 38,33	—	18 1 38,35	—	37,78	—	+0,57	2,581
2096	3.4	13 Sagittarii	5 43,26	1 43,32	1 43,01	18 3 43,23	43,22	42,79	+0,01	+0,44	3,583
2097	6	14 Sagittarii	—	5 10,53	—	18 4 10,52	—	10,34	—	+0,18	3,601
2098	6	15 Sagittarii	—	—	5 11,78	18 5 11,76	11,79	11,42	-0,03	+0,34	3,573
2099	6	16 Sagittarii	—	—	4 13,49	18 5 13,47	—	12,76	—	+0,71	3,566
2100	5	104 Herculis	6 34,95	—	—	18 5 34,95	—	34,70	—	+0,25	2,254
2101	4	Telescopii	1 15,77	4 15,73	—	18 6 15,71	15,56	16,05	+0,15	-0,34	4,067
2102	7	17 Sagittarii	—	3 35,19	1 35,01	18 6 35,13	—	35,17	—	-0,04	3,570
2103	5.6	Sagittarii	—	—	5 32,45	18 7 32,42	—	32,14	—	+0,28	3,751
2104	7	Clypei Sob	—	1 37,70	4 37,48	18 7 37,50	—	37,15	—	+0,35	3,515
2105	3.4	19 Sagittarii	5 14,43	1 14,35	7 14,34	18 10 14,34	14,43	14,10	-0,09	+0,24	3,835
2106	6	Clypei Sob	—	—	4 28,76	18 10 28,74	—	28,04	—	+0,70	3,447
2107	5	105 Herculis	5 15,95	1 16,13	—	18 12 15,98	—	15,42	—	+0,56	2,463
2108	6	74 Ophiuchi	—	1 28,82	3 29,11	18 12 29,03	—	29,21	—	-0,18	2,991
2109	4	58 Serpentis	—	—	—	18 12 —	37,23	36,92	—	—	3,092*
2110	3	20 Sagittarii	5 1,23	2 1,22	—	18 12 1,22	1,35	1,29	-0,13	-0,07	3,983
2111	5	36 Draconis	—	2 56,12	3 55,94	18 12 56,01	—	55,40	—	+0,61	0,291
2112	5.6	106 Herculis	—	5 11,70	—	18 13 11,72	—	10,92	—	+0,80	2,532
2113	4.5	1 Lyrae	—	2 58,45	2 58,52	18 13 58,53	58,63	58,53	-0,10	0,00	2,099
2114	6	Sagittarii	—	—	3 13,84	18 14 13,80	—	13,76	—	+0,04	3,864
2115	4.5	Telescopii	1 30,89	4 30,95	—	18 14 30,90	—	30,85	—	+0,05	4,451

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in					Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession		
	No.		No.		No.				Green.	A. S. C.			
	1831	No.	1832	No.	1833					No.		1831	No.
2071	18 29 14,85	35	29 16,03	15	29 17,08	38 29 15,96	29 18,40	29 18,56	-2,44	2,60	+0,642		
2072	—	—	—	—	4 40 58,35	88 40 58,25	—	40 58,68	—	0,43	0,601		
2073	5 5 32,51	—	—	—	—	140 5 32,51	—	5 28,87	+	3,64	0,576		
2074	—	—	—	—	—	114 —	—	21 17,46	—	—	0,573		
2075	5 10 17,71	—	—	—	—	98 10 17,71	—	10 18,59	—	0,88	0,540		
2076	—	—	—	—	5 34 45,42	119 34 45,42	—	34 41,16	+	4,26	0,511		
2077	—	—	—	—	1 23 49,55	68 23 49,55	—	23 48,79	+	0,76	0,500		
2078	—	—	—	—	—	114 —	—	23 51,32	+	—	0,460		
2079	—	—	3 25 2,81	1	25 5,32	120 25 3,43	24 53,25	24 58,26	+10,18	5,17	0,446		
2080	3 9 37,34	2	9 38,24	—	—	69 9 37,70	—	9 34,72	+	2,98	0,428		
2081	—	—	—	—	4 4 18,13	67 4 18,13	—	4 17,15	+	0,98	0,404		
2082	5 27 12,93	—	—	—	—	87 27 12,93	27 14,61	27 15,21	-1,68	2,28	1,444*		
2083	—	—	1 27 8,75	3	27 8,52	111 27 8,58	—	27 8,47	+	0,11	0,263		
2084	—	—	1 1 13,65	4	1 12,93	13 1 13,07	—	1 14,34	—	1,27	0,259		
2085	5 27 56,39	—	—	—	—	118 27 56,39	—	27 58,80	—	2,41	0,235		
2086	1 58 21,79	4	—	—	—	135 58 21,79	—	58 21,61	+	0,18	0,121		
2087	—	—	—	—	5 47 23,19	67 47 23,19	—	47 23,73	—	0,54	0,099		
2088	—	—	—	—	3 44 49,22	120 44 49,22	—	44 42,95	+	6,27	0,076		
2089	—	—	—	—	4 16 50,60	81 16 50,60	—	16 44,44	+	6,16	0,072		
2090	5 27 14,05	—	—	—	—	80 27 14,05	27 13,22	27 6,71	+0,83	7,34	+0,062		
2091	5 15 18,20	—	—	—	3 15 19,85	61 15 18,82	15 18,50	15 15,75	+0,32	3,07	-0,080		
2092	—	—	5 1 41,33	—	—	86 1 41,33	—	1 38,49	+	2,84	0,097		
2093	—	—	—	—	6 43 33,09	113 43 33,09	—	43 32,62	+	0,47	0,118		
2094	—	—	—	—	5 12 20,93	69 12 20,93	—	12 19,16	+	1,77	0,129		
2095	—	—	2 58 33,51	—	—	69 58 33,51	—	58 26,96	+	6,55	0,135		
2096	5 5 40,12	—	—	—	—	111 5 40,12	5 40,11	5 36,53	+0,01	3,59	0,314		
2097	—	—	—	—	3 44 58,83	111 44 58,83	—	44 56,22	+	2,61	0,351		
2098	—	—	6 46 11,29	—	—	110 46 11,29	46 10,60	46 6,66	+0,69	4,63	0,443		
2099	—	—	4 25 48,17	3	25 50,75	110 25 49,27	—	26 45,40	+	3,87	0,415		
2100	4 37 49,17	2	37 49,20	—	—	58 37 49,18	—	36 46,08	+	3,10	0,481		
2101	5 48 8,20	—	—	—	—	126 48 8,20	—	48 0,21	+	7,99	0,536		
2102	—	—	—	—	5 35 29,59	110 35 29,59	—	35 27,56	+	2,03	0,566		
2103	—	—	3 5 42,08	—	—	117 5 41,72	—	3 39,72	+	2,00	0,648		
2104	—	—	—	—	7 30 49,97	108 30 49,97	—	30 49,81	+	0,16	0,656		
2105	6 53 28,46	—	—	—	—	119 53 28,16	53 23,35	53 25,45	+5,11	3,01	0,884		
2106	—	—	1 53 36,38	4	53 34,53	105 53 34,90	—	—	—	—	0,905		
2107	5 37 7,44	—	—	—	—	65 37 7,44	—	37 0,44	+	7,00	1,064		
2108	—	—	3 41 27,66	—	—	86 41 27,66	—	41 23,39	+	4,27	1,083		
2109	4 56 4,14	—	—	—	1 56 6,46	92 56 4,60	56 8,36	56 2,93	-3,76	1,67	0,414*		
2110	5 27 18,19	—	—	—	—	124 27 18,19	—	27 5,18	+	13,01	1,127		
2111	—	—	5 39 34,09	—	—	25 39 34,09	—	39 29,43	+	6,66	1,129		
2112	—	—	—	—	6 6 11,65	68 6 11,65	—	6 10,22	+	1,43	1,145		
2113	—	—	6 0 23,12	—	—	54 0 23,12	0 23,39	0 21,98	-0,27	1,14	1,215		
2114	—	—	—	—	5 50 0,67	120 50 0,67	—	49 55,29	+	5,38	1,232		
2115	4 3 6,65	—	—	—	—	136 3 6,65	—	2 54,74	+	11,91	1,255		

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	NAMES.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.			Green. Catal.	A. S. Catal.	Difference from		Annual Preces- sion.		
			No. 1831	No. 1832	No. 1833						Green.	A. S.			
			s.	s.		h.	m.	s.	s.	s.	s.	s.	s.		
2116	6	107 Herculis	t	—	—	4	27,92	18 14	27,96	—	27,58	—	+0,38	+2,335	
2117	5.6	Herculis	—	—	—	3	8,61	18 15	8,64	—	—	—	—	2,497	
2118	6	21 Sagittarii	—	1	20,51	3	20,96	18 15	20,83	—	20,42	—	+0,41	3,570	
2119	5	Pavonis	v	—	—	—	—	18 15	—	—	40,89	—	—	5,615	
2120	5	Telescopii	ζ	1	52,22	—	—	18 15	52,22	—	51,68	—	+0,54	4,609	
2121	5.6	109 Herculis	F	—	—	2	32,46	18 16	32,48	—	32,48	—	0,00	2,538	
2122	4	22 Sagittarii	λ	6	36,22	—	3	36,34	18 17	36,25	36,17	+0,08	+0,12	3,704	
2123	6	Sagittarii	—	—	—	1	8,35	18 18	8,33	—	8,04	—	+0,29	3,495	
2124	5.6	59 Serpentis	d	—	5	37,01	—	18 18	37,01	—	56,72	—	+0,29	3,066	
2125	5	Clypei Sob	—	6	37,28	—	—	18 19	37,28	—	—	—	—	3,416	
2126	6	Sagittarii	v ¹	—	2	3,78	—	18 20	3,76	—	3,74	—	+0,02	3,935	
2127	6.7	Clypei Sob	—	—	—	—	—	18 20	—	—	—	—	—	3,417	
2128	6	Sagittarii	—	—	—	3	19,40	18 20	19,38	—	19,10	—	+0,28	3,522	
2129	6	60 Serpentis	c	—	1	56,68	—	18 20	56,79	—	55,83	—	+0,96	3,117	
2130	7	Sagittarii	—	—	—	3	27,85	18 21	27,83	—	27,91	—	-0,08	3,526	
2131	5	39 Draconis	b	4	27,59	—	—	18 21	27,59	—	27,39	—	+0,20	0,880	
2132	6	Sagittarii	—	—	—	3	35,79	18 21	35,77	—	35,49	—	+0,28	3,513	
2133	7	Sagittarii	—	—	—	3	59,81	18 21	59,79	—	59,49	—	+0,30	3,532	
2134	6	Herculis	H	—	—	4	37,85	18 22	37,88	—	37,31	—	+0,57	2,483	
2135	—	Sagittarii	v ²	—	—	3	56,44	19 22	56,40	—	56,20	—	+0,10	3,936	
2136	7	Sagittarii	—	—	—	—	—	18 22	—	—	56,79	—	—	3,666	
2137	6.7	Clypei Sob	s ²	—	—	—	—	18 23	—	—	7,63	—	—	3,424	
2138	4	Pavonis	ζ	—	—	—	—	18 23	—	—	23,81	—	—	7,054	
2139	6	61 Serpentis	e	—	4	16,76	—	18 23	16,76	—	16,86	—	-0,10	3,094	
2140	7	Sagittarii	—	—	—	—	—	18 23	—	—	19,44	—	—	3,512	
2141	6.7	24 Sagittarii	—	1	37,90	—	—	18 23	37,89	—	37,68	—	+0,21	3,664	
2142	6.7	Clypei Sob	s ²	—	—	—	—	18 24	—	—	2,65	—	—	3,423	
2143	4.5	44 Draconis	x	—	3	4,98	1	3,71	18 24	4,73	4,13	-0,25	+0,60	-1,072*	
2144	7	Sagittarii	—	—	—	3	29,09	18 25	29,07	—	28,91	—	+0,13	+3,536	
2145	6	Clypei Sob	q	—	—	3	42,28	18 25	42,27	—	42,06	—	+0,21	3,329	
2146	6	Herculis	—	—	—	3	46,74	18 25	46,77	—	46,60	—	+0,17	2,491	
2147	5.6	1 Aquilæ	m	—	—	5	4,01	18 26	4,00	—	3,50	—	+0,50	3,263	
2148	3	23 Ursæ Min	δ	10	29,14	73	29,42	—	18 26	29,54	30,21	-0,67	+7,33	-10,168	
2149	7	Sagittarii	—	—	—	4	13,44	18 27	13,42	—	12,83	—	+0,59	+3,534	
2150	6.7	Sagittarii	—	—	—	3	50,91	18 27	50,89	—	50,65	—	+0,24	3,591	
2151	7	Clypei Sob	—	—	—	—	—	18 28	—	—	6,13	—	—	+3,483	
2152	6	Sagittarii	—	—	—	—	—	18 28	—	—	17,57	—	—	3,649	
2153	6	Herculis	—	—	—	—	—	18 28	—	—	30,54	—	—	2,492	
2154	6.7	Sagittarii	—	—	—	—	—	18 28	—	—	52,48	—	—	3,582	
2155	5	Pavonis	—	1	56,33	1	56,59	—	18 28	56,43	57,39	—	-0,96	5,914	
2156	1	3 Lyrae	a	15	15,21	52	15,18	45	14,96	18 31	15,13	15,14	-0,01	+0,34	2,010
2157	6	26 Sagittarii	—	—	—	4	36,80	18 31	36,77	—	36,63	—	+0,14	3,657	
2158	5	Pavonis	θ	1	5,35	—	2	5,68	18 32	5,46	9,31	—	-3,85	5,938	
2159	7	Clypei Sob	—	—	—	4	8,53	18 32	8,51	—	8,10	—	+0,41	3,416	
2160	5	2 Aquilæ	o	6	4,60	—	—	18 33	4,60	—	4,41	—	+0,19	3,282	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession	
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.		
2116	—	—	512 15,99	61 12 15,99	—	12 13,89	—	+	2,10	1,257
2117	—	—	247 38,56	66 47 38,56	—	47 45,24	—	—	6,68	1,321
2118	—	—	—	110 37 —	—	37 20,05	—	—	—	1,330
2119	—	222 16,66	122 15,06	152 22 16,13	—	22 9,43	—	+	6,70	1,354
2120	—	—	49 2,41	139 9 2,41	—	8 27,88	—	+	34,53	1,373
2121	—	—	418 0,94	68 18 0,94	—	17 55,88	—	+	5,06	1,438
2122	530 24,35	—	—	115 30 24,35	30 20,26	30 21,16	+4,09	+	3,19	1,527
2123	—	—	—	107 46 —	—	46 51,56	—	—	—	1,574
2124	—	253 52,64	253 54,11	89 53 53,37	—	53 42,13	—	+	11,24	1,617
2125	639 56,36	—	339 57,54	104 39 56,75	—	39 54,19	—	+	2,56	1,707
2126	—	—	55 25,45	123 5 25,45	—	5 21,46	—	+	3,99	1,741
2127	—	—	—	104 —	—	41 8,52	—	—	—	1,759
2128	—	—	449 35,10	108 49 35,10	—	49 34,14	—	+	0,96	1,764
2129	—	4 —	45 14,99	92 5 14,99	—	5 7,92	—	+	7,07	1,819
2130	—	—	20 24,19	109 0 24,19	—	0 19,14	—	+	5,05	1,864
2131	617 40,86	—	—	31 17 40,86	—	17 39,66	—	+	1,20	1,871
2132	—	—	—	108 —	—	30 29,78	—	—	—	1,875
2133	—	—	114 6,46	109 14 6,46	—	14 2,18	—	+	4,28	1,910
2134	—	114 21,76	414 23,81	66 14 23,46	—	14 23,64	—	—	0,24	1,968
2135	—	—	—	123 —	—	7 51,25	—	—	—	1,991
2136	—	—	513 25,31	114 13 25,31	—	13 22,56	—	+	2,75	1,993
2137	—	—	258 49,44	104 58 49,44	—	58 43,53	—	+	5,91	2,009
2138	—	—	233 19,91	161 33 19,91	—	33 15,20	—	+	4,71	2,022
2139	—	—	—	91 —	—	6 51,33	—	—	—	2,024
2140	—	—	—	108 —	—	28 55,76	—	—	—	2,026
2141	—	18 56,01	28 55,73	114 8 55,82	—	8 50,38	—	+	5,44	2,052
2142	—	—	258 17,66	104 58 17,66	—	58 11,78	—	+	5,88	2,089
2143	520 30,57	420 31,34	—	17 20 30,91	20 30,10	20 28,93	+0,81	+	1,98	2,104
2144	—	123 30,06	423 31,65	109 23 31,33	—	23 28,46	—	+	2,87	2,214
2145	—	16 1,65	36 2,03	101 6 1,94	—	5 59,94	—	+	2,00	2,233
2146	—	—	330 9,21	66 30 9,21	—	30 10,27	—	—	1,06	2,242
2147	—	—	521 12,90	98 21 12,90	—	21 9,17	—	+	3,73	2,265
2148	524 46,07	124 44,20	—	3 24 45,76	24 48,50	24 48,92	-2,74	—	3,16	2,357
2149	—	—	220 21,44	109 20 21,44	—	20 21,95	—	—	0,51	2,365
2150	—	—	—	111 —	—	31 35,13	—	—	—	2,419
2151	—	—	—	107 —	—	21 55,14	—	—	—	2,441
2152	—	—	—	113 —	—	38 17,60	—	—	—	2,457
2153	—	—	—	66 —	—	31 28,47	—	—	—	2,480
2154	—	—	310 56,53	111 10 56,53	—	10 50,67	—	+	5,86	2,508
2155	50 56,67	—	—	155 0 56,67	—	1 19,74	—	—	23,07	2,508
2156	4022 5,92	6522 5,72	5122 5,78	51 22 5,78	22 5,85	22 4,22	-0,07	+	1,56	2,718
2157	—	—	—	113 —	—	58 48,32	—	—	—	2,745
2158	—	—	114 7,22	155 14 7,22	—	14 33,00	—	—	25,78	2,786
2159	—	—	142 55,65	104 42 55,65	—	42 47,99	—	+	7,66	2,791
2160	512 20,22	112 17,96	—	99 12 19,85	—	12 15,06	—	+	4,79	2,873

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.			Green Catal.	A. S. Catal.	Difference from		Annual Preces- sion.
			No. 1831	No. 1832	No. 1833	h. m. s.	h. m. s.	h. m. s.			Green.	A. S.	
2161	5.6	3 Aquilæ	n	s.	4 22,23	18 34 22,23	18 34 22,23	18 34 22,23	s.	22,32	s.	-0,09	+3,264
2162	6	Sagittarii	s	s.	5 30,00	18 34 29,97	18 34 29,97	18 34 29,97		29,66		+0,31	3,689
2163	4.5	27 Sagittarii	φ	3 9,61	4 9,58	18 35 9,58	18 35 9,58	18 35 9,58	9,55	9,89	+0,03	-0,31	3,745
2164	6	28 Sagittarii			7 12,77	18 36 12,75	18 36 12,75	18 36 12,75	12,72	12,85	+0,03	-0,10	3,616
2165	5.6	4 Aquilæ			4 21,30	18 36 21,30	18 36 21,30	18 36 21,30		21,23		+0,07	3,024
2166	5	Pavonis	λ		5 37,93	18 36 37,86	18 36 37,86	18 36 37,86		39,42		-1,56	5,588
2167	5.6	6 Aquilæ	ι		5 15,58	18 38 15,57	18 38 15,57	18 38 15,57		15,56		+0,01	3,182
2168	5	110 Herculis	K	6 25,88	1 26,13	18 38 25,94	18 38 25,94	18 38 25,94		25,46		+0,45	2,578
2169	5	4 Lyræ	*	2 46,58		18 38 46,58	18 38 46,58	18 38 46,58		45,89		+0,69	1,982
2170	5	5 Lyræ		2 48,64	5 48,91	18 38 48,85	18 38 48,85	18 38 48,85		47,72		+1,13	1,985
2171	5	6 Lyræ	ξ ¹			4 58,98	18 38 59,00	18 38 59,00		58,72		+0,28	2,060
2172	5	46 Draconis	C			5 22,28	18 39 22,39	18 39 22,39	22,57	22,20	-0,18	+0,19	1,162
2173	5.6	111 Herculis	M			5 26,30	18 39 26,32	18 39 26,32		36,10		+0,22	2,640
2174	6	29 Sagittarii	r			5 42,56	18 39 42,54	18 39 42,54		41,85		+0,69	3,560
2175	6	30 Sagittarii				3 44,54	18 40 44,52	18 40 44,52		44,35		+0,17	3,609
2176	6	31 Sagittarii		6 2,68		18 42 2,67	18 42 2,67	18 42 2,67		2,35		+0,32	3,602
2177	3	10 Lyræ	β	9 52,84	27 52,86	24 52,61	18 43 52,78	18 43 52,78	52,79	52,21	-0,01	+0,57	2,211
2178	6	33 Sagittarii		6 57,61		18 43 57,60	18 43 57,60	18 43 57,60		57,66		-0,06	3,586
2179	5	32 Sagittarii	ν ¹	7 1,57	1 1,56	1 1,57	18 44 1,56	18 44 1,56	1,51	1,27	+0,05	+0,29	3,623
2180	3	34 Sagittarii	σ	5 50,74		18 44 50,74	18 44 50,74	18 44 50,74	50,71	50,73	+0,03	+0,01	3,722
2181	5	35 Sagittarii	ν ²	3 57,57		1 57,38	18 44 57,52	18 44 57,52	57,70	57,69	-0,18	-0,17	3,621
2182	5.6	112 Herculis	N			3 5,85	18 45 5,83	18 45 5,83		5,36		+0,47	2,559
2183	6	Sagittarii				2 50,49	18 45 50,47	18 45 50,47		50,04		+0,43	3,634
2184	6	62 Serpentis				3 16,33	18 47 16,34	18 47 16,34		15,96		+0,38	2,921
2185	6	36 Sagittarii	ξ ¹	1 21,64	2 21,56	3 21,29	18 47 21,42	18 47 21,42	21,35	21,01	+0,07	+0,41	3,567
2186	5	113 Herculis	O	5 39,81		18 47 39,81	18 47 39,81	18 47 39,81		39,44		+0,37	2,528
2187	5	37 Sagittarii	ξ ²		1 41,90	18 47 41,89	18 47 41,89	18 47 41,89	42,20	42,10	-0,31	-0,21	3,578
2188	4.5	63 Serpentis	θ ¹			3 52,26	18 47 52,27	18 47 52,27	52,14	51,91	+0,13	+0,36	2,977
2189	5	Serpentis	θ ²			3 53,58	18 47 53,59	18 47 53,59	53,50	53,33	+0,09	+0,26	2,977
2190	5.6	9 Aquilæ	κ		6 3,98	18 48 3,97	18 48 3,97	18 48 3,97		4,23		-0,26	3,207
2191	5	12 Lyræ	δ ²		5 37,99	18 48 38,02	18 48 38,02	18 48 38,02		37,28		+0,74	2,095
2192	5	47 Draconis	ο			1 43,20	18 48 43,32	18 48 43,32	42,91	42,45	+0,41	+0,87	0,878
2193	6	64 Serpentis				1 50,05	18 48 50,06	18 48 50,06		49,62		+0,44	3,015
2194	6	10 Aquilæ				5 4,28	18 51 4,30	18 51 4,30		4,05		+0,25	2,751
2195	6.7	Sagittarii		1 30,20	5 30,09	18 51 30,10	18 51 30,10	18 51 30,10		29,83		+0,27	3,619
2196	3.4	38 Sagittarii	ζ	6 55,20		18 51 55,20	18 51 55,20	18 51 55,20	55,26	55,02	-0,06	+0,18	3,823
2197	7	Sagittarii				4 57,37	18 51 57,35	18 51 57,35		57,03		+0,32	3,430
2198	3.4	13 Aquilæ	*		6 0,11	18 52 0,13	18 52 0,13	18 52 0,13	59,99	59,22	+0,14	+0,91	2,723
2199	6.7	Sagittarii				3 10,76	18 52 10,73	18 52 10,73		10,53		+0,20	3,677
2200	3	14 Lyræ	γ	5 39,55	8 39,65	17 39,60	18 52 39,63	18 52 39,63	39,60	39,02	+0,03	+0,61	2,240
2201	5.6	12 Aquilæ	ζ			3 42,62	18 52 42,61	18 52 42,61		42,54		+0,07	3,204
2202	6	Sagittarii	S			2 37,57	18 53 37,53	18 53 37,53		37,49		+0,04	3,858
2203	6	48 Draconis		1 53,88	2 54,13	18 53 54,08	18 53 54,08	18 53 54,08		53,75		+0,33	1,021
2204	7	14 Aquilæ	g			3 3,77	18 54 3,76	18 54 3,76		3,72		+0,04	3,157
2205	4.5	39 Sagittarii	ο	4 36,44	1 36,52	2 36,83	18 54 36,56	18 54 36,56	36,18	36,68	+0,38	-0,12	3,592

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.	
	"		"		"		"	"	"	"	"	"
2161	—	—	—	—	5 25	58,41	98 25	58,41	26 0,73	—	2,32	2,985
2162	—	—	—	—	4 10	20,57	115 10	20,57	10 11,06	—	9,51	2,995
2163	5 9	17,41	—	—	—	—	117 9	17,41	9 16,13	+1,28	+ 2,57	3,052
2164	—	—	1 33	31,30	4 33	33,51	112 33	33,07	33 37,34	—4,27	+ 1,30	3,143
2165	—	—	—	—	5 6	11,71	88 6	11,71	6 9,53	—	+ 2,18	3,157
2166	—	—	5 21	58,75	—	—	152 21	58,75	21 55,87	—	+ 2,88	3,176
2167	—	—	—	—	5 55	18,41	94 55	18,41	55 9,07	—	+ 9,34	3,321
2168	4 36	32,80	1 36	35,93	—	—	69 36	33,42	36 27,91	—	+ 5,51	3,337
2169	5 30	5,43	3 30	6,22	—	—	50 30	5,73	29 59,00	—	+ 6,73	3,368
2170	6 33	34,28	—	—	—	—	50 33	34,28	33 28,68	—	+ 5,60	3,371
2171	—	—	5 33	53,87	—	—	52 33	53,87	33 53,17	—	+ 0,70	3,386
2172	—	—	—	—	6 37	44,77	34 37	44,77	37 41,84	+2,93	+ 7,61	3,423
2173	—	—	—	—	4 59	58,16	71 59	58,16	59 54,10	—	+ 4,06	3,438
2174	—	—	—	—	5 30	29,33	110 30	29,33	30 23,80	—	+ 5,53	3,444
2175	—	—	—	—	5 20	46,88	112 20	46,88	20 42,94	—	+ 3,94	3,534
2176	—	—	3 6	37,85	1 6	36,61	112 6	37,54	6 31,61	—	+ 5,93	3,646
2177	7 49	38,81	36 49	40,46	22 49	39,36	56 49	39,90	49 39,04	+0,86	+ 4,06	3,807
2178	—	—	—	—	6 33	24,18	111 33	24,18	33 21,38	—	+ 2,80	3,811
2179	5 56	33,67	—	—	—	—	112 56	33,67	56 34,58	—0,91	+ 0,71	3,816
2180	5 29	46,40	—	—	—	—	116 29	46,40	29 47,68	—1,28	— 0,69	3,886
2181	2 52	19,86	3 52	20,45	—	—	112 52	20,21	52 22,08	—1,87	+ 3,15	3,896
2182	—	—	—	—	5 46	12,66	68 46	12,66	46 13,48	—	— 0,82	3,911
2183	—	—	2 22	40,61	3 22	42,66	113 22	41,84	22 42,95	—	— 1,11	3,971
2184	—	—	—	—	5 35	15,04	83 35	15,04	35 12,99	—	+ 2,05	4,096
2185	—	—	—	—	4 52	5,69	110 52	5,69	52 5,61	+0,08	+ 6,39	4,101
2186	5 33	40,20	—	—	—	—	67 33	40,20	33 40,09	—	+ 0,11	4,131
2187	—	—	—	—	4 19	9,40	111 19	9,40	18 59,92	+9,48	+ 3,15	4,131
2188	—	—	3 0	31,53	2 0	32,64	86 0	31,97	0 31,68	+0,29	+ 9,34	4,147
2189	—	—	1 0	34,06	—	—	86 0	34,06	0 36,58	—2,52	+ 9,65	4,149
2190	—	—	—	—	1 3	26,01	96 3	26,01	3 19,83	—	+ 6,18	4,164
2191	5 18	34,70	—	—	—	—	53 18	34,70	18 34,56	—	+ 0,14	4,214
2192	—	—	6 48	54,21	—	—	30 48	54,21	48 54,18	+0,03	— 0,62	4,225
2193	—	—	—	—	5 40	41,49	87 40	41,19	40 37,51	—	+ 3,98	4,229
2194	—	—	—	—	5 18	47,27	76 18	47,27	18 35,36	—	+ 11,91	4,421
2195	—	—	—	—	4 55	22,50	112 55	22,50	55 26,93	—	— 4,43	4,455
2196	5 6	44,50	3 6	44,98	—	—	120 6	44,66	6 38,79	+5,87	+ 4,08	4,491
2197	—	—	—	—	5 30	43,61	105 30	43,61	30 41,65	—	+ 1,96	4,495
2198	3 9	16,71	2 9	19,60	—	—	75 9	17,87	9 12,30	+5,57	+ 8,24	4,500
2199	—	—	—	—	5 4	16,96	115 4	16,96	4 5,42	—	+ 11,54	4,513
2200	5 32	7,89	25 32	7,61	17 32	8,86	57 32	8,21	32 9,45	—1,24	+ 1,94	4,558
2201	—	—	—	—	3 58	6,28	95 58	6,28	57 59,52	—	+ 6,76	4,560
2202	—	—	—	—	—	—	121 17	—	17 0,80	—	—	4,636
2203	—	—	6 24	19,69	—	—	32 24	19,69	24 21,67	—	— 1,98	4,667
2204	—	—	—	—	5 56	5,34	93 56	5,34	56 0,92	—	+ 4,42	4,675
2205	—	—	5 58	45,41	—	—	111 58	45,41	58 45,24	+0,17	+ 5,92	4,721

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	NAMES.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.			Green. Catal.	A. S. Catal.	Difference from		Annual Preces- sion.
			No. 1831	No. 1832	No. 1833						Green.	A. S.	
			s.	s.	s.	h.	m.	s.	s.	s.	s.	s.	s.
2206	5	Cor. Aust.	1 4,40	2 3,42	—	18	55	3,75	—	2,92	—	+0,83	+4,057
2207	6	15 Aquilæ	—	—	3 5,56	18	56	5,55	—	5,15	—	+0,40	3,165
2208	4	40 Sagittarii	1 26,82	—	3 27,00	18	56	26,92	26,92	26,53	0,00	+0,39	3,755
2209	5	52 Draconis	—	—	1 24,32	18	56	24,55	—	24,42	—	+0,13	-0,710
2210	5	Cor. Aust.	2 38,68	—	—	18	56	38,68	—	38,63	—	+0,05	+4,185
2211	6.7	Sagittarii	—	5 51,90	—	18	56	51,89	—	51,78	—	+0,11	3,611
2212	7	Sagittarii	—	—	5 56,01	18	56	55,98	—	55,75	—	+0,23	3,783
2213	3	16 Aquilæ	1 19,96	5 20,00	—	18	57	19,99	19,99	19,49	0,00	+0,50	3,184
2214	3	17 Aquilæ	14 41,42	28 41,48	21 41,38	18	57	41,44	41,36	40,87	+0,08	+0,57	2,754
2215	7	Sagittarii	—	—	3 58,52	18	57	58,50	—	58,34	—	+0,16	3,669
2216	5	Cor. Aust.	1 2,17	2 2,48	—	18	58	2,36	—	1,66	—	+0,70	4,085
2217	6.7	Sagittarii	1 24,44	—	2 24,32	18	58	24,36	—	23,79	—	+0,57	3,527
2218	5	Cor. Aust.	1 27,87	—	—	18	58	27,87	—	27,67	—	+0,20	4,138
2219	5.6	18 Aquilæ	—	—	3 4,80	18	59	4,31	—	3,49	—	+0,82	2,821
2220	4.5	41 Sagittarii	1 46,22	3 46,23	2 46,01	18	59	46,15	46,20	46,07	-0,05	+0,08	3,571
2221	7	Sagittarii	—	—	2 53,61	18	59	53,59	—	53,15	—	+0,44	3,540
2222	6	19 Aquilæ	—	—	3 46,46	19	0	46,47	—	45,82	—	+0,65	2,937
2223	7	Sagittarii	—	6 21,84	—	19	2	21,82	—	21,59	—	+0,23	3,410
2224	6	Sagittarii	—	—	5 25,60	19	2	25,58	—	25,28	—	+0,30	3,586
2225	6.7	Sagittarii	—	—	5 52,82	19	2	52,79	—	52,45	—	+0,34	3,701
2226	5	20 Aquilæ	5 34,08	1 33,99	—	19	3	34,06	—	33,53	—	+0,53	3,254
2227	6	42 Sagittarii	—	4 14,07	2 14,12	19	5	14,08	14,17	14,32	-0,09	-0,24	3,681
2228	6	21 Aquilæ	—	5 14,61	—	19	5	14,61	—	14,29	—	+0,32	3,023
2229	6.7	Sagittarii	—	1 19,13	4 19,01	19	5	19,00	—	18,27	—	+0,73	3,651
2230	5	43 Sagittarii	8 48,24	—	—	19	7	48,22	48,20	47,88	+0,02	+0,34	3,514
2231	6	1 Sagittæ	—	—	5 2,96	19	8	2,98	—	2,54	—	+0,44	2,579
2232	5	20 Lyre	3 2,27	—	—	19	8	2,27	—	2,00	—	+0,27	2,038
2233	6	22 Aquilæ	—	5 12,33	—	19	8	12,34	—	11,61	—	+0,73	2,967
2234	5	53 Draconis	2 29,45	—	—	19	8	29,45	—	28,92	—	+0,53	1,133
2235	5	1 Vulpeculæ	6 59,82	—	—	19	8	59,82	—	59,68	—	+0,14	2,576
2236	6	Sagittarii	—	—	—	19	9	—	—	25,31	—	—	3,430
2237	5	25 Aquilæ	1 56,20	4 56,04	—	19	9	56,08	—	55,78	—	+0,30	2,813
2238	6	23 Aquilæ	—	—	3 59,68	19	9	59,68	—	58,69	—	+0,99	3,051
2239	6	24 Aquilæ	—	—	4 15,14	19	10	15,17	—	15,12	—	+0,05	3,067
2240	4	Sagittarii	—	—	3 32,69	19	10	32,63	—	32,68	—	-0,05	4,331
2241	6	Sagittarii	—	—	3 33,85	19	10	33,83	—	33,69	—	+0,14	3,601
2242	5	21 Lyre	—	—	3 31,95	19	10	32,00	—	31,40	—	+0,60	2,079
2243	5	54 Draconis	—	2 55,03	—	19	10	55,08	—	54,84	—	+0,24	1,077
2244	4	Sagittarii	—	—	—	19	11	—	—	4,34	—	—	4,346
2245	6	26 Aquilæ	—	—	2 34,74	19	11	34,73	—	34,57	—	+0,16	3,196
2246	7	Sagittarii	—	—	—	19	11	—	—	46,09	—	—	3,519
2247	6	28 Aquilæ	—	—	—	19	11	—	—	49,20	—	—	2,796
2248	5	44 Sagittarii	1 55,38	7 55,60	—	19	11	55,56	—	55,69	—	-0,13	3,485
2249	6	27 Aquilæ	—	—	—	19	11	—	—	55,28	—	—	3,095
2250	5.6	45 Sagittarii	—	—	—	19	12	—	—	3,41	—	—	3,496

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.	
2206	5 17	43,67		—		—	127 17 43,67		17 30,07		+ 13,60	4,756
2207		—		—	6 16	26,50	94 16 26,50		16 21,72		+ 4,78	4,847
2208	3 54	24,42	2 54	24,58		—	117 54 24,48	54 24,98	54 23,84	-0,50	+ 0,64	4,876
2209		—	5 55	43,06		—	18 55 43,06		55 41,38		+ 1,68	4,885
2210		—		—	5 44	53,05	130 44 53,05		44 46,12		+ 6,93	4,892
2211		—		—	1 44	47,45	112 44 47,45		44 46,71		+ 0,74	4,912
2212		—		—		—	118		53 13,06			4,917
2213	5 7	42,77		—		—	95 7 42,77	7 38,21	7 32,39	+4,56	+ 10,38	4,952
2214	13 22	46,99	27 22	48,03	21 22	47,79	76 22 47,68	22 47,92	22 38,58	-0,24	+ 9,10	4,983
2215		—		—		—	114		54 39,74			5,006
2216	3 9	21,28	2 9	22,66		—	123 9 21,83		9 17,99		+ 3,84	5,009
2217		—		—		—	109 33					5,042
2218		—	6 35	55,52		—	129 35 55,52		35 48,36		+ 7,16	5,046
2219		—	1 10	52,56	4 10	51,97	79 10 52,09		10 48,71		+ 3,58	5,100
2220	5 16	55,87		—		—	111 16 55,87	16 58,02	16 53,97	-2,15	+ 1,90	5,158
2221		—	1 3	44,36	4 3	46,65	110 3 46,19		3 34,56		+ 11,63	5,168
2222		—		—	6 11	3,11	84 11 3,11		10 58,26		+ 4,85	5,244
2223		—	3 51	22,05	2 51	20,53	104 51 21,44		51 16,89		+ 4,55	5,377
2224		—		—	5 55	42,19	111 55 42,19		55 41,45		+ 0,74	5,382
2225		—	3 10	47,91	3 10	47,58	116 10 47,74		10 46,90		+ 0,84	5,419
2226	5 12	44,93	1 12	41,72		—	98 12 44,90		12 42,97		+ 1,93	5,478
2227		—	7 32	17,95		—	115 32 17,95	32 16,16	32 13,30	+1,79	+ 4,65	5,618
2228		—	5 59	5,09		—	87 59 5,09		58 59,51		+ 5,58	5,620
2229		—		—	4 27	29,73	114 27 29,73		27 20,32		+ 9,41	5,624
2230	5 14	37,89		—		—	109 14 37,89	14 38,43	14 36,10	-0,54	+ 1,79	5,833
2231		—	1 3	18,88	4 3	20,71	69 3 20,34		3 16,29		+ 4,05	5,856
2232	5 8	18,44	1 8	19,50		—	51 8 18,61		8 16,91		+ 1,70	5,857
2233		—		—	5 27	20,92	85 27 20,92		27 12,21		+ 8,71	5,868
2234	3 25	26,68	2 25	24,00		—	33 25 25,62		25 28,66		- 3,04	5,897
2235		—	6 53	59,38		—	68 53 59,38		54 0,50		- 1,12	5,936
2236		—		—	5 49	18,06	105 49 18,06		49 9,70		+ 8,36	5,429*
2237	5 42	2,26		—		—	78 42 2,26		41 57,53		+ 4,73	6,013
2238		—		—	5 12	49,18	89 12 49,18		12 47,18		+ 2,00	6,017
2239		—		—	5 57	19,66	89 57 19,66		57 34,98		- 15,32	6,039
2240	5 45	56,29		—		—	134 45 56,29		45 48,76		+ 7,53	6,060
2241		—		—	3 42	24,52	112 42 24,52		42 23,89		+ 0,63	6,064
2242		—	7 9	41,62		—	52 9 41,62		9 37,48		+ 4,14	6,065
2243		—	3 34	56,05		—	32 34 56,05		34 55,01		+ 1,04	6,100
2244	2 6	24,28		—		—	135 6 24,28		6 17,36		+ 6,92	6,104
2245		—		—	3 43	24,33	95 43 24,33		43 14,86		+ 9,47	6,149
2246		—		—	5 32	29,72	109 32 29,72		32 30,12		- 0,40	6,164
2247		—		—	5 55	43,72	77 55 43,72		55 43,02		+ 0,70	6,171
2248		—		—		—	108		9 18,19			6,178
2249		—		—		—	91		11 47,96			6,178
2250		—		—		—	108		36 56,64			6,189

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.			Green Catal.	A. S. Catal.	Difference from		Annual Preces- sion.			
			No.	1831	No.	1832	No.	1833			h.	m.		s.	Green	A. S.
2251	5.6	46 Sagittarii	v	—	—	2	6,42	19	12	6,40	—	5,97	+0,43	+3,439		
2252	4.5	Sagittarii	a	—	3 14,39	—	—	19	12	14,36	—	13,70	+0,66	4,170		
2253	3	57 Draconis	δ	10 29,65	20 29,71	—	—	19	12	29,75	29,71	29,15	+0,04	+0,60	0,023	
2254	4	1 Cygni	κ	5 12,97	1 13,04	—	—	19	13	12,99	13,10	12,56	—0,11	+0,43	1,381	
2255	6	Sagittarii	p	—	2 1,87	2	1,59	19	14	1,70	—	1,21	—	+0,49	3,747	
2256	6	47 Sagittarii	χ ¹	—	—	3	2,78	19	15	2,75	—	2,78	—	—0,03	3,654	
2257	6.7	48 Sagittarii	χ ²	—	—	2	9,69	19	15	9,66	—	9,42	—	+0,24	3,651	
2258	6	49 Sagittarii	χ ³	—	—	3	19,14	19	15	19,11	—	19,42	—	—0,31	3,639	
2259	6	3 Vulpeculæ	—	—	—	3	58,25	19	15	58,28	—	57,56	—	+0,72	2,453	
2260	6.7	50 Sagittarii	—	—	5 17,80	—	—	19	16	17,78	—	17,81	—	—0,03	3,581	
2261	6	Sagittarii	o	—	—	3	18,94	19	16	18,90	—	18,69	—	+0,21	3,799	
2262	6	Sagittarii	—	—	3 37,54	3	37,25	19	16	37,26	—	36,91	—	+0,45	3,415	
2263	6	2 Sagittæ	—	—	—	3	49,60	19	16	49,62	—	48,86	—	+0,76	2,691	
2264	7	Sagittarii	—	—	—	1	52,48	19	16	52,46	—	52,13	—	+0,33	3,403	
2265	5	31 Aquilæ	b	5 57,65	1 57,72	—	—	19	16	57,66	—	57,19	—	+0,47	2,871*	
2266	3.4	30 Aquilæ	δ	6 1,67	24 1,74	12	1,67	19	17	1,71	1,59	1,33	+0,12	+0,38	3,007	
2267	5.6	2 Cygni	a	—	—	1	30,13	19	17	30,17	—	29,72	—	+0,45	2,361	
2268	5.6	32 Aquilæ	v	—	—	3	55,65	19	17	55,65	—	55,38	—	+0,27	3,068	
2269	6	4 Vulpeculæ	—	—	—	—	—	19	18	—	—	6,13	—	—	2,623	
2270	6	Sagittarii	—	—	—	2	18,76	19	18	18,74	—	18,59	—	+0,15	3,494	
2271	6	3 Cygni	—	—	—	—	—	19	18	—	—	28,50	—	—	2,491	
2272	4.5	60 Draconis	τ	—	—	—	—	19	18	—	44,56	43,82	—	—	—1,057	
2273	7	Sagittarii	Q	—	2 28,27	—	2 28,20	19	19	28,20	—	28,34	—	—0,14	+3,717	
2274	4	58 Draconis	π	4 47,13	—	—	—	19	19	47,13	47,60	47,06	—0,47	+0,07	0,326	
2275	6	35 Aquilæ	c	—	4 31,49	—	—	19	20	31,49	—	30,84	—	+0,65	3,033	
2276	6	Sagittarii	—	—	5 55,51	—	—	19	20	55,50	—	55,30	—	+0,20	3,566	
2277	4	6 Vulpeculæ	b	5 43,03	1 42,95	7	42,83	19	21	42,93	43,05	42,30	—0,12	+0,63	2,502	
2278	6	36 Aquilæ	e	—	3 52,84	—	—	19	21	52,83	—	51,45	—	+1,38	3,137	
2279	5.6	8 Vulpeculæ	—	—	—	5	56,31	19	21	56,34	—	55,93	—	+0,41	2,500	
2280	7	Sagittarii	—	—	—	3	11,58	19	22	11,55	—	11,26	—	+0,29	3,743	
2281	3	6 Cygni	β ¹	5 56,89	9 56,94	—	—	19	23	56,93	56,84	56,47	+0,09	+0,46	2,416	
2282	7	Sagittarii	—	—	—	3	25,00	19	24	24,97	—	24,71	—	+0,26	3,629	
2283	6	Vulpeculæ	—	—	—	4	44,37	19	24	44,39	—	44,21	—	+0,18	2,600	
2284	5	10 Cygni	—	4 28,21	—	—	—	19	25	28,25	28,20	27,94	+0,05	+0,31	1,511	
2285	6.7	Sagittarii	—	—	—	3	32,49	19	25	32,46	—	32,48	—	—0,02	3,614	
2286	7	Sagittarii	—	1 39,42	—	5	39,09	19	25	39,13	—	39,01	—	+0,12	3,549	
2287	6	51 Sagittarii	h ¹	—	—	1	49,22	19	25	49,19	—	49,21	—	—0,02	3,650	
2288	5	37 Aquilæ	K	5 51,90	1 51,68	—	—	19	25	51,86	—	51,45	—	+0,41	3,308	
2289	4.5	38 Aquilæ	μ	1 53,12	3 53,03	1	52,96	19	25	53,03	52,94	52,54	+0,09	+0,49	2,915	
2290	4.5	52 Sagittarii	h ²	1 28,65	3 28,78	—	—	19	26	28,74	28,64	28,36	+0,10	+0,38	3,654	
2291	7	Sagittarii	—	—	—	3	38,31	19	26	38,29	—	37,87	—	+0,42	3,501	
2292	5.6	9 Vulpeculæ	—	—	—	3	12,14	19	27	12,16	—	11,56	—	+0,60	2,631	
2293	7	Sagittarii	—	—	4 18,31	—	—	19	27	18,29	—	17,89	—	+0,40	3,486	
2294	4	39 Aquilæ	κ	—	1 51,04	3	51,03	19	27	51,03	51,06	50,99	—0,03	+0,04	3,229	
2295	5	41 Aquilæ	—	4 1,62	—	—	—	19	28	1,62	—	1,73	—	—0,11	3,104	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No.	1831	No.	1832	No.	1833				Green	A. S. C.	
2251		"		"		"	106		15 42,50			-6,192
2252			4 55	22,09			130 55	22,09	55 14,16		+ 7,63	6,201
2253							22		38 2,68			6,234
2254	5 56	19,54					36 56	19,54	56 19,35	+0,08	+ 0,19	6,290
2255					3 10	55,14	118 10	55,14	10 55,69		- 0,55	6,351
2256			2 49	39,51	3 49	39,13	114 49	39,46	49 32,29		+ 7,17	6,436
2257					5 44	0,93	114 44	0,93	43 55,50		+ 5,43	6,445
2258					5 17	0,54	114 17	0,54	16 57,49		+ 3,05	6,459
2259			1 3	14,57	4 3	16,17	64 3	15,85	3 16,99		- 1,14	6,515
2260					5 6	5,43	112 6	5,43	6 0,88		+ 4,55	6,540
2261							120		3 57,65			6,540
2262							105		22 40,37			6,567
2263							73		22 53,10			6,585
2264							104		52 35,28			6,588
2265	5 21	29,13	4 24	28,80			78 24	28,99	24 25,91		+ 3,08	7,316*
2266	12 12	49,77	23 12	50,13	12 12	50,18	87 12	50,05	12 49,41	+0,61	+ 6,13	6,601
2267							60		42 0,93			6,642
2268			5 59	27,22			89 59	27,22	59 19,22		+ 8,00	6,676
2269					5 31	30,06	70 31	30,06	31 24,59		+ 5,47	6,692
2270					5 41	26,12	108 41	26,12	41 27,55		- 1,43	6,706
2271					5 23	8,76	65 23	8,76	23 6,10		+ 2,66	6,003*
2272	5 57	31,97					16 57	31,97	57 32,16	-0,49	+ 3,02	6,753
2273			1 19	17,73	4 19	18,45	117 19	18,31	19 13,94		+ 4,37	6,801
2274	5 36	31,73					24 36	31,73	36 30,69	+1,04	+ 2,82	6,836
2275					5 23	8,01	88 23	8,01	23 2,31		+ 5,70	6,889
2276			2 39	12,29	3 39	12,92	111 39	12,77	39 11,01		+ 1,76	6,921
2277	5 10	12,53	5 40	12,97	1 40	12,83	65 40	12,76	40 11,76	+1,00	+ 4,08	6,988
2278			4 7	53,70			93 7	53,70	7 49,66		+ 4,04	6,999
2279					5 34	21,63	65 34	21,63	34 18,31		+ 3,32	7,007
2280					4 19	58,18	118 19	58,18	19 19,52			7,024
2281	6 23	16,59	3 23	16,41			62 23	16,40	23 17,22	-0,82	+ 2,38	7,171
2282			2 12	51,30	3 12	52,48	114 12	52,01	12 50,40		+ 1,61	7,206
2283			2 25	19,99	3 25	21,97	69 25	21,18	25 19,04		+ 2,14	7,236
2284	5 37	29,06					38 37	29,06	37 30,11	-1,05	+ 0,06	7,298
2285					5 10	7,01	113 40	7,01	40 6,84		+ 0,17	7,299
2286					3 8	5,59	111 8	5,59	7 57,70		+ 7,89	7,308
2287					5 4	48,62	115 4	48,62	4 41,14		+ 7,48	7,321
2288	2 55	11,22	1 55	12,74			100 55	11,72	55 8,58		+ 3,14	7,325
2289	5 58	14,00	3 58	14,42	5 58	14,61	82 58	14,35	58 15,20	-0,85	+ 2,28	7,328
2290			5 14	49,48			115 14	49,48	14 45,79	+3,69	+ 6,07	7,374
2291			3 12	56,16	2 12	58,14	109 12	56,95	12 56,72		+ 0,23	7,387
2292			1 35	17,70	4 35	17,19	70 35	17,29	35 11,79		+ 5,50	7,436
2293			1 35	44,43	3 35	44,92	108 35	44,80	35 44,48		+ 0,32	7,442
2294	5 23	37,87					97 23	37,87	23 39,84	-1,97	+ 2,90	7,487
2295	5 39	7,79					91 39	7,79	39 3,53		+ 4,26	7,502

No.	Mag	NAMES.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.	Green. Catal.	A. S. Catal.	Difference from		Annual Preces- sion.
			No. 1831	No. 1832	No. 1833				Green.	A. S.	
			s.	s.	s.	h. m. s.	s.	s.	s.	s.	s.
2296	5.6	9 Cygni			4 10,62	19 28 10,66		10,22		+0,44	+2,379
2297	6	42 Aquilæ	P	4 52,63	1 52,73	19 28 52,64		52,18		+0,46	3,177
2298	6	4 Sagittæ	e		4 41,11	19 29 41,13		41,17		-0,04	2,712
2299	7	53 Sagittarii			4 43,40	19 29 43,38		43,15		+0,23	3,613
2300	6.7	Sagittarii			4 0,80	19 30 0,78		0,85		-0,07	3,613
2301	5	44 Aquilæ	σ	6 54,25		19 30 54,25		54,53		-0,28	2,960
2302	5.6	54 Sagittarii	e	2 5,85	2 5,56	19 31 5,69		5,56		+0,13	3,437
2303	4	13 Cygni	θ	3 55,93	2 55,85	19 31 55,94	56,15	55,64	-0,21	+0,30	1,611
2304	6	45 Aquilæ			5 4,14	19 32 4,14		3,81		+0,33	3,090
2305	4	5 Sagittæ	a	3 35,32	6 35,41	19 32 35,39	35,39	34,91	0,00	+0,48	2,678
2306	5	61 Draconis	σ		5 39,98	19 32 40,07		39,04		+1,03	-0,110*
2307	4	12 Cygni	φ		6 44,41	19 32 44,45	44,58	44,57	-0,13	-0,12	+2,365
2308	5	55 Sagittarii	e	2 54,47	3 54,42	19 32 54,43		54,06		+0,37	3,432
2309	5	6 Sagittæ	β	2 30,29	3 30,28	19 33 30,29		30,02		+0,27	2,691
2310	6	Sagittarii			5 58,28	19 33 58,26		57,85		+0,41	3,416
2311	6	47 Aquilæ	χ		4 39,96	19 34 39,96		39,44		+0,52	2,820
2312	6.7	Sagittarii			5 45,35	19 34 45,31		45,41		-0,10	3,812
2313	6	56 Sagittarii	f	1 33,52	3 33,51	19 36 33,43	33,52	33,41	-0,09	+0,02	3,516
2314	6	10 Vulpeculæ	d			19 36 43,90		43,17		+0,73	2,490
2315	6	Vulpeculæ			5 3,38	19 37 3,38		3,09		+0,29	2,454
2316	5	15 Cygni		6 13,14	1 13,44	19 38 13,15		12,85		+0,30	2,154
2317	3	50 Aquilæ	γ	24 16,40	53 16,42	19 38 16,43	16,40	16,29	+0,03	+0,14	2,849
2318	6.7	Sagittarii			3 36,44	19 38 36,42		36,18		+0,24	3,373
2319	7	Sagittarii			5 29,10	19 39 29,09		28,75		+0,34	3,342
2320	6	Aquilæ			4 46,18	19 39 46,17		45,70		+0,47	3,310
2321	3.4	18 Cygni	δ	6 43,22		19 39 43,22	43,55	43,19	-0,33	+0,03	1,868
2322	4	7 Sagittæ	δ	4 53,90		19 39 53,90	53,94	53,62	-0,04	+0,28	2,672
2323	5	17 Cygni	χ	4 3,24	1 3,05	19 40 3,20		2,63		+0,57	2,271
2324	6	52 Aquilæ	π			19 40 47,20		46,73		+0,47	2,824
2325	4	Pavonis	α			19 41 1,01		59,60		+1,41	7,109
2326	5.6	51 Aquilæ	D			19 41 31,89		31,41		+0,48	3,307
2327	5	8 Sagittæ	ζ		4 31,37	19 41 31,38		30,83		+0,55	2,659
2328	5.6	57 Sagittarii		1 26,05	4 25,93	19 42 25,95		25,83		+0,12	3,494
2329	12	53 Aquilæ	α	29 35,22	60 35,22	19 42 35,23	35,22	35,04	+0,01	+0,19	2,924*
2330	5.6	54 Aquilæ	o			19 42 58,73		58,26		+0,47	2,856
2331	4.5	Sagittarii	E	6 39,87		19 43 39,87		39,12		+0,75	4,162
2332	5.6	12 Vulpeculæ	e			19 43 50,08		49,43		+0,65	2,578
2333	4	55 Aquilæ	η		3 54,91	19 43 54,91	54,73	54,24	+0,18	+0,67	3,056
2334	6	56 Aquilæ	E			19 45 1,18		1,02		+0,16	3,258
2335	6	58 Sagittarii	ω			19 45 32,41	32,36	32,18	+0,05	+0,23	3,671
2336	5	59 Aquilæ	ε	8 6,45		19 46 6,45		5,96		+0,49	2,899
2337	6	58 Aquilæ			4 8,37	19 46 8,37		8,44		-0,07	3,071
2338	5	13 Vulpeculæ		4 19,58	1 19,50	19 46 19,40		18,99		+0,41	2,545
2339	5	59 Sagittarii	δ		3 37,84	19 46 37,83	37,74	37,63	+0,09	+0,20	3,693
2340	3.4	60 Aquilæ	β	23 3,69	38 3,74	19 47 3,72	3,74	3,55	-0,02	+0,17	2,943

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession	
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.		
2296					3 54	6,22	60 54 6,22		54 4,64	+	1,58	—7,515	
2297			4 1	0,68	1 0	58,95	95 1 0,33		0 50,89	+	9,44	7,570	
2298			1 54	29,61	3 54	30,56	73 54 30,32		54 27,59	+	2,73	7,637	
2299			1 48	2,83	3 48	4,86	113 48 4,35		47 59,60	+	4,75	7,638	
2300					4 48	17,83	113 48 17,83		48 12,50	+	5,33	7,661	
2301	2 58	45,55	6 58	49,28			84 58 48,04		58 39,71	+	8,33	7,735	
2302					6 40	14,86	106 40 14,86		40 9,90	+	4,96	7,749	
2303	5 9	56,79	1 9	59,25			40 9 57,20	9 53,06	9 50,72	+4,14	+	6,48	7,821
2304					5 0	13,64	91 0 13,64		0 8,89	+	4,75	7,828	
2305	5 21	59,52			1 22	0,86	72 21 59,74	22 0,64	21 54,00	—0,90	+	5,74	7,871
2306			6 37	30,67			20 37 30,67		37 31,69	—	1,02	5,764*	
2307	4 13	47,70	1 13	45,52	3 13	47,98	60 13 47,63	13 44,19	13 39,34	+3,44	+	8,29	7,885
2308			2 30	37,67	3 30	36,51	106 30 36,97		30 31,17	+	5,80	7,895	
2309	5 54	24,19	1 54	24,28			72 54 24,20		54 22,92	+	1,28	7,945	
2310			2 51	8,70	2 51	11,15	105 51 9,92		51 0,98	+	8,94	7,980	
2311					5 33	44,87	78 33 44,87		33 39,77	+	5,10	8,037	
2312					5 17	52,80	121 17 52,80		17 49,12	+	3,68	8,042	
2313			5 9	31,71			110 9 31,71	9 27,07	9 25,54	+4,64	+	6,17	8,187
2314					5 37	33,76	64 37 33,76		37 23,55	+	10,21	8,203	
2315					5 15	38,51	63 15 38,51					8,229	
2316	5 2	47,25					53 2 47,25		2 43,51	+	3,74	8,323	
2317	37 47	28,17	51 47	28,70	18 47	28,84	79 47 28,53	47 25,10	47 23,32	+3,43	+	6,21	8,326
2318			1 6	35,28	4 6	33,58	104 6 33,92		6 32,78	+	1,14	8,351	
2319					5 43	43,76	102 43 43,76		43 41,92	+	1,84	8,420	
2320			3 16	52,25	2 16	55,69	101 16 53,64		16 48,62	+	5,02	8,443	
2321			5 16	34,52			45 16 34,52	16 32,25	16 28,96	+2,27	+	5,56	8,443
2322	5 52	28,20					71 52 28,20	52 30,05	52 27,07	—1,85	+	1,18	8,455
2323	5 39	31,13					56 39 31,13		39 28,67	+	2,46	8,468	
2324					5 35	43,65	78 35 43,65		35 42,43	+	1,22	8,525	
2325					4 20	24,34	163 20 24,34		20 9,12	+	15,22	8,530	
2326							101 —		10 50,86			8,582	
2327	4 16	24,01					71 16 24,01		16 19,53	+	4,48	8,583	
2328			2 27	53,23	1 27	53,44	109 27 53,30		27 44,17	+	9,13	8,653	
2329	70 34	8,21	60 34	8,24	50 34	8,18	81 34 8,21	34 10,65	34 5,48	—2,44	+	2,73	8,667
2330					5 0	0,82	80 0 0,82		59 53,97	+	6,85	8,698	
2331			2 18	5,82	3 18	4,03	132 18 4,75		18 2,90	+	1,85	8,748	
2332			4 43	38,63			67 43 38,63		43 37,88	+	0,75	8,765	
2333	5 25	10,73					89 25 10,73	25 10,10	25 5,24	+0,63	+	5,49	8,771
2334					4 0	11,86	99 0 11,86		0 6,61	+	5,25	8,857	
2335					5 44	14,14	116 44 14,14	44 15,46	44 11,55	—1,32	+	2,59	8,897
2336	3 58	3,05	5 58	2,95			81 58 2,99		57 55,72	+	7,27	8,943	
2337			1 9	36,44	5 9	39,40	90 9 38,90		9 31,17	+	7,73	8,946	
2338	2 21	9,81	2 21	11,90	1 21	9,14	66 21 10,58		21 8,43	+	2,15	8,961	
2339	5 36	25,08					117 36 25,08	36 26,50	36 21,41	—1,42	+	3,57	8,982
2340	26 0	22,86	19 0	23,28	12 0	22,11	84 0 22,84	0 24,90	0 21,49	—2,06	+	1,35	8,478*

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in				Mean A. R. January 1, 1832.			Green Catal.	A. S. Catal.	Difference from		Annual Preces- sion.
			No. 1831	No. 1832	No. 1833							Green	A. S.	
			s.	s.	s.	h.	m.	s.	s.	s.	s.	s.	s.	s.
2341	6	61 Aquilæ ϕ	—	—	3 16,96	19	48	16,97	—	—	16,59	—	+0,38	+2,837
2342	6	10 Sagittæ	—	—	3 23,55	19	48	23,57	—	—	23,19	—	+0,38	2,723
2343	6	61 Sagittarii g	—	—	3 24,88	19	48	24,86	—	—	25,26	—	—0,40	3,408
2344	5.6	60 Sagittarii u	—	—	3 42,58	19	48	42,55	42,58	—	42,47	—0,03	+0,08	3,665
2345	7	Sagittarii	—	—	3 36,55	19	49	36,53	—	—	36,13	—	+0,40	3,561
2346	5	22 Cygni	3 51,52	6 51,73	—	19	49	51,68	—	—	51,22	—	+0,46	2,140
2347	6	11 Sagittæ	—	—	2 7,87	19	50	7,89	—	—	7,53	—	+0,36	2,721
2348	4.5	12 Sagittæ γ	6 17,18	6 17,21	—	19	51	17,20	17,25	—	16,74	—0,05	+0,46	2,660
2349	6	Sagittarii	—	6 24,42	1 24,69	19	51	24,45	—	—	24,17	—	+0,28	3,574
2350	5	14 Velpeculæ f	7 58,15	—	—	19	51	58,15	—	—	57,53	—	+0,62	2,576
2351	4	Pavonis δ	—	1 10,09	—	19	52	10,00	—	—	8,69	—	+1,31	5,794
2352	4.5	62 Sagittarii c	—	3 19,16	4 19,03	19	52	19,08	19,11	—	18,82	—0,03	+0,26	3,700
2353	6	13 Sagittæ χ	—	—	3 28,02	19	52	28,04	—	—	28,06	—	—0,02	2,706
2354	6	63 Sagittarii	—	—	5 33,65	19	52	33,64	—	—	33,11	—	+0,53	3,364
2355	5	Sagittarii L	2 40,00	4 39,70	—	19	53	39,78	—	—	38,85	—	+0,93	3,818
2356	6.7	Sagittarii	—	4 46,55	—	19	53	46,54	—	—	46,51	—	+0,03	3,568
2357	5	15 Vulpeculæ g	4 11,17	—	—	19	54	11,17	—	—	10,55	—	+0,62	2,462
2358	5	Vulpeculæ	—	2 37,65	2 37,83	19	54	37,75	—	—	37,55	—	+0,20	2,538
2359	6	16 Vulpeculæ h	—	—	3 53,86	19	54	53,89	—	—	54,00	—	—0,11	2,535
2360	6	62 Aquilæ	—	—	3 43,83	19	55	43,83	—	—	43,80	—	+0,03	3,092
2361	6	64 Sagittarii Y	—	—	2 48,59	19	55	48,58	—	—	48,30	—	+0,28	3,318
2362	6	14 Sagittæ y	—	—	3 48,98	19	55	49,00	—	—	48,28	—	+0,72	2,742
2363	5.6	63 Aquilæ τ	—	—	—	19	55	—	—	—	55,75	—	—	2,929
2364	6	65 Sagittarii	—	—	2 5,52	19	56	5,51	—	—	4,96	—	+0,55	3,341
2365	6	15 Sagittæ z	—	5 33,59	—	19	56	33,60	—	—	32,77	—	+0,83	2,686*
2366	6	16 Sagittæ η	—	5 42,55	—	19	57	42,56	—	—	42,04	—	+0,52	2,656
2367	7	Capricorni	—	4 0,28	2 0,24	19	59	0,26	—	—	59,76	—	+0,50	3,390
2368	7	Capricorni	—	—	5 20,05	19	59	20,04	—	—	19,90	—	+0,14	3,284
2369	6	64 Aquilæ	—	—	5 21,31	19	59	21,31	—	—	21,13	—	+0,18	3,092
2370	5.6	17 Vulpeculæ i	—	—	5 40,10	19	59	40,07	—	—	40,56	—	—0,49	2,573
2371	5	67 Draconis ρ	6 1,87	5 1,72	—	20	2	1,84	2,29	—	0,94	—0,45	+0,90	0,304
2372	3.4	65 Aquilæ θ	6 38,14	6 38,17	6 38,15	20	2	38,15	38,12	—	37,98	+0,03	+0,17	3,095
2373	6.7	1 Capricorni ξ'	—	4 39,08	—	20	2	39,08	—	—	38,85	—	+0,23	3,331
2374	6	66 Draconis	4 51,70	—	—	20	2	51,70	—	—	50,97	—	+0,73	0,952
2375	5	2 Capricorni ξ^a	—	—	6 4,10	20	3	4,09	—	—	3,59	—	+0,50	3,335
2376	5	28 Cygni δ^a	3 11,57	—	—	20	3	11,57	—	—	10,94	—	+0,63	2,223
2377	6	18 Vulpeculæ	—	—	4 33,02	20	3	33,05	—	—	32,70	—	+0,35	2,499
2378	6	Sagittarii R	—	3 47,95	—	20	4	47,94	—	—	44,95	—	+2,99	3,747*
2379	6	19 Vulpeculæ	—	—	3 47,24	20	4	47,27	—	—	46,08	—	+1,19	2,503
2380	6	20 Vulpeculæ k	—	—	5 58,18	20	4	58,21	—	—	57,27	—	+0,94	2,511
2381	5	67 Aquilæ ρ	—	1 30,24	4 30,26	20	6	30,27	—	—	30,06	—	+0,21	2,770
2382	6.7	3 Capricorni	—	—	6 4,53	20	7	4,52	—	—	3,98	—	+0,54	3,327
2383	5.6	21 Vulpeculæ l	—	6 20,59	—	20	7	20,61	—	—	20,33	—	+0,28	2,460
2384	6	4 Capricorni	—	—	4 8,81	20	8	8,79	—	—	8,80	—	—0,01	3,533
2385	5.6	22 Vulpeculæ m	—	—	4 14,93	20	8	14,96	—	—	14,52	—	+0,44	2,587

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in					Mean N.P.D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession	
									Green.	A. S. C.		
	No.	1831	No.	1832	No.				1833			
	'	"		'	"		'	"		"		
2341	—	—	5	0 57,80	—	79 0 57,80	—	0 57,18	—	+	0,62	9,113
2342	—	—	—	—	5 48 14,67	73 48 14,67	—	48 9,71	—	+	4,96	9,122
2343	—	—	—	—	4 55 49,13	105 55 49,13	—	55 36,57	—	+	12,56	9,123
2344	—	—	—	—	5 38 32,78	116 38 32,78	38 31,28	38 32,06	—1,50	+	0,72	9,145
2345	—	—	—	—	5 39 32,07	112 39 32,07	—	39 32,20	—	—	0,13	9,215
2346	—	—	4	57 21,03	1 57 20,89	51 57 21,00	—	57 14,78	—	+	6,22	9,238
2347	—	—	4	39 23,95	6 39 23,63	73 39 23,76	—	39 19,02	—	+	4,74	9,257
2348	5 57 31,54	3 57 31,03	—	—	—	70 57 31,35	57 31,54	57 20,74	—0,19	+	10,61	9,347
2349	—	—	—	—	5 11 27,94	113 11 27,94	—	11 26,22	—	+	1,72	9,354
2350	4 21 7,95	1 21 9,42	—	—	—	67 21 8,24	—	21 0,65	—	+	7,59	9,400
2351	—	—	5	35 51,31	—	156 35 51,31	—	35 25,09	—	+	26,22	9,406
2352	5 10 7,84	1 10 5,02	—	—	—	118 10 7,37	10 8,80	10 3,86	—1,43	+	3,51	9,424
2353	—	—	3	56 10,70	2 56 13,61	72 56 11,86	—	56 8,48	—	+	3,38	9,439
2354	—	—	—	—	5 5 42,84	104 5 42,84	—	5 39,72	—	+	3,12	9,443
2355	5 31 12,86	—	—	—	—	122 31 12,86	—	31 10,23	—	+	2,63	9,527
2356	—	—	3	3 32,24	2 3 33,09	113 3 32,58	—	3 36,06	—	—	3,48	9,537
2357	4 42 19,52	—	—	—	1 42 17,95	62 42 19,21	—	42 16 97	—	+	2,21	9,571
2358	2 39 36,53	5 39 39,62	—	—	—	65 39 38,74	—	39 41,43	—	—	2,69	9,605
2359	—	5 31 38,72	—	—	—	65 31 38,72	—	31 35,52	—	+	3,20	9,626
2360	—	4 10 18,03	—	—	—	91 10 18,03	—	10 7,95	—	+	10,08	9,688
2361	—	—	—	—	6 4 5,43	102 4 5,43	—	3 57,49	—	+	7,94	9,693
2362	—	—	—	—	5 26 5,02	74 26 5,02	—	25 57,19	—	+	7,83	9,695
2363	—	—	—	—	5 11 23,15	83 11 23,15	—	11 21,03	—	+	2,12	9,704
2364	—	—	—	—	5 7 58,05	103 7 58,05	—	7 51,36	—	+	6,69	9,715
2365	—	—	—	—	5 22 45,07	73 22 45,07	—	22 37,32	—	+	7,75	9,752
2366	—	5 29 8,04	—	—	—	70 29 8,04	—	29 3,60	—	+	4,44	9,840
2367	—	2 30 25,30	3	30 28,40	105 30 26,85	—	30 18,74	—	+	+	8,11	9,937
2368	—	—	9	32 34,64	100 32 34,64	—	32 31,06	—	+	+	3,58	9,962
2369	—	4 9 20,62	—	—	—	91 9 20,62	—	9 17,11	—	+	3,51	9,964
2370	—	5 51 53,18	—	—	—	66 51 53,18	—	51 51,14	—	+	2,04	9,990
2371	5 36 15,88	2 36 16,04	—	—	—	22 36 15,94	36 21,38	36 18,53	—5,44	—	2,59	10,173
2372	6 18 49,27	7 18 48,94	5	18 48,84	91 18 49,02	18 48,13	18 45,84	+	+0,89	+	3,18	10,212
2373	—	5 53 2,39	—	—	—	102 53 2,39	—	53 1,86	—	+	0,53	10,213
2374	4 29 23,32	—	—	—	—	28 29 23,32	—	29 29,16	—	—	5,84	10,234
2375	—	—	5	6 8,62	103 6 8,62	—	6 5,25	—	+	+	3,37	10,244
2376	4 38 58,67	—	—	—	—	53 38 58,67	—	38 58,19	—	+	0,48	10,256
2377	—	2 35 15,86	2	35 17,22	63 35 16,53	—	35 14,78	—	+	+	1,75	10,282
2378	—	5 31 35,99	—	—	—	117 31 35,99	—	31 26,39	—	+	9,60	11,129*
2379	—	—	6	41 10,18	63 41 10,18	—	41 7,67	—	+	+	2,51	10,374
2380	—	5 1 3,07	—	—	—	64 1 3,07	—	1 2,84	—	+	0,23	10,388
2381	2 18 33,28	5 18 35,42	—	—	—	75 18 34,52	—	18 22,70	—	+	11,82	10,503
2382	—	3 50 38,70	2	50 39,83	102 50 39,15	—	50 33,37	—	+	+	5,78	10,543
2383	—	1 48 30,40	4	18 34,07	61 48 33,34	—	48 36,83	—	—	—	3,49	10,566
2384	—	4 19 18,85	—	—	—	112 19 18,85	—	19 13,46	—	+	5,39	10,623
2385	—	—	5	59 57,77	66 59 57,77	—	59 55,43	—	+	+	2,34	10,632

xcviii *Comparison of the Observed Places of the Principal Fixed Stars*

No.	Mag	NAMES.	Mean A. R. January 1, 1832, from Observations in						Mean A. R. January 1, 1832.			Green. Catal.	A. S. Catal.	Difference from		Annual Preces- sion.
			No			No			h.	m.	s.			Green	A. S.	
			1831	1832	1833	1831	1832	1833								
			s.	s.	s.				s.	s.	s.	s.	s.	s.	s.	
2386	4	5 Capricorni α^1	6 19,94	5 19,94	—	20	8	19,94	19,83	19,68	+0,11	+0,26	+3,330			
2387	4	31 Cygni σ^a	3 20,61	6 20,66	—	20	8	20,66	20,59	20,22	+0,07	+0,44	1,886			
2388	3	6 Capricorni α^2	16 43,72	7 43,69	—	20	8	43,71	43,68	43,64	+0,03	+0,07	3,331			
2389	4.5	23 Vulpeculæ η	5 48,55	2 48,83	—	20	8	48,64	48,60	48,25	+0,04	+0,39	2,484			
2390	6	18 Sagittæ	—	2 56,93	3 57,05	20	8	57,03	—	56,41	—	+0,62	2,632			
2391	4.5	33 Cygni	3 29,19	—	—	20	9	29,19	29,34	28,36	-0,15	+0,83	1,392			
2392	5	24 Vulpeculæ σ	—	—	3 35,77	20	9	35,80	—	35,78	—	+0,02	2,562			
2393	5.6	7 Capricorni σ	—	2 41,75	—	20	9	41,74	41,63	41,56	+0,11	+0,18	3,471			
2394	4.5	32 Cygni	—	—	5 16,35	20	10	16,42	16,78	16,81	-0,36	-0,39	1,852			
2395	7	Capricorni β^1	—	1 20,01	4 19,91	20	11	19,91	—	19,57	—	+0,34	3,376			
2396	5	8 Capricorni ν	—	5 20,52	—	20	11	20,51	—	20,40	—	+0,11	3,333			
2397	3.4	9 Capricorni β^2	—	2 34,01	3 34,02	20	11	34,00	34,01	33,79	-0,01	+0,21	3,375			
2398	2	Pavonis α	—	—	4 18,45	20	12	18,33	—	18,54	—	-0,21	4,811			
2399	4.5	1 Cephei ν	4 23,71	2 23,15	—	20	14	23,68	23,85	20,39	-0,17	+3,29	1,882*			
2400	6	25 Vulpeculæ	—	6 50,27	—	20	14	50,28	—	50,02	—	+0,26	+2,575			
2401	3	37 Cygni γ	6 11,84	25 12,14	—	20	16	12,10	12,19	11,60	-0,09	+0,50	2,148			
2402	5	39 Cygni δ	6 9,12	1 9,44	—	20	17	9,18	—	9,01	—	+0,17	2,387			
2403	5	10 Capricorni π	2 41,95	3 41,90	—	20	17	41,90	—	41,80	—	+0,10	3,443			
2404	5	11 Capricorni ρ	3 16,23	2 16,33	3 16,31	20	19	16,28	16,27	15,74	+0,01	+0,54	3,432			
2405	6.7	Capricorni	—	6 24,83	—	20	19	24,81	—	24,43	—	+0,38	3,424			
2406	6	Capricorni ζ	—	5 39,46	—	20	19	39,45	—	39,28	—	+0,17	3,532			
2407	7	Capricorni σ^1	—	2 14,38	—	20	20	14,37	—	14,41	—	-0,04	3,448			
2408	6	12 Capricorni σ^2	—	6 15,66	3 15,64	20	20	15,64	—	15,61	—	+0,03	3,448			
2409	5	69 Aquilæ G	6 52,04	—	—	20	20	52,04	—	51,70	—	+0,34	3,134			
2410	6	1 Delphini	—	—	6 15,56	20	22	15,57	—	14,92	—	+0,65	2,870			
2411	4.5	41 Cygni i	6 31,93	2 31,91	5 31,69	20	22	31,85	32,07	31,83	-0,22	+0,02	2,446			
2412	6	Capricorni	—	—	6 51,48	20	22	51,45	—	51,22	—	+0,23	3,586			
2413	6	Capricorni u	—	5 12,08	—	20	23	12,05	—	10,94	—	+1,11	3,268			
2414	7	Capricorni	—	5 50,41	—	20	24	50,40	—	49,78	—	+0,62	3,343			
2415	5	45 Cygni ω^a	6 51,33	—	—	20	24	51,33	—	50,76	—	+0,57	1,854			
2416	4	2 Delphini ϵ	7 11,28	—	2 11,25	20	25	11,28	11,21	10,88	+0,07	+0,40	2,864			
2417	3	Indi α	—	7 43,25	—	20	25	43,21	—	43,37	—	-0,16	4,257			
2418	7	Capricorni	—	4 1,46	—	20	26	1,45	—	1,01	—	+0,44	3,399			
2419	6	3 Delphini η	—	—	5 0,36	20	26	0,37	—	59,93	—	+0,44	2,831			
2420	5	46 Cygni ω^3	—	—	1 8,05	20	26	8,13	—	7,64	—	+0,49	1,848			
2421	5	Pavonis ν	—	—	6 26,63	20	26	26,54	—	24,98	—	+1,56	5,610			
2422	5	2 Cephei θ	3 45,08	—	—	20	26	45,08	—	44,05	—	+1,03	1,016			
2423	5	4 Delphine ζ	6 27,30	—	4 27,31	20	27	27,32	—	26,78	—	+0,54	2,800			
2424	6	13 Capricorni τ^1	—	—	3 55,60	29	27	55,58	—	55,43	—	+0,15	3,369			
2425	5.6	70 Aquilæ H	—	—	7 58,69	20	27	58,69	—	58,61	—	+0,08	3,126			
2426	3	Pavonis β	2 42,96	3 43,12	—	20	29	43,02	—	43,45	—	-0,43	5,546			
2427	5	71 Aquilæ I	4 39,59	2 39,59	—	20	29	39,59	—	39,30	—	+0,29	3,099			
2428	4	6 Delphini β	—	—	5 40,46	20	29	40,48	40,31	39,91	+0,17	+0,57	2,803			
2429	5.6	5 Delphini ι	—	5 46,88	—	20	29	46,88	—	46,51	—	+0,37	2,866			
2430	6	14 Capricorni τ^2	—	—	3 52,36	20	29	52,34	—	52,20	—	+0,14	3,363			

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in					Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession		
	No.		No.		No.				Green. A. S. C.				
		1831		1832					1833				
		" "		" "		" "	" "	" "	" "	" "	" "		
2386	5	1 12,86					103 1 12,86	1 16,06	1 10,14	-3,20	+	2,72	-10,637
2387	5	45 50,78			5	45 49,65	43 45 50,21	45 53,34	45 48,48	-3,13	+	1,73	10,641
2388	23	3 27,74	7	3 29,47	1	3 30,17	103 3 28,21	3 32,96	3 28,10	-4,75	+	0,11	10,667
2389					5	41 45,05	62 41 45,05	41 47,42	41 42,59	-2,37	+	2,46	10,674
2390					5	54 40,57	68 54 40,57		54 39,56		+	1,01	10,684
2391			5	56 36,76			33 56 36,76	56 37,84	56 39,70	-1,08	-	2,94	10,727
2392	5	50 27,17					65 50 27,17		50 25,80		+	1,37	10,733
2393			5	38 12,81			109 38 12,81	38 10,35	38 6,89	+2,46	+	5,92	10,738
2394			4	47 50,95	3	47 51,22	42 47 51,07	47 54,13	47 55,00	-3,06	-	3,93	10,785
2395							105 18 23,15		18 18,79				10,858
2396			4	16 49,92	2	16 51,46	103 16 50,43		16 49,86		+	0,57	10,859
2397	5	18 23,85	5	18 22,45			105 18 23,15	18 19,52	18 13,34	+3,63	+	4,36	10,876
2398	5	15 49,93					147 15 49,93		15 46,81		+	3,12	10,927
2399	5	47 49,50	3	47 51,65			12 47 50,31	47 53,52	47 57,12	-3,21	+	6,81	11,092
2400			5	5 4,94			66 5 4,94		5 3,71		+	1,23	11,117
2401	5	16 40,68	20	16 41,22	26	16 41,32	50 16 41,22	16 37,75	16 35,43	+3,47	+	5,79	11,216
2402	4	20 49,13	1	20 51,46			58 20 49,57		20 50,01		-	0,44	11,285
2403	5	45 19,24					118 45 19,24		45 16 81		+	2,43	11,322
2404	4	21 42,41	4	21 43,54			108 21 42,97	21 46,32	21 41,43	-3,35	+	1,54	11,435
2405			5	58 58,88			107 58 58,88		59 0,27		-	1,39	11,445
2406					5	56 29,72	112 56 29,72		56 28,46		+	1,26	11,463
2407			5	7 56,70			109 7 56,70		8 2,98		-	6,28	11,505
2408			2	7 56,55	3	7 58,23	109 7 57,56		7 49,66		+	7,90	11,506
2409	7	26 14,91					93 26 14,94		26 12,74		+	2,20	11,550
2410			5	39 43,66			79 39 43,66		39 34,74		+	8,92	11,650
2411	6	11 18,92	5	11 19,31	6	11 18,90	60 11 19,03	11 15,28	11 11,63	+3,75	+	7,40	11,671
2412			2	30 17,33	3	30 19,04	115 30 18,36		30 12,38		+	5,98	11,691
2413					5	25 15,02	100 25 15,02		25 14,73		+	0,29	11,715
2414			4	17 31,92			104 17 31,92		17 31,44		+	0,48	11,831
2415	5	36 35,51					41 36 35,51		36 34,87		+	0,64	11,836
2416	5	15 44,88	1	15 46,96	3	15 44,45	79 15 44,97	15 45,39	15 38,88	-0,42	+	6,09	11,857
2417			5	52 7,51			137 52 7,51		52 9,06		-	1,55	11,892
2418			5	5 48,17			107 5 48,17		5 44,69		+	3,48	11,915
2419			1	32 33,06	4	32 34,90	77 32 34,53		32 32,13		+	2,40	11,915
2420	2	20 34,24					41 20 34,24		20 37,61		-	3,37	11,926
2421			1	20 31,30	3	20 31,74	157 20 31,63		20 31,72		-	0,09	11,938
2422	5	34 4,97					27 34 4,97		34 10,85		-	5,88	11,971
2423	5	54 1,38					75 54 1,38		53 52,12		+	9,26	12,017
2424			5	43 25,44	3	43 25,10	105 43 25,10		43 16,73		+	8,37	12,049
2425			2	7 31,41			93 7 31,41		7 28,97		+	2,44	12,053
2426	5	47 43,28					156 47 43,28		47 51,88		-	8,60	12,169
2427			5	41 11,59			91 41 11,59		41 4,89		+	6,70	12,170
2428					5	59 2,87	75 59 2,87	59 2,92	58 52,03	+0,05	+	10,84	12,171
2429			5	12 12,45			79 12 12,45		12 11,94		+	0,51	12,179
2430					5	32 19,25	105 32 19,25		32 8,85		+	10,40	12,184

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in				Mean A. R. January 1, 1832.			Green Catal.	A. S. Catal.	Difference from		Annual Preces- sion.
			No.	1831	No.	1832	No.	1833				Green	A. S.	
				s.		s.		s.	h. m. s.	s.	s.	s.	s.	s.
2431	5.6	27 Velpculæ <i>p</i>							20 29		54,53			+2,554
2432	5	15 Capricorni <i>v</i>	1	28,90	5	28,78			20 30 28,80	28,80	28,37	0,00	+0,43	3,427
2433	5.6	1 Aquarii							20 30		48,18			3,070
2434	4.5	8 Delphini <i>θ</i>	6	48,33					20 30 48,33	48,26	47,76	+0,07	+0,57	2,829
2435	5.6	7 Delphini <i>κ</i>					3	58,31	20 30 58,32		57,72		+0,60	2,891
2436	5.6	29 Vulpeculæ <i>s</i>					3	1,41	20 31 1,43		0,62		+0,82	2,671
2437	6.7	Capricorni					4	5,80	20 31 5,78		5,85		—0,07	3,385
2438	5.6	28 Vulpeculæ					3	12,87	20 31 12,90		12,31		+0,59	2,608
2439	3.4	9 Delphini <i>α</i>	5	50,16	1	50,18	1	50,28	20 31 50,18	50,43	50,05	—3,25	+0,13	2,779
2440	6	Cygni			5	4,88			20 32 4,90		4,45		+0,45	2,466
2441	7	Capricorni			1	6,06	2	6,07	20 33 6,05		5,70		+0,35	3,423
2442	6	10 Delphini					5	24,32	20 33 24,34		24,04		+0,30	2,807
2443	5	11 Delphini <i>δ</i>	4	37,16					20 35 37,16		36,91		+0,25	2,800
2444	1	50 Cygni <i>α</i>	31	42,50	50	42,44			20 35 42,48	42,46	41,97	+0,02	+0,51	2,040
2445	4.5	16 Capricorni <i>γ</i>	5	8,33					20 36 8,33	8,29	8,58	+0,04	—0,25	3,572
2446	6	17 Capricorni			6	25,15			20 36 25,13		24,77		+0,36	3,490
2447	6	30 Vulpeculæ			5	36,60			20 37 36,62		36,17		+0,45	2,594
2448	7	Capricorni			1	27,96	7	28,08	20 38 28,04		28,05		—0,01	3,515
2449	6	Capricorni					2	33,00	20 38 32,97		32,82		+0,15	3,512
2450	4.5	2 Aquarii <i>ε</i>	6	34,89					20 38 34,89	34,69	34,51	+0,20	+0,38	3,252
2451	4	3 Aquarii <i>κ</i>	3	52,04					20 38 52,04	52,16	51,70	—0,12	+0,34	3,170
2452	4	12 Delphini <i>γ</i>	6	52,03					20 38 52,03	51,94	52,72	+0,09	—0,69	2,783
2453	6	Capricorni					3	18,60	20 39 18,57		18,49		+0,08	3,578
2454	4.5	Microscopii <i>α</i>			5	27,56			20 39 27,54	27,25	26,63	+0,29	+0,91	3,771
2455	3	53 Cygni <i>ε</i>			5	25,06			20 39 25,08	24,89	24,52	+0,19	+0,56	2,393
2456	5.6	13 Delphini <i>λ</i>	4	52,93	1	53,00			20 39 52,95		29,01			2,971
2457	6.7	Capricorni					3	48,32	20 39 48,30		48,21		+0,09	3,414
2458	5	54 Cygni <i>λ</i>	4	52,29	1	52,03	5	52,02	20 40 52,15		51,41		+0,74	2,330
2459	5	Cephei <i>χ</i>			5	10,70			20 41 10,75		10,89		—0,14	1,500
2460	6	Capricorni					3	20,40	20 41 20,37		17,34			3,595
2461	6.7	Capricorni <i>p</i>					3	25,91	20 41 25,90		25,24		+0,66	3,306
2462	6.7	Capricorni					1	29,87	20 41 29,84		29,81		+0,03	3,607
2463	4	Indi <i>β</i>			5	37,16			20 41 37,10		37,20		—0,10	4,768
2464	5.6	18 Capricorni <i>ω</i>					5	46,95	20 41 46,92		47,08		—0,16	3,599
2465	3.4	3 Cephei <i>γ</i>	1	51,69	3	51,28			20 41 51,44	51,74	50,47	—0,30	+0,97	1,220
2466	6	4 Aquarii			3	31,15	3	30,94	20 42 31,04		30,97		+0,07	3,179
2467	7	Aquarii			2	49,30			20 42 49,29		48,51		+0,78	3,285
2468	6	Capricorni <i>m</i>					3	9,36	20 43 9,33		8,81		+0,52	3,527
2469	6	5 Aquarii			2	15,55			20 43 15,54		15,35		+0,19	3,177
2470	4.5	6 Aquarii <i>μ</i>	6	35,47			1	35,29	20 43 35,43	35,29	35,07	+0,14	+0,36	3,239
2471	6	Aquarii			4	53,97			20 43 53,96		53,45		+0,51	3,286
2472	5	Octantis							20 44		3,96			7,674
2473	6	31 Vulpeculæ <i>r</i>			5	56,53			20 44 56,55		55,71		+0,84	2,568
2474	6	19 Capricorni	1	17,88	3	17,50	2	17,98	20 45 17,69	17,89	17,43	—0,20	+0,26	3,405
2475	7	Capricorni			5	47,75			20 46 47,68		47,29		+0,39	3,575

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession	
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.		
2431	—	—	—	—	5 7	4,89	64 7	4,89	6 58,50	+	6,39	—12,189	
2432	—	—	—	—	4 43	23,37	108 43	23,37	43 27,13	—3,76	+	4,10	12,226
2433	—	—	3 5	58,08	2 6	1,54	90 5	59,46	5 51,15	+	8,30	12,250	
2434	4 16	8,67	3 16	9,43	—	—	77 8	8,99	16 10,24	—1,25	+	2,68	12,250
2435	—	—	—	—	5 30	3,77	80 3	3,77	29 56,69	+	7,08	12,261	
2436	—	—	—	—	4 23	1,48	69 23	1,48	22 56,97	+	4,51	12,265	
2437	—	—	—	—	3 12	55,74	106 42	55,74	42 57,31	—	1,57	12,269	
2438	—	—	—	—	—	—	66 28	—	28 6,85	—	—	12,279	
2439	5 40	35,68	2 40	35,58	—	—	74 40	35,64	40 32,49	+3,15	+	9,70	12,322
2440	—	—	5 15	2,19	—	—	60 15	2,19	14 57,00	+	5,19	12,339	
2441	—	—	1 42	14,62	4 42	13,99	108 42	14,12	42 15,73	—	1,61	12,407	
2442	—	—	3 0	31,62	2 0	35,58	76 0	35,01	0 30,66	+	4,35	12,429	
2443	6 31	25,12	1 31	23,27	—	—	75 31	24,87	31 17,99	+	6,88	12,581	
2444	70 19	1,75	56 19	1,72	40 19	1,61	45 19	1,70	19 0,6	+1,54	+	4,63	12,588
2445	—	—	—	—	5 52	6,55	115 52	6,55	52 5,03	+1,52	+	4,69	12,615
2446	—	—	5 7	7,24	—	—	112 7	7,24	7 4,10	+	3,14	12,633	
2447	—	—	1 19	35,06	—	—	65 19	35,06	19 29,98	+	5,08	12,716	
2448	—	—	—	—	4 27	25,09	113 27	25,09	27 25,54	—	0,45	12,772	
2449	—	—	1 20	36,16	5 20	38,34	113 20	37,98	20 32,06	+	5,92	12,778	
2450	4 6	22,64	2 6	22,08	—	—	100 6	22,46	6 19,34	+3,12	+	11,62	12,780
2451	5 38	15,99	—	—	—	—	95 38	15,99	38 15,37	+0,62	+	6,87	12,800
2452	4 28	33,62	1 28	35,07	2 23	35,26	74 28	34,30	28 34,28	+0,02	+	5,84	12,802
2453	—	—	—	—	5 23	42,09	116 23	42,09	23 38,45	+	3,64	12,829	
2454	—	—	2 23	41,40	3 23	43,11	124 23	42,43	23 37,88	+	4,55	12,837	
2455	5 39	16,54	5 39	17,50	—	—	56 32	17,02	39 16,05	0,97	+	5,64	12,838
2456	—	—	1 36	16,59	4 36	16,71	84 36	16,69	36 15,83	+	0,86	12,842	
2457	—	—	5 38	56,19	—	—	108 38	56,19	38 56,70	—	0,51	12,862	
2458	5 7	23,02	—	—	—	—	54 7	23,02	7 14,92	+	8,10	12,935	
2459	—	—	6 1	13,84	—	—	33 1	13,84	1 6,54	+	7,30	12,959	
2460	—	—	—	—	—	—	117 19	—	19 7,83	—	—	12,961	
2461	—	—	—	—	3 9	39,42	103 9	39,42	9 36,56	+	2,86	12,971	
2462	—	—	—	—	5 51	50,51	117 51	50,51	51 50,17	+	0,34	12,975	
2463	4 4	43,19	—	—	—	—	149 4	43,19	4 35,34	+	7,85	12,981	
2464	—	—	3 32	25,56	3 32	26,19	117 32	25,87	32 22,87	+	3,00	12,994	
2465	—	—	4 48	39,93	1 48	38,92	28 48	39,73	48 42,95	—3,22	—	2,35	13,813*
2466	—	—	5 14	58,16	—	—	96 14	58,16	14 51,36	+	6,80	13,044	
2467	—	—	4 3	46,86	—	—	102 3	46,89	3 42,88	+	3,98	13,063	
2468	—	—	—	—	5 24	25,10	114 24	25,10	24 20,51	+	4,59	13,085	
2469	—	—	—	—	5 7	53,29	96 7	53,29	7 47,34	+	5,92	13,093	
2470	5 36	31,88	2 36	31,76	—	—	99 37	31,90	36 29,82	+2,08	+	10,07	13,114
2471	—	—	3 12	11,13	—	—	102 12	11,13	12 11,99	—	0,86	13,135	
2472	—	—	—	—	—	—	167 38	Invis.	38 4,89	—	—	13,137	
2473	—	—	5 31	36,72	—	—	63 31	36,72	31 35,95	+	0,27	13,205	
2474	—	—	1 33	10,12	4 33	12,15	108 33	11,75	33 15,43	—	0,46	13,227	
2475	—	—	5 55	50,26	—	—	116 55	50,26	55 47,34	+	2,92	13,324	

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	NAMES.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.	Green. Catal.	A. S. Catal.	Difference from		Annual Preces- sion.
			No	1831	No. 1832	No. 1833					
			s.	s.	s.	h. m. s.	s.	s.	Green.	A. S.	s.
2476	6	Equulei		5	15,99	20 47 15,98		15,34		+0,64	+3,000
2477	5	57 Cygni	7	18,30		20 47 18,30		18,02		+0,28	2,115
2478	4.5	32 Vulpeculæ <i>q</i>	5	24,24		20 47 24,23	24,16	23,74	+0,07	+0,49	2,552
2479	6	16 Delphini <i>x</i>			2	37,61	3	38,03		+0,74	2,858
2480	6	17 Delphini <i>μ</i>				7	39,60	20 47 39,62		+0,56	2,837
2481	6	7 Aquarii				4	48,87	20 47 48,86		-0,08	3,249
2482	7	Capricorni				3	15,96	20 48 15,94		+0,33	3,365
2483	6	Equulei			5	23,78	1	23,93		+0,38	3,007
2484	6	20 Capricorni			5	3,07	1	2,82		+0,11	3,421
2485	6	18 Delphini <i>ν</i>				4	20,59	20 50 20,60		+0,54	2,891
2486	5.6	1 Equulei <i>ε</i>				2	40,61	20 50 40,62		+0,21	3,005
2487	6	8 Aquarii <i>z</i> ¹				3	40,43	20 50 40,42		-0,71	3,308
2488	5.6	33 Vulpeculæ <i>x</i>				2	45,88	20 50 45,89		+0,29	2,678
2489	4	58 Cygni <i>ν</i>	6	54,59		1	51,78	20 50 54,63	54,88	-0,25	+0,27
2490	6	21 Capricorni	1	24,01		5	23,96	20 51 23,96		+0,14	3,390
2491	6	11 Aquarii <i>r</i>			2	42,80		20 51 42,80		+0,06	3,160
2492	6	Capricorni <i>n</i>			1	46,04	3	46,38		+0,56	3,578
2493	5	Cephei <i>K</i>	2	47,23	2	47,27		20 51 47,28			1,605
2494	6	9 Aquarii <i>z</i> ²			5	52,47		20 51 52,46		+0,14	3,315
2495	6	2 Equulei <i>λ</i>				6	55,68	20 53 55,69		+0,16	+2,957
2496	5	76 Draconis			19	15,83		20 54 15,93		-1,97	-3,725
2497	7	22 Capricorni <i>η</i>	3	50,10		1	50,14	20 54 50,11	50,15	+0,07	+0,04
2498	6	12 Aquarii			5	11,44		20 55 11,43		+0,51	+3,178
2499	5	Cephei <i>h</i>			3	55,47	1	55,50			-2,335
2500	6	3 Equulei <i>ξ</i>			5	12,85		20 56 12,86		+0,62	+2,987
2501	5.6	23 Capricorni <i>θ</i>				4	29,86	20 56 29,84	30,03	+0,19	+0,48
2502	7	Capricorni			5	7,10		20 57 7,09		+0,47	3,433
2503	6	4 Equulei			4	7,22	2	7,29		+0,55	2,979
2504	5.6	24 Capricorni <i>A</i>				3	17,54	20 57 17,51		+0,46	3,528
2505	4	62 Cygni <i>ξ</i>	1	49,18	1	49,64		20 58 49,42	49,43	0,01	+0,70
2506	5.6	25 Capricornix ¹				3	55,57	20 58 55,55	55,53	+0,02	-0,05
2507	6	27 Capricornix ³				5	26,26	20 59 26,24		+0,18	3,435
2508	5	13 Aquarii <i>ν</i>	2	26,27			21	0 26,27	26,17	0,10	+0,63
2509	5	63 Cygni <i>f</i> ²			6	48,90		21 0 48,94		+0,30	2,059
2510	5	5 Equulei <i>γ</i>	4	10,37			21	2 10,37		+0,27	2,912
2511	6	3 Piscis Aust			5	18,93		21 3 18,90		-0,12	3,497*
2512	3	64 Cygni <i>ξ</i>	3	47,40		5	47,29	21 5 47,34	47,42	-0,08	+0,53
2513	7	Aquarii			5	58,77		21 5 58,76		+0,42	3,194
2514	6	28 Capricorni <i>φ</i>			4	3,54	4	3,65	3,46	+0,12	+0,24
2515	5.4	7 Equulei <i>δ</i>	1	17,96	4	18,05		21 6 18,04	17,97	0,07	+0,24
2516	5	29 Capricorni <i>S</i>			5	26,58		21 6 26,57	26,60	-0,03	-0,11
2517	4.5	8 Equulei <i>α</i>	1	25,63	4	25,42	1	25,58	25,59	0,13	+0,18
2518	5	4 Piscis Aust					21	7 44,28		+0,85	3,658
2519	5	65 Cygni <i>τ</i>	1	5,58	4	5,30		21 8 5,38		+0,58	2,373
2520	6	30 Capricorni <i>r</i>			2	31,36	3	31,58		-0,18	3,376

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N.P.D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precession		
	No.		1831		No.					1832			Green. A. S. C.	
	1833		1834		1835					Green. A. S. C.				
2476	—		1 6 13,21		4 6 15,24		86 6 14,83	—	6 12,24	—	—	—		
2477	5 14 43,60		—		—		46 14 43,60	—	14 43,15	—	+	+13,356		
2478	6 34 34,65		—		2 34 34,94		62 34 34,72	34 38,02	34 31,79	—3,30	+	13,361		
2479	—		5 4 6,76		—		78 4 6,76	—	4 6,33	—	+	13,366		
2480	—		3 54 52,57		2 54 52,55		76 54 52,56	—	54 42,90	—	+	13,380		
2481	—		—		5 20 13,16		100 20 13,16	—	20 2,47	—	+	13,382		
2482	—		—		4 40 19,19		106 40 19,19	—	40 18,85	—	+	13,392		
2483	—		—		5 26 50,51		86 26 50,51	—	26 49,10	—	+	13,421		
2484	—		4 40 54,16		1 40 54,75		109 40 54,28	—	40 46,30	—	+	13,495		
2485	—		5 48 18,44		—		79 48 18,44	—	48 12,70	—	+	13,536		
2486	—		—		5 20 45,94		86 20 45,94	—	20 42,62	—	+	13,556		
2487	—		—		5 41 54,08		103 41 54,08	—	41 51,18	—	+	13,578		
2488	—		2 19 5,25		3 19 6,14		68 19 5,77	—	19 5,99	—	+	13,578		
2489	5 28 34,87		1 28 35,08		—		49 28 34,90	28 34,23	28 28,62	+0,67	—	13,584		
2490	—		—		5 10 46,70		108 10 46,70	—	10 46,44	—	+	13,594		
2491	—		5 22 30,31		—		95 22 30,31	—	22 18,87	—	+	13,623		
2492	—		1 31 53,19		5 31 53,57		117 31 53,49	—	31 52,02	—	+	13,644		
2493	6 45 22,03		—		—		33 45 22,03	—	45 21,79	—	+	13,646		
2494	—		—		2 10 51,47		104 10 51,47	—	10 47,90	—	+	13,652		
2495	—		5 28 30,06		—		83 28 30,06	—	28 27,95	—	+	13,654		
2496	4 5 49,32		1 5 50,53		6 5 48,77		8 5 49,13	—	5 55,81	—	+	13,785		
2497	4 30 49,34		1 30 50,39		—		110 30 49,55	30 48,39	30 45,13	+1,16	—	13,823		
2498	—		5 28 57,98		—		96 28 57,98	—	28 53,96	—	+	13,842		
2499	—		4 6 0,50		1 6 2,06		10 6 0,81	—	—	—	+	13,864		
2500	—		3 9 38,52		1 9 39,91		85 9 38,87	—	9 32,92	—	+	13,914		
2501	—		—		5 53 39,26		107 53 39,26	53 43,69	53 42,37	—4,43	—	13,929		
2502	—		5 50 48,62		—		110 50 48,62	—	50 45,26	—	+	13,946		
2503	—		4 41 7,42		—		84 41 7,42	—	41 59,62	—	+	13,985		
2504	—		—		5 40 19,72		115 40 19,72	—	40 11,02	—	+	13,986		
2505	5 44 19,74		7 44 19,64		5 44 19,85		46 44 19,72	44 20,82	44 19,79	—1,10	—	13,996		
2506	—		5 51 46,64		—		111 51 46,64	51 45,23	51 40,97	+1,41	—	14,094		
2507	—		5 13 31,30		—		111 13 31,30	—	13 26,22	—	+	14,099		
2508	5 2 48,46		—		—		102 2 48,46	2 49,92	2 43,06	—1,46	+	14,161		
2509	—		5 1 22,65		—		43 1 22,65	—	1 28,83	—	+	14,192		
2510	5 32 28,77		—		—		80 32 28,77	—	32 23,81	—	+	14,218		
2511	—		6 17 53,16		—		118 17 53,16	—	17 51,92	—	+	14,300		
2512	5 27 31,51		—		6 27 32,97		60 27 32,30	27 30,04	27 27,72	+2,26	—	14,369		
2513	—		5 46 36,54		—		97 46 36,54	—	46 37,44	—	+	14,520		
2514	—		4 20 36,06		—		111 20 36,06	20 37,12	20 32,58	—1,06	—	14,530		
2515	—		7 40 12,69		5 40 12,45		80 40 12,59	40 8,96	40 3,41	+3,63	+	14,535		
2516	—		5 51 52,31		—		105 51 52,31	51 55,13	51 45,53	—2,82	—	14,550		
2517	6 26 35,56		—		—		85 26 35,56	26 31,75	26 28,03	+3,81	+	14,558		
2518	4 52 5,40		—		—		122 52 5,40	—	51 58,83	—	+	14,618		
2519	3 40 2,33		1 40 3,25		—		52 40 2,56	—	39 58,00	—	+	14,634		
2520	—		2 40 57,48		4 40 58,19		108 40 57,92	—	40 56,12	—	+	15,158*		
	—		—		—		—	—	—	—	+	14,683		

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	NAMES.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.			Green. Catal.	A. S. Catal.	Difference from		Annual Preces- sion.			
			No	1831	No.	1832	No.	1833			h.	m.		s.	Green	A. S.
			s.		s.				s.		s.		s.			
2521	6.7	31 Capricorni					5	51,04	21	8	51,02		51,50	-0,48	+3,866	
2522	7	Aquarii					6	54,71	21	9	54,69		54,39	+0,30	3,342	
2523	4.5	67 Cygni	7	49,35					21	10	49,35	49,95	48,26	-0,10	+1,09	2,348
2524	4.5	66 Cygni			3	0,71			21	11	0,71	0,89	59,77	-0,18	+0,94	2,458
2525	6	16 Aquarii			4	15,75			21	12	15,75		15,16	+0,59	3,151	
2526	3	Pavonis					5	27,84	21	12	27,75		26,77	+0,98	5,086	
2527	6	9 Equulei					5	46,09	21	12	46,10		45,73	+0,37	2,964	
2528	5	32 Capricorni	4	53,06	2	53,06			21	12	53,06	53,01	53,13	+0,05	-0,07	3,350
2529	7	Aquarii					4	57,40	21	12	57,40		57,28	+0,12	3,226	
2530	6	Capricorni					4	22,14	21	13	22,12		21,59	+0,53	3,452	
2531	6	17 Aquarii			5	55,58			21	13	55,57		55,83	-0,26	3,225	
2532	7	Capricorni			5	9,66			21	14	9,64		9,43	+0,21	3,408	
2533	5	Indi	3	13,31					21	14	13,31		13,56	-0,25	4,350	
2534	4	1 Pegasi			5	19,17			21	14	19,18	19,17	18,91	+0,01	+0,27	2,762
2535	5.6	10 Equulei			5	33,28			21	14	33,29		33,01	+0,28	2,974	
2536	3	5 Cephei	3	34,12	5	33,80	9	33,12	21	14	33,66	33,89	33,07	-0,23	+0,59	1,416
2537	6	33 Capricorni					3	37,40	21	14	37,38		37,09	+0,29	3,417	
2538	6	18 Aquarii	1	0,49			4	0,49	21	15	0,48		0,10	+0,38	3,281	
2539	5	6 Cephei	7	52,49					21	15	52,49		51,83	+0,69	1,257	
2540	6	19 Aquarii					3	11,01	21	16	11,00		10,59	+0,41	3,230	
2541	6	Pegasi					1	24,76	21	16	24,79		24,25	+0,54	2,687	
2542	6	21 Aquarii			5	31,19			21	16	31,18		31,11	+0,07	3,133	
2543	4	34 Capricorni	6	3,88					21	17	3,88	3,80	3,40	+0,08	+0,48	3,441
2544	6	Pegasi			4	6,67			21	17	6,69		6,75	-0,06	2,653	
2545	6	35 Capricorni			5	42,83			21	17	42,81		42,31	+0,50	3,418	
2546	5.6	36 Capricorni			5	8,02	3	8,15	21	19	8,05	8,04	7,52	+0,01	+0,53	3,426
2547	7	Capricorni			3	33,35	2	33,39	21	20	33,35		33,08	+0,27	3,378	
2548	7	Capricorni			5	43,10			21	20	43,08		42,69	+0,39	3,484	
2549	7	Aquarii					6	27,82	21	21	27,80		27,60	+0,20	3,297	
2550	5.6	2 Pegasi	2	20,63	4	20,54	1	20,33	21	22	20,55		20,57	-0,02	2,710	
2551	3	22 Aquarii	6	42,82	6	42,72	12	42,62	21	22	42,68	42,54	42,47	+0,14	+0,21	3,162
2552	6	Capricorni			7	51,91			21	22	51,89		51,29	+0,60	3,469	
2553	5	71 Cygni	5	15,32					21	23	15,32		14,39	+0,93	2,200	
2554	6.7	Capricorni			5	6,55			21	25	6,54		6,02	+0,52	3,280	
2555	7	37 Capricorni			6	24,46			21	25	24,45		24,39	+0,06	3,386	
2556	7	38 Capricorni			2	27,46	3	27,48	21	25	27,46		27,38	+0,08	3,388	
2557	7	Capricorni			5	38,82			21	25	38,80		38,39	+0,41	3,443	
2558	5.6	8 Piscis Aust			4	25,81			21	26	25,79		25,51	+0,28	3,490	
2559	3	8 Cephei	2	27,66			1	26,91	21	26	27,59	27,74	26,69	-0,15	+0,90	0,811
2560	5	39 Capricorni	6	40,01			3	39,79	21	27	39,94	39,99	39,78	-0,05	+0,16	3,372
2561	5	73 Cygni			5	40,03	1	40,07	21	27	40,05	40,09	39,75	-0,04	+0,30	2,248
2562	5	23 Aquarii			5	48,16			21	28	48,20	48,12	48,21	+0,08	-0,01	3,192
2563	6	3 Pegasi							21	29	21,58		20,88	+0,70	2,984	
2564	5.6	5 Pegasi			4	54,07	2	53,90	21	29	54,03		53,27	+0,76	2,795	
2565	5	4 Pegasi	1	6,91	4	7,17			21	30	7,12		6,73	+0,39	2,997	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.	
2521					4	9 39,38	108 9 39,38		9 37,00		+ 2,38	+14,703
2522			5	52 49,39			106 52 49,30		52 47,98		+ 1,32	14,763
2523	5	19 20,82	1	19 22,16			51 19 21,06	19 22,07	19 24,65	-1,01	- 3,59	14,820
2524	5	48 17,46					55 48 17,46	48 17,50	48 14,69	-0,04	+ 2,77	14,831
2525			1	16 9,75	4	16 11,25	95 16 10,95		16 0,10		+ 10,85	14,903
2526	3	7 3,34	1	7 4,40	1	7 5,02	156 7 3,37		7 10,90		- 7,03	14,911
2527			1	21 7,53	4	21 10,48	83 21 9,89		21 5,76		+ 4,10	14,933
2528			5	32 38,61			107 32 38,61	32 43,17	32 34,60	-4,56	+ 4,01	14,940
2529					5	2 13,65	100 2 13,65					14,944
2530					3	22 49,20	113 22 49,20		22 49,53		- 0,33	14,967
2531					3	1 53,38	100 1 53,38		1 44,94		+ 8,44	15,001
2532			3	54 56,84			115 54 56,84		54 52,36		+ 4,48	15,013
2533	5	22 48,49					145 22 48,49		22 34,03		+ 14,46	15,016
2534	5	54 37,74					70 54 37,74	54 36,23	54 33,41	+1,51	+ 4,33	15,024
2535					5	54 7,96	83 54 7,96		54 3,83		+ 4,13	15,037
2536	5	7 22,39	6	7 24,22	12	7 25,81	23 7 24,65	7 28,14	7 32,04	-3,49	- 7,39	15,040
2537			5	33 37,52			111 33 37,52		33 35,98		+ 1,54	15,040
2538			5	35 35,81			103 35 35,81		35 33,38		+ 2,43	15,063
2539	5	50 19,56					25 50 19,56		50 21,47		+ 1,91	15,116
2540			4	27 34,98	2	27 35,03	100 27 35,00		27 27,63		+ 7,37	15,130
2541			5	26 35,69			66 26 35,69		26 37,70		- 2,01	15,144
2542					5	16 20,16	94 16 20,16		16 12,91		+ 7,25	15,150
2543	6	7 59,07					113 7 59,07	8 1,87	7 56,66	-2,80	+ 2,41	15,180
2544			5	32 42,39			64 32 42,39		32 38,69		+ 3,70	15,185
2545			5	55 3,33			111 55 3,33		54 59,60		+ 3,73	15,217
2546			5	31 58,66			112 31 58,66	32 2,74	31 54,66	-4,08	- 4,00	15,298
2547			5	52 38,17			109 52 38,17		52 32,29		+ 5,88	15,378
2548			5	55 25,22			115 55 25,22		55 22,86		+ 2,36	15,387
2549			5	1 24,13			105 1 24,13		1 16,71		+ 7,42	15,429
2550			5	5 37,04			67 5 37,04		5 34,48		+ 2,56	15,479
2551	5	18 20,73	2	18 20,00	6	18 20,46	96 18 20,47	18 21,27	18 15,12	-1,25	+ 5,35	15,499
2552			5	19 40,35			115 19 40,35		19 35,41		+ 4,94	15,506
2553	6	11 48,83					44 11 48,83		11 50,31		- 1,48	15,530
2554			3	13 29,78			104 13 29,78		13 30,94		- 1,16	15,630
2555			5	49 42,00			110 49 42,00		49 36,97		+ 5,03	15,647
2556			5	59 31,90			110 59 31,90		59 27,38		+ 4,52	15,650
2557			5	11 48,49			114 11 48,49		11 48,87		- 0,38	15,660
2558			5	54 56,42			116 54 56,42		54 53,61		+ 2,81	15,702
2559	6	10 37,42			10	10 35,92	20 10 36,82	10 32,93	10 38,11	+3,89	- 1,29	15,708
2560	5	12 56,01					110 12 56,01	12 49,89	12 47,32		+ 8,69	15,770
2561	5	9 0,11			2	8 56,41	45 8 59,06	8 52,17	8 53,69	+6,89	+ 5,37	15,771
2562	5	36 7,86					98 36 7,86	36 12,99	36 6,42	-5,13	+ 1,44	15,831
2563			5	7 56,02			84 7 56,02		7 48,57		+ 7,45	15,861
2564			5	25 58,12			71 25 58,12		25 55,25		+ 2,87	15,890
2565	5	59 0,40	1	59 2,34			84 59 0,72		58 51,19		+ 9,53	15,902

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.			Green Catal.	A. S. Catal.	Difference from		Annual Preces- sion.
			No. 1831	No. 1832	No. 1833						Green.	A. S.	
			s.	s.	s.	h.	m.	s.	s.	s.	s.	s.	s.
2566	4	40 Capricorni γ	5 46,72	—	5 46,50	21	30	46,68	46,53	46,26	+0,15	+0,42	+3,322
2567	5.6	25 Aquarii d	—	5 1,86	—	21	31	1,86	—	1,91	—	-0,05	3,047
2568	6	42 Capricorni d^1	—	—	3 24,42	21	32	24,40	—	24,21	—	+0,19	3,280
2569	5	41 Capricorni	5 26,10	—	—	21	32	26,10	—	26,20	—	-0,10	3,426
2570	5	43 Capricorni κ	4 15,96	6 16,22	—	21	33	16,11	16,24	15,67	-0,13	+0,44	3,353
2571	5	9 Cephei	—	5 24,45	7 24,14	21	33	24,42	—	23,75	—	+0,67	1,610
2572	6	26 Aquarii	—	5 36,06	—	21	33	36,06	—	36,02	—	+0,04	3,061
2573	6	Capricorni	—	4 49,23	—	21	33	49,22	—	48,52	—	+0,70	3,364
2574	5.6	7 Pegasi T^1	—	—	5 51,19	21	33	51,20	—	50,77	—	+0,43	3,000
2575	6	44 Capricorni d^2	—	5 54,08	—	21	33	54,06	—	53,73	—	+0,33	3,284
2576	6	45 Capricorni d^3	—	3 50,29	1 50,05	21	34	50,21	—	49,85	—	+0,36	3,288
2577	4.5	9 Piscis Aust i	6 55,39	—	—	21	34	55,39	55,16	54,91	+0,23	+0,48	3,598
2578	2.3	8 Pegasi e	6 56,16	—	—	21	35	56,16	56,15	55,98	+0,01	+0,18	2,942
2579	6	46 Capricorni c^1	—	3 2,66	—	21	36	2,65	—	1,76	—	+0,89	3,205
2580	4.5	80 Cygni π^1	3 8,37	—	6 8,08	21	36	8,21	8,31	7,73	-0,10	+0,48	2,118
2581	4.5	9 Pegasi g	—	2 33,42	3 33,53	21	36	33,60	33,56	33,63	+0,04	-0,03	2,835
2582	5	78 Cygni μ	—	6 38,05	—	21	36	38,07	—	37,56	—	+0,51	2,652
2583	4	10 Pegasi κ	—	2 2,36	2 2,62	21	37	2,52	2,57	2,37	-0,05	+0,15	2,706
2584	6.7	47 Capricorni c^2	—	—	4 18,34	21	37	18,33	—	18,01	—	+0,32	3,206
2585	5.6	48 Capricorni λ	—	—	3 29,16	21	37	29,15	29,40	28,38	-0,25	+0,77	3,236
2586	3.4	49 Capricorni δ	6 45,70	6 45,64	5 45,71	21	37	45,67	45,58	45,42	+0,09	+0,25	3,304
2587	5	10 Piscis Aust θ	5 51,60	—	—	21	37	51,60	—	51,72	—	-0,12	3,548
2588	6	12 Pegasi W	—	—	4 20,93	21	38	20,95	—	20,49	—	+0,46	2,752
2589	5.6	11 Pegasi	—	5 42,77	—	21	38	42,77	—	42,01	—	+0,76	3,042
2590	4.5	11 Cephei τ	—	5 25,68	—	21	39	25,78	25,97	24,08	-0,19	+1,70	0,892
2591	7	Aquarii	—	—	4 13,62	21	40	13,61	—	13,44	—	+0,17	3,151
2592	7	Aquarii	—	—	6 35,93	21	40	35,91	—	35,66	—	+0,25	3,252
2593	5	81 Cygni π^2	7 35,56	—	—	21	40	35,57	35,92	35,29	-0,35	+0,28	2,204
2594	4.5	10 Cephei σ	—	4 35,94	—	21	40	36,00	36,35	35,06	-0,35	+0,94	1,727
2595	5	78 Draconis z	—	4 58,68	—	21	40	58,81	—	57,93	—	+0,88	0,786
2596	6	13 Pegasi	—	5 9,28	—	21	42	9,29	—	8,84	—	+0,45	2,844
2597	5	14 Pegasi	6 24,92	—	—	21	42	24,92	—	25,01	—	-0,09	2,643
2598	4	Gruis γ	4 44,06	—	—	21	43	44,06	—	43,25	—	+0,81	3,657
2599	7	Aquarii	1 59,08	5 59,23	—	21	43	59,19	—	58,81	—	+0,38	3,131
2600	5	51 Capricorni μ	6 7,73	1 7,79	9 7,83	21	44	7,79	7,90	7,26	-0,11	+0,53	3,259
2601	6	15 Pegasi	—	5 0,19	—	21	45	0,18	—	59,51	—	+0,67	2,673
2602	6.7	Aquarii p	—	5 23,73	—	21	45	23,73	—	23,58	—	+0,15	3,134
2603	5.6	16 Pegasi B	—	5 25,51	—	21	45	25,52	—	25,14	—	+0,38	2,721
2604	5	Indi δ	4 26,15	2 25,91	—	21	46	26,02	—	25,06	—	+0,96	4,151
2605	5	17 Pegasi	2 45,27	3 45,10	2 44,88	21	48	45,09	—	44,42	—	+0,67	2,924
2606	6.7	Aquarii	—	6 21,01	—	21	49	21,00	—	20,48	—	+0,52	3,359
2607	6.7	Aquarii c	—	5 24,99	—	21	49	24,99	—	24,19	—	+0,80	3,147
2608	9	12 Piscis Aust η	—	5 10,26	—	21	51	10,22	—	10,63	—	-0,41	3,467
2609	6	18 Pegasi A	—	5 44,40	—	21	51	44,40	—	44,12	—	+0,28	2,995
2610	6	28 Aquarii	—	5 29,07	—	21	52	29,07	—	28,81	—	+0,26	3,071

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in					Mean N.P.D. January 1; 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No.	1831	No.	1832	No.	1833			Green	A. S. C.	
2566	5 24	58,05					107 24 58,05	25 0,17 24 55,86	-2,12	+ 2,19	-15,936
2567			6 30	25,34			88 30 25,34	30 23,17		+ 2,17	15,950
2568							104 47	47 27,82			16,022
2569	5 1	4,59					114 1 4,59	1 0,43		+ 4,16	16,024
2570	6 37	39,88					109 37 39,88	37 34,59	+1,12	+ 5,29	16,067
2571	6 40	23,36					28 40 23,36	40 26,91		- 3,55	16,077
2572			4 28	33,69			89 28 33,69	28 27,31		+ 6,38	16,085
2573			5 23	2,67			110 23 2,67	22 57,72		+ 4,95	16,096
2574			5 4	57,15			85 4 57,15	4 46,66		+ 10,49	16,098
2575			4 9	52,68	1 9	52,00	105 9 52,54	9 42,36		+ 10,18	16,100
2576			5 30	56,19			105 30 56,19	30 49,98		+ 6,21	16,149
2577	4 47	14,07	1 47	16,20			123 47 14,49	47 11,07		+ 3,42	16,153
2578	5 53	29,36			5 53	30,87	80 53 30,11	53 29,45	+0,66	+ 5,31	16,206
2579			5 51	2,13			99 51 2,13	50 51,14		+ 10,99	16,211
2580	5 34	30,48			1 34	31,07	39 34 30,58	34 28,27	+2,31	+ 2,96	16,218
2581	2 24	55,90	3 24	57,28	2 24	58,36	73 24 57,19	25 1,17 24 56,68	-3,98	+ 0,51	16,239
2582	4 0	46,54					62 0 46,54	0 45,36		+ 1,18	16,242
2583			1 7	27,82	5 7	27,45	65 7 27,51	7 25,73	+1,78	+ 7,63	16,263
2584			5 2	51,88			100 2 51,88	2 44,10		+ 7,78	16,276
2585			5 8	12,23	3 8	10,57	102 8 11,61	8 11,72	-0,11	+ 4,27	16,285
2586	5 53	7,94					106 53 7,94	53 6,02	+1,92	+ 6,46	16,299
2587			2 40	17,56	3 40	14,97	121 40 16,01	40 10,55		+ 5,46	16,304
2588			5 49	16,64			67 49 16,64	49 15,56		+ 1,08	16,330
2589					5 5	11,56	88 5 11,56	5 3,36		+ 8,20	16,347
2590	6 27	40,74					19 27 40,74	27 41,50	-0,76	- 3,97	16,386
2591			4 10	43,21			96 10 43,21	10 40,88		+ 2,33	16,424
2592			5 30	3,07			103 30 3,07	30 6,04		- 2,97	16,442
2593	5 27	54,98			5 27	55,29	41 27 55,18	27 54,91		+ 0,22	16,444
2594	5 39	11,00					29 39 11,00	39 9,46	+1,54	- 0,84	16,444
2595	5 26	53,63					18 26 53,63	26 58,80		- 5,17	16,465
2596			29	27,89			73 29 27,89	29 26,52		+ 1,37	16,520
2597	1 36	21,25	36	18,77	4 36	20,37	60 36 20,04	36 14,09		+ 5,95	16,534
2598	5 9	1,10					128 9 1,10	9 57,43		+ 3,67	16,596
2599			6 46	44,31			94 46 44,31	46 40,00		+ 4,31	16,610
2600	5 20	18,69					104 20 18,69	20 18,54	+0,15	+ 6,08	16,617
2601			5 59	21,24			61 59 21,24	59 20 31		+ 0,93	16,660
2602			5 3	42,30			95 3 42,30	3 32,38		+ 9,92	16,679
2603			5 51	46,34			64 51 46,34	51 39,07		+ 7,27	16,681
2604	5 47	9,16					145 47 9,16	46 57,29		+ 11,87	16,727
2605			5 43	1,77			78 43 1,77	42 58,20		+ 3,57	16,840
2606			5 58	48,56			111 58 48,56	58 48,90		- 0,34	16,867
2607			5 13	1,97			96 13 1,97	12 57,42		+ 4,55	16,871
2608			5 15	20,12	2 15	17,24	119 15 19,30	15 15,26		+ 4,04	16,953
2609			5 5	1,96			84 5 1,96	4 56,05		+ 5,91	16,980
2610			4 11	58,53			90 11 58,53	11 49,78		+ 8,75	17,015

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	NAMES.	Mean A. R. January 1, 1832, from Observations in						Mean A. R. January 1, 1832.			Green. Catal.	A. S. Catal.	Difference from		Annual Preces- sion.	
			No. 1831			No. 1832			No. 1833					Green	A. S.		
			s.			s.			s.	h.	m.						s.
2611	6	19 Pegasi				5	48,96			21	52	48,96	s.	s.	s.		
2612	5.6	20 Pegasi						6	54,57	21	52	54,58		48,93		+0,03	+2,976
2613	6	29 Aquarii	x			4	14,56	5	14,47	21	53	14,51		54,02		+0,56	2,914
2614	5.6	30 Aquarii		2	26,00	4	26,12			21	54	26,08		15,45		-0,94	3,293
2615	5	31 Aquarii	o	6	37,41	1	37,33	2	37,31	21	54	37,39	37,37	25,83		+0,25	3,158
														36,94	+0,02	+0,45	3,104
2616	6	Aquarii				6	2,81			21	55	2,80		2,76		+0,04	3,431
2617	5.6	21 Pegasi	b			4	4,64			21	55	4,64		4,17		+0,47	2,939
2618	5.6	32 Aquarii				3	8,98	4	8,89	21	56	8,93		8,40		+0,53	3,089
2619	3	34 Aquarii	a	9	9,20	8	9,26	29	9,24	21	57	9,24	9,27	9,04	-0,03	+0,20	3,082
2620	5	22 Pegasi	v	5	12,39					21	57	12,39		12,25		+0,14	3,018
2621	7	Aquarii				5	16,34			21	57	16,34		12,80		+3,54	3,142
2622	4.5	33 Aquarii		8	21,47	1	21,55			21	57	21,48	21,44	21,48	+0,04	0,00	3,247
2623	2	Gruis	a	4	36,56					21	57	36,56		36,66		-0,10	3,818
2624	6	23 Pegasi				4	58,55			21	57	58,57		57,94		+0,63	2,705
2625	5	17 Cephei	f	3	56,20	3	55,80			21	58	56,03		54,54		+1,49	1,699
2626	4	24 Pegasi		3	11,75	1	11,46			21	59	11,68	11,79	11,69	-0,11	-0,01	2,761
2627	5.6	35 Aquarii				5	45,75			21	59	45,74	45,63	45,37	+0,11	+0,37	3,303
2628	6	25 Pegasi				5	57,16			21	59	57,17		56,83		+0,34	2,813
2629	7	36 Aquarii				3	33,64			22	0	33,64		30,40		+3,24	3,174
2630	6	37 Aquarii						5	33,73	22	1	33,72		33,44		+0,28	3,204
2631	7	Aquarii				6	36,81			22	1	36,81		36,51		+0,30	3,123
2632	6	38 Aquarii	e					6	38,36	22	1	38,35		38,17		+0,18	3,213
2633	7	Aquarii						6	42,46	22	1	42,44		41,91		+0,53	3,336
2634	4	26 Pegasi	g	6	43,51					22	1	43,51	43,51	43,63	0,00	-0,12	3,006
2635	6.7	Aquarii	q					6	47,98	22	1	47,97		47,56		+0,41	3,127
2636	5	27 Pegasi	m ¹	2	47,33	2	47,35			22	1	47,35		47,71		-0,36	2,650
2637	4	29 Pegasi	m ²	7	31,99	3	31,90			22	2	31,97	31,98	32,27	-0,01	-0,30	2,653
2638	6	28 Pegasi				2	34,17	1	34,00	22	2	34,12		33,54		+0,58	2,828
2639	7	Aquarii				5	19,24			22	3	19,23		17,54*		+1,69	3,205
2640	7	39 Aquarii				5	21,94			22	3	21,93		21,68		+0,25	3,243
2641	6	Pegasi								22	3			44,34			2,891
2642	5.6	Piscis Aust. ϕ						1	17,39	22	4	17,36		16,67		+0,69	3,384
2643	7	40 Aquarii						3	27,07	22	4	27,06		26,85		+0,21	3,214
2644	6	16 Piscis Aust. λ						3	46,57	22	4	46,54		45,98		+0,56	3,419
2645	6	41 Aquarii	F			5	0,79			22	5	0,77		0,47		+0,30	3,327
2646	4	21 Cephei	z			4	2,02			22	5	2,08	2,25	1,21	-0,17	+0,87	2,064
2647	7	Aquarii				4	6,49			22	5	6,49		5,55*		+0,94	3,128
2648	5	Gruis	μ^1	4	28,06					22	5	28,06		27,07		+0,99	3,649
2649	5	Gruis	μ^2	6	18,64					22	6	18,64		18,41		+0,23	3,651
2650	5	Lacertæ	m			5	40,54			22	6	40,56		40,25		+0,31	2,606*
2651	3	Tucanæ	a			5	55,23			22	6	55,16		55,95		-0,79	4,216
2652	6	Piscis Aust.				3	10,58	1	10,34	22	7	10,50		9,95		+0,55	3,387
2653	6	42 Aquarii						2	47,96	22	7	47,95		47,00		+0,95	3,221
2654	7	Aquarii						6	54,43	22	7	54,43		54,09		+0,34	3,095
2655	4.5	43 Aquarii	o	6	57,95					22	7	57,95	57,77	57,61	+0,18	+0,34	3,163

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession		
	No.	1831	No.				1832	No.		1833	Green. A. S. C.
2611			5 32 47,63		82 32 47,63		32 42,19	+	5,44	17,030	
2612			2 40 50,04	4 40 50,29	77 40 50,21		40 48,05	+	2,16	17,034	
2613				5 46 11,32	107 46 11,32		46 4,27	+	7,05	17,050	
2614			5 19 50,05		97 19 50,05		19 46,65	+	3,40	17,104	
2615	5 57 43,42				92 57 43,42	57 47,37	57 42,84	-3,95	+	0,58	17,112
2616			5 37 50,08		117 37 50,08		37 51,43	-	1,35	17,132	
2617			3 25 19,56	2 25 18,83	79 25 19,27		25 11,44	+	7,83	17,133	
2618			5 42 55,68		91 42 55,68		42 49,92	+	5,76	17,182	
2619	33 7 55,10	14 7 56,96	16 7 57,33	91 7 56,08	7 57,54	7 54,24		-1,46	+	1,84	17,227
2620				5 45 35,94	85 45 35,94		45 29,18	+	6,76	17,229	
2621			2 10 7,17	3 10 7,93	96 10 7,63						17,229
2622				5 40 54,00	104 40 54,00	40 51,38	40 41,57	+2,62	+	12,43	17,236
2623	5 46 9,62				137 46 9,62		46 5,13	+	4,49	17,246	
2624			3 50 55,18	2 50 56,94	61 50 55,58		50 52,93	+	2,95	17,264	
2625	5 11 20,04				26 11 20,04		11 22,10	-	2,06	17,307	
2626	5 28 21,17	3 28 21,70			65 28 21,37	28 22,35	28 15,17	-0,98	+	6,20	17,318
2627		5 20 17,38			109 20 17,38		20 11,44	+	5,94	17,342	
2628		2 6 40,71	3 6 40,92		69 6 40,84		6 38,58	+	2,26	17,351	
2629		5 0 27,90			99 0 27,90		0 28,74	-	0,84	17,375	
2630		4 38 39,11			101 38 39,11		38 34,55	+	4,56	17,420	
2631		5 42 53,51			94 42 53,51		42 46,64	+	6,87	17,423	
2632		5 23 14,37			102 23 14,37		23 9,11	+	5,26	17,424	
2633			5 3 13,65		112 3 13,65		3 11,50	+	2,15	17,426	
2634	5 37 36,05		5 37 33,36		84 37 34,70	37 31,06	37 26,45	+3,64	+	8,25	17,428
2635			5 5 27,21		95 5 27,21		5 20,19	+	7,02	17,431	
2636	5 38 33,01				57 38 33,01		38 44,44	-	11,43	17,432	
2637	5 38 33,34				57 38 33,34	38 35,86	38 31,95	-2,52	+	1,39	17,463
2638			4 50 43,52		69 50 43,52		50 37,14	+	6,58	17,464	
2639		4 53 27,15	1 53 29,56		101 53 27,15						17,495
2640			5 1 8,87		105 1 8,87		0 58,36	+	10,51	17,498	
2641		4 47 5,42			74 47 5,42		47 1,72	+	3,70	17,514	
2642		2 0 38,05	5 0 34,03		116 0 38,05		0 32,87	+	5,18	17,537	
2643			5 45 8,64		102 45 8,64		45 2,36	+	6,28	17,544	
2644		5 35 40,60			118 35 40,60		34 57,95				17,557
2645		3 54 22,19	2 54 21,59		111 54 21,95		54 19,59	+	2,36	17,568	
2646	5 37 28,58	1 37 29,07	2 37 29,44		32 37 28,86	37 30,52	37 32,61	-1,66	-	3,75	17,570
2647			4 16 50,05		95 16 50,05						17,571
2648	5 10 45,36				132 10 45,36		10 41,07	+	4,29	17,586	
2649	5 27 31,29				132 27 31,29		27 28,72	+	2,57	17,622	
2650	5 6 56,93				51 6 56,93		6 54,94	+	1,99	17,838*	
2651	5 5 30,34				151 5 30,34		5 22,93	+	7,41	17,647	
2652		5 43 51,46			116 43 51,46		43 47,37	+	4,09	17,658	
2653		5 39 52,49			103 39 52,49		39 52,92	-	0,43	17,683	
2654		5 25 47,38			92 25 47,38		25 46,39	+	0,99	17,688	
2655	5 36 55,13				98 36 55,13	36 59,48	36 56,93	-4,35	-	1,80	17,691

Comparison of the Observed Places of the Principal Fixed Stars

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832.			Green Catal.	A. S. Catal.	Difference from		Annual Preces- sion.	
			No. 1831 No. 1832 No. 1833								Green.	A. S.		
			s.	s.	s.	h. m. s.	s.	s.						s.
2656	6	Aquarii			3	0,12 22	8	0,11		59,91		+0,20	+3,177.	
2657	6.7	44 Aquarii			6	20,02 22	8	20,01		20,22		-0,21	3,136.	
2658	5	1 Lacertæ	a	5 39,47		22	8 39,47			38,55		+0,92	2,599.	
2659	4.5	23 Cephei	e	2 51,67	3	51,61	1	51,37 22	8 51,63	51,54	51,04	+0,09	+0,59	2,137.
2660	6	45 Aquarii	D		6	59,58		22	9 59,56		59,07		+0,49	3,224.
2661	6	46 Aquarii	p		5	21,37	1	21,36 22	11 21,37	21,35	21,61	+0,02	-0,24	3,161.
2662	5	30 Pegasi		6 0,43				22	12 0,43		0,05		+0,38	3,016.
2663	5	47 Aquarii	l		6	20,13		22	12 20,12		19,65		+0,47	3,318.
2664	4	48 Aquarii	y		6	58,71		22	12 58,71	58,67	58,50	+0,04	+0,21	3,092.
2665	4.5	31 Pegasi	d	7 15,17				22	13 15,17	15,15	15,03	+0,02	+0,14	2,947.
2666	5.6	32 Pegasi	C		5	34,41		22	13 34,42		33,94		+0,48	2,757.
2667	5	2 Lacertæ	b	4 5,92		6	5,67 22	14	5,81		5,32		+0,49	2,458.
2668	6	49 Aquarii			4	8,49		22	14 8,48		8,36		+0,12	3,354.
2669	7	Aquarii		4 43,13	1	43,57		22	14 43,22		42,79		+0,43	3,152.
2670	5	Tucanæ	o			4	17,56 22	15	17,38		16,51		+0,87	4,383.
2671	6	51 Aquarii	G		5	21,67		22	15 21,67		20,95		+0,72	3,127.
2672	6	50 Aquarii			1	26,70	2	26,61 22	15 26,62		26,69		-0,07	3,219.
2673	7	Aquarii				5	55,73 22	15	55,73		55,31		+0,42	3,089.
2674	5	52 Aquarii	π	7 41,90		5	41,84 22	16	41,88	41,80	41,55	+0,08	+0,33	3,063.
2675	6	Piscis Aust.				4	52,54 22	16	52,51		52,63		-0,12	3,334.
2676	4	3 Lacertæ	c	1 58,03	5	57,65	3	57,55 22	16 57,61	58,10	57,16	-0,49	+0,45	2,341.
2677	6.7	53 Aquarii	E ¹		6	26,42		22	17 26,41		26,66		-0,25	3,252.
2678	6.7	53 Aquarii	E ²		3	27,10		22	17 27,09		27,45		-0,36	3,252.
2679	5	4 Lacertæ	d	4 43,08				22	17 43,08		42,00		+1,08	2,413.
2680	5.6	34 Pegasi	H ¹		4	4,20		22	18 4,20		3,86		+0,34	3,033.
2681	4	Gruis	δ ¹	3 11,82				22	19 11,82		11,64		+0,18	3,625.
2682	5.6	35 Pegasi	H ²		5	21,47		22	19 21,47		20,69		+0,78	3,030.
2683	5	Gruis	δ ²		4	41,53	1	41,55 22	19 41,50		40,95		+0,55	3,627.
2684	4	55 Aquarii	ξ	5 10,80		1	10,83 22	20	10,83	10,82	10,53	+0,01	+0,30	3,077.
2685	6.7	Aquarii			4	2,31		22	21 2,31		1,29		+1,02	3,205.
2686	6	56 Aquarii	f			8	16,64 22	21	16,62		16,37		+0,25	3,222.
2687	6	37 Pegasi	H ³			5	28,54 22	21	28,53		28,24		+0,29	3,033.
2688	5	57 Aquarii	σ		5	45,14	3	45,05 22	21 45,10	45,09	45,10	+0,01	0,00	3,182.
2689	4	17 Piscis Aust.	β	4 56,21		2	56,30 22	21	56,23	56,30	56,24	-0,07	-0,01	3,431.
2690	6	58 Aquarii			5	46,71		22	22 46,71		46,49		+0,22	3,183.
2691	4.5	27 Cephei	δ	6 56,74				22	22 56,74	56,88	55,86	-0,14	+0,88	2,204.
2692	4	7 Lacertæ	g	3 23,09		2	22,81 22	24	23,02	23,17	22,88	-0,15	+0,14	2,436.
2693	6	39 Pegasi	K		4	28,91		22	24 28,92		28,38		+0,54	2,878.
2694	7	Aquarii			5	15,46		22	25 15,46		15,19		+0,27	3,167.
2695	6.7	60 Aquarii	H		4	23,40	2	23,33 22	25 23,38		22,95		+0,43	3,091.
2696	5	59 Aquarii	v	5 28,60				22	25 28,60	29,64	29,51	-0,04	+0,09	3,280.
2697	7	Aquarii			5	0,37	5	0,25 22	26 0,31		0,07		+0,24	3,071.
2698	4	62 Aquarii	η	6 43,46				22	26 43,46	43,42	43,13	+0,04	+0,33	3,077.
2699	7	61 Aquarii	L		5	45,72		22	26 45,71		44,75		+0,96	3,243.
2700	5	Octantis	β					22	28 —		19,87			6,904.

No.	Mean N. P. D., reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
2656	—	5 52 29,70	—	99 52 29,70	—	52 24,66	—	—	—
2657	—	—	5 13 23,12	96 13 23,12	—	13 14,67	—	+	5,04 17,692
2658	6 5 6,72	—	—	53 5 6,72	—	5 2,23	—	+	8,45 17,706
2659	5 47 28,35	1 47 29,91	5 47 28,13	33 47 28,39	47 32,73	47 33,61	— 4,34	+	4,49 17,719
2660	—	5 8 31,06	—	104 8 31,06	—	8 28,78	—	—	5,22 17,728
2661	—	5 39 37,85	—	98 39 37,85	39 21,52	39 33,27	—	+	2,28 17,773
2662	5 3 10,27	—	—	85 3 10,27	—	3 3,19	+ 16,33	+	4,58 17,828
2663	5 26 9,88	—	—	112 26 9,88	—	24 7,24	—	+	7,08 17,854
2664	4 13 52,85	1 13 51,47	—	92 13 52,57	13 51,26	13 44,87	—	+ 122,64	17,867
2665	—	5 38 14,78	4 38 15,14	78 38 14,94	38 18,26	38 12,58	+ 1,31	+	7,70 17,893
2666	—	5 30 45,01	—	62 30 45,01	—	30 44,65	— 3,32	+	2,36 17,904
2667	5 18 25,00	—	—	44 18 25,00	—	18 26,46	—	+	0,36 17,916
2668	—	5 36 31,96	—	115 36 31,96	—	36 23,62	—	—	1,46 17,937
2669	—	5 2 24,94	—	98 2 24,94	—	2 26,15	—	+	8,34 17,938
2670	4 49 0,37	—	2 49 0,85	155 49 0,53	—	48 46,22	—	—	1,21 17,960
2671	—	—	5 41 4,08	95 41 4,08	—	40 58,38	—	+	14,31 17,981
2672	—	4 22 42,05	1 22 42,58	104 22 42,15	—	22 35,85	—	+	5,70 17,985
2673	—	—	5 2 12,72	92 2 12,72	—	2 11,33	—	+	6,30 17,989
2674	6 28 21,88	—	—	89 28 21,88	28 21,12	28 17,18	—	+	1,39 18,007
2675	—	5 31 59,62	—	114 31 59,62	—	31 56,52	+ 0,76	+	4,70 18,037
2676	5 36 35,46	—	5 36 36,44	38 36 35,95	36 37,58	36 38,64	—	+	3,10 18,043
2677	—	4 35 30,15	3 35 32,41	107 35 31,12	—	35 32,82	— 1,63	—	2,69 18,048
2678	—	—	—	187 —	—	35 36,13	—	—	1,70 18,065
2679	5 22 21,57	—	—	41 22 21,57	—	22 24,62	—	—	— 18,066
2680	—	4 27 36,75	—	86 27 36,75	—	27 33,68	—	+	3,05 18,076
2681	4 21 0,79	—	2 21 0,19	134 21 0,59	—	21 0,71	—	+	3,07 18,089
2682	—	5 8 38,41	—	86 8 38,41	—	8 27,65	—	—	0,12 18,130
2683	3 36 22,26	2 36 22,57	—	134 36 22,38	—	36 14,72	—	+	10,76 18,137
2684	5 52 37,80	—	5 52 35,45	90 52 36,62	52 38,64	52 34,88	—	+	7,66 18,149
2685	—	5 46 17,66	—	103 46 17,66	—	—	— 2,02	+	1,74 18,167
2686	—	5 26 31,86	—	105 26 31,86	—	26 24,50	—	—	— 18,198
2687	—	3 25 8,96	—	86 25 8,96	—	25 2,60	—	+	7,36 18,208
2688	5 32 3,71	—	—	101 32 3,71	32 5,90	31 55,22	—	+	6,36 18,215
2689	5 12 14,90	—	—	123 12 14,90	12 12,70	12 14,18	— 2,19	+	8,49 18,225
2690	—	5 45 47,63	—	101 45 47,63	—	45 42,01	+ 2,20	+	0,72 18,232
2691	5 26 32,07	—	5 26 33,89	32 26 32,98	26 31,32	26 34,42	—	+	5,62 18,262
2692	5 34 46,46	1 34 46,38	5 34 46,19	40 34 46,33	34 45,50	34 45,32	+ 1,66	—	1,44 18,269
2693	1 37 59,83	4 38 0,34	—	70 38 0,24	—	37 56,36	+ 0,83	+	1,01 18,320
2694	1 28 22,61	4 28 21,80	—	100 28 21,96	—	28 19,79	—	+	3,88 18,323
2695	—	4 26 9,63	—	92 26 9,63	—	26 2,75	—	+	2,17 18,350
2696	5 33 55,19	—	—	111 33 55,19	33 45,04	33 52,29	—	+	6,88 18,355
2697	—	—	5 16 2,81	90 16 2,81	—	15 54,11	+ 10,15	+	2,90 18,359
2698	5 58 52,44	—	—	90 58 52,44	58 52,04	58 44,02	—	+	8,70 18,377
2699	—	—	5 19 27,53	108 19 27,53	—	19 22,72	+ 0,40	+	8,42 18,402
2700	—	—	—	173 Invisible	—	14 50,51	—	+	4,81 18,402
									18,463

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
											Green.	A. S.	
			No. 1831	No. 1832	No. 1833	h.	m.	s.					
			s.	s.	s.				s.	s.	s.	s.	s.
2701	6	63 Aquarii	—	5 3,33	6 3,29	22 29	3,30	3,26	3,27	+0,04	+0,08	+3,114	
2702	6.7	64 Aquarii	—	5 25,52	—	22 30	25,52	—	25,53	—	-0,01	3,166	
2703	6	40 Pegasi	—	4 45,40	—	22 30	45,41	—	44,74	—	+0,67	2,897	
2704	7	Aquarii	—	5 16,06	—	22 31	16,06	—	15,27	—	+0,79	3,159	
2705	4	18 Piscis Aust	6 21,02	—	4 20,94	22 31	20,98	20,98	20,88	0,00	+0,10	3,336	
2706	6	41 Pegasi	—	5 39,17	—	22 31	39,18	—	38,67	—	+0,51	2,897	
2707	5	31 Cephei	4 36,61	—	—	22 31	36,31	—	36,74	—	-0,43	1,447	
2708	3	Gruis	6 35,88	—	—	22 32	35,88	—	35,85	—	+0,03	3,617	
2709	5	30 Cephei	4 42,82	—	—	22 32	42,82	—	42,45	—	+0,37	2,105	
2710	3	42 Pegasi	6 5,16	—	5 5,27	22 33	5,21	5,23	4,90	-0,02	+0,31	2,981	
2711	5	43 Pegasi	—	—	—	22 33	—	—	52,35	—	—	2,802	
2712	7	65 Aquarii	1 10,68	4 10,72	1 10,82	22 34	10,73	—	10,43	—	+0,30	3,163	
2713	7	Aquarii	—	3 15,22	3 15,02	22 34	15,21	—	14,44	—	+0,77	3,147	
2714	6	67 Aquarii	—	—	6 27,71	22 34	27,70	—	27,65	—	+0,05	3,135	
2715	6.7	66 Aquarii	—	—	6 32,30	22 34	32,28	—	32,09	—	+0,19	3,243	
2716	3	44 Pegasi	—	5 8,32	2 8,30	22 35	8,34	8,21	7,87	+0,13	+0,47	2,796	
2717	5	Gruis	—	5 16,30	—	22 35	16,25	—	15,79	—	+0,46	3,743	
2718	6	20 Piscis Aust	—	5 18,83	—	22 36	18,82	—	18,54	—	+0,28	3,302	
2719	6	45 Pegasi	—	5 18,19	—	22 37	18,20	—	17,65	—	+0,55	2,910	
2720	5	46 Pegasi	6 18,33	—	—	22 38	18,33	—	17,96	—	+0,37	2,975	
2721	4	Gruis	3 22,04	—	—	22 38	22,04	—	21,02	—	+1,02	3,670	
2722	4.5	47 Pegasi	6 26,81	—	2 26,80	22 38	26,81	26,83	27,23	-0,02	-0,42	2,873	
2723	6	68 Aquarii	—	5 31,28	—	22 38	31,28	—	30,92	—	+0,36	3,242	
2724	6	69 Aquarii	1 46,99	6 47,38	3 47,19	22 38	47,28	48,09	46,85	-0,81	+0,43	3,192	
2725	6	70 Aquarii	—	7 39,56	2 39,65	22 39	39,57	—	39,97	—	-0,40	3,161	
2726	5.6	71 Aquarii	—	5 41,54	6 41,52	22 40	41,52	41,50	41,48	+0,02	+0,04	3,185	
2727	4	48 Pegasi	5 54,18	—	4 54,12	22 41	54,16	54,16	53,40	0,00	+0,76	2,872	
2728	5	22 Piscis Aust	5 10,22	—	—	22 43	10,22	—	10,11	—	+0,11	3,362	
2729	4	32 Cephei	1 43,48	—	—	22 43	43,48	43,16	42,27	+0,32	+1,21	2,118	
2730	4	73 Aquarii	7 50,88	—	3 50,82	22 43	50,85	50,78	50,40	+0,07	+0,45	3,133	
2731	5.6	49 Pegasi	—	5 53,71	—	22 43	53,71	—	53,03	—	+0,68	2,999	
2732	6	74 Aquarii	—	5 37,90	2 37,61	22 44	37,82	—	37,09	—	+0,73	3,164	
2733	6	Pegasi	—	5 46,46	—	22 44	46,48	—	46,41	—	+0,07	2,945	
2734	5	Cephei	1 50,12	—	—	22 44	50,12	—	—	—	—	2,297	
2735	3	76 Aquarii	6 43,73	—	1 43,72	22 45	43,73	43,75	43,53	-0,02	+0,20	3,196	
2736	6	78 Aquarii	—	5 49,33	—	22 45	49,33	—	48,93	—	+0,40	3,129	
2737	6	77 Aquarii	—	5 51,83	—	22 45	51,82	—	51,21	—	+0,61	3,199	
2738	6	1 Piscium	—	1 23,83	5 23,77	22 46	23,78	—	23,76	—	+0,02	3,067	
2739	7	Aquarii	—	—	6 28,09	22 46	28,09	—	27,79	—	+0,30	3,112	
2740	5.6	50 Pegasi	3 46,54	—	6 46,48	22 46	46,50	—	45,59	—	+0,91	3,010	
2741	1	24 Piscis Aust	23 21,00	6 21,14	20 21,10	22 48	21,02	20,99	20,96	+0,03	+0,06	3,311	
2742	6	51 Pegasi	—	5 13,14	—	22 49	13,15	—	12,28	—	+0,87	2,921	
2743	6	52 Pegasi	—	6 47,78	—	22 50	47,78	—	47,59	—	+0,19	2,992	
2744	6.7	2 Piscium	—	6 51,09	—	22 50	51,09	—	50,66	—	+0,43	3,068	
2745	5	Gruis	5 55,34	—	—	22 50	55,34	—	54,78	—	+0,56	3,608	

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in.						Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precessi- on.	
	No.		No.		No.					Green.	A. S. C.		
	1831		1832		1833								
2701	2	5 36,26	5	5 35,69			95 5 35,85	5 32,65	5 25,23	+ 3,20	+ 10,62	-18,482	
2702			5	53 57,76			100 53 57,76		53 49,85		+ 7,91	18,528	
2703			5	20 41,27			71 20 41,27		20 36,77		+ 4,50	18,539	
2704			6	14 6,39			100 14 6,39		14 4,08		+ 2,31	18,555	
2705	5	54 56,83					117 54 56,83	55 0,35	54 56,96	-3,52	- 0,13	18,558	
2706			4	11 27,65			71 11 27,65		11 20,07		+ 7,58	18,568	
2707	5	13 38,47					17 13 38,47		13 38,49		- 0,02	18,569	
2708	5	45 34,54					137 45 34,54		45 28,32		+ 6,22	18,599	
2709	5	17 13,28					27 17 13,28		17 17,53		- 4,25	18,604	
2710	5	2 41,42			5	2 41,05	80 2 41,42	2 35,03	2 29,85	+ 6,39	+ 11,57	18,615	
2711	5	34 1,50					61 34 1,50		33 58,29		+ 3,21	18,641	
2712			5	58 48,09			100 58 48,09		58 42,48		+ 5,61	18,650	
2713			6	11 17,80			99 11 17,80		11 16,95		+ 0,85	18,652	
2714			4	50 21,31	1	50 21,68	97 50 21,38		50 16,49		+ 4,89	18,659	
2715					5	42 26,04	109 42 26,04		42 23,32		+ 2,72	18,662	
2716	3	39 19,48	2	39 20,34	5	39 19,50	60 39 19,66	39 18,94	39 15,40	+ 0,72	+ 4,26	18,681	
2717			3	22 53,19	3	22 51,33	144 22 52,26		22 48,55		+ 3,71	18,684	
2718			5	7 2,08			116 7 2,08		6 58,22		+ 4,46	18,718	
2719			5	30 59,96			71 30 59,96		30 51,61		+ 8,35	18,748	
2720	5	41 8,06					78 41 8,06		41 2,79		+ 5,27	18,779	
2721	5	11 52,35					142 11 52,35		11 51,82		+ 0,53	18,780	
2722	3	18 56,97	3	18 56,30	5	18 58,00	67 18 57,25	18 58,68	18 49,83	-1,43	+ 7,42	18,784	
2723			5	29 16,27			110 29 16,27		29 11,94		+ 4,33	18,786	
2724			5	56 26,19			104 56 26,19	56 22,90	56 20,01	+ 3,29	+ 6,18	18,794	
2725			5	26 23,94			101 26 23,94		26 18,77		+ 5,17	18,821	
2726			4	28 38,37			104 28 38,37	28 37,16	28 32,37	+ 1,21	+ 6,00	18,851	
2727	5	16 59,25	2	16 58,83	5	16 59,23	66 16 59,13	17 0,47	16 59,80	-1,34	- 0,67	18,887	
2728	3	45 47,08					123 45 47,08		45 43,23		+ 3,85	18,924	
2729	5	40 56,19					24 40 56,19	40 54,09	40 55,83	+ 2,10	+ 0,36	18,940	
2730	5	28 13,56					98 28 13,56	28 17,48	28 14,46	-3,92	- 0,90	18,943	
2731	3	3 21,90	3	3 22,17			81 3 22,03		3 17,51		+ 4,52	18,944	
2732			5	30 24,04			102 30 24,04		30 25,16		- 1,12	18,965	
2733			5	2 52,60			74 2 52,60		2 52,35		+ 0,25	18,970	
2734	4	11 41,56			1	11 41,83	29 11 41,61		11 47,89		- 6,28	18,971	
2735	7	42 43,17					106 42 43,17	42 43,12	42 37,40	+ 0,05	+ 5,77	18,996	
2736			5	5 40,48			98 5 40,48		5 40,40		+ 0,08	18,999	
2737			5	9 39,62			107 9 39,62		9 33,23		+ 6,39	19,000	
2738	1	49 45,40	4	49 45,66			89 49 45,61		49 39,96		+ 5,65	19,016	
2739			2	52 51,13	4	52 51,43	95 52 51,33		52 50,27		+ 1,06	19,017	
2740	1	4 41,56	5	4 41,86			82 4 41,81		4 37,35		+ 4,46	19,025	
2741	48	30 38,18	20	30 39,07	32	30 40,27	120 30 39,04	30 36,81	30 35,74	+ 2,20	+ 3,27	19,068	
2742					6	7 51,35	70 7 51,35		7 43,82		+ 7,53	19,091	
2743			5	10 1,59			79 10 1,59		9 58,80		+ 2,79	19,133	
2744			6	56 0,11			89 56 0,11		55 54,05		+ 6,06	19,134	
2745	5	39 5,53					143 39 5,53		39 6,93		- 1,42	19,136	

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832		Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h. m.	s.			Green.	A. S.	
			s.	s.	s.			s.	s.	s.	s.	
2746	6	3 Piscium α^2	4 1,05	—	—	22 52	1,05	—	0,94	—	+0,11	+3,073
2747	7	" Piscium	—	6 9,48	—	22 52	9,48	—	8,96	—	+0,52	3,054
2748	6	81 Aquarii	1 39,63	6 39,74	—	22 52	39,72	—	39,35	—	+0,37	3,122
2749	7	" Piscium	—	6 10,41	—	22 53	10,41	—	—	—	—	3,050
2750	6	82 Aquarii	—	5 49,18	—	22 53	49,18	—	49,06	—	+0,12	3,118
2751	4	1 Andromedæ α	6 12,48	—	4 12,41	22 54	12,47	12,47	11,78	0,00	+0,69	2,734
2752	5	4 Piscium β	6 19,84	—	—	22 55	19,84	19,71	19,35	+0,13	+0,49	3,049
2753	2	53 Pegasi β	2 38,26	—	—	22 55	38,26	38,36	38,13	-0,10	+0,13	2,878
2754	6	83 Aquarii α^1	—	5 24,16	3 23,95	22 56	24,08	23,89	23,74	+0,19	+0,34	3,124
2755	2	54 Pegasi α	17 23,89	18 23,93	30 23,94	22 56	23,93	23,94	23,66	-0,01	+0,27	2,975
2756	7	85 Aquarii α^3	—	5 7,95	—	22 57	7,94	7,53	8,05	+0,41	-0,11	3,124
2757	5	Cephei f	2 10,43	—	—	22 57	10,43	—	—	—	—	2,243
2758	5	Gruis θ	4 23,47	—	—	22 57	23,47	—	23,37	—	+0,10	3,422
2759	5.6	86 Aquarii α^1	—	5 38,70	—	22 57	38,69	—	38,56	—	+0,13	3,233
2760	5	55 Pegasi ι	2 32,71	—	1 32,80	22 58	32,74	32,54	32,61	+0,20	+0,13	3,015
2761	4.5	56 Pegasi h	6 56,27	—	—	22 58	56,27	56,39	56,24	-0,12	+0,03	2,907
2762	6	Aquarii	—	5 15,09	—	22 59	15,08	—	14,59	—	-0,49	3,268
2763	6	5 Piscium A	—	4 4,83	2 4,81	23 0	4,83	—	4,24	—	+0,59	3,061
2764	4.5	88 Aquarii α^2	6 28,92	—	2 28,73	23 0	28,87	28,78	28,78	+0,09	+0,09	3,208
2765	5	Gruis i	3 49,24	—	—	23 0	49,24	—	45,63	—	+3,61	3,424
2766	5	89 Aquarii α^3	—	1 55,92	—	23 0	55,91	—	55,83	—	+0,08	3,216
2767	5.6	57 Pegasi m	—	5 2,89	—	23 1	2,89	—	2,86	—	+0,03	3,022
2768	5	33 Cephei π	2 34,33	—	—	23 2	34,33	—	34,11	—	+0,22	1,875
2769	5.6	59 Pegasi p	—	4 15,51	—	23 3	15,51	—	15,53	—	-0,02	3,023
2770	6	60 Pegasi	1 40,78	5 40,44	—	23 3	40,51	—	40,41	—	+0,10	2,910
2771	5	7 Androm α	6 52,39	—	—	23 4	52,39	—	51,87	—	+0,52	2,708
2772	5	90 Aquarii ϕ	6 37,20	4 37,42	2 37,15	23 5	37,26	37,29	36,94	-0,03	+0,32	3,106
2773	5.6	91 Aquarii ψ^1	—	4 5,53	6 5,28	23 7	5,17	5,25	5,25	-0,08	-0,08	3,122
2774	4	Tucanæ γ	4 34,51	—	—	23 7	34,51	—	33,63	—	+0,88	3,577
2775	6	61 Pegasi	—	5 34,76	—	23 7	34,77	—	34,23	—	+0,54	2,911
2776	5.6	92 Aquarii α	—	5 8,37	5 8,27	23 8	8,31	8,04	8,43	+0,27	-0,12	3,114
2777	4.5	6 Piscium γ	5 27,37	7 27,53	—	23 8	27,46	27,46	27,26	0,00	+0,20	3,108*
2778	5	93 Aquarii ψ^2	1 10,22	6 10,27	—	23 9	10,26	10,27	10,35	-0,01	-0,09	3,121
2779	5	Δ p. Sculp γ	6 44,40	—	—	23 9	44,40	—	44,18	—	+0,22	3,261
2780	5	8 Androm	3 58,59	—	—	23 9	58,59	—	57,98	—	+0,61	2,745
2781	5	95 Aquarii ψ^3	5 13,19	2 13,10	4 13,10	23 10	13,14	13,22	12,93	-0,08	+0,21	3,122
2782	6	94 Aquarii Z	—	5 16,34	—	23 10	16,38	—	16,09	—	+0,24	3,142
2783	6	96 Aquarii	—	5 41,35	5 41,31	23 10	41,32	41,28	41,06	+0,04	+0,26	3,098
2784	6	7 Piscium b	—	5 47,13	—	23 11	47,13	—	46,77	—	+0,36	3,046
2785	7	Aquarii	—	5 1,16	—	23 12	1,16	—	1,12	—	+0,04	3,101
2786	6	Aquarii T	—	5 17,90	—	23 12	17,89	—	17,75	—	+0,14	3,215
2787	5	62 Pegasi τ	5 19,99	—	—	23 12	19,99	—	19,45	—	+1,54	2,952
2788	6	97 Aquarii	1 50,45	4 50,64	—	23 13	50,60	—	49,90	—	+0,70	3,145
2789	5	98 Aquarii b^1	6 8,45	—	—	23 14	8,45	—	7,86	—	+0,59	3,170
2790	6	65 Pegasi	—	7 19,23	—	23 14	19,24	—	19,19	—	+0,05	2,972

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in			Mean N. P. D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No. 1831	No. 1832	No. 1833				Green.	A. S. C.	
2746	4 42 53,08	3 42 54,40	—	90 42 53,65	—	42 47,62	—	+ 6,03	19,165
2747	—	4 53 0,39	—	87 53 0,39	—	52 58,17	—	+ 2,22	19,168
2748	—	4 57 36,86	2 57 37,86	97 57 37,19	—	57 31,73	—	+ 5,46	19,181
2749	—	—	6 22 3,18	87 22 3,18	—	22 2,96	—	+ 0,22	19,194
2750	—	5 28 24,22	—	97 28 24,22	—	28 19,12	—	+ 5,10	19,210
2751	5 34 28,16	2 34 25,33	5 34 27,41	48 34 27,37	34 30,68	34 31,53	— 3,26	— 4,16	19,220
2752	5 4 59,08	—	4 4 58,49	87 4 58,81	4 58,42	4 52,42	+ 0,39	+ 6,39	19,247
2753	5 49 35,54	—	—	62 49 35,54	49 37,42	49 32,38	— 1,88	+ 3,16	19,255
2754	—	4 35 51,46	3 35 53,73	98 35 51,46	35 56,67	35 49,01	— 5,21	+ 2,45	19,273
2755	37 41 50,14	25 41 50,06	26 41 50,20	75 41 50,14	41 48,33	41 44,79	+ 1,81	+ 5,35	19,273
2756	—	4 50 27,84	—	98 50 27,84	50 30,96	50 21,41	— 3,12	+ 6,43	19,291
2757	—	—	5 41 40,41	23 41 40,41	—	41 45,37	—	+ 4,96	19,291
2758	4 25 30,79	—	—	134 25 30,79	—	25 28,48	—	+ 2,31	19,297
2759	—	5 38 57,52	—	114 38 57,52	—	38 51,93	—	+ 5,59	19,303
2760	5 29 47,50	—	5 29 46,32	81 29 46,32	29 47,04	29 40,04	— 1,03	+ 6,87	19,324
2761	—	5 26 13,82	5 26 14,82	65 26 14,82	26 12,53	26 6,90	+ 1,79	+ 7,43	19,333
2762	—	4 43 47,20	—	119 43 47,20	—	43 44,35	—	+ 3,35	19,340
2763	—	3 47 1,93	—	88 47 1,93	—	47 1,90	—	+ 0,03	19,359
2764	5 4 55,87	—	—	112 4 55,87	4 56,85	4 50,27	— 0,98	+ 5,60	19,368
2765	5 9 15,14	—	—	136 9 15,14	—	9 17,03	—	+ 1,89	19,374
2766	4 21 56,15	1 21 55,90	—	113 21 56,10	—	21 54,07	—	+ 2,03	19,378
2767	1 13 55,00	4 13 55,78	—	82 13 55,63	—	13 48,71	—	+ 6,92	19,381
2768	5 31 18,69	—	—	15 31 18,69	—	31 15,35	—	+ 1,66	19,415
2769	4 11 27,01	—	—	82 11 27,01	—	11 21,56	—	+ 5,45	19,429
2770	—	4 3 28,04	1 3 29,50	64 3 28,53	—	3 24,88	—	+ 3,45	19,438
2771	4 30 36,25	2 30 35,22	5 30 37,87	41 30 36,80	—	30 28,11	—	+ 1,31	19,464
2772	5 57 10,83	—	—	96 57 10,83	57 11,63	57 8,39	+ 0,80	+ 2,44	19,479
2773	—	4 0 8,97	—	100 0 8,97	0 7,36	0 0,65	+ 1,61	+ 8,32	19,509
2774	5 9 18,35	—	—	149 9 18,35	—	9 28,90	—	+ 5,55	19,518
2775	—	5 39 57,89	—	62 39 57,89	—	39 56,17	—	+ 1,72	19,518
2776	—	4 38 25,14	—	98 38 25,14	38 29,57	38 20,81	— 4,43	+ 4,33	19,530
2777	5 38 1,85	6 38 2,10	5 38 2,41	87 38 2,12	38 3,21	38 1,63	— 1,09	+ 0,49	19,536
2778	4 5 57,00	—	—	100 5 57,00	5 53,67	5 48,46	+ 3,33	+ 8,54	19,550
2779	4 26 42,69	—	1 26 42,93	123 26 42,73	—	26 43,30	—	+ 0,57	19,560
2780	3 54 5,44	2 54 5,46	—	41 54 5,45	—	54 7,74	—	+ 2,29	19,565
2781	—	5 31 41,96	—	100 31 41,96	31 46,86	31 34,18	+ 1,10	+ 7,78	19,570
2782	—	5 22 18,99	—	104 22 18,99	—	22 10,34	—	+ 8,65	19,571
2783	—	5 2 26,18	—	96 2 26,18	2 27,03	2 25,45	— 0,85	+ 0,73	19,578
2784	3 4 56	2 32 6,07	—	85 32 5,16	—	32 2,76	—	+ 2,40	19,599
2785	—	5 49 25,50	—	96 49 25,50	—	49 20,08	—	+ 5,42	19,603
2786	—	5 54 15,09	—	117 54 15,09	—	54 13,94	—	+ 1,15	19,608
2787	5 10 39,51	—	—	67 10 39,51	—	10 36,43	—	+ 3,08	19,609
2788	—	4 57 58,01	2 57 36,38	105 57 37,47	—	57 34,37	—	+ 3,10	19,635
2789	5 0 59,15	—	—	111 0 59,15	—	0 57,88	—	+ 1,27	19,641
2790	—	5 5 29,31	—	70 5 29,31	—	5 21,72	—	+ 7,50	19,644

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832			Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831	No. 1832	No. 1833	h.	m.	s.			Green.	A. S.	
			s.	s.	s.				s.	s.	s.	s.	
2791	6	66 Pegasi	1 36 51	5 36,61	—	23 14 36,59	—	—	36,08	—	+ 0,51	+ 3,015	
2792	6.7	Piscium	—	5 54,93	—	23 14 54,93	—	—	54,51	—	+ 0,42	3,071	
2793	6	Aquarii	—	5 12,72	—	23 15 12,71	—	—	12,28	—	+ 0,43	3,177	
2794	5	68 Pegasi	6 0,36	—	—	23 17 0,36	—	—	59,86	—	+ 0,50	2,965	
2795	5	99 Aquarii	5 12,80	—	—	23 17 12,80	—	—	12,20	—	+ 0,60	3,166	
2796	5	4 Cassiopeæ	1 24,25	—	1 24,40	23 17 24,39	24,35	23,67	+ 0,04	+ 0,72	2,615		
2797	6	Aquarii	—	6 43,74	—	23 17 43,73	—	43,32	—	+ 0,41	3,171		
2798	5.6	8 Piscium	—	6 19,45	7 19,31	23 18 19,37	19,41	18,40	— 0,04	+ 0,97	3,067		
2799	6	9 Piscium	—	5 38,54	—	23 18 38,54	—	38,27	—	+ 0,27	3,067		
2800	6	69 Pegasi	—	5 20,23	—	23 19 20,24	—	19,41	—	+ 0,83	2,962		
2801	5	10 Piscium	6 26,99	—	—	23 19 26,99	—	26,35	—	+ 0,64	3,046		
2802	5	Cephei	5 12,99	—	—	23 20 12,99	—	—	—	—	—	2,452	
2803	5	70 Pegasi	1 39,78	—	—	23 20 39,78	—	39,40	—	+ 0,38	3,020		
2804	6.7	11 Piscium	—	6 49,67	—	23 20 49,67	—	49,00	—	+ 0,67	3,079		
2805	7	Piscium	—	1 51,10	5 51,00	23 20 51,09	—	50,25	—	+ 0,84	3,090		
2806	7	12 Piscium	1 53,40	—	6 53,51	23 20 53,49	—	52,89	—	+ 0,60	3,076		
2807	5	Cassiopeæ	4 18,30	—	—	23 22 18,30	—	17,71	—	+ 0,59	2,722		
2808	7	13 Piscium	3 20,47	1 20,67	—	23 23 20,51	—	19,83	—	+ 0,68	3,076		
2809	7	Aquarii	—	—	7 29,68	23 23 29,67	—	29,81	—	— 0,14	3,115		
2810	5	101 Aquarii	6 28,72	—	—	23 24 28,72	—	28,61	—	+ 0,11	3,151		
2811	5	71 Pegasi	5 4,01	—	—	23 25 4,01	—	3,65	—	+ 0,36	2,988		
2812	6.7	14 Piscium	—	4 30,83	—	23 25 30,83	—	30,70	—	+ 0,13	3,076		
2813	5	Phœnicis	5 0,70	—	3 0,74	23 26 0,69	—	0,88	—	— 0,19	3,256		
2814	6.7	Aquarii	—	5 52,15	—	23 26 52,15	—	51,67	—	+ 0,48	3,097		
2815	7	15 Piscium	—	5 53,48	—	23 26 53,48	—	52,76	—	+ 0,72	3,067		
2816	6	Aquarii	—	3 19,82	3 19,51	23 27 19,64	—	19,47	—	+ 0,17	3,169		
2817	6	16 Piscium	—	—	6 49,08	23 27 49,08	—	49,11	—	— 0,03	3,064		
2818	6	Aquarii	—	4 56,84	—	23 28 56,83	—	56,38	—	+ 0,45	3,113		
2819	4.5	16 Androm	λ 4 22,00	—	5 21,79	23 29 21,92	21,97	21,28	— 0,05	+ 0,64	2,886		
2820	6	75 Pegasi	—	5 28,45	—	23 29 28,46	—	28,05	—	+ 0,41	3,012		
2821	5	Phœnicis	7 25,19	—	—	23 30 25,19	—	24,57	—	+ 0,62	3,257		
2822	5	102 Aquarii	6 4,07	—	—	23 31 4,07	—	3,73	—	+ 0,34	3,114		
2823	4.5	17 Piscium	6 18,65	4 18,75	4 18,77	23 31 18,72	18,73	18,67	— 0,01	+ 0,05	3,054		
2824	5	19 Androm	3 9,32	—	—	23 32 9,32	—	8,97	—	+ 0,35	2,914		
2825	6	Aquarii	—	5 27,19	—	23 32 27,19	—	26,73	—	+ 0,46	3,104		
2826	3	35 Cephei	—	7 30,61	—	23 32 30,86	31,30	29,58	— 0,44	+ 1,28	2,390		
2827	5	103 Aquarii	—	2 51,51	—	23 32 51,50	—	51,00	—	+ 0,50	3,123		
2828	5	104 Aquarii	—	—	—	23 33 —	—	1,83	—	—	3,122		
2829	5	18 Piscium	λ 1 28,62	—	6 28,71	23 33 28,69	28,67	28,48	+ 0,02	+ 0,21	3,066		
2830	5.6	105 Aquarii	—	4 0,54	—	23 34 0,53	—	0,55	—	— 0,02	3,110		
2831	6	76 Pegasi	—	2 12,77	4 12,72	23 34 12,75	—	11,59	—	+ 1,16	3,027		
2832	5.6	77 Pegasi	—	5 49,68	—	23 34 49,68	—	49,30	—	+ 0,38	3,044		
2833	5	106 Aquarii	6 29,07	—	—	23 35 29,07	—	28,77	—	+ 0,30	3,118		
2834	5	78 Pegasi	6 33,30	—	—	23 35 33,30	—	33,48	—	— 0,18	2,991		
2835	7	Piscium	4 14,83	3 14,84	—	23 36 14,84	—	14,24	—	+ 0,60	3,053		

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N. P. D. January 1, 1832.	Green- wich Cata- logue.	A. S. Cata- logue.	Difference from		Annual Precessi- on.	
	No. 1831		No. 1832		No. 1833					Green.	A. S. C.		
	No.	1831	No.	1832	No.	1833							
2791	3	36 17,32			3	36 15,42	78 36 16,37		36 18,57	—	2,20	19,649	
2792			4	37 48,92	1	37 49,56	90 37 49,01		37 46,82	+	2,19	19,654	
2793					6	41 28,05	112 41 28,05		41 27,07	+	0,98	19,659	
2794	5	31 7,75					67 31 7,75		31 8,93	—	1,18	19,689	
2795	5	33 40,52					111 33 40,52		33 42,49	—	1,97	19,692	
2796	5	38 15,26			6	38 16,22	28 38 15,78	38 20,15	38 22,18	—4,37	—	6,40	19,696
2797	2	39 46,07	3	39 45,69			112 39 45,82		39 49,12	—	3,30	19,701	
2798			7	39 49,98	5	39 49,19	89 39 49,65	39 47,05	39 42,03	+2,60	+	7,62	19,710
2799			4	48 0,08			89 48 0,08		47 50,43	+	9,65	19,715	
2800					5	45 17,46	65 45 17,46		45 14,96	+	2,50	19,726	
2801	5	32 18,43					84 32 18,43		32 35,27	—	16,84	19,728	
2802	5	33 51,98					20 33 51,98		33 50,34	+	1,64	19,740	
2803	5	9 53,77					78 9 53,77		9 49,07	+	4,70	19,746	
2804	3	42 51,98	3	42 53,43			92 42 52,70		42 50,26	+	2,44	19,749	
2805			1	26 49,40	4	26 51,23	95 26 50,86		26 40,13	+	10,73	19,749	
2806					5	57 34,19	91 57 34,19		57 31,44	+	2,75	19,750	
2807	5	22 34,54					32 22 34,51		22 36,79	—	2,25	19,771	
2808			1	0 46,83	4	0 46,48	92 0 46,55		0 42,42	+	4,13	19,785	
2809			2	28 11,62	3	28 10,77	102 28 11,11		28 11,09	+	0,02	19,787	
2810	5	50 31,07					111 50 31,07		50 28,18	+	2,89	19,801	
2811	6	25 35,03					68 25 35,03		25 28,08	+	6,95	19,809	
2812	1	10 28,51			3	10 28,26	92 10 28,32		10 22,70	+	5,62	19,815	
2813	5	32 30,59					133 32 30,59		32 28,00	+	2,59	19,821	
2814					3	23 33,84	98 23 33,84		23 36,63	—	2,79	19,832	
2815			3	36 53,24	2	36 52,53	89 36 52,96		36 49,32	+	3,64	19,832	
2816					5	48 14,84	117 48 14,84		48 10,44	+	4,40	19,838	
2817			5	49 42,70			88 49 42,70		49 37,97	+	4,73	19,844	
2818					5	59 24,44	103 59 24,41		59 25,39	—	0,95	19,858	
2819	6	27 6,93	1	27 6,18	4	27 7,40	44 27 7,06	27 3,76	27 0,13	+3,30	+	6,93	19,863
2820			5	31 43,25			72 31 43,25		31 49,04	—	5,79	19,864	
2821	5	34 7,18					137 34 7,18		34 8,03	—	0,85	19,875	
2822	5	9 5,08					105 9 5,08		8 54,54	+	10,54	19,882	
2823	5	17 4,03	1	17 1,80	5	17 3,80	85 17 3,73	17 1,80	16 59,69	+1,93	+	4,04	19,885*
2824	5	35 42,28					46 35 42,28		35 44,72	—	2,44	19,894	
2825			5	36 38,94			102 36 38,94		36 40,61	—	1,67	19,897	
2826	4	18 15,84	1	18 14,43			13 18 15,56	18 17,35	18 20,20	—1,79	—	4,64	19,898
2827	4	57 16,50	2	57 14,23			108 57 15,74		57 11,09	+	4,65	19,901	
2828	1	44 45,21	4	44 48,10			108 44 47,77		44 46,54	+	1,23	19,903	
2829	3	8 36,73	1	8 35,89	1	8 36,91	89 8 36,52	8 38,54	8 37,92	—2,02	—	1,40	19,907
2830			5	28 25,20			105 28 25,20		28 18,52	+	6,68	19,913	
2831			5	35 48,10			74 35 48,10		35 42,87	+	5,23	19,915	
2832			4	36 4,02			80 36 4,02		35 57,96	+	6,06	19,921	
2833	5	12 31,61					109 12 31,61		12 26,85	+	4,76	19,927	
2834	5	34 3,11					61 34 3,11		34 6,02	—	2,91	19,928	
2835	5	44 19,45					83 44 19,45		44 21,98	—	2,53	19,934	

No.	Mag	Names.	Mean A. R. January 1, 1832, from Observations in			Mean A. R. January 1, 1832		Green ^b Catal.	A. S. Catal.	Difference from		Annual Preces- sion
			No. 1831 No. 1832 No. 1833			h. m. s.	s.			Green.	A. S.	
			s.	s.	s.							
2836	6	107 Aquarii A ⁴	—	5 17,19	—	23 37 17,18	—	—	16,67	—	+0,51	+3,115
2837	5	20 Androm ↓	6 43,99	—	—	23 37 43,99	—	—	44,83	—	—0,84	2,936
2838	6	19 Piscium m	—	5 48,74	8 48,65	23 37 48,69	—	48,69	43,57	0,00	+0,12	3,062
2839	6	Aquarii Y	—	6 36,83	1 36,85	23 38 36,83	—	—	36,53	—	+0,25	3,097
2840	5	5 Cassiopeæ τ	4 52,97	—	—	23 38 52,97	—	—	52,24	—	+0,73	2,873
2841	5.6	20 Piscium n	1 18,42	5 18,46	—	23 39 18,45	—	—	17,93	—	+0,52	3,076
2842	6.7	Aquarii	—	5 54,50	—	23 39 54,50	—	—	54,34	—	+0,16	3,083
2843	5	Draconis	3 55,86	—	—	23 39 55,86	—	—	55,59	—	+0,27	2,793
2844	5	Ap. Sculp δ	6 10,01	—	—	23 40 10,01	—	—	9,56	—	+0,45	3,133
2845	6	21 Piscium	7 51,57	—	—	23 40 51,57	—	—	51,42	—	+0,15	3,068
2846	6	79 Pegasi	—	3 9,94	3 9,97	23 41 9,98	—	—	9,21	—	—0,77	3,010
2847	6	Aquarii	—	3 34,65	—	23 41 34,65	—	—	33,83	—	+0,82	3,089
2848	6	Aquarii	1 53,25	5 53,33	—	23 41 53,31	—	—	52,56	—	+0,75	3,097
2849	5	Octantis γ ¹	—	—	—	23 41 —	—	—	56,11	—	—	3,926
2850	6	108 Aquarii A ⁵	—	5 40,51	—	23 42 40,50	—	—	39,85	—	+0,65	3,105
2851	7	80 Pegasi	—	5 47,27	—	23 42 47,27	—	—	47,34	—	—0,07	3,053
2852	6	22 Piscium	—	5 22,12	—	23 43 22,12	—	—	21,74	—	+0,38	3,065
2853	6	Aquarii	—	—	6 51,92	23 43 51,90	—	—	51,90	—	0,00	3,094
2854	6	23 Piscium	—	—	5 52,29	23 43 52,31	—	—	52,16	—	+0,15	3,032
2855	6	81 Pegasi φ	—	—	4 56,95	23 43 56,97	—	—	56,41	—	+0,56	3,037
2856	6	82 Pegasi	—	2 3,56	4 3,50	23 44 3,53	—	—	3,28	—	+0,25	3,052
2857	6.7	24 Piscium	1 17,82	—	6 17,94	23 44 17,92	—	—	17,73	—	+0,19	3,075
2858	6.7	25 Piscium	—	5 28,78	—	23 44 28,78	—	—	28,07	—	+0,71	3,066
2859	6.7	Piscium	4 10,96	2 10,96	—	23 46 10,96	—	—	10,88	—	+0,08	3,069
2860	6	26 Piscium	6 32,44	5 32,44	—	23 46 32,44	—	—	32,13	—	+0,31	3,060
2861	5	Octantis γ ²	—	—	—	23 48 —	—	—	1,78	—	—	3,651
2862	5	Tucanæ η	6 42,75	—	—	23 48 42,75	—	—	41,64	—	+1,11	3,212
2863	5.6	84 Pegasi ↓	1 12,59	4 12,78	—	23 49 12,73	—	—	12,61	—	+0,12	3,040
2864	5	27 Piscium p	5 4,40	5 4,52	4 4,37	23 50 4,43	—	4,30	3,71	+0,13	+0,72	3,073
2865	4.5	28 Piscium w	5 41,40	7 41,54	1 41,46	23 50 41,46	—	41,23	41,34	+0,17	+0,12	3,062
2866	7	Piscium	—	4 3,60	—	23 51 3,60	—	—	2,88	—	+0,72	3,121*
2867	5	Tucanæ ε	3 6,88	—	—	23 51 6,88	—	—	7,08	—	—0,20	3,189
2868	5	Cassiopeæ	—	—	—	23 53 —	—	—	—	—	—	2,996
2869	5	29 Piscium q	4 12,98	—	3 12,94	23 53 12,97	—	13,02	12,11	—0,05	+0,86	3,071
2870	4.5	30 Piscium r	6 20,73	1 20,65	3 20,59	23 53 20,65	—	20,74	20,27	—0,09	+0,38	3,073
2871	6	85 Pegasi	—	5 24,61	—	23 53 24,60	—	—	23,86	—	+0,74	3,109*
2872	6	31 Piscium c ¹	—	5 48,31	—	23 53 48,31	—	—	47,83	—	+0,48	3,063
2873	6	32 Piscium c ²	—	5 54,81	—	23 53 54,87	—	—	54,32	—	+0,55	3,063
2874	4	2 Ceti g	6 7,78	6 7,85	—	23 55 7,81	—	7,77	7,72	+0,04	+0,09	3,078
2875	6	3 Ceti p	—	6 54,01	—	23 55 54,01	—	—	53,96	—	+0,05	3,073
2876	6.7	Piscium	—	6 27,35	—	23 56 27,35	—	—	26,91	—	+0,44	3,069
2877	5	33 Piscium	7 44,20	—	4 44,17	23 56 44,19	—	44,23	43,89	—0,04	+0,30	3,070
2878	6	86 Pegasi k	1 4,78	4 5,09	—	23 57 5,03	—	—	5,08	—	—0,05	3,064
2879	7	4 Ceti	2 7,84	1 7,83	—	23 59 7,84	—	—	7,51	—	+0,33	3,068
2880	7	5 Ceti	4 35,85	4 36,05	—	23 59 35,95	—	—	35,77	—	+0,18	3,068
2881	1	21 Androm α	29 43,24	23 43,15	15 43,13	23 59 43,19	—	43,20	42,72	—0,01	+0,47	+3,067

No.	Mean N. P. D. reduced to January 1, 1832, from Observations in						Mean N.P.D. January 1, 1832.	Greenwich Catalogue.	A. S. Catalogue.	Difference from		Annual Precession
	No.	1831	No.	1832	No.	1833				Green.	A. S. C.	
2836		"		"		"	"	"	"	"	"	"
2837	6	30 45,81	5	36 46,35			109 36 46,35		36 42,32	+	4,03	19,943
2838			4	26 38,78			44 30 45,81		30 43,02	+	2,79	19,947
2839			5	50 19,53			87 26 38,78	26 41,51	26 35,36	-2,73	3,42	19,948
2840	5	17 0,52					102 50 19,53		50 20,10	-	0,57	19,955
2841							32 17 0,52		17 1,63	-	1,11	19,957
2842			5	41 39,03			93 41 39,03		41 36,52	+	2,51	19,960
2843	2	18 44,22	4	18 43,14			97 18 43,50		18 44,26	-	0,76	19,965
2844	5	7 34,06					23 7 34,06		7 37,98	-	3,92	19,965
2845	6	3 29,40	1	3 28,34			119 3 29,25		3 28,21	+	1,04	19,967
2846	5	51 26,34					89 51 26,34		51 21,85	+	4,49	19,972
2847			4	5 32,13	1	5 32,37	62 5 32,18		5 27,30	+	4,88	19,974
2848					5	54 42,62	100 54 42,62		54 43,76	-	1,14	19,977
2849			5	20 5,68			105 20 5,68		19 58,98	+	6,70	19,979
2850							172 Invisible		57 3,16	-		19,979
2851			5	50 38,98			109 50 38,98		50 33,54	+	5,44	19,985
2852			5	37 2,75			81 37 2,75		36 59,36	+	3,39	19,985
2853	3	0 8,99	2	0 9,95			88 0 9,38		0 10,55	-	1,17	19,989
2854			3	11 10,73	3	11 11,03	105 11 10,88		11 6,15	+	4,73	19,992
2855	1	15 45,65	2	15 44,91	2	15 45,42	69 15 45,26		15 37,75	+	7,51	19,992
2856	1	48 47,37			4	48 43,63	71 48 43,38		48 43,11	+	0,27	19,993
2857					5	59 17,54	79 59 17,54		59 12,45	+	5,09	19,993
2858					5	5 15,27	94 5 15,27		5 6,82	+	8,45	19,995
2859					5	50 33,71	88 50 33,71		50 31,42	+	2,29	19,996
2860	1	51 46,25	5	49 30,42			90 49 30,42		49 29,00	+	1,42	20,006
2861			4	51 44,59			83 51 44,92		51 44,20	+	0,72	20,007
2862							173 Invisible		6 4,85	-		20,015
2863	1	13 41,11					155 13 41,11		14 25,84	-	44,73	20,018
2864	3	47 30,76	2	47 32,01	1	47 32,67	65 47 31,49		47 27,32	+	4,17	20,020
2865	5	29 16,79					94 29 16,79	29 16,55	29 12,30	+0,24	4,49	20,023
2866	5	3 57,51	4	3 58,57	3	3 58,38	84 3 58,10	3 59,82	3 58,77	-1,72	0,67	20,026
2867			5	49 33,05			96 49 33,05		49 30,48	+	2,57	20,027
2868			5	30 38,94			156 30 38,94		30 31,77	+	7,17	20,027
2869	5	42 47,29					29 42 47,29		42 45,48	+	1,81	20,033
2870	5	57 43,40					98 57 43,40	57 45,89	57 40,69	-2,49	2,71	20,034
2871	5	56 51,37					96 56 51,37	56 52,03	56 48,81	-0,66	2,56	20,034
2872	4	48 22,25	1	48 22,54			63 48 22,31		48 34,67	-	12,36	18,884
2873			6	58 41,93			81 58 41,93		58 39,45	+	2,48	20,035
2874			5	26 51,12			82 26 51,12		26 53,29	-	2,17	20,035
2875	5	16 15,56					108 16 15,56	16 15,52	16 9,97	+0,04	5,59	20,038
2876			5	26 39,05			101 26 39,05		26 35,61	+	3,44	20,039
2877	2	26 9,06	1	26 10,54			91 26 9,55		26 6,71	+	2,84	20,040
2878	5	38 48,34					96 38 48,34	38 51,70	38 50,05	-3,36	1,71	20,040
2879			3	32 18,04	1	32 18,70	77 32 18,20		32 19,03	-	0,83	20,041
2880			6	28 59,43			93 28 59,43		28 57,29	-	2,14	20,042
2881	5	22 55,16					93 22 55,16		22 52,14	-	3,02	20,043
2882	50	50 13,12	42	60 13,46	9	50 12,85	61 50 13,24	50 14,37	50 13,26	-1,12	0,02	20,043

ERRATA IN THE CATALOGUE OF FIXED STARS.

No.	Column.				
60	Mean A. R.	for	1",21	read	1",26
101	{ A. R. 1832	—	4",62	—	7",72
	{ Mean A. R.	—	4",62	—	7",72
196	{ A. R. 1831	—	24",11	—	23",61
	{ Mean A. R.	—	24",11	—	23",61
281	Mean A. R.	—	2h. 3m.	—	2h. 32m.
465	Mean A. R.	—	3h.	—	4h.
772	{ N.P.D. 1831	—	43",73	—	43",11
	{ Mean N.P.D.	—	41",74	—	41",46
813	{ N.P.D. 1831	—	4",08	—	4",70
	{ N.P.D. 1832	—	0",58	—	1",97
	{ Mean N.P.D.	—	2",33	—	3",33
989	{ N.P.D. 1832	—	55'	—	53'
	{ Mean N.P.D.	—	55'	—	53'
1110	{ N.P.D. 1832	—	33",15	—	33",75
	{ Mean N.P.D.	—	33",61	—	33",91
1211	{ N.P.D. 1831	—	34' 58",25	—	35' 7",25
	{ Mean N.P.D.	—	34' 58",25	—	35' 7",85
1333	{ N.P.D. 1832	—	8",58	—	9",14
	{ Mean N.P.D.	—	10",16	—	10",53
1741	{ A. R. 1833	The seconds in these columns to be transferred to No. 1744.			
	{ Mean A. R.				
1752	Mean N.P.D.	for	106° 41'	read	106° 40'
1819	{ A. R. 1833	—	41",34	—	41",92
	{ Mean A. R.	—	41",36	—	41",94
1964	Mean A. R.	—	26",89	—	26",63
2205	Green, A. R.	—	36",18	—	36",78
2424	A. R.	—	29h.	—	20h.
2439	Diff. of A. R.	—	3",25	—	6",25
2536	{ N.P.D. 1831	—	22",39	—	23",48
	{ N.P.D. 1833	—	25",81	—	25",05
	{ Mean N.P.D.	—	24",65	—	24",49
2594	{ A. R. 1832	—	35",94	—	36",22
	{ Mean A. R.	—	36",00	—	36",28
2642	{ N.P.D. 1832	—	38",05	—	36",74
	{ Mean N.P.D.	—	38",05	—	34",81

N. B.—In addition to the above the differences should be corrected.

REMARKS UPON THE CATALOGUE OF FIXED STARS.

The casualties to which I have already alluded at the early part of this work as affecting the observations made with the Transit Instrument in 1832 and 1833, renders it desirable that a comparison should be made between the observations of these years and the observations of 1831, in which no uncertainty of any kind exists; for this purpose putting α α' &c. and β β' &c. to represent the errors in seconds of space of Azimuth and Collimation respectively, and selecting from the catalogue those Stars situated near the Pole (as affording large co-efficients) which have been observed in each of the three years, we have as follows.

From observations made in			1831		1832		1833.	
NAMES.	N.P.D.	A.R.	Mean } Place. }	+ A + C	Mean } Place. }	+ A + C	Mean } Place. }	+ A + C
		<i>h. m. s.</i>			<i>s.</i>		<i>s.</i>	
Draconis		11,27 12 4	13,20 + ,31	α + ,50	β 13,69 + ,31	α' + ,50	β' 12,45 + ,31	α'' + ,50 β''
7 Ura. Min.	β	15,10 14 51	17,18 + ,22	+ ,38	17,28 + ,22	+ ,38	15,99 + ,22	+ ,38
Ura. Maj.		20,3 10 30	54,76 + ,16	+ ,29	55,06 + ,16	+ ,29	54,60 + ,16	+ ,29
Cassiopei		23,21 2 15	20,50 + ,14	+ ,25	20,43 + ,14	+ ,25	19,82 + ,14	+ ,25
11 Draconis	α	24,49 13 59	50,64 + ,13	+ ,24	50,97 + ,13	+ ,24	50,19 + ,13	+ ,24
50 Ura. Maj.	α	27,21 10 53	17,49 + ,11	+ ,22	17,40 + ,11	+ ,22	17,31 + ,11	+ ,22
5 Cephei	α	28,8 21 14	34,12 + ,10	+ ,21	33,88 + ,10	+ ,21	33,27 + ,10	+ ,21
29 Ura. Maj.	α	30 11 9 38	58,46 + ,09	+ ,20	58,40 + ,09	+ ,20	58,27 + ,09	+ ,20
18 Cassiopei	α	34,23 0 31	1,42 + ,08	+ ,18	1,28 + ,08	+ ,18	1,18 + ,08	+ ,18
64 Ura. Maj.	γ	35 22 11 44	57,42 + ,07	+ ,17	57 50 + ,07	+ ,17	57,54 + ,07	+ ,17
33 Draconis	γ	38 29 17 52	42,42 + ,06	+ ,16	42,58 + ,06	+ ,16	42,15 + ,06	+ ,16
33 Persei	α	40,44 3 12	22,05 + ,06	+ ,15	22,14 + ,06	+ ,15	21,94 + ,06	+ ,15
51 Persei	μ	42,1 4 2	35,48 + ,05	+ ,15	35 52 + ,05	+ ,15	35 22 + ,05	+ ,15
13 Aurigæ	α	44,1 4 4	17,46 + ,05	+ ,14	17,48 + ,05	+ ,14	17,22 + ,05	+ ,14
26 Persei	β	49,41 2 57	16,03 + ,04	+ ,13	15,89 + ,04	+ ,13	16,15 + ,04	+ ,13

Similarly we have the following observations made near to the South Horizon in the years 1831 1832 and 1833.

NAMES.	N.P.D.	A.R.	Mean } Place. }	+ A + C	Mean } Place. }	+ A + C	Mean } Place. }	+ A + C
		<i>h. m. s.</i>			<i>s.</i>		<i>s.</i>	
Columbæ	α	124,10 5 33	34,14 — ,06	α + ,12	β 34,10 — ,06	α' + ,12	β' 34,23 — ,06	α'' + ,12 β''
Columbæ	γ	125,18 5 51	34,86 — ,06	+ ,12	34 98 — ,06	+ ,12	35,02 — ,06	+ ,12
Eridani	ϵ	133,43 3 13	13,19 — ,07	+ ,14	13,29 — ,07	+ ,14	13,67 — ,07	+ ,14
Arg. in pup. L	ϵ	134,53 7 8	12,17 — ,08	+ ,14	11,82 — ,08	+ ,14	11,86 — ,08	+ ,14
Argus	ϕ	143,45 9 50	58,78 — ,10	+ ,17	58,87 — ,10	+ ,17	58,50 — ,10	+ ,17
Argus	δ	144,5 8 40	3 76 — ,10	+ ,17	3,93 — ,10	+ ,17	4 21 — ,10	+ ,17
Eridani	α	148,5 1 31	27,19 — ,12	+ ,18	27,27 — ,12	+ ,18	27,29 — ,12	+ ,18
Argus	ϵ	148,33 9 12	35 64 — ,12	+ ,18	36,11 — ,12	+ ,18	35 90 — ,12	+ ,18
Arg. in Car.	η	150,29 10 11	29,23 — ,13	+ ,20	28,88 — ,13	+ ,20	29 32 — ,13	+ ,20
Crucis	α	152,9 12 17	18,98 — ,14	+ ,21	18,69 — ,14	+ ,21	19,16 — ,14	+ ,21
Arg. in Car.	η	154,11 9 23	5,21 — ,15	+ ,23	5 22 — ,15	+ ,23	5 57 — ,15	+ ,23
Argus	ν	154,17 9 42	54 01 — ,15	+ ,23	54 25 — ,15	+ ,23	54,21 — ,15	+ ,23
Hydri	ϵ	158,59 2 36	2 03 — ,18	+ ,30	2 49 — ,18	+ ,30	2,24 — ,18	+ ,30
Argus	β	159,1 9 11	19,45 — ,18	+ ,30	19,73 — ,11	+ ,30	19,57 — ,18	+ ,30

Taking the mean of each set we obtain the following Equations.

$$\begin{aligned} 30^{\circ},57 + ,11 a + ,22 \beta &= 30^{\circ},63 + ,11 a^1 + ,22 \beta^1 = 30^{\circ},22 + ,11 a'' + ,22 \beta'' \\ 24,90 - ,12 a + ,19 \beta &= 24,97 + ,12 a^1 + ,19 \beta^1 = 25,05 - ,12 a'' + ,19 \beta'' \end{aligned}$$

by subtraction we have

$$5^{\circ},67 + ,23 a + ,03 \beta = 5^{\circ},66 + ,23 a^1 + ,03 \beta^1 = 5^{\circ},17 + 23 a'' + ,03 \beta''$$

showing that the Azimuth correction for 1832 differs insensibly from that of 1831 and may consequently be assumed = 0, and that the observations for 1833 stand in need of the correction 2',22 of space on this account. Now the observations constituting the above result for 1833, were made between the 20th January and the end of October, during which period we employed the formulæ $\frac{96^{\circ},20 - N - S}{2}$ for computing the Azimuthal error, and traced *as well as circumstances would then permit* (see pages 41 and 42) that an alteration took place in the situation of the meridian marks in the same direction and to nearly the same amount with the correction now found on or about the 12th November; our present result however fixes the date of the alteration in question at a much earlier period; probably at the commencement of the year.

By adding the above Equations together we determine :

$$55^{\circ},47 - ,01 a + ,41 \beta = 55^{\circ},60 - ,01 a^1 + ,41 \beta^1 = 55^{\circ},27 - ,01 a'' + ,41 \beta''$$

from whence (assuming as above that 1831 is devoid of error i. e. that $a = \beta = 0$) we determine that the observations for 1832 require a correction for Collimation to the amount $- 0',32$ and that those for 1833 require a correction $+ 0',50$ or it appears on the whole, *that the observations of 1832 require no correction of consequence to reduce them to the tenor of those of 1831, and that those of 1833 up to November 12, require correction as follows.*

North Polar Distance.	Correction.	North Polar Distance.	Correction.
.	"	.	"
20	+ ,414	95	+ ,022
25	+ ,328	100	+ ,013
30	+ ,265	105	+ ,004
35	+ ,224	110	- ,007
40	+ ,187	115	- ,017
45	+ ,161	120	- ,028
50	+ ,139	125	- ,042
55	+ ,120	130	- ,055
60	+ ,104	135	- ,069
65	+ ,089	140	- ,087
70	+ ,077	145	- ,108
75	+ ,064	150	- ,133
80	+ ,054	155	- ,168
85	+ ,043	160	- ,220
90	+ ,033		

The above corrections not having been taken into account in obtaining the column "mean," our ' difference from Greenwich' and " difference from A. S." exhibits the *true* difference for those cases where the Star has been observed in 1831 and 1832 only; as the Catalogue now stands out of the 687 comparisons between the Madras and Greenwich Catalogues there are

280 cases which do not exceed ,05s. of time.
 or 470 ——— ——— ——— ——— ,10s. ———
 or 615 ——— ——— ——— ——— ,20s. ———
 and 72 ——— ——— exceed ,20s. ———

Admitting the accuracy of the above corrections, (for it must I think be readily conceded that some such sort of correction is necessary) and neglecting those which are below ,05s. except in the case of the principal Stars; the following corrections of the column " Mean A. R. January 1, 1832" become necessary.

No.	Correc- tion.	No.	Correc- tion.	No.	Correc- tion.	No.	Correc- tion.	No.	Correc- tion.
46	— 0,15	459	+ 0,09	637	+ 0,10	776	+ 0,10	976	+ 0,09
89	+ 0,09	462	+ 0,06	638	+ 0,07	779	+ 0,09	979	+ 0,09
113	+ 0,08	479	+ 0,06	640	+ 0,07	780	+ 0,05	992	+ 0,09
153	+ 0,07	481	+ 0,06	649	+ 0,07	783	+ 0,05	998	+ 0,07
157	+ 0,07	484	+ 0,09	651	+ 0,06	785	+ 0,05	999	+ 0,11
180	+ 0,06	497	+ 0,11	654	+ 0,06	790	+ 0,03	1023	+ 0,06
211	+ 0,08	505	+ 0,03	655	+ 0,07	796	+ 0,09	1025	+ 0,09
220	+ 0,05	509	+ 0,06	656	+ 0,06	799	+ 0,08	1028	+ 0,06
242	+ 0,08	511	+ 0,05	657	+ 0,09	800	+ 0,10	1032	— 0,05
247	+ 0,18	512	+ 0,06	670	+ 0,06	801	+ 0,08	1054	+ 0,08
253	+ 0,09	516	+ 0,06	671	+ 0,08	808	+ 0,08	1055	+ 0,05
259	+ 0,07	519	+ 0,06	674	+ 0,09	809	+ 0,07	1058	+ 0,08
262	+ 0,06	522	+ 0,10	678	+ 0,08	811	+ 0,07	1082	+ 0,05
270	+ 0,06	531	+ 0,06	683	+ 0,07	817	+ 0,10	1099	+ 0,06
271	+ 0,05	536	+ 0,06	687	+ 0,10	828	+ 0,07	1102	— 0,05
277	+ 0,09	537	+ 0,06	688	+ 0,09	843	+ 0,06	1103	+ 0,05
283	+ 0,08	538	— 0,05	701	+ 0,06	851	+ 0,06	1120	+ 0,09
301	+ 0,07	552	+ 0,24	704	+ 0,06	859	+ 0,07	1124	— 0,07
317	+ 0,08	572	+ 0,09	706	+ 0,07	861	+ 0,09	1131	+ 0,06
342	+ 0,07	573	+ 0,06	707	+ 0,07	864	+ 0,09	1133	— 0,12
344	+ 0,08	577	+ 0,13	708	+ 0,06	870	+ 0,09	1135	+ 1,24
346	+ 0,08	580	+ 0,05	716	+ 0,06	871	+ 0,09	1137	— 0,06
358	+ 0,09	581	+ 0,05	717	+ 0,10	889	+ 0,09	1144	— 0,06
362	+ 0,08	582	+ 0,05	720	+ 0,06	891	+ 0,10	1146	+ 0,09
369	+ 0,09	594	+ 0,09	721	+ 0,08	900	+ 0,06	1148	+ 0,22
374	+ 0,05	595	+ 0,08	723	+ 0,06	912	+ 0,05	1156	— 0,08
376	+ 0,09	596	+ 0,10	727	+ 0,11	919	+ 0,06	1158	+ 0,09
401	+ 0,08	601	+ 0,05	731	+ 0,08	922	+ 0,10	1175	+ 0,04
413	+ 0,09	602	+ 0,08	734	+ 0,04	926	+ 0,06	1179	+ 0,08
419	+ 0,09	609	+ 0,06	743	+ 0,10	927	+ 0,06	1181	+ 0,10
423	+ 0,09	611	+ 0,09	745	+ 0,08	931	+ 0,11	1182	— 0,07
430	+ 0,06	620	+ 0,06	754	+ 0,09	933	+ 0,05	1196	— 0,05
435	+ 0,08	623	+ 0,08	755	+ 0,07	939	+ 0,06	1209	+ 0,03
439	— 0,06	624	+ 0,07	766	+ 0,09	940	+ 0,07	1221	+ 0,06
451	+ 0,09	629	+ 0,07	768	+ 0,08	946	+ 0,09	1225	— 0,05
453	+ 0,10	634	+ 0,10	769	+ 0,08	948	+ 0,06	1229	— 0,06
457	+ 0,08	636	+ 0,10	771	+ 0,05	951	+ 0,07	1230	+ 0,07

No.	Correc- tion.	No.	Correc- tion.	No.	Correc- tion.	No.	Correc- tion.	No.	Correc- tion.
1236	+ 0,05	1575	+ 0,12	1870	+ 0,10	2091	+ 0,10	2342	+ 0,07
1240	+ 0,07	1599	+ 0,07	1876	+ 0,17	2094	+ 0,08	2347	+ 0,07
1255	+ 0,13	1607	+ 0,17	1879	+ 0,11	2111	+ 0,18	2353	+ 0,07
1266	+ 0,22	1616	+ 0,06	1880	+ 0,12	2113	+ 0,06	2358	+ 0,05
1273	— 0,06	1621	+ 0,07	1887	+ 0,13	2116	+ 0,10	2359	+ 0,09
1281	— 0,06	1625	+ 0,04	1895	+ 0,62	2117	+ 0,08	2362	+ 0,06
1285	+ 0,08	1628	+ 0,07	1899	+ 0,05	2121	+ 0,08	2370	+ 0,08
1291	+ 0,05	1639	+ 0,11	1903	+ 0,40	2134	+ 0,08	2377	+ 0,09
1294	— 0,05	1645	+ 0,08	1906	+ 0,21	2143	+ 0,13	2379	+ 0,09
1301	+ 0,11	1655	— 0,15	1918	+ 0,33	2146	+ 0,08	2380	+ 0,09
1305	+ 0,14	1658	+ 0,06	1926	+ 0,17	2156	+ 0,06	2381	+ 0,05
1329	+ 0,06	1664	+ 0,05	1927	+ 0,07	2158	— 0,12	2385	+ 0,08
1330	+ 0,06	1685	+ 0,10	1932	+ 0,05	2171	+ 0,13	2392	+ 0,09
1331	+ 0,06	1700	+ 0,34	1950	+ 0,33	2172	+ 0,23	2394	+ 0,17
1335	— 0,05	1708	+ 0,05	1955	+ 0,05	2173	+ 0,07	2398	— 0,11
1350	+ 0,23	1714	+ 0,06	1963	+ 0,13	2177	+ 0,05	2410	+ 0,05
1360	— 0,06	1722	— 0,16	1964	+ 1,33	2182	+ 0,08	2419	+ 0,05
1370	+ 0,09	1734	— 0,05	1976	+ 0,09	2192	+ 0,26	2420	+ 0,18
1379	+ 0,12	1735	— 0,07	1980	+ 0,05	2194	+ 0,06	2421	— 0,17
1404	+ 0,85	1745	+ 0,06	1982	+ 0,11	2200	+ 0,05	2428	+ 0,05
1406	+ 0,06	1748	+ 0,08	1987	+ 0,09	2209	+ 0,45	2435	+ 0,05
1407	+ 0,08	1765	+ 0,07	1996	+ 0,09	2219	+ 0,05	2436	+ 0,08
1421	+ 0,06	1766	— 0,06	1999	+ 0,06	2231	+ 0,08	2438	+ 0,08
1426	— 0,11	1767	+ 0,06	2001	— 0,07	2242	+ 0,13	2442	+ 0,06
1435	+ 0,06	1770	+ 0,05	2012	— 0,06	2259	+ 0,09	2458	+ 0,06
1436	+ 0,09	1775	+ 0,05	2013	+ 0,10	2263	+ 0,06	2480	+ 0,06
1440	+ 0,05	1783	+ 0,06	2014	+ 0,06	2267	+ 0,10	2485	+ 0,05
1447	+ 0,09	1784	+ 0,06	2015	+ 0,05	2279	+ 0,09	2488	+ 0,08
1451	+ 0,05	1786	+ 0,08	2016	+ 0,14	2283	+ 0,08	2499	+ 0,96
1455	+ 0,06	1791	+ 0,03	2026	+ 0,09	2292	+ 0,08	2526	— 0,17
1461	+ 0,08	1793	+ 0,07	2030	+ 0,39	2296	+ 0,10	2536	+ 0,16
1464	+ 0,05	1801	+ 0,07	2034	+ 0,07	2298	+ 0,07	2541	+ 0,09
1501	— 0,09	1809	+ 0,08	2038	+ 0,09	2303	+ 0,08	2559	+ 0,14
1504	+ 0,08	1819	+ 0,06	2041	+ 0,39	2307	+ 0,10	2571	+ 0,15
1505	+ 0,09	1822	+ 0,06	2053	+ 0,09	2314	+ 0,09	2588	+ 0,08
1507	+ 0,10	1830	+ 0,07	2059	+ 0,23	2315	+ 0,09	2612	+ 0,06
1508	+ 0,10	1832	+ 0,08	2060	+ 0,10	2324	+ 0,05	2667	+ 0,10
1512	— 0,06	1842	+ 0,26	2068	+ 0,07	2325	— 0,25	2751	+ 0,05
1520	+ 0,05	1843	+ 0,05	2071	+ 0,06	2330	+ 0,05	2755	+ 0,02
1534	+ 0,07	1844	+ 0,05	2081	+ 0,08	2332	+ 0,08	2854	+ 0,08
1541	+ 0,05	1867	+ 0,08	2087	+ 0,08	2341	+ 0,05		

When the corrections in the foregoing table are applied there appears to be
475 cases which do not exceed ,10s. of time.

or 627 ———— ,20s. ————
and 60 ———— exceed ,20s. ————

Among the latter class the following are those most deserving of notice.

No.		s.		h.	m.	s.
No. 115	α Urs. Min.	— 0,95	Madras	Mean A. R.	1	0 2,19
			Greenwich	— —	1	0 3,14
			Cambridge	— —	1	0 1,80
No. 340	* Persei	+ 0,65	Madras Results of 1832 and 1833 agree.			
No. 371	* Camelopard.	+ 0,47	Madras Result differs only ,05s. from the Greenwich Obser- vations of 1831.			
No. 400	* Persei	— 0,37	Madras Result differs only ,02s. from the Greenwich Obser- vations of 1831.			

No. 552.	*	Camelopar.	+	0,54	This must be examined.
No. 603	β	Eridani	—	0,29	The Greenwich Result is no doubt about $\frac{1}{4}$ second too large.
No. 832	28	Geminorum	+	0,26	Must be examined.
No. 874		Camelopardi	—	0,28	The situation of this Star (being only $7^{\circ} 18'$ from the Pole) fully accounts for the difference.
No. 1106.	κ	Cancrī	+	0,36	Must be examined.
No. 1386	π	Virginis	+	0,66	The Greenwich place must be wrong;
No. 1417	c	Virginis	+	0,95	{ Madras Result 49 ^m 42s.
					{ Greenwich — 48 47s.
					{ Cambridge — 49 22s.
					{ Greenwich is about 1s. wrong.
No. 1451	k	Comæ Ber.	—	0,23	The Greenwich Observations for 1831 differ + ,08s. from the Madras Result.
No. 1545.	l ^a	Virginis	—	0,27	The Greenwich Result is probably too large.
No. 1639.	θ	Bootis.	+	0,36	The Greenwich Result is probably too small.
No. 1754	γ^a	Urs. Min.	—	0,78	Only one observation: the Greenwich Observations for 1831 differ 0,29s. from the Madras Result.
No. 1832	π	Serpentis	—	0,39.	The Greenwich Observations of 1831 differ 0,18s. from the Madras Result.
No. 1915	e	Scorpii	—	0,46	The Greenwich Observations of 1831 differ 0,19s. from the Madras Result.
No. 1964.	e	Urs. Min.	+	0,56	One observation.
No. 2032	D	Ophiuchi	+	0,43	The Greenwich Observations of 1831 differ 0,11s. and the Cambridge ,08s. from the Madras Result.
No. 2043	γ	Telescopii	+	0 29	The Greenwich place is probably too small.
No. 2090	S ^a	Ophiuchi	—	0,21 ²	The Greenwich place is probably too large.
No. 2148	δ	Urs. Min.	—	0,67	{ Madras Result 29 54s.
					{ Greenwich — 30 21s.
					{ Cambridge — 29 31s.
No. 2274	π .	Draconis	—	0,47	Requires examination.
No. 2321	δ	Cygni	—	0,33	Do. Do.
No. 2371	ρ	Draconis	—	0,45	The Greenwich Observations for 1831 differ only 0,10s. from the Madras Result.
No. 2454	a	Microscopii	+	0 29	Requires examination.
No. 2465	η	Cephei	—	0,30	The Greenwich Observations for 1831 differ only 0,10s. from the Madras Result.
No. 2489	ν	Cygni.	—	0 25	The Greenwich place is probably too large.
No. 2593	π^a	Cygni	—	0,35.	Requires examination.
No. 2676	c	Lacertæ	—	0,49	The Greenwich place must be too large.
No. 2724.	τ^1	Aquarii	—	0,81	The Greenwich place is 1s. wrong.
No. 2756	h ³	Aquarii	+	0,41	The Greenwich place is probably too small.
No. 2776	χ	Aquarii	+	0,27.	The Greenwich Observations of 1831 differ 0,15s. from the Madras Result.
No. 2826	γ	Cephei	—	0,44	Requires to be examined.

In the above comparison between the Madras and Greenwich Catalogues there now remain only 18 cases in which the difference exceeds a quarter of a second of time, the greater part of which will I apprehend be found to arise from *error* of result and *not* from the *uncertainty* attendant upon observation.

On looking over the column "Difference from A. S. C." a mere glance is sufficient to shew that the two Catalogues are not reckoned from the same Equinoctial point, a correction of about 0,30s. being necessary to reduce either Catalogue to the other; independant of this, it must be recollected that in the construction of the Society's Catalogue, proper motion was allowed only in 57 cases where it had been determined from "accurate observations" "to amount to 0,50s. in space (or 0,33s. in *time*)" since however accurate observations adapted to the purpose have not in many cases been available, it necessarily follows that the column of difference is further encumbered with the accumulated effect of proper motion, and consequently the discordances large or small cannot be looked upon as throwing any sort of doubt upon the accuracy of the Madras Results.

The discordancies most deserving attention are as follows.

			s.	
No.	21	ζ Tucana	+	2,97 About one years precession.
No.	55	Ceti	+	3,57 Do. Do.
No.	79	Piscium	+	2,03 Do. Do.
No.	91	Cephei	+	5,62 N. P. D. 4° 39'.
No.	147	δ Cassiopeæ	—	1,42 Greenwich differs 0,19s. from the Madras Result.
No.	256	κ Eridani	+	1,96 Observed in two separate years at Madras.
No.	268	Ceti	+	4,13 Do. Do.
No.	296	ξ Hydri	+	1,64 Observed in three separate years at Madras.
No.	340	Persei	+	4,78 Madras confirmed by Greenwich.
No.	346	Arietis	+	4,36 Observed in two separate years.
No.	439	γ Hydri	+	1,38 Do. Do.
No.	442	34 Tauri	+	1,55 Do. Do.
No.	455	γ Reticuli	+	2,11 Do. Do.
No.	500	θ Reticuli	+	1,83 Madras Result re-examined;
No.	570	ι Aurigæ	+	3,25 Do. Do.
No.	610	ζ Doradus	—	1,26 Madras confirmed by Greenwich.
No.	658	Leporis	+	1,35 Observed in two separate years.
No.	661	χ Aurigæ	+	8,21 Greenwich differs 0,14s. from the Madras Result.
No.	721	Tauri	+	1,50
No.	741	ε Doradus	+	1,54
No.	805	This place has apparently been put in by mistake, the observations no doubt pertain to No. 799.		
No.	835	q Camelopardi	—	1,96 Greenwich differs 0,08s. from the Madras Result.
No.	996	16 Argus	+	1,38
No.	1132	Leonis	—	1,68
No.	1135	Draconis	—	1,54
No.	1137	ι Argus	+	1,87*
No.	1156	n Arg. in Car.	—	3,11
	1160	N Arg. in Vel.	+	1,50
	1182	l Arg. in Car.	+	1,53
	1183	s Sextantis	+	1,91
	08	f Sextantis	+	1,49
	29	q Arg. in Car.	+	1,54

			s.	
No. 1234	T	Arg. in Vel.	+ 1,80	Observed in two separate years.
No. 1240	G	Leonis Min.	+ 1,48	Madras confirmed by Greenwich.
No. 1247	I	Arg. in Car.	+ 2,15	Madras Result re-examined.
No. 1270	34	Sextantis	+ 1,70	Observed in two separate years.
No. 1273	θ^a	Argus	+ 1,97	Do. Do.
No. 1276	θ^a	Argus	+ 1,87	Do. Do.
No. 1360	λ	Centauri	+ 1,82	Do. Do.
No. 1406	δ	Crucis	+ 2,29	Do. Do.
No. 1421	ϵ	Crucis	+ 1,73	Do. Do.
No. 1426	α^d	Crucis	+ 1,68	Do. Do.
No. 1427	α^a	Crucis	+ 1,37	Observed in three separate years.
No. 1493	r	Comæ Ber.	+ 1,61	Observed in two separate years.
No. 1651		Libræ	— 1,55	} Madras Results re-examined.
No. 1653	α^d	Centauri	— 6,22	
No. 1654	α^a	Centauri †	— 6,35	
No. 1655	α	Circini	— 2,12	
No. 1714	i	Bootis	+ 1,44	Greenwich differs 0,47s.
No. 1964	ϵ	Ursæ Min.	+ 3,96	Do. Do. 0,56s.
No. 1992	δ	Aræ	— 1,59	Observed in two separate years.
No. 2067	a	Sagittarii †	+ 1,50	Re-examined.
No. 2148	δ	Ursæ Min.	+ 7,33	Cambridge confirms Madras.
No. 2158	θ	Pavonis	— 3,97	Observed in two separate years.
No. 2166	λ	Pavonis	— 1,56	} Madras Results re-examined.
No. 2278	ϵ	Aquilæ	+ 1,38	
No. 2325	ϵ	Pavonis	+ 1,16	
No. 2378	R	Sagittarii	+ 2,99	
No. 2399	κ	Cephei	+ 3,29	Greenwich differs 0,37s.
No. 2421	v	Pavonis	+ 1,56	Madras Result re-examined.
No. 2496	76	Draconis	— 1,97	Greenwich Observations for 1831 differ + 0,98s.
No. 2499	h	Cephei	+ 9,48	Do. Do. Do. — 0,26s.
No. 2590	τ	Cephei	+ 1,70	Do. Do. Do. — 0,19s.
No. 2621		Aquarii	+ 3,54**	Madras Result re-examined.

	Madras.	Nautical Almanac 1834.	Society's Catalogue.
	<i>h. m. s.</i>	<i>s.</i>	<i>s.</i>
* Mean A. R.	{ 9 12 35,75	38,19	33,88
+ January 1, 1832.	{ 14 28 16,25	18,58	22,60

† On the 27th of August 1834, I observed the interval between the transit of this Star and of No. 2078 with the Mural Circle Telescope.

	<i>m. s.</i>
To be.....	2 18,46
Interval in the Madras Catalogue.....	2 18,65
— — — Ast. Soc. Catalogue.....	2 19,65

** On the 16 h of October 1834, I observed the interval between the transit of this Star and of No. 2630 with the Mural Circle Telescope.

	<i>m. s.</i>
To be.....	4 17,60
Interval in the Madras Catalogue.....	4 17,30
— — — Ast. Soc. Catalogue.....	4 20,64

CXXXVIII REMARKS UPON THE CATALOGUE OF FIXED STARS.

No. 2625	ξ Cephei	+	1,49	Greenwich Observations for 1831. differ + 0,20s.
No. 2629	36 Aquarii **	+	3,24	Piazzi's Catalogue confirms the Madras Result.
No. 2639	Aquarii	+	1,69	} Madras Results re-examined.
No. 2765	ι Gruis	+	3,61	
No. 2787	τ Pegasi	+	1,54	

We now come to the examination of the North Polar Distance column and the "difference from Greenwich." From the results of Pages 131, &c. we might naturally expect that (the computations being correctly performed) the result of one years observation if derived from 3 or 4 observations would never disagree to the amount of two seconds; whereas from the anomalies of Pages 122 and 123, a much larger amount of difference must be expected: selecting those cases where the largest difference of result occurs we have as follows.

No.	Obsers. vations.	Seconds of N. P. D.	Differ- ence.
		s.	s.
352	5	give 48,04	} 3,70
	1	44,34	
898	5	44,69	} 3,63
	5	48,32	
928	5	53,50	} 4,26
	5	49,24	
1015	5	35,39	} 3,40
	5	31,99	
1110	5	38,07	} 4,32
	5	33,75	
1223	5	32,76	} 3,74
	5	29,02	
1333	2	13,31	} 4,17
	4	9,14	
1360	5	28,74	} 3,49
	2	25,25	
1526	4	58,91	} 4,04
	1	54,87	
1700	3	31,71	} 5,16
	11	36,87	
1904	1	34,74	} 6,44
	3	41,18	
1981	2	26,66	} 4,02
	3	30,68	
2301	2	45,55	} 3,73
	6	49,28	
2433	3	58,08	} 3,46
	2	61,54	
2561	5	60,11	} 3,70
	2	56,41	

** On the 16th of October 1834, I observed the interval between the transit of this Star and of No. 2630 with the Mural Circle Telescope.

	m.	s.
To be.....	1	0,20
Interval in the Madras Catalogue.....	1	0,08
— — — Ast. Soc. Catalogue.....	1	3,04

Neglecting the result No. 1904 from one observation, (for the Instrument might possibly have moved in the interval between the bisection and reading off) the largest discordance now met with is 5,16s. of which, more presently—from the remaining discordances (which it must be recollected are *extreme* ones,) it may be fairly inferred, *that the extreme error to which any result is liable does not often amount to two seconds of space and never exceeds two seconds and a half*—in comparing then two Catalogues such as the Madras and Greenwich, in which (in extreme cases) the errors may be expected to enter with opposite signs, it is proper to charge only *half* of the discordance as an error to either Catalogue; so that the extreme error of two seconds and a half just mentioned will occasionally give rise to a discordance of five seconds: in the column “difference from Greenwich” in which we can better learn the amount of these discordances

there are 177 cases in which the difference is less than 1s.

—	356	—	—	—	—	2s.
—	492	—	—	—	—	3s.
—	592	—	—	—	—	4s.
—	631	—	—	—	—	5s.
and	36	—	—	—	is greater	5s.

Which are as follows:

		s.				
No.	59	+	5,37	Greenwich Observations for 1831 differ + 1,89s.		
No.	162	+	8,33	Do.	Do.	+ 3,14s.
No.	178	—	5,65	Do.	Do.	— 3,09s.
No.	217	—	11,09	Do.	Do.	— 2,63s.
No.	269	+	5,06	Must be examined.		
No.	280	+	7,81	Greenwich Observations for 1831 differ = 4,03s.		
No.	595	—	5,16	Must be examined.		
No.	735	+	5,10*	Do.	Do.	
No.	757	+	5,54	Do.	Do.	
No.	791	+	5,57	Do.	Do.	
No.	877	—	6,57	Greenwich Observations for 1831 differ — 4,30s.		
No.	1179	+	5,04	Must be examined.		
No.	1254	+	5,01	Do.	Do.	
No.	1289	+	5,66	Do.	Do.	
No.	1607	+	5,39	Do.	Do.	
No.	1619	+	5,81	Do.	Do.	
No.	1665	+	5,63	Do.	Do.	
No.	1700	+	7,86	Do.	Do.	
No.	1803	+	5,30	Do.	Do.	
No.	1806	+	5,63	Do.	Do.	
No.	1816	+	7,73	Do.	Do.	

* The Cambridge place of this Star is about 50s. in error.

No. 1837	+	5,28	Must be examined.			
No. 1986	+	5,69	Do.	Do.		
No. 2028	—	5,03	Do.	Do.		
No. 2079	+	10,18	Greenwich Observations for 1831 differ + 4,63s.			
No. 2105	+	5,11	Must be examined.			
No. 2187	+	9,48	Greenwich Observations for 1831 differ + 1,03s.			
No. 2196	+	5,87	Do.	Do.	Do.	+ 3,32s.
No. 2198	+	5,57	Must be examined.			
No. 2371	—	5,44	Do.	Do.		
No. 2561	+	6,89	Greenwich Observations for 1817 differ — 8,17s.			
No. 2562	—	5,13	Must be examined.			
No. 2661	+	16,33	Greenwich Observations for 1831 differ — 2,63s.			
No. 2696	+	10,15	Do.	Do.	for 1817 differ + 1,35s.	
No. 2710	+	6,39	Must be examined.			
No. 2754	+	5,21	Do.	Do.		

In the above list there are six Stars which have been observed at the Cambridge Observatory see (Vol. VI for 1833) of which No. 162 differs from the Madras Catalogue 0,94s. and No. 2754 by 1,68s.; of the other four cases, Nos. 1254, 1607 and 1619, agree to a fraction of a second with the Greenwich Catalogue; with regard to the remaining case (that of No. 1700 which likewise agrees with the Greenwich place to 1s.) it will be as well here to give the result of each observation made at Madras.

Mean N. P. D. of β Ursa Minoris reduced to January 1, 1832.

1832				1833			
January	24	15	9 36,11	January	11	15	9 36,69
May	11	15	9 30,84		13	15	9 37,56
	12	15	9 33,13		14	15	9 36,94
	20	15	9 31,15		15	15	9 37,07
					16	15	9 36,73
					17	15	9 36,78
					18	15	6 37,17
					20	15	9 36,78
					21	15	9 37,37
					23	15	9 37,05
					25	15	9 36,40
				May	12	15	9 32,31
Mean..... 32,81				15	9	36 49	
Or taking the general Mean we have.....				15	9	35,57*	
Differing + 7,67s. from the Greenwich Observations.							
And + 6,69s. — Cambridge —							

* Differing a little from the result given at Page LXXVII in which I had rejected the observation of January 24, 1832 and of May 12, 1833.

On recomputing the observations of this Star my attention was arrested by noticing that the observations or rather the results of January 1832 agreed with those of January 1833, and that those of May 1832 agreed with those of the same month in 1833—could the change from the damp morning air of the N. E. Monsoon in January to the hot and dry winds from the S. W. and West in the month of May have any thing to do with it? were the corrections for Aberration, &c. correctly computed? these with several other possible sources of error have been very frequently and carefully examined without eliciting any cause to explain this very extraordinary disagreement—the observations of Polaris above and below the pole in January 1833 when applied to the determination of the Index Error agreed perfectly* with the Stars otherwise situated but, β Ursæ Minoris disagreed to the above amount:

With regard to the column “difference from A. S. C.” the same objections applies to the N. P. D. as to the A. R. it will consequently only be necessary here to note the larger discordances, which are as follows.

		<i>m.</i>	<i>s.</i>	
No. 21	+	2	1,51	Or an Error of 2 <i>m.</i>
No. 40	+	0	55,60	Do. Do. 1 <i>m.</i>
No. 79	+	0	40,79	Had the proper motion mentioned by Piazzi been allowed in constructing the A. S. C. (— 1,25 <i>s.</i>), the difference would have been + 0,79 <i>s.</i>
No. 124	—	4	49,84	A discordance of 5 <i>m.</i> which must be re-examined.
No. 268	—	0	45,96	Presumed amount of Proper Motion.
No. 337	—	0	25,00	Do. Do.
No. 368	—	0	28,32	Do. Do.
No. 439	+	5	28,12	Only one observation—possibly the wrong Star.
No. 483	—	0	20,20	Presumed amount of Proper Motion.
No. 610	+	0	41,63	Do. Do.
No. 630	+	0	20,73	Do. Do.
No. 671	+	0	25,29	Do. Do.
No. 1141	+	0	16,32	One observation gave 29 <i>m.</i> 8,60 <i>s.</i> there are probably two Stars.
No. 1247	—	0	27,53	
No. 1414	+	0	8,35	Another Star has been observed twice which gives 66° 1 <i>m.</i> 31,75 <i>s.</i>
No. 1436	—	0	51,77	Presumed amount of Proper Motion.
No. 1655	+	0	22,21	Do. Do.
No. 1690	+	0	58,93	With reference to the difference in A. R. as well as in N. P. D. see Piazzi† our observations give about 1½ <i>s.</i> for P. M. in A. R. and about 2 <i>s.</i> in N. P. D.

* In selecting a Catalogue of Stars to be observed for the purpose of determining the Index Error I have rejected those which from the observations of 1831 differed to the amount of 2*s.* from the Madras Result.

† Piazzi says—Exnostris observationibus annorum 1800 — 2 — 8 — 9, A. R. et declinatio crescere videntur, & magis declinatio, cujus annua variatio foret 1,0*s.* circiter: idem proxime habetur ex Monierio, qui unus stellam hanc ante nos observavit. Eadem duplex, & ipeius comes 0,7*s.* temporis præcedit parumper ad Anstrum.


		<i>m.</i>	<i>s.</i>	
No. 1752	+	0	58,36	This has been repeatedly re-observed in 1835.
No. 2120	+	0	34,53	Presumed amount of Proper Motion.
No. 2155	—	0	23,07	Do. Do.
No. 2158	—	0	25,78	Do. Do.
No. 2351	+	0	26,22	Do. Do.
No. 2663	+	2	2,64	Greenwich confirms the Madras Result—with reference to Piazzini remark upon this Star ‡ it would appear that we have each observed the N. P. D. of the small Star, but it will I think be found that Piazzini is in Error.

‡ Præcedit 26s. temporis, alia 9æ magnitud. 2m. circiter ad Austrum.



*Curve traced by a Dot situated .001 Inch from the Centre of the Axis
of the Western Pivot of the Madras Transit Instrument.*

(see Page 6)



Collimation Telescope Supports. (see Page 125)

